




ललितपुर जिल्लाको ज्यालादर तथा निर्माण सामाग्रीहरुको  
स्वीकृत जिल्ला दररेट



आ.व. २०७९/०८०



जिल्ला दररेट निर्धारण समिति

ललितपुर

२०७९ आषाढ २९



## तपसिल

निर्णय नं. १ : आ.व. २०७९/०८० का लागि मिति २०७९/४/१ देखि ललितपुर जिल्लाभर हुने गरि संलग्न सूचि अनुसारका विभिन्न निर्माण सामाग्री मेशीन तथा उपकरणको भाडा र श्रमिकहरुको ज्याला दररेट स्वीकृत गर्ने निर्णय गरियो ।

निर्णय नं. २ : श्रमिकहरुको उपलब्धताको आधारमा (श्रमिकको उमेर १६ वर्ष र दैनिक काम गर्ने अवधि ८ घण्टा) लाई आधार मानी गत आ.व. २०७८/०७९ मा कायम गरिएको ज्याला दरमा नेपाल राष्ट्रबैंकको ज्यालादर सूचाङ्कको मान तथा प्रचलित बजार दरलाई आधार मानेर १०% ले वृद्धि गरी आ.व. २०७९/०८० को लागि संलग्न सूचिमा उल्लेख भए बमोजिम श्रमिकहरुको ज्याला दर निर्धारण गर्ने निर्णय गरियो ।

निर्णय नं. ३ : नगरपालिका पहाडी वडाहरु हालको नगरपालिकाको केन्द्रबाट आयोजना स्थलसम्म दुरीको आधारमा हुन आउने ढुवानी खर्च सम्बन्धीत निकायले दररेट विश्लेषण गर्दा ढुवानी भाडा थप गर्न सक्ने निर्णय गरियो ।

निर्णय नं. ४ : यसमा उल्लेख नभएका निर्माणसँग सम्बन्धित अन्य आवश्यक सामाग्रीहरुको हकमा सम्बन्धित विभागीय नर्स, नर्स उपलब्ध हुन नसक्ने अवस्थामा निर्माण सामाग्रीहरुको उत्पादक वा आधिकारीक विक्रेताबाट दरभाउपत्र प्राप्त गरी कार्यान्वयन गराउन सक्ने निर्णय गरियो ।

निर्णय नं. ५ : पुरातात्वीक महत्वका विभिन्न निर्माण कार्यहरुमा विशेष प्रकारको दक्षता र शिप भएका श्रमिकहरुको प्रयोग हुने भएकोले ती श्रमिकहरुको दैनिक ज्याला दररेट पुरातत्व विभागबाट स्वीकृत गरिएको दररेटलाई नै कायम गर्ने निर्णय गरियो ।

निर्णय नं. ६ : मेशिन, औजार तथा उपकरणको भाडा दर सम्बन्धि मेशिन प्रयोग गरि सडक निर्माण गर्दा वा अन्य कार्य गर्नु पर्दा डोजर, एक्साभेटर, रोलर, ग्रेडर आदिको दर सडक विभागबाट कायम गरिएको प्रति घण्टाको भाडा दर अनुसार नै हुने निर्णय गरियो ।

निर्णय नं. ७ : निर्माण कार्य गरिने आयोजनाहरुमा श्रमिक मजदुरहरुको व्यवसाय जन्य सुरक्षा र स्वास्थ्यको आवश्यक व्यवस्था गर्नका साथै सार्वजनिक खरिद ऐन, नियमावलीमा व्यवस्था भएको बीमा लगायतका अन्य प्रावधान समेत सम्बन्धीत ज्याला दर प्रयोग गर्ने निकायले अनिवार्य रुपमा कार्यान्वयन गर्ने निर्णय गरियो ।

निर्णय नं. ८ : Bitumen लगायत यसमा उल्लेखित अन्य निर्माण सामाग्रीहरुको हकमा यसमा उल्लेख भएको मूल्य घटेर १०% भन्दा कम बजार मूल्य हुन गएमा लागत अनुमान तयार गर्ने निकायले घटेकै मूल्यमा लागत अनुमान तयार गर्ने निर्णय गरियो ।

प्रमुख जिल्ला अधिकारी

प्रमुख जिल्ला अधिकारी



## विषय सूची

क्र.सं.	विषय	पृष्ठ संख्या
1	श्रमिकको ज्याला दर	1
2	घर र जग्गा भाडा तथा क्षतिपूर्ति/मुआब्जा निर्धारण	2
3	फलाम जन्य निर्माण सामग्री	3
4	सडक र पुल सम्बन्धि निर्माण सामग्री	6
5	स्थानीय निर्माण सामग्रीहरु	8
6	प्रिकाष्ट आर.सि.सि.पाईपहरु तथा रिडहरु	10
7	भवन निर्माणमा प्रयोग हुने निर्माण सामग्री	12
8	माटो तथा ढुङ्गावाट निर्मित परम्परागत निर्माण सामग्रीहरु	18
9	काठ तथा प्लाइउड संवन्धि निर्माण सामग्री	23
10	Aluminum Doors and Windows	27
11	UPVC Profile for Door/Window	31
12	छाना छाउने निर्माण सामग्री	33
13	Partition Board and Ceiling	38
14	Prefab Panel for wall Partition	41
15	भ्याल ढोकामा प्रयोगहुने फिक्सचरहरु	45
16	रंगरोगन तथा पुटिका सामानहरु	48
17	Water Proofing Chemicals & Treatment works	55
18	Water Proofing Membrane	60
19	Structural Strengthening & Seismic Retrofitting	61
20	Cement Concrete Block	63
21	Security System	70
22	Non Destructive test for Forensic Engineering	71
23	वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु	72
24	Geocell Technology	78
25	Doors & Windows	82
26	Flooring & Ceiling	83
27	Slope Stabilization Structures	89



विषय सूची

क्र.सं.	विषय	पृष्ठ संख्या
28	Railway	93
29	Flooring Room Heating System	94
30	पाईप तथा फिटिङ्गहरू	95
31	DI पाईप तथा फिटिङ्गहरू	104
32	PE Electro Fusion Fittings and Combination Accessories	116
33	High Pressure Valves & Fittings	120
34	पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरू	123
35	यु.पि.भि.सि. पाईप तथा फिटिङ्गहरू	133
36	पि.भि.सि. पाईप तथा फिटिङ्गहरू	136
37	पि.भि.सि.ओ. पाईप तथा फिटिङ्गहरू	141
38	सि.पि.भि.सि. पाईप तथा फिटिङ्गहरू	143
39	GRP and HDPE/DWC Pipes	147
40	किचन र बाथरूममा प्रयोग हुने सामानहरू	153
41	CP Accessories	158
42	विभिन्न प्रकारका वाटर टैंक र पम्पहरू	160
43	साधारण हाते औजारहरू	163
44	मेनहोल कभरहरू	165
45	RCC Ring and Boring Work	168
46	Multilayer Composite Pipe	169
47	Rainwater Collection System	173
48	सिचाई संबन्धि कार्य	178
49	Plastic Dustbin, Compost-Bin, Planter & Road Divider	179
50	Sewage Treatment Plant	180
51	विद्युतिय सामग्रीहरू	181
52	Solar Power	248






  
 प्रमुख जिल्ला अधिकारी

## श्रमिकको ज्याला दर



सि. नं.	कामदारहरुको विवरण	एकाई	ज्याला दर प्रतिदिन रु.		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	निर्माणकामको लागि श्रमिक (ज्यामी)	प्रति दिन	७५०.००	७९०.००	८७०.००
२	फोहर ढल सफा गर्ने कामदार	प्रति दिन	९२९.००	९७०.००	१०६५.००
३	उच्च माध्यमिक तह उर्तिण गरी ल्याब टेक्निसियनको तालिम प्राप्त गरेको	प्रति दिन			१५००.००
४	दक्ष (डकर्मी, सिकर्मी, नकर्मी, चित्रकार, वज्रकर्मी), प्लम्बर, दुङ्गा र काठ बुट्टा काट्ने साधारण मूर्तिकार, चित्रकार, आर्टिस्ट,	प्रति दिन	१०३०.००	१०८०.००	११८५.००
५	अर्धदक्ष (डकर्मी, सिकर्मी, नकर्मी), चित्रकार, प्लम्बर, इलेक्ट्रोसियन, आरावाला, जुनियर सुपरभाइजर, नदी निरीक्षक, आदी ।	प्रति दिन	८४५.००	८९०.००	९८०.००
६	साइक्लो स्टाइल ट्रेसिङ्ग, एमोनिया प्रिन्टीङ्ग फोरमेन, सामाजिक परिचालक, खदेल (खानी सम्बन्धी काम गर्ने कामदार), आदी ।	प्रति दिन	७३२.००	७७०.००	८४५.००
७	निर्माण कार्यको क्याम्प वर्कर, सुपरभाइजर, ब्लास्टर, मेकानिक्स, कालिगढ, ड्रिलर, फोटोग्राफिक्स, फोरमेन, सेक्युरेटी गार्ड, नाइट वाचमेन, रोड लेन्थ वर्कर, हेल्पर मेकानिक्स, लाइट भेहिकल ड्राइभर, अफिस असिस्टेन्ट, सर्भे हेल्पर, वेल्डर सहायक, रनर, गणक चेन म्यान, टेप म्यान, स्टाफ म्यान, ड्रिल हेल्पर, ट्रक हेल्पर, सयस Enumerator (न्यूनतम एस.एल.सी वा सो सरह), आदी ।	प्रति दिन	६९०.००	७२५.००	७९५.००
८	माली, सहायक परिचालक, स्वीपर, मेहत्तर, धोवी, वन हेरालु, चौकिदार, आदी ।	प्रति दिन	६३०.००	६६०.००	७२५.००
९	सामान लोड अनलोड गर्ने ज्याला	१०० किलो	२१.५०	२३.००	२५.००
	सडकको कामको लागि				
१	पिच स्प्रेयर, पिच ब्यायलर	प्रति दिन	७६५.००	८००.००	८८०.००
२	प्याच वर्कर (दिउसो को समयमा काम गर्ने) ।	प्रति दिन	७५०.००	७९०.००	८७०.००
३	प्याच वर्कर सुपरभाइजर (दिउसो को समयमा काम गर्ने) सुपरभाइजर सरह ।	प्रति दिन	७८५.००	८२५.००	९०५.००
४	प्याच वर्कर (रात्री समयमा काम गर्ने) ।	प्रति दिन	१०६७.००	११२०.००	१२३०.००
५	प्याच वर्कर सुपरभाइजर (रात्री समयमा काम गर्ने)	प्रति दिन	१०६७.००	११२०.००	१२३०.००
६	भरिया (४० के.जी. तौल सम्म)	प्रति दिन	७७०.००	८१०.००	८९०.००
७	बोलेरो ४ व्हील डवल क्याव पिकअप भाडा ईन्धन र चालक समेत	प्रति दिन	५५००.००	५७७५.००	६३५०.००
८	स्करपियो ४ व्हील डवल क्याव पिकअप भाडा ईन्धन र चालक समेत	प्रति दिन	६६००.००	६९३०.००	७६२०.००

माथि उल्लेख नभएका अन्य सबै पद/श्रेणिका ज्यालादारी कर्मचारी/कामदारहरुको हकमा संबन्धित पद/श्रेणिको लागि नेपाल सरकारको वा सम्बन्धित संस्थानको प्रचलित तलव मानलाई ३० ले भाग गर्दा हुन आउने रकमलाई दैनिक ज्यालादर मान्नुपर्ने छ ।

प्रमुख जिल्ला अधिकारी



**घर र जग्गा भाडा तथा क्षतिपूर्ति/मुआब्जा निर्धारण**

घर र जग्गा भाडा तथा क्षतिपूर्ति/मुआब्जा निर्धारण प्रयोजनको लागि विभिन्न प्रकारको घरको बनावट हेरी तपशिल बमोजिम दर कायम

सि. नं.	घरको बनावट विवरण	स्तर	ईकाई	आ. व. २०७९/८० को प्रस्तावित दर(रु.)					
				व्यवसायिक भवनको हकमा			बावासीय भवनको हकमा		
				सिभिल कार्य	विद्युत कार्य	जग्गछ	सिभिल कार्य	विद्युत कार्य	स्वामिदारी कार्य
१	आर.सि.सि.फ्रेम लोकल ईटा (सिमेन्टको जोडाई), आर.सि.सि.छाना	उत्तम	व.फु.	३६२२.५६	१०९.८८	२७४.६५	२८४८.२४	९३.४०	२३३.४५
२		मध्यम	व.फु.	३०६४.१०	७०.२७	११८५.००	२४०९.१५	६०.५८	१७३.२५
३		सामान्य	व.फु.	२७०१.७७	३२.२५	१३५.२४	२१२४.२८	४२.४२	११४.९५
४	आर.सि.सि.फ्रेम लोकल ईटा (सिमेन्टको जोडाई), कर्कटपाता छाना	उत्तम	व.फु.	३०४५.९३	८९.१९	२२२.९४	२३९४.८६	७५.८१	१८४.५०
५		मध्यम	व.फु.	२५१९.४३	५७.८५	१६५.४५	१९८०.९०	४९.१७	१४०.६३
६		सामान्य	व.फु.	२२८६.२८	२६.१८	१०९.७८	१७७७.५८	२२.२५	९३.३१
७	आर.सि.सि.फ्रेम चाईनिज ईटा (सिमेन्टको जोडाई), आर.सि.सि.छाना	उत्तम	व.फु.	३५५१.५७	१०९.८८	२७४.६५	२७२२.४२	९३.४०	२३३.४५
८		मध्यम	व.फु.	२९५८.९३	७९.२७	२०३.८२	२३२६.४६	६०.५८	१७३.२५
९		सामान्य	व.फु.	२७४४.९१	३२.२५	१३५.२४	२१३४.५९	४२.४२	११४.९५
१०	आर.सि.सि.फ्रेम चाईनिज ईटा (सिमेन्टको जोडाई), कर्कटपाता छाना	उत्तम	व.फु.	३४३३.२०	८९.१९	२२२.९४	२६९९.३६	७५.८१	१८४.५०
११		मध्यम	व.फु.	२४१८.१७	५७.८५	१६५.४५	१६६४.४२	४९.१७	१४०.६३
१२		सामान्य	व.फु.	२२९९.१०	२६.१८	१०९.७८	१८०७.७२	२२.२५	९३.३१
१३	लोड वियरिङ्ग लोकल ईटाको गारो (सिमेन्टको जोडाई), आर.सि.सि.छाना	सामान्य	व.फु.	३५६४.४२	१०९.८८	२७४.६५	२८०२.५३	९३.४०	२३३.४५
१४		मध्यम	व.फु.	३०१३.९४	७९.२७	२०३.८२	२३६९.७९	६०.५८	१७३.२५
१५		सामान्य	व.फु.	२७५३.१३	३२.२५	१३५.२४	२१६४.६५	४२.४२	११४.९५
१६	लोड वियरिङ्ग लोकल ईटाको गारो (सिमेन्टको जोडाई), कर्कटपाता छाना	उत्तम	व.फु.	३०९२.६५	८९.१९	२२२.९४	२४३९.६०	७५.८१	१८४.५०
१७		मध्यम	व.फु.	२५६३.४१	५७.८५	१६५.४५	२०१५.४८	४९.१७	१४०.६३
१८		सामान्य	व.फु.	२३४४.००	२६.१८	१०९.७८	१८४२.९७	२२.२५	९३.३१
१९	लोड वियरिङ्ग लोकल ईटाको गारो (सिमेन्टको जोडाई), टायल छाना	मध्यम	व.फु.	२९२९.०१	५७.८५	१२३०.००	२३०२.९९	४९.१७	१४०.६३
२०		सामान्य	व.फु.	२७१७.३०	२६.१८	१२३०.००	२१३६.४८	२२.२५	९३.३१
२१		उत्तम	व.फु.	३५८०.०१	१०९.८८	८९०.००	२८१४.७८	९३.४०	२३३.४५
२२	लोड वियरिङ्ग चाईनिज ईटाको गारो (सिमेन्टको जोडाई), आर.सि.सि.छाना	मध्यम	व.फु.	३०२९.५२	७९.२७	२०३.८२	२३८२.००	६०.५८	१७३.२५
२३		सामान्य	व.फु.	२७६८.७२	३२.२५	१३५.२४	२१७६.९०	४२.४२	११४.९५
२४		उत्तम	व.फु.	३१०७.५३	८९.१९	२२२.९४	२४४३.३०	७५.८१	१८४.५०
२५	लोड वियरिङ्ग चाईनिज ईटाको गारो (सिमेन्टको जोडाई), कर्कटपाता छाना	मध्यम	व.फु.	२५७८.२८	५७.८५	१६५.४५	२०२७.१७	४९.१७	१४०.६३
२६		सामान्य	व.फु.	२३५८.८८	२६.१८	१०९.७८	१८५४.६७	२२.२५	९३.३१
२७		मध्यम	व.फु.	३४९२.६०	५७.८५	१६५.४५	२७४६.०६	४९.१७	१४०.६३
२८	लोड वियरिङ्ग लोकल ईटाको गारो (माटोको जोडाई), आर.सि.सि.छाना	सामान्य	व.फु.	३२३१.७९	२६.१८	१०९.७८	२५४१.०८	२२.२५	९३.३१
२९		मध्यम	व.फु.	२९९३.९८	५७.८५	१६५.४५	२३५४.०२	४९.१७	१४०.६३
३०		सामान्य	व.फु.	२७८२.२८	२६.१८	१०९.७८	२१८७.५६	२२.२५	९३.३१
३१	लोड वियरिङ्ग लोकल ईटाको गारो (माटोको जोडाई), टायल छाना	मध्यम	व.फु.	३२८९.२१	५७.८५	१६५.४५	२५८६.१४	४९.१७	१४०.६३
३२		सामान्य	व.फु.	३०६९.८१	२६.१८	१०९.७८	२४१३.६४	२२.२५	९३.३१
३३		मध्यम	व.फु.	३३५७.५७	५७.८५	१६५.४५	२६३९.८९	४९.१७	१४०.६३
३४	लोड वियरिङ्ग लोकल ईटाको गारो (माटोको जोडाई), कर्कटपाता छाना तथा माटोको। काठको भुईँ	सामान्य	व.फु.	३१९०.२३	२६.१८	१०९.७८	२५०८.३२	२२.२५	९३.३१
३५		मध्यम	व.फु.	३६५७.४८	५७.८५	१६५.४५	२८७५.७०	४९.१७	१४०.६३
३६		सामान्य	व.फु.	३१९०.१५	२६.१८	१०९.७८	२७४४.१३	२२.२५	९३.३१
३७	लोड वियरिङ्ग ढुङ्गाको गारो (माटोको जोडाई), कर्कटपाता छाना तथा माटोको। काठको भुईँ	सामान्य	व.फु.	२६९७.९२	२६.१८	१०९.७८	२१२१.२४	२२.२५	९३.३१
३८		सामान्य	व.फु.	२९५७.८४	२६.१८	१०९.७८	२३५७.०५	२२.२५	९३.३१
३९		सामान्य	व.फु.	३५६२.२३	२६.१८	१०९.७८	२८००.८०	२२.२५	९३.३१
४०	लोड वियरिङ्ग ढुङ्गाको गारो (सिमेन्टको जोडाई), टायल छाना तथा माटोको। काठको भुईँ	सामान्य	व.फु.	३८६२.१३	२६.१८	१०९.७८	३०३६.६१	२२.२५	९३.३१
४१		उत्तम	व.फु.	४०९०.१५	१०९.८८	२७४.६५	३२१५.८८	९३.४०	२३३.४५
४२		मध्यम	व.फु.	३५३९.६७	७९.२७	२०३.८२	२७८३.०७	६०.५८	१७३.२५
४३	लोड वियरिङ्ग ढुङ्गाको गारो (सिमेन्टको जोडाई), आर.सि.सि.छाना	सामान्य	व.फु.	३२७८.८६	३२.२५	१३५.२४	२५७८.०१	४२.४२	११४.९५

**भवनको बनावट र फिनिसिङ्ग तथा सामान/उपकरण जडानको आधारमा वर्गीकरण**

- क) लिफ्ट जडान भएको हकमा रु ५२,४२,५००।०० (भ्याट समेत) थप गर्नु पर्नेछ। (६ व्यक्ति क्षमता भएको लिफ्ट)
- ख) सेप्टिक ट्यांक तथा सोक पिट (Soak pit) नभएको हकमा भवनको कुल मुल्यांकनमा रु १५,९००।२५ (भ्याट बाहेक) घटाउनुपर्नेछ।
- ग) संयुक्त आवास (Apartment) र Housing का भवनहरूको मुल्यांकन गर्दा भवनले ओगटेको जग्गा भवन परिसर भित्र रहेका सडक, Swimming Pool लगायतका पूर्वाधारहरू तथा Land scaping कार्य हरूको मुल्यांकन यस दर रेटमा समावेश नगरिएकोले सो को छुट्टै मुल्यांकन गर्नुपर्ने छ।
- घ) माथीका सिभिल कार्यका दर रेटहरू सामान्य किसिमका जग भएका भवनहरूको लागि निर्धारण गरिएको हो। अन्य किसिमका जगहरूको हकमा जग complex (combined/ Mat) भएमा वा pile foundation भएमा सोको छुट्टै मुल्यांकन गरी भवनको कुल मुल्यांकनमा समावेश गर्ने।
- ङ) उपरोक्त अनुसारका दररेट प्रयोग गरी घरको मुल्यांकन गर्दा त्रसकट्टी लगायतका मुल्यांकनका विधि र सूत्र (Formula) "भवनको लागत मुल्यांकन कार्य विधि २०७०" ले निर्दिष्ट गरे बमोजिम हुनेछ।

Handwritten signatures and stamps at the bottom of the page, including a circular official stamp on the right.



## फलाम जन्य निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	विभिन्न साइजका TMT Bar				
	a) 8 mm dia	के.जी	८६.००	९२.००	९९.००
	b) 10,12,16,20. mm dia	के.जी	८४.००	९१.००	९८.००
	c) 25 mm dia	के.जी	८५.००	९२.००	९९.००
	c) 28.32 mm dia	के.जी	८५.००	९२.००	९९.००
२	विभिन्न साइजको TOR Steel				
	a) 8mm dia TOR steel	के.जी	८२.००	८८.००	९४.००
	b) 10-25mm TOR steel	के.जी	७९.००	८५.००	९१.००
	c) 28-32mm TOR steel	के.जी	८२.००	८८.००	९४.००
३	TOR kari-4.75, 7 mm dia	के.जी	८६.००	९२.००	१०१.००
४	डण्डी बाँधनेतार	के.जी	९२.००	९९.००	१०६.००
५	एम.एस.सोलिड स्वायर रड	के.जी	७०.००	७५.००	८०.००
६	विभिन्न साइजको एम.एस. एङ्गल	के.जी	८१.४२	८७.००	९३.००
७	विभिन्न साइजको व्याक पाईप	के.जी	८१.००	८७.००	९३.००
८	विभिन्न साइजको एम.एस. च्यानल	के.जी	८३.१९	८९.००	९६.००
९	विभिन्न साइजको आइ.विम	के.जी	८२.३०	८८.००	९४.००
१०	विभिन्न साइजको एम.एस. प्लेट	के.जी	१३९.१०	१४०.००	१६१.००
११	विभिन्न मोटाइको एम.एस. कालो सिट	के.जी	१३९.१०	१४०.००	१६१.००
११	<b>G.I. Wire</b>				
	<b>i) Heavy Zinc coated</b>				
	8 gauge	के.जी	१०५.००	११३.००	१२९.००
	10 gauge	के.जी	१०५.००	११३.००	१२९.००
	12 gauge	के.जी	१०५.००	११३.००	१२९.००
	<b>ii) Medium zinc Coated</b>				
	8 gauge	के.जी	१००.००	१०८.००	१२४.००
	10 gauge	के.जी	१००.००	१०८.००	१२४.००
	12 gauge	के.जी	१००.००	१०८.००	१२४.००
	<b>iii) Light Zinc Coated/Commercial</b>				
	8 gauge	के.जी	९५.००	१०२.००	११७.००
	10 gauge	के.जी	९५.००	१०२.००	११७.००
	12 gauge	के.जी	९५.००	१०२.००	११७.००
१२	मेशिनबाट बुनिएका, Mechanically selvaged double Twist wire mesh को हेवि जिङ्ग कोटेड तयारी गेवियन वाक्स mesh size-100x120mm , mesh wire-3.0 mm , selvage wire-3.9mm and lacing wire-2.4mm	व.मि.	२३१.००	२४९.००	२८६.००
१३	मेशिनबाट बुनिएका, Mechanically selvaged double Twist wire mesh को हेवि जिङ्ग कोटेड तयारी गेवियन वाक्स mesh size-60x80mm , mesh wire-2.2 mm , selvage wire-2.7mm and lacing wire-2.2mm	व.मि.	२८०.००	३०२.००	३४७.००
१४	मेशिनबाट बुनिएका, Mechanically selvaged double Twist wire mesh को हेवि जिङ्ग र पि.भि.सि.कोटेड तयारी गेवियन वाक्स mesh size-60x80mm , mesh wire-2.2 mm , selvage wire-2.7mm and lacing wire-2.2mm	व.मि.	४५७.००	४९३.००	५६६.००



## फलाम जन्त्य निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१५	मेशिनबाट बुनिएका, Mechanically selvaged double Twist wire mesh को हेवि जिङ्ग र पि.भि.सि.कोटेड तयारी जम्बो गेवियन वाकस mesh size-100x120mm , mesh wire-3.0 mm , selvage wire-3.9mm and lacing wire-2.4mm	व.मि.	३०२.००	३२६.००	३७४.००
१६	मेशिनबाट बुनिएका, Mechanically selvaged double Twist wire mesh को हेवि जिङ्ग र पि.भि.सि.कोटेड तयारी जम्बो गेवियन वाकस mesh size-100x120mm , mesh wire-2.70mm , selvage wire-3.40 mm and lacing wire-2.20mm	व.मि.	२७२.००	२९३.००	३३६.००
१७	<b>Barbed Wire (काँडेतार)</b>				
	12 guage commercial, Medium duty	के.जी	९७.३५	१०५.००	११५.००
	U-hook for barbed wire fencing	गोटा	०.७५	०.८१	०.८९
१८	<b>Fabrication of chain link mesh of size</b>				
	1"x1" 12 guage	बर्ग मी.	६९७.००	७५२.००	८२७.००
	1.5"x1.5" 12 guage	बर्ग मी.	६५२.००	७०४.००	७७४.००
	2"x2" 10 guage	बर्ग मी.	५१७.००	५५८.००	६१३.००
	3"x3" 10 guage	बर्ग मी.	४२३.००	४५६.००	५०१.००
	4"x4" 10 guage	बर्ग मी.	३३७.००	३६३.००	३९९.००
१९	<b>विभिन्न प्रकारको जालीहरू</b>				
	मसिनो खालको Mosquito proof जाली	व.मि.	११६.००	१२५.००	१३७.००
	वालुवा चाल्ने जाली	व.मि.	१२१.००	१३०.००	१४३.००
	कुखुरे जाली (Chicken wire mesh)	व.मि.	७४.००	७९.००	८६.००
	ब्रास क्रसिङ्ग जाली	व.मि.	१८९.००	२०४.००	२२४.००
	स्टील जाली (crossing )	व.मि.	१५२.००	१६४.००	१८०.००
	मसिनो खालको Steel Mosquito proof जाली	व.मि.	२६३.००	२८४.००	३१२.००
	<b>फलामबाट निर्मित सामानहरू</b>				
२०	विभिन्न साईजको एम.एस.फलामे पट्टिको ग्रील बनाई जडान गर्ने काम	के.जी	१३०.००	१४०.००	१५४.००
२१	सोलिड स्वायर रडको ग्रील बनाई जडान गर्ने काम एककोट प्राईमर समेत	के.जी	१२०.००	१२९.००	१४१.००
२२	कोल्याप्सीबल गेट बनाई जडान गर्ने	व.फि.	५००.००	५४०.००	५९४.००
२३	१६-१८ गेजको फलामे रोलिङ्ग सटर बनाई जडान गर्ने	व.फि.	३५०.००	३७८.००	४१५.००
२४	फलामे रोलिङ्ग सटर १६-१८ गेज जडान सहित स्ट्रीप सटर प्वाल भएको	व.फि.	२८०.००	३०२.००	३३२.००
२५	फलामे रोलिङ्ग सटर डण्डी प्रयोग गरी बनाइको साथै जडान गर्ने समेत	व.फि.	५००.००	५४०.००	५९४.००
२६	१६ गेज पाताबाट कम्पाउण्ड वालको गेट बनाई जडान गर्ने (५० X ५० X ५ mm) को फ्रेम समेत	व.फि.	६५०.००	७०२.००	७७२.००
२७	३"-४" व्यासको Iron Black Pipe मा एङ्गल र पट्टि राखी खुडकिला सहितको घुम्ने भन्ज्याङ्ग (Spiral Staircase) तयार गरी जडान समेत ( भन्ज्याङ्गको नापी गर्दा floor to floor height लिने)	र.फि.	२८७४.९२	३१०४.००	३४१४.००
२८	फलामको होल्डफास्ट (७ वटाको १ के.जि.)	के.जी	१२५.००	१३५.००	१४८.००
२९	विभिन्न साइजको किला काटी	के.जी	११२.००	१२०.००	१३२.००
३०	विभिन्न साइजको नट बोल्ट	के.जी	१६५.००	१७८.००	१९५.००
३१	फलामे सामाग्रीको फेब्रिवेशन तथा जडान कार्य	के.जी	४५.००	४८.००	५२.००
३२	Readymade Black Pipe Tubular Truss fitting & fixing work	के.जी	१४०.००	१५१.००	१६६.००





## फलाम जन्य निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
३३	Mild Steel Props for Concreting 2" dia 3.5 mm wall thickness and 3.5 m-4.0 m height	गोटा	१९४०.००	२०९५.००	२३०४.००
३४	स्टेनलेस स्टील पाइप				
	३/४" व्यास भएको १६ गेज मोटाई	मीटर	१९४.००	२०९.००	२२९.००
	१" व्यास भएको १६ गेज मोटाई	मीटर	२४३.००	२६२.००	२८८.००
	१ १/४" व्यास भएको १६ गेज मोटाई	मीटर	३१०.००	३३४.००	३६७.००
	१ १/२" व्यास भएको १६ गेज मोटाई	मीटर	३७६.००	४०६.००	४४६.००
	२" व्यास भएको १६ गेज मोटाई	मीटर	५०८.००	५४८.००	६०२.००
३५	Supplying & Installation of light Gauge Steel Structure using light steel sections of (90*45*10/90*37*7.5) mm of steel grade G350 & G550 with zinc coating 150 GSM with variable thickness ranging from 0.55mm to 1.2mm as per engineer's design including all necessary accessories such as anchor bolts, teist tie, screws etc. all complete	के.जी.			४७०.००

प्रमुख जिल्ला अधिकारी



## सडक र पुल सम्बन्धि निर्माण सामग्री


सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	<b>Bitumen</b>				
	VG-10	के.जी			११५.००
	VG-30	के.जी			११६.००
२	CRMB-DIGO 55 Bitumen	के.जी	७५.००	८१.००	८९.००
३	<b>Cationic Bitumen Emulsion</b>				
	छिटो जम्ने (RS 60%)	के.जी	६८.००	७३.००	८४.००
	छिटो जम्ने (RS 65%)	के.जी	७२.००	७७.००	८९.००
	छिटो जम्ने (RS 70%)	के.जी	७६.००	८२.००	९४.००
	मध्यम जम्ने (MS 60%)	के.जी	६९.००	७४.००	८५.००
	मध्यम जम्ने (MS 65%)	के.जी	७३.००	७८.००	८९.००
	ढीलो जम्ने (SS60%)	के.जी	७०.००	७५.००	८६.००
४	Slurry Seal with 60% bitumen	के.जी	७५.००	८१.००	९३.००
५	Hi - seal Redymix	के.जी	९८.००	९८.००	११२.००
६	Polymer Bitumen	के.जी	१०९.००	१०९.००	१२५.००
७	सडक कालोपत्रे गर्दा विटुमीन नउपकीनको लागी प्रयोग गर्ने सामान Anti stripping	के.जी	३२२.००	३२२.००	३७०.००
८	कालोपत्रे सडक Pot hole टाल्नेको लागी प्रयोग गरिने Pre-coated Aggregate सामग्री	के.जी	३१.००	३१.००	३५.००
९	कालोपत्रे सडकमा रेखाकन गर्न प्रयोग गरिने Therom Plastic Road marking ;fdfujL				
	a) B.S. Grade	के.जी	१७३.००	१७३.००	१९८.००
	b) Most Grade	के.जी	१९१.००	१९१.००	२१९.००
	c) Glass beads	के.जी	१५७.००	१५७.००	१८०.००
१०	<b>Elastomeric Bearing Pad</b>				
	Free Type	गोटा	२३१०७.००	२३१०७.००	२४०३१.००
	Fix end Dowel Type	गोटा	४९०३२.००	४९०३२.००	५०९९३.००
११	<b>Expansion Joint Works</b>				
	Single strip seal	र. मि.	९६५०.००	९६५०.००	१००३६.००
	Slab seal (320*50)	र. मि.	१९२३०.००	१९२३०.००	१९९९९.००
१२	मोटर ट्रस पुलको लागि स्टील पार्ट फेब्रिकेशन फेब्रिकेशन र हट डिप ग्याल्भनाईजेसन समेत गर्ने काम	टन	१७५०००.००	१७५०००.००	१७८५००.००
१३	मोटर पुलको लागि स्टील प्लेट गर्डरको फेब्रिकेशन र हट डिप ग्याल्भनाईजेसन समेत गर्ने काम	टन	१७५०००.००	१७५०००.००	१७८५००.००
१४	<b>High density polyethene geo-membrane</b>				
	1.00 mm thickness	व. मि.	६३४.००	६३४.००	६८४.००
	2.00 mm thickness	व. मि.	१२६५.००	१२६५.००	१३६४.००
१५	<b>Needle punched non woven geo-textile</b>				
	weight-120gm/sqm	व. मि.	७२.००	७२.००	७७.००
	weight-150gm/sqm	व. मि.	८०.००	८०.००	८६.००
	weight-200gm/sqm	व. मि.	११७.००	११७.००	१२६.००
१६	Tendon sheath	मी.	३६०.००	३६०.००	३८८.००
१७	Tendon wire	टन	१४८८२०.००	१४८८२०.००	१५१७९६.००
१८	Anchorage block with cap	गोटा	९९५०.००	९९५०.००	१०३४८.००



## सडक र पुल सम्बन्धि निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१९	Road divider ( polythene )	गोटा	१६५०.००	१६५०.००	१७३२.००
२०	Dust bin ( polythene ) 165 ltr	गोटा	३१३५.००	३१३५.००	३२९१.००
२१	१ मीटर व्यास सम्मको बोरहोल आर.सि.सि. पाइपको PDA Test गर्ने काम पाइल हेड तयार गर्ने र प्रतिवेदन समेत तयार गर्ने काम	गोटा	१९००००.००	१९००००.००	१९३८००.००
२२	१ मीटर व्यास सम्मको बोरहोल आर.सि.सि. पाइपको Entrigrety Test गरी प्रतिवेदन समेत तयार गर्ने काम	गोटा	६०००.००	६०००.००	६२४०.००
२३	१ मीटर व्यास सम्मको बोरहोल आर.सि.सि. पाइपको Cross hole ultrasonic monitor (CHUM) Test गरी प्रतिवेदन समेत तयार गर्ने काम	गोटा	१०५००.००	१०५००.००	१०९२०.००
२४	Geogrids	ब. मि.			१४०.००
	<b>भोलुडे पुल सम्बन्धि</b>				
१	Φ 13 mm thimble	गोटा	७४.००	७४.००	७९.००
२	Φ 26 mm thimble	गोटा	३७२.००	३७२.००	४०१.००
३	Φ 32 mm thimble	गोटा	६३७.००	६३७.००	६८७.००
४	Φ 36 mm thimble	गोटा	१२७३.००	१२७३.००	१३७३.००
५	Φ 40 mm thimble	गोटा	१५९१.००	१५९१.००	१७१६.००
६	Wire mesh netting -10 SWG 50x50 mesh size	ब. मि.	४२४.००	४२४.००	४५७.००
७	Sign Board with Fittings (Size - 60cm X 90cm)	गोटा	६६९५.००	६६९५.००	७२२३.००
८	Hot deep galvanized Bolts, Nuts & Washers	के.जी.	२९०.००	२९०.००	३१२.००
९	Bolts, Nuts & Washers (Hotdip friction Grip)	के.जी.	३८०.००	३८०.००	४१०.००
१०	High tensile friction grip nut bolts	के.जी.	३५०.००	३५०.००	३७७.००
११	Hot deep galvinazation	के.जी.	४८.००	४८.००	५१.००
१२	3D Semi Flexible Galvanized steel Mat; Panels size (80x115x3000) 3D; , Approx. Wt. 3.0 kg/m2	ब. मि.		३६४०.००	३८९८.००
१३	Binding loops stainless steel , approx wt 6.0 Kg/Bundle	प्रति बण्डल		२१५९०.००	२२९००.००

प्रमुख जिल्ला अधिकारी



## स्थानीय निर्माण सामग्रीहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	मेशिनबाट उत्पादित ईटा (१-नं.)	प्रति हजार	१५३००.००	१५३००.००	१६५०८.००
२	चिमनी भट्टाको ईटा	प्रति हजार	१४३००.००	१४३००.००	१५४२९.००
३	तराई को १ नं.ईटा	प्रति हजार	१७५००.००	१७५००.००	१७५००.००
४	टुक्रा ईटा	घ.मि.	२५००.००	२५००.००	२६२५.००
५	सिमेन्टको ईटा				
	BK108N	प्रति हजार	१५४५०.००	१५४५०.००	१५४५०.००
	BK118As	प्रति हजार	१६२७४.००	१६२७४.००	१६२७४.००
	<b>Autoclaved Aerated Concrete Blocks(Sand based)</b>				
	Size 2'8"×4"	गोटा	१२७.००	१२७.००	१३७.००
	Size 2'8"×6"	गोटा	१९०.००	१९०.००	२०५.००
	Size 2'8"×8"	गोटा	२५६.००	२५६.००	२७६.००
	ECO BRICK ( Sada)	गोटा	१८.००	१८.००	१९.००
	ECO BRICK ( Colour)	गोटा	२०.००	२०.००	२१.००
६	खानीको ढुंगा	घ.फि.	७२.००	७२.००	७७.००
७	विभिन्न प्रकारको खानीको बालुवा	घ.फि.	८२.००	८२.००	८८.००
८	क्रसरबाट उत्पादित ६-१० मी. मी. साइजको गिट्टि	घ.फि.	७९.००	७९.००	८५.००
९	क्रसरबाट उत्पादित १०-२० मी. मी. साइजको गिट्टि	घ.फि.	८४.००	८४.००	९०.००
१०	क्रसरबाट उत्पादित २०-४० मी. मी. साइजको गिट्टि	घ.फि.	७८.७५	७८.७५	८४.००
११	क्रसरबाट उत्पादित ६ मी.मी. भन्दा कमको गिट्टि	घ.फि.	७५.६०	७५.६०	८१.००
१२	<b>Crusher run sub-base material (63mm down</b>	घ.फि.	६३.००	६३.००	६७.००
१३	<b>40 mm down crushed Base material (Wet)</b>	घ.फि.	७३.००	७३.००	७८.००
१४	छानामा छाउने क्ले टायलहरू				
	मेशिनबाट उत्पादित टायल	गोटा	१८.००	१८.००	१९.००
	चिमनी भट्टाको टायल	गोटा	१६.००	१६.००	१७.००
	मेशिनबाट उत्पादित धुरी	गोटा	३२.००	३२.००	३४.००
	चिमनी भट्टाको धुरी	गोटा	२६.००	२६.००	२८.००
१५	भुईमा/ कौसीमा छाप्ने क्ले टायलहरू				
	मेशिनबाट उत्पादित क्ले टायल	गोटा	१०.००	१०.००	१०.००
	चिमनी भट्टाको क्ले टायल	गोटा	९.००	९.००	९.००
१६	<b>छाप्ने ढुङ्गा (Flag stone)</b>				
	१" सम्म बाक्लो सर्फेस ड्रेस गरेको छाप्ने ढुङ्गा	व.फि.	७६.००	७६.००	८२.००
	१ १/२" सम्म बाक्लो " " "	व.फि.	८८.००	८८.००	९४.००
	२ सम्म बाक्लो ढुङ्गा " " "	व.फि.	१०३.००	१०३.००	१११.००
	२.५ सम्म बाक्लो ढुङ्गा " " "	व.फि.	१११.००	१११.००	११९.००
	२.५" - ३" सम्म बाक्लो ढुङ्गा " " "	व.फि.	१३८.००	१३८.००	१४८.००
१७	खोलाको वोल्डर कोवल १०० मि.मि. सम्म	घ.फि.	१०५.००	१०५.००	११३.००
१८	स्थानीय स्तरमा पाउने ग्राभेल (मेलम्ची, टिकाभैरव, भकुण्डे विस खानी वाहेकको)	घ.फि.	५७.२४	५७.२४	६१.००
१९	पहाडी भागमा स्थानीय ढुङ्गा (औसत दुरी ८०० मिटर सम्म)	घ.फि.	६५.००	६५.००	७०.००
२०	भवनको भुईँ कोठामा पुर्न, सोलिङ्गको Void filling गर्न प्रयोग गरिने बालुवा	"	४५.३६	४५.३६	४८.००
२१	ढुगाको धुलो (Stone dust)	घ.फि.	३३.००	३३.००	३५.००



### स्थानीय निर्माण सामग्रीहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
२२	लिउन राख्ने माटो (ट्रक ढुवानी बाहेक)	घ.मि.	२९५.००	२९५.००	३१८.००
२३	सबग्रेडमा राख्ने माटो (Capping layer Granular soil)	घ.मि.	५१०.००	५१०.००	५५०.००
२४	भुस	के.जि.	५.५०	५.५०	५.००
२५	गोबर	के.जि.	५.००	५.००	५.००
२६	निर्माण कार्यको लागी पानी				
	३ क.मा. सम्म का दुरामा	लिट्र	०.२६	०.२६	०.२८
	३ क.मा. दाख माथाका दुरामा	लिट्र	०.३१	०.३१	०.३३
२७	५०० गज प्लाष्टिक सिट	व.मी.	३१.००	३१.००	३३.००
२८	Plastic felt (२०मा. × १मा.)	रोल	२३५५.००	२३५५.००	२५४१.००
२९	१८-२० फट लामा बास	गोटा	२१०.००	२१०.००	२४०.००

महेन्द्र
   
 प्रमुख जिल्ला अधिकारी

प्रिकाष्ट आर.सि.सि.पाईपहरु तथा रिडहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/०८०
१	<b>NP-2 Class Pipes(Plain)</b>				
	150 mm dia.	र.मि	५६९.००	५६९.००	५७०.००
	200 mm dia.	र.मि	७४०.००	७४०.००	७४०.००
	250 mm dia.	र.मि	९२५.००	९२५.००	९२५.००
	300 mm dia.	र.मि	१२५६.००	१२५६.००	१२६०.००
	350 mm dia.	र.मि	१३२५.००	१३२५.००	१३२५.००
	375 mm dia.	र.मि	१५२०.००	१५२०.००	१५२०.००
	400 mm dia.	र.मि	१७४७.००	१७४७.००	१७५०.००
	450 mm dia.	र.मि	१८५०.००	१८५०.००	१८५२.००
	500 mm dia.	र.मि	२०७५.००	२०७५.००	२०८०.००
	600 mm dia.	र.मि	२७३९.००	२७३९.००	२७४०.००
	700 mm dia.	र.मि	३५७३.००	३५७३.००	३५७५.००
	750 mm dia.	र.मि	३८६४.००	३८६४.००	३८७०.००
	800 mm dia.	र.मि	४३९३.००	४३९३.००	४३२०.००
	900 mm dia.	र.मि	५८२७.००	५८२७.००	५८३५.००
	1000 mm dia.	र.मि	६८००.००	६८००.००	६८०५.००
	1200 mm dia.	र.मि	८२९४.००	८२९४.००	८३०१.००
	1500 mm dia.	र.मि	१७४३६.००	१७४३६.००	१७४४०.००
२	<b>NP-3 Class Pipes(Plain)</b>				
	150 mm dia.	र.मि	१२७१.००	१२७१.००	१३१०.००
	200 mm dia.	र.मि	१६९४.००	१६९४.००	१७४५.००
	250 mm dia.	र.मि	२११७.००	२११७.००	२१८५.००
	300 mm dia.	र.मि	३०४३.००	३०४३.००	३१४०.००
	350 mm dia.	र.मि	३४१४.००	३४१४.००	३५२०.००
	375 mm dia.	र.मि	३६४९.००	३६४९.००	३७६०.००
	400 mm dia.	र.मि	३८८९.००	३८८९.००	४०१०.००
	450 mm dia.	र.मि	४३६५.००	४३६५.००	४५००.००
	500 mm dia.	र.मि	४८६७.००	४८६७.००	५०२०.००
	600 mm dia.	र.मि	६०१४.००	६०१४.००	६२००.००
	700 mm dia.	र.मि	७२६२.००	७२६२.००	७४८५.००
	750 mm dia.	र.मि	८३४१.००	८३४१.००	८६००.००
	800 mm dia.	र.मि	९१०३.००	९१०३.००	९३८५.००
	900 mm dia.	र.मि	११८०७.००	११८०७.००	१२१७२.००
	1000 mm dia.	र.मि	१३११९.००	१३११९.००	१३५२५.००
	1200 mm dia.	र.मि	१५६१५.००	१५६१५.००	१६१००.००
	1500 mm dia.	र.मि	२४५३७.००	२४५३७.००	२५३००.००
३	<b>NP-2 RCC Collar</b>				
	150 mm dia	गोटा	१४१.००	१४१.००	१४५.००
	200 mm dia	गोटा	१८७.००	१८७.००	१९३.००
	250 mm dia	गोटा	२३२.००	२३२.००	२३९.००
	300 mm dia	गोटा	३१४.००	३१४.००	३२४.००
	350 mm dia	गोटा	३४६.००	३४६.००	३५७.००
	375 mm dia	गोटा	३८०.००	३८०.००	३९२.००
	400 mm dia	गोटा	४३७.००	४३७.००	४५१.००



प्रिकाष्ट आर.सि.सि.पाईपहरु तथा रिडहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/०८०
	450 mm dia	गोटा	४६२.००	४६२.००	४७६.००
	500 mm dia	गोटा	५१९.००	५१९.००	५३५.००
	600 mm dia	गोटा	६८५.००	६८५.००	७०६.००
	700 mm dia	गोटा	८९३.००	८९३.००	९२०.००
	750 mm dia	गोटा	९६५.००	९६५.००	९९५.००
	800 mm dia	गोटा	१०७८.००	१०७८.००	१११०.००
	900 mm dia	गोटा	१४५६.००	१४५६.००	१५००.००
	1000 mm dia	गोटा	१६९९.००	१६९९.००	१७५२.००
	1200 mm dia	गोटा	२०७३.००	२०७३.००	२१३७.००
	1500 mm dia	गोटा	४३५८.००	४३५८.००	४४९२.००
४	<b>NP-3 Class Collars</b>				
	150 mm dia.	गोटा	३२७.००	३२७.००	३२७.००
	200 mm dia.	गोटा	४३६.००	४३६.००	४३६.००
	250 mm dia.	गोटा	५४४.००	५४४.००	५४४.००
	300 mm dia.	गोटा	७८३.००	७८३.००	७८३.००
	350 mm dia.	गोटा	८७९.००	८७९.००	८७९.००
	375 mm dia.	गोटा	९४०.००	९४०.००	९४०.००
	400 mm dia.	गोटा	१०००.००	१०००.००	१०००.००
	450 mm dia.	गोटा	११२५.००	११२५.००	११२५.००
	500 mm dia.	गोटा	१२५५.००	१२५५.००	१२५५.००
	600 mm dia.	गोटा	१५५०.००	१५५०.००	१५५०.००
	700 mm dia.	गोटा	१८७९.००	१८७९.००	१८७९.००
	750 mm dia.	गोटा	२१५०.००	२१५०.००	२१५०.००
	800 mm dia.	गोटा	२३४४.००	२३४४.००	२३४४.००
	900 mm dia.	गोटा	३०४२.००	३०४२.००	३०४२.००
	1000 mm dia.	गोटा	३३८२.००	३३८२.००	३३८२.००
	1200 mm dia.	गोटा	४०२४.००	४०२४.००	४०२४.००
	1500 mm dia.	गोटा	६३२४.००	६३२४.००	६३२४.००
५	<b>NP-3 Pipes Socket and Spigot</b>				
	150 mm dia.	र.मि	१३७९.००	१३७९.००	१४८०.००
	200 mm dia.	र.मि	१८६०.००	१८६०.००	२०१०.००
	250 mm dia.	र.मि	२३२३.००	२३२३.००	२५१०.००
	300 mm dia.	र.मि	३३४०.००	३३४०.००	३६०५.००
	400 mm dia.	र.मि	४६१०.००	४६१०.००	४६१०.००
	450 mm dia.	र.मि	४२७०.००	४२७०.००	५१८०.००
	500 mm dia.	र.मि	४७९४.००	४७९४.००	५७७०.००
	600 mm dia.	र.मि	५३४३.००	५३४३.००	७१३०.००
	700 mm dia.	र.मि	६६०२.००	६६०२.००	८६१०.००
	800 mm dia.	र.मि	७९७२.००	७९७२.००	१०७९०.००
	900 mm dia.	र.मि	९९९२.००	९९९२.००	१४०००.००
	1000 mm dia.	र.मि	१२९६३.००	१२९६३.००	१४८१४.००
	1200 mm dia.	र.मि	१४४०२.००	१४४०२.००	१८६००.००
	1400 mm dia.	र.मि	२५७५०.००	२५७५०.००	२५७५०.००
	1600 mm dia.	र.मि	३२६००.००	३२६००.००	३२६००.००
	1800 mm dia.	र.मि	४३६००.००	४३६००.००	४३६००.००

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*



## भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	नेपालबाट उत्पादित बिभिन्न ओ.पि.सि सिमेन्ट	ब्याग	८२५.००	८२५.००	७००.००
२	नेपालबाट उत्पादित बिभिन्न पि.पि.सि सिमेन्ट	ब्याग	७२५.००	७२५.००	६००.००
३	सेतो सिमेन्ट (40kg/bag)	ब्याग	१२३०.००	१२३०.००	१२३०.००
४	Ready Made dry mortar (40kg/bag)	ब्याग	१२००.००	१२००.००	१२००.००
५	सिमेन्ट लोड र अनलोड	ब्याग	१०.७०	१०.७०	११.५५
६	<b>Ready Mix Concrete (चक्रपथबाट ३ कि.मि. बाहिर सम्म)</b>				
	M 10 Grade	घ. मि	१३६५०.००	१३६५०.००	१३६५०.००
	M 15 Grade	घ. मि	१४७००.००	१४७००.००	१४७००.००
	M 20 Grade	घ. मि	१५२२५.००	१५२२५.००	१५२२५.००
	M 25 Grade	घ. मि	१६२७५.००	१६२७५.००	१६२७५.००
	M 30 Grade	घ. मि	१७११५.००	१७११५.००	१७११५.००
	M 35 Grade	घ. मि	१८३८२.००	१८३८२.००	१८३८२.००
	M 40 Grade	घ. मि	१९९५०.००	१९९५०.००	१९९५०.००
	Ready Mix- Concrete Premix M45 -KTM	घ. मि		२३१०५.००	२१४५०.००
६	स्टेनलेस स्टील रेलीङ्गको कार्य- २ इन्च पाईपको ठाडो पोष्ट, २ इन्चको हेण्डरेल तथा १ इन्च व्यासको तिन तह तेसा पाईप राखी तयार गरि जडान गर्ने काम (उचाई ९० से.मि.)	र.फी.	१२००.००	१२००.००	१२६०.००
७	स्टेनलेस स्टील रेलीङ्गको कार्य-२ इन्च पाईपको ठाडो पोष्ट, हेण्डरेल २ इन्च तथा १ इन्च व्यासको दुई तह तेसा पाईप राखी तयार गरि जडान गर्ने काम	र.फी.	१०५०.००	१०५०.००	११०२.००
८	स्टेनलेस स्टील रेलीङ्गको कार्य- १.५ इन्च पाईपको ठाडो पोष्ट, हेण्डरेल २ इन्च तथा १ इन्च व्यासको तिन तह तेसा पाईप राखी तयार गरि जडान गर्ने काम	र.फी.	९५०.००	९५०.००	१०१६.००
९	सादा सेतो सिसा				
	३ मी.मी.	व.फि.	४९.००	४९.००	५२.००
	३.५ मी.मी.	व.फि.	५६.००	५६.००	५९.००
	४ मी.मी.	व.फि.	६५.००	६५.००	६९.००
	५ मी.मी.	व.फि.	७५.००	७५.००	७९.००
	६ मी.मी.	व.फि.	१००.००	१००.००	१०६.००
	८ मी.मी.	व.फि.	१५०.००	१५०.००	१५९.००
	१० मी.मी.	व.फि.	१९०.००	१९०.००	२०२.००
	१२ मी.मी.	व.फि.	२२०.००	२२०.००	२३४.००
१०	बुट्टेदार सिसा				
	३.मी.मी.	व.फि.	४८.४१	४८.४१	५१.००
	४ मी.मी.	व.फि.	५६.६५	५६.६५	६०.००
११	पोलि फाईबर ग्लास				
	६ मी.मी.	व.फि.	१५४.५०	१५४.५०	१६४.००
१२	कालो रङ्गको सिसा				
	३.मी.मी.	व.फि.	९६.००	९६.००	१०२.००
	४ मी.मी.	व.फि.	१०३.००	१०३.००	१०९.००
	५ मी.मी.	व.फि.	१२०.००	१२०.००	१२७.००
	६ मी.मी.	व.फि.	१६८.००	१६८.००	१८४.००
	८ मी.मी.	व.फि.	२४५.००	२४५.००	२६४.००
	१० मी.मी.	व.फि.	३५०.००	३५०.००	३७३.००
	१२ मी.मी.	व.फि.	४००.००	४००.००	४२६.००
१३	Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने				
	५ मि.मि बाक्लो	व.फि.	११६.००	११६.००	१२३.००



## भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१४	छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture -४ मी.मी. बाक्लो	व.मि.	६२००.००	६२००.००	६५१०.००
१५	विभिन्न रंगको Reflector Glass (शिशु) -५ मी.मी मोटो	व.फि.	१८४.००	१८४.००	१९६.००
१६	<b>Readymade Plaster of Parish cornice and molding</b>				
	POP Molding 1" to 1½"	र.मि	२३८.००	२३८.००	२५३.००
	Up to 5" wide	र.मि	२८५.००	२८५.००	३०३.००
	Up to 8" wide	र.मि	३९३.००	३९३.००	४१९.००
	Above 8" wide	र.मि	१६१.००	१६१.००	१७७.००
१७	Plaster of paris	कि.ग्रा.	२३.००	२३.००	२४.००
१८	Wall putty-Normal	कि.ग्रा.	३५.००	३५.००	३७.००
१९	Wall putty-water proof	कि.ग्रा.	६०.००	६०.००	६३.००
२०	राजस्थानी मार्बल				
	१३ मी.मी बाक्लो राजस्थानी	व.फि.	१६८.००	१६८.००	१७९.००
	१६ मी.मी बाक्लो राजस्थानी	व.फि.	१८४.००	१८४.००	१९६.००
२१	ग्रेनाइट				
	१२ मी.मी बाक्लो ग्रेनाइट	व.फि.	२६२.००	२६२.००	२७९.००
	१६ मी.मी बाक्लो ग्रेनाइट	व.फि.	३४०.००	३४०.००	३६६.००
	१८ मी.मी बाक्लो ग्रेनाइट	व.फि.	३८५.००	३८५.००	४२९.००
२२	कोटा स्टोन				
	1" thick	व.फि.	१५०.००	१५०.००	१५९.००
	3/4" thick	व.फि.	१३७.००	१३७.००	१४६.००
२३	<b>Porcelain Glazed Tiles</b> (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	Thai Tiles	व.फि.	१२६.००	१२६.००	१३४.००
	floor tile	व.फि.	८५.००	८५.००	९०.००
	Ordinary Floor and Wall tiles	व.फि.	५४.००	५४.००	५७.००
	Border Tile - 2"x8"	र.फि.	४३.००	४३.००	४५.००
	Ceramic Wall Tile (31*45cm)	व.फि.	१८०.००	१८०.००	१९१.००
	Ceramic Floor Tile (31*45cm)	व.फि.	१५०.००	१५०.००	१५५.००
	24" x 24" GVT	व.फि.	१६५.००	१३०.००	१५५.००
	24" x 24" GRES Vertified ( Digital Floor)	व.फि.	१४४.००	१४४.००	१५३.००
	12" x 12" GRES homogenous Vertified parking Tile	व.फि.	१०६.००	९५.००	१०६.००
	24" x 24" Vertified	व.फि.	१११.००	१११.००	११८.००
	Floor tiles-				
	16"X16"	व.फि.	९८.००	९८.००	१०४.००
	12"x12"	व.फि.	८८.००	८८.००	९३.००
	12'X12" (White / Ivory)	व.फि.	७७.००	७७.००	८२.००
	24"x24" (Digital)	व.फि.	१२९.००	१०५.००	१२९.००
	12"x24" (Walls)	व.फि.	१३४.००	१२५.००	१३७.००
	12"x18"(wall)	व.फि.	१०३.००	९५.००	१०९.००
	Artificial Granite (800mmx2600mm)	व.फि.		४५०.००	४७९.००

## भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	GVT Floor Tile (900mm x 1800mm)	व.फि.		३५०.००	३७३.००
	Double Charge Floor tile (800mmx800mm)	व.फि.		१५०.००	१५९.००
	Double Charge Floor tile (600mmx600mm)	व.फि.		१२०.००	१२७.००
	GVT Floor Tile (800mm x 1600mm)	व.फि.		२००.००	२१३.००
	10"x24" (Walls)	व.फि.		१२५.००	१३३.००
	(600mmx1200mm) Homogeneous Floor Tile (Full Body)	व.फि.		२५०.००	२३८.००
	(600mmx600mm) Homogeneous Floor Tile (Full Body)	व.फि.		१६०.००	१७०.००
	Planks Tile-GVT (200mm x 1200mm)	व.फि.			२३५.००
	Planks tile-Ceramic (148mm x 600mm)	व.फि.			१६१.००
	SST Vitrified Tile-Ivory (600mm x 600mm)	व.फि.			१२१.००
	Parking Tiles-Digital Vitrified (300mm x 300mm)	व.फि.			१२१.००
	Ceramic Floor-(600mm x 600 mm)	व.फि.			१३९.००
	Ceramic Floor-Terrace/Kitchen (397mm x 397mm)	व.फि.			१२९.००
	Parking Tiles-Digital Vitrified(12mm) (400mm x 400mm)	व.फि.			१४२.००
	GVT Floor Tile(Glazed Vitrified Tile) (600mm x 600mm)	व.फि.			१५५.००
	GVT Floor Tile(Glazed Vitrified Tile) (600mm x1200mm)	व.फि.			१९८.००
	GVT Floor Tile(Glazed Vitrified Tile) (800mm x 800mm)	व.फि.			१६७.००
	DCH Floor Tile(Double Charge) (600mm x 1200mm)	व.फि.			१८०.००
	Bathroom/Kitchen Wall-Ceramic (300mm x 600mm)	व.फि.			१४९.००
	Vitrified Elevation Tile (300mm x 600mm)	व.फि.			१५८.००
	Vitrified Floor-Matte (600mm x 600mm)	व.फि.			१४९.००
२४	छानामा टाइलको बुझा काट्ने र पानी पट्टी कार्य				
	१.४ भागको मिश्रणको सिमेन्ट मसला तयार गरि खट राखि १" वाक्लो प्लाष्टरमा रुफिड टाइलको बुझा काट्ने सामान सहित	व.मि.	६२३.००	६२३.००	६६४.००
	१" साइजको १:३ भागको मिश्रणको मसला तयार गरि खट राखि वर्षादको पानी पट्टी बनाउने काम	र.मी	७५.००	७५.००	७९.००
२५	<b>Heritage Wall Surface Texture (Interior and Exterior) including the cost of supplying and fitting</b>				
	Heritage granular	व.फि.	८७.००	८७.००	९२.००
	Heritage flakes	व.फि.	१०७.००	१०७.००	११४.००
	Heritage granite finish	व.फि.	८७.००	८७.००	९२.००
	Heritage Top coat (plastic lamination)	व.फि.	२२.००	२२.००	२३.००
	Plastic Sheet 500 guage	व.मि.	३८.००	३८.००	४०.००
	Plastic Tripal 500 guage	व.मि.	४१.००	४१.००	४३.००
२८.०	<b>Sandwich/EPS Non burn Panel</b>				
२८.१	Ivory colour Flat Wall Panel(0.4*1040) -50 mm	व.फि.	२१६.००	२१६.००	२१६.००
	Ivory colour Flat Wall Panel(0.4*1040) -75 mm	व.फि.	२५२.००	२५२.००	२५२.००
	Ivory colour Wall Panel(0.4*1040) -100 mm	व.फि.	२८८.००	२८८.००	२८८.००
२८.२	Gray colour R.P Wall Panel(0.4*1105) -50 mm	व.फि.	२४०.००	२४०.००	२४०.००
	Gray colour R.P Wall Panel(0.4*1105) -75 mm	व.फि.	२७६.००	२७६.००	२७६.००
	Gray colour R.P Wall Panel(0.4*1105) -100 mm	व.फि.	३१२.००	३१२.००	३१२.००
२८.३	Wooden Colour Sliding Wall Panel(0.4*1219) -75mm	व.फि.	३००.००	३००.००	३००.००
	Wooden Colour Sliding Wall Panel(0.4*1219) -100mm	व.फि.	३३६.००	३३६.००	३३६.००



## भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
२८.४	Black colour Zing Wall & Roof Panel(0.4*1219) -50mm	व.फि	२८८.००	२८८.००	२८८.००
	Black colour Zing Wall & Roof Panel(0.4*1219) -75mm	व.फि	३२४.००	३२४.००	३२४.००
	Black colour Zing Wall & Roof Panel(0.4*1219) -100mm	व.फि	३६०.००	३६०.००	३६०.००
२८.५	Roof Blue & Orange colour (0.4*1219) -50mm	व.फि	२५२.००	२५२.००	२५२.००
	Roof Blue & Orange colour (0.4*1219) -75mm	व.फि	२८८.००	२८८.००	२८८.००
	Roof Blue & Orange colour (0.4*1219) -100mm	व.फि	३२४.००	३२४.००	३२४.००
२८.६	Steel Door (900*2100) 80 T	गोटा	१५२७४.३४	१५२७४.३४	१५२७४.३४
	Steel Door (1000*2100) 80 T	गोटा	१६१५९.२९	१६१५९.२९	१६१५९.२९
२८.७	ABS Door (900*2100) 80 T	गोटा	१३५०४.४२	१३५०४.४२	१३५०४.४२
२८.८	Panel Door (900*2100) 80 T	गोटा	११७३४.५१	११७३४.५१	११७३४.५१
२८.९	Window (115mm)	व.फि	७६६.०२	७६६.०२	७६६.०२
	<b>EPS Sandwich panel work( metal sheet based) including fitting</b>				
	Providing and fitting EPS Sandwich Panel, FR 3 rated , Exterior & Interior Skin of 0.3~0.4mm PPGI with flame retardant EPS core insulation, Base Metal 1105mm and effective width 1,000mm, length 2m~13m with specified color and thickness with its accessories such as ( ubar, joint bar, corner bar, screw, screw cap, color piece, projection gable, sealing materials)				
	Ivory color/white color Flat partition and exterior wall				
	<b>Thickness</b>				
	50mm	व.फि			३५४.१६
	75mm	व.फि			४०८.३६
	100mm	व.फि			४६२.३५
	125mm	व.फि			५१८.९६
	150mm	व.फि			५७२.०८
	<b>Gray color RP wall panel</b>				
	<b>Thickness</b>				
	50mm	व.फि			३९०.६६
	75mm	व.फि			४४३.७६
	100mm	व.फि			५४०.००
	125mm	व.फि			५९९.४९
	150mm	व.फि			६९०.८०
	<b>wooden color siding wall panel</b>				
	<b>Thickness</b>				
	75mm	व.फि			४९३.५४
	100mm	व.फि			५४९.९६
	125mm	व.फि			६१३.०१
	150mm	व.फि			६५८.३६



## भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Blue and Orange Roof panel				
	Thickness				
	50mm	व.फि			४०९.४७
	75mm	व.फि			४६३.६७
	100mm	व.फि			५६३.२३
	125mm	व.फि			५७२.०८
	150mm	व.फि			६२८.५०
	Zinc panel( combat and black color)				
	Thickness				
	50mm	व.फि			५०९.०३
	75mm	व.फि			५४५.५३
	100mm	व.फि			६४६.९९
	125mm	व.फि			६६७.२९
	150mm	व.फि			७०९.५०
	Sandwich PUFF panel work( metal sheet based) including fitting				
	Providing and Fitting PUF sandwich Ivory/white color Wall Panel, Exterior & Interior Skin of 0.4~0.5mm PPGI with PUF core insulation of density 45~50 kg/m <sup>3</sup> , Base Metal width 1105mm and effective width 1,000mm, length 2m~13m of approved color and thickness with its accessories such as ( ubar, joint bar, corner bar, screw, screw cap, color piece, projection gable, sealing materials)				
	Ivory color/white color Flat puff wall				
	Thickness				
	40mm	व.फि			४०३.००
	50mm	व.फि			४२८.००
	75mm	व.फि			४९५.००
	100mm	व.फि			५६७.००
	Puff Panel Roof(orange/Blue)				
	30mm	व.फि			३८४.००
	40mm	व.फि			४०८.००
	50mm	व.फि			४४०.००
	75mm	व.फि			५९६.००
	100mm	व.फि			५९२.००
	Steel door				
	Providing and fitting 30 Minute Fire-Resistance Steel Door with all complete set of frame 1.6mm EGI Steel, leaf 0.8~0.5mm EGI Steel, core insulation Honey comb, 50 mm Thickness of Steel Door	व.फि			९९००.००
	Panel door				



## भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Providing and fitting Steel Panel Door all complete set of frame 0.4mm Aluminum, leaf Nonburn EPS Panel framed by 0.4mm Aluminum	व.फि			७२०.००
	<b>UPVC Window</b>				
	Providing and fitting 115mm thick multi-chamber frame thick UPVC Window all complete set along with frame having wall thickness of 2.0mm~3.0mm and 1.5(+0.2)mm thick galvanized mild steel section. Fitting materials and accessories for window, sliding windows with stainless insect screen.	व.फि			८८८.००
	<b>CLADDING</b>				
१	MCM Brick Cladding	व.फि		३९०.००	४०५.००
२	MCM Slate Stone Cladding	व.फि		४५०.००	४७९.००
३	MCM Oasis Stone Cladding	व.फि		४९०.००	५२२.००
४	MCM Wood Cladding	व.फि		५६०.००	५९७.००
५	MCM Travertine Stone Cladding	व.फि		६९०.००	७३५.००
	<b>Laminates</b>				
१	Liner 0.7mm	per sheet (8'X4')		१०५०.००	१११९.००
२	0.8 mm SUD			१५००.००	१५९९.००
३	Texture code: UBL, WWS, VEC, FLU, BST, FLK, PAR 0.8 mm			१७००.००	१८१२.००
४	PGL 0.8 mm			१७००.००	१८१२.००
५	Marker Grade MGD 0.8 mm			१८००.००	१९१९.००
६	SUD 0.8 mm			१५००.००	१५९९.००
७	Texture code: LMN, TWL, AQU, CLG, CRI, CRB, CRO, MBR, MAT, OSS, WDP 0.8 mm			१७००.००	१८१२.००
८	gloss PRG 0.8 mm			१७००.००	१८१२.००
९	marker grade MGD 0.8 mm			१८००.००	१९१९.००
१०	metal ZRL 0.8 mm			५५००.००	५८६४.००
११	Plain 1mm			२५००.००	२६६५.००
१२	Texture 1mm			३०००.००	३१९८.००
१३	SUD 1mm			२६००.००	२७७२.००
१४	Texture code: ASH/CHS,CTR,EMI,HSC,PTR,RAF, 1mm			३५००.००	३७३९.००
१५	SGL, NLT, OLM, SAN, STC, SPK, SRA, STN, TST, TXM				
१६	Special Texture code:SYN, VRB, ARA, SAT, TRC 1mm			४०००.००	४२६४.००
१६	HDG 1mm			४५००.००	४७९७.००
१७	Unicore 1mm			७५००.००	७९९६.००
१८	Metal 1mm			७५००.००	७९९६.००
	<b>EXTERIOR FAÇADE</b>				
	Clads Solids 6mm	sq. ft		६५०.००	६९३.००
	Clads Wood Grains 6mm	sq. ft.		७२५.००	७७२.००

प्रमुख जिल्ला अधिकारी



## माटो तथा ढुङ्गाबाट निर्मित परम्परागत निर्माण सामग्रीहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	मठमन्दिरमा प्रयोग हुने ढुङ्गाका विभिन्न सामग्रीहरू				
१	कालो ढुंगाको बुटा सहितको थाम ६" X ९" X ६.०"	प्रति गोटा	७००००.००	७००००.००	७२९००.००
२	कालो ढुंगाको बुटा सहितको थाम ६" X ९" X ६.६"	प्रति गोटा	९०५०००.००	९०५०००.००	९०७९००.००
३	कालो ढुंगाको बुटा सहितको थाम ९२" X ९२" X ७.६"	प्रति गोटा	२४००००.००	२४००००.००	२४४८००.००
४	४" बाक्लो पेट्टी ढुंगा (९०" X ४")	फिट	८००.००	८००.००	८५६.००
५	४" बाक्लो नागोल ढुंगा (९०" X ४")	फिट	९००.००	९००.००	९६३.००
६	४" बाक्लो बुटेदारी किसिमो, कार्नेस र फ्यो (९०" X ४")	फिट	३७००.००	३७००.००	३८८५.००
७	कालो साइडल ढुंगा (इल्लो) (३०" X ३०" X ९८")	प्रति गोटा	४००००.००	४००००.००	४१६००.००
८	Peti kuna Dhunga(19.9**9**18")	प्रति गोटा	२७२०.००	२७२०.००	२८५६.००
९	Peti kuna Dhunga(10**10**14")	प्रति गोटा	१९००.००	१९००.००	१९९५.००
१०	Bichako naykha nhu	प्रति गोटा	९५०.००	९५०.००	९९७.००
११	Dhungey dhara	प्रति गोटा	१३६०.००	१३६०.००	१४२८.००
१२	Peti Dhunga 4"	प्रति गोटा	२४५०.००	२४५०.००	२५७२.००
१३	Peti Dhunga 5"	मिटर	२९९०.००	२९९०.००	३१३९.००
१४	Shree Ganesh/Kumar Dhunga ko Murti	प्रति गोटा	१३६०.००	१३६०.००	१४२८.००
१५	ढुङ्गाघारा	गोटा	११५५.००	११५५.००	१२१२.००
	माटो बाट निर्मित परम्परागत निर्माण सामग्रीहरू				
१	Daachi Appa	गोटा	२५.००	२५.००	२६.००
२	Daachi kuna	गोटा	३५.००	३५.००	३७.००
२	Twa Aapa	गोटा	२७.००	२७.००	२९.००
३	Gol Aapa	गोटा	२७.००	२७.००	२९.००
४	Ganesh/kumar/tara/Panch Buddha	गोटा	३२०.००	३२०.००	३४२.००
५	Kalash(4"x6")	गोटा	५३.००	५३.००	५६.००
६	Kalash(9"x12")	गोटा	१५८.००	१५८.००	१७०.००
७	Nagol	गोटा	२७.००	२७.००	२९.००
८	Nagol kuna	गोटा	४०.००	४०.००	४३.००
९	Kashimo	गोटा	२७.००	२७.००	२९.००
१०	Kashimo Kuna	गोटा	४०.००	४०.००	४३.००
११	Sakuli	गोटा	२७.००	२७.००	२९.००
१२	Sakuli Kuna	गोटा	४०.००	४०.००	४३.००
१३	Paan butta	गोटा	२७.००	२७.००	२९.००
१४	Paan butta Kuna	गोटा	४०.००	४०.००	४३.००
१५	Sano Fa butta	गोटा	२७.००	२७.००	२९.००
१६	Sano Fa butta Kuna	गोटा	४०.००	४०.००	४३.००
१७	Thulo Fa butta	गोटा	२७.००	२७.००	२९.००
१८	Thulo Fa butta kuna	गोटा	४०.००	४०.००	४३.००
१९	Naya fa butta	गोटा	२७.००	२७.००	२९.००
२०	Naya fa butta Kuna	गोटा	४०.००	४०.००	४३.००
२१	Sano ga butta	गोटा	२७.००	२७.००	२९.००
२२	Sano ga butta Kuna	गोटा	४०.००	४०.००	४३.००
२३	Thulo Ga butta	गोटा	२७.००	२७.००	२९.००
२४	Thulo Ga butta Kuna	गोटा	४०.००	४०.००	४३.००
२५	Pumha buta	गोटा	२७.००	२७.००	२९.००



माटो तथा ढुङ्गावाट निर्मित परम्परागत निर्माण सामग्रीहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
२६	Pumha buta Kuna	गोटा	४०.००	४०.००	४३.००
२७	Tinkune swa	गोटा	२७.००	२७.००	२९.००
२८	Tinkune swa Kuna	गोटा	४०.००	४०.००	४३.००
२९	Tinkune Pali	गोटा	२७.००	२७.००	२९.००
३०	Tinkune Pali kuna	गोटा	४०.००	४०.००	४३.००
३१	Sano swa butta	गोटा	२७.००	२७.००	२९.००
३२	Sano swa butta Kuna	गोटा	४०.००	४०.००	४३.००
३३	Thulo swa Butta	गोटा	२७.००	२७.००	२९.००
३४	Thulo swa Butta Kuna	गोटा	४०.००	४०.००	४३.००
३५	Nag tauko R/L	गोटा	१३२.००	१३२.००	१४२.००
३६	Nag Ghati R/L	गोटा	७०.००	७०.००	७५.००
३७	Nag Jiu	गोटा	२७.००	२७.००	२९.००
३८	Kuna	गोटा	४०.००	४०.००	४३.००
३९	Thulo Nag tauko R/L	गोटा	१३२.००	१३२.००	१४२.००
४०	Nag Ghati	गोटा	७०.००	७०.००	७५.००
४१	Thulo Nag Jiu	गोटा	२७.००	२७.००	२९.००
४२	Thulo Nag Jiu Kuna	गोटा	४०.००	४०.००	४३.००
४३	Nag Male/Female	गोटा	५३०.००	५३०.००	५७९.००
४४	Khal Nagol	गोटा	२७.००	२७.००	२९.००
४५	Khal Nagol Kuna	गोटा	४०.००	४०.००	४३.००
४६	Khal Fyo	गोटा	२७.००	२७.००	२९.००
४७	Khal Fyo Kuna	गोटा	४०.००	४०.००	४३.००
४८	Lahara butta	गोटा	२७.००	२७.००	२९.००
४९	Lahara butta Kuna	गोटा	४०.००	४०.००	४३.००
५०	Nagbeli	गोटा	२७.००	२७.००	२९.००
५१	Nagbeli kuna	गोटा	४०.००	४०.००	४३.००
५२	Mikhafushi mathi R/L	गोटा	३२.००	३२.००	३४.००
५३	Mikhafushi mathi R/L Kuna	गोटा	३२.००	३२.००	३४.००
५४	Mikhafushi mathi Bitch	गोटा	३२.००	३२.००	३४.००
५५	Mikhafushi Tal R/L Kuna	गोटा	३२.००	३२.००	३४.००
५६	Mikhafushi Tal R/L	गोटा	३२.००	३२.००	३४.००
५७	Mikhafushi Tal Bitch	गोटा	३२.००	३२.००	३४.००
५८	Palifo R/L	गोटा	२७.००	२७.००	२९.००
५९	Palifo R/L Kuna	गोटा	४०.००	४०.००	४३.००
६०	Palifo Bitch	गोटा	४०.००	४०.००	४३.००
६१	Naya Palifo	गोटा	२७.००	२७.००	२९.००
६२	Naya Palifo Kuna	गोटा	४०.००	४०.००	४३.००
६३	Shida Palifo	गोटा	२७.००	२७.००	२९.००
६४	Shida Palifo kuna	गोटा	४०.००	४०.००	४३.००
६५	Thulo Palifo R/L	गोटा	२७.००	२७.००	२९.००
६६	Thulo Palifo R/L Kuna	गोटा	४०.००	४०.००	४३.००
६७	Thulo Palifo Bitch	गोटा	२७.००	२७.००	२९.००

Handwritten signatures and names at the bottom of the page, including 'अध्यापक' and 'प्रमुख जिल्ला अधिकारी'.



## माटो तथा ढुङ्गावाट निर्मित परम्परागत निर्माण सामग्रीहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
६८	2" Singh	गोटा	३२.००	३२.००	३४.००
६९	2" Garud	गोटा	३२.००	३२.००	३४.००
७०	Dhalimo	गोटा	३२.००	३२.००	३४.००
७१	3" Singh	गोटा	४२.००	४२.००	४५.००
७२	3" Garud	गोटा	४२.००	४२.००	४५.००
७३	3" singh full Jodiyako	गोटा	५३.००	५३.००	५७.००
७४	3" Astmangal	गोटा	४२.००	४२.००	४५.००
७५	3" Garud full	गोटा	५३.००	५३.००	५७.००
७६	4" Singh	गोटा	५३.००	५३.००	५७.००
७७	4" Garud	गोटा	५३.००	५३.००	५७.००
७८	Twa fyo	गोटा	२७.००	२७.००	२९.००
७९	Twa fyo Kuna	गोटा	४०.००	४०.००	४३.००
८०	4" Astmangal	गोटा	५३.००	५३.००	५७.००
८१	6" Singh	गोटा	१०५.००	१०५.००	११३.००
८२	6" Garud	गोटा	१०५.००	१०५.००	११३.००
८३	Chaal butta	गोटा	२७.००	२७.००	२९.००
८४	Chaal butta Kuna	गोटा	४०.००	४०.००	४३.००
८५	2" fyo	गोटा	२७.००	२७.००	२९.००
८६	2" fyo Kuna	गोटा	४०.००	४०.००	४३.००
८७	4" fyo	गोटा	२७.००	२७.००	२९.००
८८	4" fyo Kuna	गोटा	४०.००	४०.००	४३.००
८९	Tara Butta Puralo	गोटा	२७.००	२७.००	२९.००
९०	Tara Butta Puralo Kuna	गोटा	४०.००	४०.००	४३.००
९१	Naya tara butta	गोटा	२७.००	२७.००	२९.००
९२	Naya tara butta Kuna	गोटा	४०.००	४०.००	४३.००
९३	Swafu tara	गोटा	२७.००	२७.००	२९.००
९४	Swafu tara Kuna	गोटा	४०.००	४०.००	४३.००
९५	Sikri butta	गोटा	२७.००	२७.००	२९.००
९६	Sikri butta Kuna	गोटा	४०.००	४०.००	४३.००
९७	Na Sikri	गोटा	२७.००	२७.००	२९.००
९८	Na Sikri Kuna	गोटा	४०.००	४०.००	४३.००
९९	Nhaya butta sano	गोटा	२७.००	२७.००	२९.००
१००	Na Sikri Kuna	गोटा	४०.००	४०.००	४३.००
१०१	Nhaya butta Thulo	गोटा	२७.००	२७.००	२९.००
१०२	Nhaya butta Thulo Kuna	गोटा	४०.००	४०.००	४३.००
१०३	Gol Nagol	गोटा	२७.००	२७.००	२९.००
१०४	Gol Nagol kuna	गोटा	४०.००	४०.००	४३.००
१०५	Ga swa butta	गोटा	२७.००	२७.००	२९.००
१०६	Ga swa butta Kuna	गोटा	४०.००	४०.००	४३.००
१०७	Chandrama butta	गोटा	२७.००	२७.००	२९.००
१०८	Chandrama butta kuna	गोटा	४०.००	४०.००	४३.००
१०९	Ga tha butta	गोटा	२७.००	२७.००	२९.००
११०	Ga tha butta Kuna	गोटा	४०.००	४०.००	४३.००





## माटो तथा ढुङ्गावाट निर्मित परम्परागत निर्माण सामग्रीहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१११	Bajra lahara	गोटा	२७.००	२७.००	२९.००
११२	Bajra lahara Kuna	गोटा	४०.००	४०.००	४३.००
११३	Simakacha	गोटा	२७.००	२७.००	२९.००
११४	Simakacha Kuna	गोटा	४०.००	४०.००	४३.००
११५	Methpau	गोटा	२७.००	२७.००	२९.००
११६	Chir butta	गोटा	२७.००	२७.००	२९.००
११७	Chir butta Kuna	गोटा	४०.००	४०.००	४३.००
११८	Thi butta	गोटा	२७.००	२७.००	२९.००
११९	Thi butta Kuna	गोटा	४०.००	४०.००	४३.००
१२०	32 No. swa	गोटा	२७.००	२७.००	२९.००
१२१	32 No. swa Kuna	गोटा	४०.००	४०.००	४३.००
१२२	Sano Ribbon	गोटा	२७.००	२७.००	२९.००
१२३	Sano Ribbon Kuna	गोटा	४०.००	४०.००	४३.००
१२४	Thulo Ribbon	गोटा	२७.००	२७.००	२९.००
१२५	Thulo Ribbon Kuna	गोटा	४०.००	४०.००	४३.००
१२६	Bajra tara butta	गोटा	२७.००	२७.००	२९.००
१२७	Bajra tara butta Kuna	गोटा	४०.००	४०.००	४३.००
१२८	fa paliha swa	गोटा	६०.००	६०.००	६४.००
१२९	2" Tham	गोटा	५३.००	५३.००	५७.००
१३०	3" Tham	गोटा	६९.००	६९.००	७४.००
१३१	4" Tam	गोटा	१०५.००	१०५.००	११३.००
१३२	Ga tara butta	गोटा	२७.००	२७.००	२९.००
१३३	Ga tara butta Kuna	गोटा	४०.००	४०.००	४३.००
१३४	Full tara butta	गोटा	२७.००	२७.००	२९.००
१३५	Full tara butta Kuna	गोटा	४०.००	४०.००	४३.००
१३६	Meth	गोटा	५००.००	५००.००	५३९.००
१३७	12" Tham Set	गोटा	१८९६.००	१८९६.००	२०४५.००
१३८	6"x6" teliya/ 6*6 tinkune	गोटा	२२.००	२२.००	२३.००
१३९	8*8 teliya	गोटा	३५.००	३५.००	३७.००
१४०	Teliya nagol	गोटा	२५.००	२५.००	२६.००
१४१	Teliya nagol kuna	गोटा	३७.००	३७.००	३९.००
१४२	Khoshi Kerafo	गोटा	२७.००	२७.००	२९.००
१४३	Khoshi Kerafo Kuna	गोटा	४०.००	४०.००	४३.००
१४४	teliya skating	गोटा	३७.००	३७.००	३९.००
१४५	Naya lahara butta	गोटा	२७.००	२७.००	२९.००
१४६	Naya lahara butta Kuna	गोटा	४०.००	४०.००	४३.००
१४७	kamal lahara	गोटा	२७.००	२७.००	२९.००
१४८	kamal lahara Kuna	गोटा	४०.००	४०.००	४३.००
१४९	Sano kera Fo	गोटा	२७.००	२७.००	२९.००
१५०	Sano kera Fo Kuna	गोटा	४०.००	४०.००	४३.००
१५१	Thulo kera fo	गोटा	२७.००	२७.००	२९.००
१५२	Thulo kera fo Kuna	गोटा	४०.००	४०.००	४३.००
१५३	Dhalimo	गोटा	३२.००	३२.००	३४.००
१५४	Dhalimo Kuna	गोटा	४०.००	४०.००	४३.००
१५५	Illa butta	गोटा	२७.००	२७.००	२९.००
१५६	Illa butta Kuna	गोटा	४०.००	४०.००	४३.००
१५७	Parda Butta Sano R/L	गोटा	२७.००	२७.००	२९.००
१५८	Parda Butta Sano R/L Kuna	गोटा	४०.००	४०.००	४३.००
१५९	Parda Butta Sano Bitch	गोटा	४०.००	४०.००	४३.००
१६०	Parda butta Thulo R/L	गोटा	२७.००	२७.००	२९.००
१६१	Parda butta Thulo R/L Kuna	गोटा	४०.००	४०.००	४३.००

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*  
 प्रमुख जिल्ला अधिकारी



## माटो तथा ढुङ्गावाट निर्मित परम्परागत निर्माण सामग्रीहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१६२	Parda butta Thulo bitch	गोटा	४०.००	४०.००	४३.००
१६३	Pu pali butta	गोटा	६३.००	६३.००	६७.००
१६४	Thulo Singal Palifo	गोटा	६३.००	६३.००	६७.००
१६५	Kalash jhalar	गोटा	६३.००	६३.००	६७.००
१६६	ganesh Gajur Pali	गोटा	६३.००	६३.००	६७.००
१६७	ganesh Gajur Pali Kuna	गोटा	१०५.००	१०५.००	११३.००
१६८	60 No. khwabutta	गोटा	२७.००	२७.००	२९.००
१६९	60 No. khwabutta Kuna	गोटा	४०.००	४०.००	४३.००
१७०	Tiki jhaya	गोटा	२७.००	२७.००	२९.००
१७१	bhyafyo apa	गोटा	६९.००	६९.००	७४.००
१७२	Naya Jhalar	गोटा	२७.००	२७.००	२९.००
१७३	Naya Jhalar Kuna	गोटा	४०.००	४०.००	४३.००
१७४	nyakucha	गोटा	२७.००	२७.००	२९.००
१७५	Jingati	गोटा	१०.००	१०.००	१०.००
१७६	Lock Dhuri	गोटा	७५.००	७५.००	८०.००
१७७	Dhuku	गोटा	७५.००	७५.००	८०.००
१७८	मा आपा	गोटा	१९.००	१९.००	२०.००
१७९	त्वा आपा	गोटा	२५.००	२५.००	२६.००
१८०	प्या अपा	गोटा	२७.००	२७.००	२९.००
१८१	दची कुला	गोटा	३५.००	३५.००	३७.००
१८२	गोगचा सानो	गोटा	१५०.००	१५०.००	१६९.००
१८३	गोगचा फुभैला	गोटा	२५०.००	२५०.००	२६९.००
१८४	गोगचा ठूलो	गोटा	३००.००	३००.००	३२३.००
१८५	न्याकुचा	गोटा	२२.००	२२.००	२३.००
१८६	श्री गणेश	गोटा	११५५.००	११५५.००	१२४६.००
१८७	कुमार	गोटा	११५५.००	११५५.००	१२४६.००
१८८	४" X ४" भैरव	गोटा	२०००.००	२०००.००	२१५८.००
१८९	५" X ५" भैरव	गोटा	३०००.००	३०००.००	३२३७.००
१९०	ठूलो कलश	गोटा	१७३.००	१७३.००	१८६.००
१९१	मसीनो सूकि	के.जी.	१४.००	१४.००	१५.००
१९२	खसो सूकि	के.जी.	८.००	८.००	८.००
१९३	गह्वा चुन	के.जि.	२३.००	२३.००	२४.००
१९४	तामा पाता.	के.जी.	१३५०.००	१३५०.००	१४५६.००
१९५	पित्तल पाता	के.जी.	१०२५.००	१०२५.००	११०५.००
१९६	पारो	तोला	३००.००	३००.००	३२३.००
१९७	सूकि इटा कुटि धुलो बनाएको	टन	१३८६.००	१३८६.००	१४५५.००
१९८	हवा घण्टी ४"	गोटा	४७६.००	४७६.००	५०९.००

महेन्द्र जसि  
जिल्ला अधिकारी



## काठ तथा प्लाइउड संबन्धि निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/०८०
१	६' सम्मको सालकाठ	घ. फि	५६००.००	५६००.००	५८८०.००
२	६' देखि ८' सम्मको सालकाठ	घ. फि	५८००.००	५८००.००	६०९०.००
३	८' देखि १२' सम्मको सालकाठ	घ. फि	६२५०.००	६२५०.००	६५६२.००
४	१२ फिट देखि माथिको साल काठ	घ. फि	६६००.००	६६००.००	६९३०.००
५	साज काठ	घ. फि	२६५०.००	२६५०.००	३५१७.००
६	जामुन काठ	घ. फि	२१५०.००	२१५०.००	२२५७.००
७	सल्लाको काठ	घ. फि	१५५०.००	१५५०.००	१६२७.००
८	सिसौ काठ	घ. फि	३५००.००	३५००.००	३६७५.००
९	जंगली सिसौ काठ ,,	घ. फि	५२७०.००	५२७०.००	५५३३.००
१०	उतीस को काठ	घ. फि	६२५.००	६२५.००	६६८.००
११	काठ दाउरा	के.जी	१८.००	१८.००	१९.००
१२	३८ मि.मि. मोटाईको केमिकल्ली ट्रिटेट मेसिनमेड वाटरपुफ, बोरर फि सोलीडकोर फ्लसडोर सटर				
	साधारण				
	Plain	व.फि	२३५.००	२३५.००	२५३.००
	Ordinary-one side teak water proof	व.फि	२८०.००	२८०.००	३०१.००
	Both side teak water Proof	व.फि	३२५.००	३२५.००	३५०.००
	वाटर पुफ गरिएको				
	Plain	व.फि	२४५.००	२४५.००	२६४.००
	One side teak	व.फि	२८८.००	२८८.००	३१०.००
	Both side teak	व.फि	३३३.००	३३३.००	३५८.००
१३	कुदिएको काठको काम तयारी				
	भन्याङ्को रेलिङ्ग तथा बार्दली आदिमा कुदिएको स्थानीय सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	९७०.००	९७०.००	१०८०.००
	भन्याङ्को रेलिङ्ग तथा बार्दली आदिमा कुदिएको जंगली स्पेशल सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	१०५०.००	१०५०.००	१३२३.००
	भन्याङ्को रेलिङ्ग तथा बार्दली आदिमा कुदिएको सीसौ काठको हेण्ड रेल (3"x4")	र.फि.	६८०.००	६८०.००	७२४.००
	भन्याङ्को रेलिङ्गको घुम्ने ठाउँमा कुदिएको सीसौ काठको गोलो हेण्ड रेल (3"x4")	गोटा	२२५०.००	२२५०.००	२३६२.००
	देवी देवताको मुर्ति कुदिएको ४' देखि ५' लामो (३"X ८") साल काठमा टुँडाल बनाउने काम	गोटा	१२३००.००	१२३००.००	१३५००.००
	देवी देवताको मुर्ति कुदिएको ६' देखि ७' लामो (३"X ८") साल काठमा टुँडाल बनाउने काम	गोटा	१४०००.००	१४०००.००	२२५००.००
	विभिन्न बुट्टा तथा देवी देवताको मुर्ति कुदिएको साल काठको भ्याल ढोका बनाउने काम (खापाको माटाई ४० मि.मि. देखि ५० मि.मि. सम्म )	व.फि.	२६२५.००	२६२५.००	३१५०.००
	घोडाको आकृति गरि कुदिएको ४"X ५" साइजको ३' देखि ४' लामो साल काठको तयारी टुँडाल बनाउने काम ।	गोटा	६१००.००	६१००.००	७२८०.००
	सामान्य प्रकारको कुदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	८७५.००	८७५.००	१३५०.००
	मध्यम प्रकारको कुदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	१२२५.००	१२२५.००	१६२०.००
	विशेष प्रकारको कुदिएको सालको काठको आँखी भ्याल तयारी लक सहीत	व.फि.	२२५०.००	२२५०.००	२३९८.००



### काठ तथा प्लाइउड संबन्धि निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/०८०
	विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक नभएको	व.फि.	१६५०.००	१६५०.००	१९८०.००
	३"X १.५" साइजको सालको काठको कुँदिएको पली तयारी गर्ने काम	र.फि.	३६०.००	३६०.००	३६०.००
	कुँदिएको विभिन्न बुडा राखी बनाएको साल काठको ४"X ५"को कार्नेस बिम आदि तयारी गर्ने कार्य	र.फि.	१०५०.००	१०५०.००	१६२०.००
	४"X ५"को साल काठको नाग बुडा कुँदि तयारी गरी जडान गर्ने कार्य	र.फि.	८७५.००	८७५.००	१७१०.००
१४	<b>Wooden Parquet Flooring</b>				
	Shisam wooden parqueting 150mm*30mm*8mm	व.फि.	२००.००	२००.००	२२०.००
	Wall panelling ( with wood frame) sisam wood. (75mm*16mm)	व.फि.	५६०.००	५६०.००	५९९.००
१५	<b>विभिन्न मोटाईको प्लाइउडहरु</b>				
	<b>साधारण प्लाइउड</b>				
	३ मी.मी	व.फि.	२१.००	२१.००	३६.००
	३.५ मी.मी.	व.फि.	२५.००	२५.००	२६.००
	४ मी.मी	व.फि.	२६.००	२६.००	२८.००
	६ मी.मी	व.फि.	४३.००	४३.००	५३.००
	८ मी.मी	व.फि.	४७.००	४७.००	५७.००
	१२ मी.मी	व.फि.	७०.००	७०.००	८०.००
	१९ मी.मी B/B	व.फि.	१०४.००	१०४.००	११२.००
	१८ मी.मी PLY	व.फि.	१०७.००	१०७.००	११५.००
१६	<b>वाटर प्रुफ प्लाइउड</b>				
	४ मी.मी	व.फि.	४६.००	४६.००	५२.००
	६ मी.मी	व.फि.	६९.००	६९.००	६५.००
	८ मी.मी.	व.फि.	६३.००	६३.००	६७.००
	९ मी.मी.	व.फि.	७३.००	७३.००	८९.००
	१२ मी.मी	व.फि.	८५.००	८५.००	९९.००
	१५ मी.मी PLY	व.फि.	११३.००	११३.००	११३.००
	१८ मी.मी B/B	व.फि.	११७.००	११७.००	१३९.००
१७	<b>Natural Teak Plywood</b>				
	३ मी.मी	व.फि.	४८.००	४८.००	५१.००
	४ मी.मी (Group Match of in 5 pcs)	व.फि.	६९.००	६९.००	७४.००
	४ मी.मी (Regular)	व.फि.	६०.००	६०.००	६४.००
	४ मी.मी (Crown)	व.फि.	४३.००	४३.००	४६.००
	४ मी.मी (Beri)	व.फि.	४९.००	४९.००	५२.००
	४ मी.मी (Whitest line)	व.फि.	३९.००	३९.००	४२.००
	४ मी.मी (Beach)	व.फि.	४६.००	४६.००	४९.००
	४ मी.मी (Recon 18 No.)	व.फि.	३७.००	३७.००	३९.००
१८	<b>सनमाईका तथा फरमाईका</b>				
	सनमाईका (4' x 8')	व.फि.	१७.००	१७.००	१८.००
	फोरमाईका	व.फि.	७५.००	७५.००	८०.००
	हार्डबोर्ड (Hard board) 12 mm thick	व.फि.	४४.००	४४.००	४७.००
१९	<b>DECORATIVE (THICKER)</b>				
	6 OST	व.फि.	१२६.००	१२६.००	१३५.००

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

जिल्ला अधिकारी



## काठ तथा प्लाइउड संबन्धि निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/०८०
	6 BST	व.फि	१६०.००	१६०.००	१७२.००
	9 OST	व.फि	१४०.००	१४०.००	१४०.००
	9 BST	व.फि	१७३.००	१७३.००	१८६.००
	12 OST	व.फि	१४३.००	१४३.००	१६४.००
	12 BST	व.फि	१८७.००	१८७.००	२०९.००
	19 B/B OST	व.फि	१६५.००	१६५.००	१७७.००
	19 B/B BST	व.फि	२००.००	२००.००	२१५.००
	18 OST	व.फि	१८७.००	१८७.००	२०९.००
	18 BST	व.फि	२२९.००	२२९.००	२३८.००
२०	<b>Ready made Teak wood Doors (Seasoned and Poisoned treated ) ( excluding the cost of fitting, transportation, Painting)</b>				
	Readymade door shutter Recon, ordinary (1 side teak)	व.फि	१७४.००	१७४.००	१८७.००
	Readymade door shutter Recon, Special (1 side teak)	व.फि	२३७.००	२३७.००	२५५.००
	<b>Oneside water proof ply fitting</b>				
	Readymade door shutter Recon, ordinary (1 side teak)	व.फि	१९९.००	१९९.००	२१४.००
	Readymade door shutter Recon, Special (1 side teak)	व.फि	२६८.००	२६८.००	२८८.००
२१	<b>काठको लिष्टि</b>				
	1/2" wide	र.फि.	१४.००	१४.००	१५.००
	3/4" wide	र.फि.	१६.००	१६.००	१७.००
	1.5" wide	र.फि.	२७.००	२७.००	२९.००
	Decorative	र.फि.	३८.००	३८.००	४०.००
२२	<b>Infill Material</b>				
	Frame C - Studs( 0.55mm*0.75mm*3m)	गोटा	३८०.००	३८०.००	४०९.००
	Frame U - Studs( 0.55mm*0.75mm*3m)	गोटा	३८०.००	३८०.००	४०९.००
	Board 9 mm	गोटा	२२२७.००	२२२७.००	२४००.००
	Fiber mess tape (for 90mm/roll)	गोटा	३००.००	३००.००	३२३.००
	PU sasauge rod	गोटा	१८००.००	१८००.००	१८९०.००
२३	<b>Parquet(sisam,saaj &amp; Teak)</b>				
	1"x3"x6mm thickness	व.फि			२१५.००
	1"x6"x8mm thickness	व.फि			३२३.००
	2"x10"x10mm thickness	व.फि			४३९.००
	3"x14"x12mm thickness	व.फि			५८८.००
	3"x18"x14mm thickness	व.फि			६९५.००
	<b>Tounge &amp; Groove(T.G.)Flooring</b>	व.फि			
	Sisam/ Saj / Teak wood Parquet of 18mm Thickness: Color: Natural	व.फि			७४९.००
	Sisam/ Saj wood Parquet of 18mm Thickness: Color: Stain/ Mix	व.फि			६९५.००
	<b>Wall panelling</b>	व.फि			
	pine	व.फि			५३५.००
	saaj, Teak	व.फि			६४२.००
	Sisam	व.फि			७४९.००
	<b>3"Skirting</b>				
	pine	र.फि.			१६९.००
	saaj, Teak	र.फि.			२१५.००



काठ तथा प्लाइउड संबन्धि निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/०८०
	Sisam	र.फि.			३२३.००
	4"Skirting	र.फि.			
	pine	र.फि.			२१५.००
	saj,Teak	र.फि.			२६९.००
	Sisam	र.फि.			३७७.००
	5"Skirting				
	pine	र.फि.			२६९.००
	saj,Teak	र.फि.			३२३.००
	Sisam	र.फि.			४३९.००



## Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. बाहेकको दररेट		
			आ. व. २०७७/०७८	आ. व. २०७८/७९	आ. व. २०७९/८०
<b>102 SERIES WINDOWS</b>					
१	Providing and fixing Single Panel Casement (Hinged) Door of aluminum section in natural or color anodized/powder coated color Section size (102x45x1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer ).	Sq.ft.	६५७.००	६५७.००	६८९.००
२	Providing and fixing Double Panel Casement (Hinged) Door of aluminum section in natural or color anodized/powder coated color Section size (102x45x1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer ).	Sq.ft.	७२३.००	७२३.००	७५९.००
३	Providing and fixing Single Panel Swing Door of aluminum section in naturally anodized or black anodized/powder coated color Section size (102x45x1.50 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle).	Sq.ft.	८३६.००	८३६.००	८७७.००
४	Providing and fixing Double Panel Swing Door of aluminum section in naturally anodized or black anodized/powder coated color Section size (102x45x1.50 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle).	Sq.ft.	९२०.००	९२०.००	९६६.००
5	Supply and installation for pre-engineered System Slide window with 6063-TS Aluminium alloy anodized conforming to JIS 4100 with Texgard coating of 20 microns (± 2 microns) , available in 6 standard shades, All Thai Sections are directly shall be come from factory to site in a packed boxes. The system comprising of aluminium outer frame profiles & shutter (Sash) profiles packed separately in two boxes for each window as per drawings provided by client. All Profile Dim - Frame 72X35mm, Sash bottom 19X39.5mm with (Min Height :400mm Max :1600 mm) and (Min: Width 700mm max: 2400 mm) along with Mesh along with Toughened Glass upto 8 mm Thickness and 789 grade weather silicon. All necessary ZDC handle, POM bearing roller upto 200 kg ,SUS430 grade assembly screws, mechanical End Connection having special nano seal for superior sealing at all 04 corners with pvc gasket, shall be of original manufacturer make. Such material supplied is ready to glaze & assemble with all hardwares, weather seals ,nano gasket ,air piece etc. prefitted from the factory All System Certified by ASTM E330:2000Pa for Wind Pressure, Water Tightness penetration test ASTM E300:300 Pa, Air Infiltration Test ASTM E283:10.7m3/h.m, Noise insulation performance test JIS 25dB (A4706 and A4702) Along with Proof load test ASTM E330-02 in pressure at +/-3000Pa. The crescent handle /lock & rollers shall be tested for 30,000 & 100,000 cycles of operation respectively conforming to JIS A4706 .The interlock section shall be housing antilift mechanism to enhance security. Contractor has to submit Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer.	Sq Mtr		१५०६४.००	१५६६६.००
<b>90 SERIES WINDOWS</b>					
१	Providing and fixing 2 or 3 Panel Sliding Window of aluminum section in naturally anodized or Black anodized/powder coated color, Section size (87x56x1.20 mm) fitted with 5 mm clear glass without fly mesh shutter. (window size 6' x 5' or average area 30 sq. feet per window).	Sq.ft.	५२९.००	५२९.००	५५०.००
२	Providing and fixing 2 or 3 panel sliding window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x56x1.50 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	६०४.००	६०४.००	६३४.००

Page 27

ललितपुर जिल्ला अधिकारी



## Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
३	Providing and fixing 2 or 3 panel sliding window with top fix glass of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x65x1.20 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	५७१.००	५७१.००	५९९.००
४	Providing and fixing 2 or 3 panel sliding window with top fix glass of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x56x1.50 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	६५८.००	६५८.००	६९०.००
५	Providing and fixing Fixed Window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x25+12x1.20 mm) fitted with 5 mm clear glass with out fly mesh shutter. (Average area 5 sq. feet per panel).	Sq.ft.	४२८.००	४२८.००	४५६.००
६	Providing and fixing Fixed Window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x25+12x1.5 mm) fitted with 5 mm clear glass with out fly mesh shutter. (Average area 5 sq. feet per panel).	Sq.ft.	४९२.००	४९२.००	५२४.००
७	Providing and fixing Fly Mesh Shutter with stainless steel fly mesh in 90 series for sliding window. (Section thickness 1 mm)	Sq.ft.	१८८.००	१८८.००	२००.००
<b>102 SERIES PARTITION</b>					
१	Providing and fixing Full Height Partition of aluminum section in naturally anodized or black anodized/powder coated color Section size (102x45x1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 8.00 Sq.ft).	Sq.ft.	५१९.००	५१९.००	५५३.००
२	Providing and fixing Half Height Partition of aluminum section in naturally anodized or black anodized/powder coated color Section size (102x45x1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 6.00 Sq.ft).	Sq.ft.	५६३.००	५६३.००	६००.००
<b>64 SERIES PARTITION</b>					
१	Providing and fixing Full Height Partition of aluminum section in naturally anodized or black anodized color Section size (64x38x1.10 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 8.00 Sq.ft).	Sq.ft.	३९०.००	३९०.००	४१५.००
२	Providing and fixing low height partition of aluminum section in naturally anodized or black anodized color Section size (64x38x1.10 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 6.00 Sq.ft).	Sq.ft.	४७८.००	४७८.००	५०९.००
<b>ACOUSTIC PARTITION</b>					
	SLIDING AND FOLDING ACOUSTIC PARTITION Providing and fixing "Variflex" operable partition of Dorma make consisting of series of individual flat elements of 100 mm thick travelling along the ceiling track assembled to form a solid wall. The sound insulation of the operable partition should be 50db.	Sq.m.		४५०००.००	४६८००.००
<b>STRUCTURAL GLAZING</b>					
१	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x50+13x1.3 mm) fitted with 5 mm color glass. (average panel area 6.00 Sq.ft.)	Sq.ft.	५४८.००	५४८.००	५८४.००
२	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x75+13x1.6 mm) fitted with 5 mm color glass. (average panel area 6.00 Sq.ft.)	Sq.ft.	६३६.००	६३६.००	६७८.००
३	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x100+13x2 mm) fitted with 5 mm color glass. (average panel area 6.00 Sq.ft.)	Sq.ft.	७७३.००	७७३.००	८२४.००










## Aluminum Doors and Windows


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	<b>GLASS DOOR &amp; PARTITION</b>				
१	Providing and fixing Fixed Glass Door of 12 mm Clear Toughened Glass with Stainless Steel patches or Aluminium Frame (Ground Floor).	Sq.ft.	१२५९.००	१२५९.००	१३२९.००
२	Providing and fixing Fixed Glass Partition of 12 mm Clear Toughened Glass with Stainless Steel patches or Aluminium Frame (Ground Floor).	Sq.ft.	८१७.००	८१७.००	८७१.००
३	Providing and fixing Fixed Glass Partition of 12 mm Clear Toughened Glass with Spider Fitting.	Sq.ft.	१३५४.००	१३५४.००	१४२९.००
	<b>Aluminium Composite Panel (ACP).</b>				
१	Providing and fixing ACP Cladding on wall (Exterior) 3 mm thick ACP (0.25 mm Aluminium PVDF Core) on 25x38 mm Aluminium Tube framing.	Sq.ft.	३३३.००	३३३.००	३५५.००
२	Providing and fixing ACP Cladding on wall (Exterior) 4 mm thick ACP (0.25 mm Aluminium PVDF Core) on 25x38 mm Aluminium Tube framing.	Sq.ft.	४४७.००	४४७.००	४७६.००
	<b>FABRIC LINED ACOUSTIC PANEL</b>				
१	DEMOUNTABLE FABRIC LINED ACOUSTIC PANEL: Providing and fixing of fabric panel made with 12mm marine ply (BWP) with a top layer of 3mm thick layer of TECSOUND50 soundproofing membrane, then a layer of 50mm infill of resin bonded glass wool (24 kg/cum), wrapped in tissue fiber matt supported suitably with a layer of perforated 12 mm marine ply(BWP) (perforation to be 20% of the surface area).	Sq.m		२५०००.००	२६०००.००
	<b>ALUMINIUM DOOR &amp; WINDOW</b>				
१	Supply and installation for Casement door & Window pre-engineered System with 6063-TS Aluminium alloy anodized conforming to JIS 4100 with Texgard coating of 20 microns ( $\pm 2$ microns), available in 6 standard shades, All Thai Sections are directly shall be come from factory to site in a packed boxes. The system comprising of aluminium outer frame profiles & shutter (Sash) profiles packed separately in two boxes for each window as per drawings provided by client. All Profile Dim - Frame 72X35mm, Sash bottom 19X39.5mm with (Min Height :400mm Max :1600 mm) and (Min: Width 700mm max: 2400 mm) with Toughened Glass upto 8 mm Thickness and 789 grade weather silicon. All necessary ZDC handle, POM bearing roller upto 200 kg ,SUS430 grade assembly screws, mechanical End Connection having special nano seal for superior sealing at all 04 corners with pvc gasket, shall be of original manufacturer make. Such material supplied is ready to glaze & assemble with all hardwares, weather seals ,nano gasket ,air piece etc. prefitted from the factory All System Certified by ASTM E330:2000Pa for Wind Pressure, Water Tightness penetration test ASTM E300:300 Pa, Air Infiltration Test ASTM E283:10.7m <sup>3</sup> /h.m, Noise insulation performance test JIS 25dB (A4706 and A4702) Along with Proof load test ASTM E330-02 in pressure at +/-3000Pa. The crescent handle /lock & rollers shall be tested for 30,000 & 100,000 cycles of operation respectively conforming to JIS A4706 .The interlock section shall be housing antilift mechanism to enhance security. Contractor has to submit Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer.	Sq Mtr		१६२५०.००	१६९००.००
२	EXTERNAL / INTERNAL GLAZED DOOR (FIRE RATED AND ACOUSTICALLY TREATED) ALUMINIUM WITH THERMAL BREAK ( CASEMENT- NC 65 HDS ): Providing and fixing 46mm thk. TGU with a configuration of 8mm thk. TG+12mm air gap+6mm thk. TG+14 mm air gap+ 6mm TG with performance parameter of the composite	Sq.m		१०००००.००	१०२०००.००
३	<b>Steel Door &amp; Windows</b>				



### Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	<b>Steel Door (a set with frame)</b>				
	900x2100	set		२९०००.००	२९८४०.००
	1000x2100	set		२२०००.००	२२८८०.००
	<b>ABS Door</b>				
	900x2100	set		९८०००.००	९८७२०.००
	<b>Panel Door</b>				
	900x2100	set		९४०००.००	९४५६०.००
	<b>Window</b>				
	115mm	set		८७५.००	९३२.००





## UPVC Profile for Door/Window

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/०८०
	Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm:sash 60*78mm, Casement Door				
<b>A</b>	<b>Single glazing</b>				
१	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	व.मि	७२१५.००	७२१५.००	७५७५.००
२	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	व.मि	६६६४.००	६६६४.००	६९९७.००
३	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	व.मि	७४९३.००	७४९३.००	७८६७.००
४	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	व.मि	७४९३.००	७४९३.००	७८६७.००
५	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	व.मि	८२१४.००	८२१४.००	८६२४.००
६	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	व.मि	८३२८.००	८३२८.००	८७४४.००
७	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	व.मि	८८८४.००	८८८४.००	९३२८.००
८	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	व.मि	८८८४.००	८८८४.००	९३२८.००
९	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	व.मि	८६०६.००	८६०६.००	९०३६.००
१०	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)	व.मि	९९९९.००	९९९९.००	१०४९०.००
११	UPVC 88x60mm Sliding white colour window with 5mm glass pannele	व.मि	८६२६.००	८६२६.००	९०५७.००
११	UPVC 60x64mm white colour casement window with 5mm glass pannele	व.मि	९७९६.००	९७९६.००	१०२८५.००
१२	UPVC110x64mm x9mmthick board and 5mm tjick glass pannel white colour	व.मि	१०३५३.००	१०३५३.००	१०७६७.००
१२	UPVC60x60mm x9mmthick white colour partition board with 5mm glass	व.मि	१०७७.००	१०७७.००	१११४५.००
१३	UPVC60x60mm white colour swing door with 5mm glass pannel	व.मि	६७२७.००	६७२७.००	७०६३.००
<b>B</b>	<b>Double glazing</b>				
१	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	व.मि	९४३५.००	९४३५.००	९९०६.००
२	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	व.मि	८९३५.००	८९३५.००	९३८९.००
३	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	व.मि	९७९८.००	९७९८.००	१०२०३.००
४	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	व.मि	९७९८.००	९७९८.००	१०२०३.००
५	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	व.मि	१०४३९.००	१०४३९.००	१०८५६.००
६	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	व.मि	१०५४७.००	१०५४७.००	१०९६८.००
७	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	व.मि	१११०३.००	१११०३.००	११५४७.००
८	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)	व.मि	१०८२५.००	१०८२५.००	११२५८.००
९	Supply & fixing of 80*50 mm white colour casement window	व.मि	९६९९.००	९६९९.००	१००९९.००
	Supplying and installation of RoHS Complint, 100% lead free, 100% recyclable UPVC profile:sliding window frame 50*80mm;sash 58*36mm, Sliding Door Frame 52*88; sash 80*42 ,Casement window frame 60*60;sash 60*104mm white colour with reinforcement,5mm thick clear float glass ,insect net,patented standard hard ware like :rollers,gaskets,brush,seal,moon locks,push locks,drining cover.etc.				
	<b>Single glazing</b>				
1	upvc sliding window with net (frame 50x80mm,sash 58x36mm , whit colour with 5mm glass )	व.मि			१४६०९.००

*[Handwritten signatures]*

*[Handwritten signature]*

*[Handwritten signatures]*

ललितपुर जिल्ला उपप्रकार




## UPVC Profile for Door/Window

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/०८०
2	upvc sliding window without net (frame 60x60mm,sash 66x42mm,white colour with 5 mm glass)	व.मि			१४१५९.००
3	upvc top hung window (frame 60x60mm ,sash 60x78mm, white colour with 5mm glass)	व.मि			१४८६७.००
4	upvc casement window (fream 60x60mm ,sash 60x78mm ,white colour with 5mm glass)	व.मि			१४८६७.००
5	upvc single door with half pannel half glass ( fream 60x60mm , sash 60x104mm ,white colour with 5mm glass)	व.मि			१५०४४.००
6	upvc single door with full pannel (fream 60x60mm ,sash 60x104mm ,white colour )	व.मि			१५०४४.००
7	upvc double door (fream 60x60mm,sash 60x104mm ,white colour with 5mm glass)	व.मि			१५४८६.००
8	upvc sliding door with net ( fream 52x88mm,sash 88x42mm ,white coliuir with 5mm glass)	व.मि			१५४८६.००
9	upvc sliding door without net (fream60x60mm,sash 88x42mm, white colour with 5mm glass)	व.मि			१४१५९.००
10	upvc swing door with half glass half upvc pannel (fream 60x60mm)	व.मि			१५९२९.००
11	upvc 88x60 mm sliding white colour window with 5mm glass pannel.	व.मि			१५४८६.००
12	upvc 60x64mm white colour casement window with 5mm glass pannel.	व.मि			१५९२९.००
13	upvc 110x64 mm x9mm thick board and 5mm tijck glass pannel with white colour.	व.मि			१६८१४.००
14	upvc 60x60mm x 9mm thick white colour partition board with 5mm glass colour.	व.मि			१७२५६.००
15	upvc 60x60mmx white colour swing door with 5mm glass pannel.	व.मि			१४१५९.००
	<b>Double glazing</b>				
1	upvc sliding window with net ( fream 50x80mm,sash 58x 36mm,white colour with 5mm double glass)	व.मि			१५७५२.००
2	upvc sliding window without net (fream 60x60mm, sash 66x42mm ,white colour with 5mm double glass)	व.मि			१५४८६.००
3	upvc tophung window (fream 60x60mm ,sash 60x78mm,ehite colour with 5mm double glass)	व.मि			१५९२९.००
4	upvc casement window (fream 60x60mm,sash 60x78mm,white colour with 5mm double glass)	व.मि			१५९२९.००
5	upvc single door with half pannel half glass ( fream 60x60mm,sash 60x104mm ,white colour with 5mm double glass)	व.मि			१७०७९.००
6	upvc double door ( fream 60x60mm,sash60x78mm, white colour with 5mm double glass)	व.मि			१७२५६.००
7	upvc sliding dooe with net ( fream 52x88mm,sash 88x42mm,white colour with 5mm double glass)	व.मि			१७६९९.००
8	upvc sliding door without net ( fream 60x60 mm,sash 88x42mm,white colour with 5mm double glass)	व.मि			१७२५६.००
9	supply and fixing of 80x50mm white colour casement window	व.मि			१५९२९.००



## छाना छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	ग्याल्भनाईज सेतो सादा जस्तापाता				
	0.20 mm (30 guage light)	बण्डल	४४८५.००	४४८५.००	४७८१.००
	0.22 mm (30 guage Medium)	बण्डल	४९१४.००	४९१४.००	५२३९.००
	0.24 mm (30 guage Heavy)	बण्डल	५२४५.००	५२४५.००	५५९२.००
	0.26 mm (28 guage light)	बण्डल	५५२५.००	५५२५.००	५८९०.००
	0.28 mm (28 guage Medium)	बण्डल	५८८८.००	५८८८.००	६२७७.००
	0.31 mm (28 guage Heavy)	बण्डल	६४३५.००	६४३५.००	६८६०.००
	0.35 mm (26 guage light)	बण्डल	७१३१.००	७१३१.००	७६०३.००
	0.37 mm (26 guage Medium)	बण्डल	७४८४.००	७४८४.००	८०९७.००
	0.41 mm (26 guage Heavy)	बण्डल	८२०१.००	८२०१.००	८७४३.००
	0.45 mm (24 guage light)	बण्डल	८८९७.००	८८९७.००	९४८५.००
	0.50 mm (24 guage Medium)	बण्डल	९७८६.००	९७८६.००	१०४३३.००
	0.52 mm (24 guage Heavy)	बण्डल	१०१२८.००	१०१२८.००	१०७९८.००
	0.75 mm	बण्डल	१४५४०.००	१४५४०.००	१५५०२.००
२	कोरुगेटेड रंगिन जस्तापाता				
	0.20 mm (30 guage light)	बण्डल	५८८८.००	५८८८.००	६२४६.००
	0.22 mm (30 guage Medium)	बण्डल	६२७४.००	६२७४.००	६६८०.००
	0.24 mm (30 guage Heavy)	बण्डल	६६३८.००	६६३८.००	७१५२.००
	0.26 mm (28 guage light)	बण्डल	६९९१.००	६९९१.००	७५२९.००
	0.28 mm (28 guage Medium)	बण्डल	७३९८.००	७३९८.००	७९२५.००
	0.31 mm (28 guage Heavy)	बण्डल	७९५५.००	७९५५.००	८५१०.००
	0.35 mm (26 guage light)	बण्डल	८७९१.००	८७९१.००	९४१६.००
	0.37 mm (26 guage Medium)	बण्डल	९२३०.००	९२३०.००	१००७७.००
	0.41 mm (26 guage Heavy)	बण्डल	९९९०.००	९९९०.००	१०७४६.००
	0.45 mm (24 guage light)	बण्डल	१०७१.००	१०७१.००	११६५२.००
	0.50 mm (24 guage Medium)	बण्डल	११६५०.००	११६५०.००	१२७२८.००
	0.52 mm (24 guage Heavy)	बण्डल	१२०४६.००	१२०४६.००	१३२००.००
	0.55 mm (24 guage Medium)	बण्डल	१२९६४.६०	१२९६४.६०	१३८२२.००
	0.75 mm	बण्डल	१६९०७.००	१६९०७.००	१८५६८.००
३	ग्याल्भानाइज्ड कोरुगेटेड जस्तापाता				
	0.20 mm (30 guage light)	बण्डल	४४८५.००	४४८५.००	४८२५.००
	0.22 mm (30 guage Medium)	बण्डल	४८६०.००	४८६०.००	५२३३.००
	0.24 mm (30 guage Heavy)	बण्डल	५१९३.००	५१९३.००	५६२३.००
	0.26 mm (28 guage light)	बण्डल	५४६०.००	५४६०.००	५९५०.००
	0.28 mm (28 guage Medium)	बण्डल	५८२४.००	५८२४.००	६२९५.००
	0.31 mm (28 guage Heavy)	बण्डल	६३७१.००	६३७१.००	६८४८.००
	0.35 mm (26 guage light)	बण्डल	७०७७.००	७०७७.००	७५९२.००
	0.37 mm (26 guage Medium)	बण्डल	७४३०.००	७४३०.००	८२३६.००
	0.41 mm (26 guage Heavy)	बण्डल	८१३७.००	८१३७.००	८७८०.००
	0.45 mm (24 guage light)	बण्डल	८८३३.००	८८३३.००	९५९६.००



## छाना छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	0.50 mm (24 guage Medium)	बण्डल	९७२९.००	९७२९.००	१०६०३.००
	0.52 mm (24 guage Heavy)	बण्डल	१००६५.००	१००६५.००	१०९८४.००
	0.75 mm	बण्डल	१४५४०.००	१४५४०.००	१५८०९.००
४	जस्ता पाताको धुरी				
	0.20 mm base metal	बण्डल	१५३९.००	१५३९.००	१६४९.००
	0.22 mm base metal	बण्डल	१६६९.००	१६६९.००	१७९५.००
	0.24 mm base metal	बण्डल	१७७६.००	१७७६.००	१९२३.००
	0.26 mm base metal	बण्डल	१८६२.००	१८६२.००	२०३२.००
	0.28 mm base metal	बण्डल	१९९९.००	१९९९.००	२१५९.००
	0.31 mm base metal	बण्डल	२१६२.००	२१६२.००	२३३३.००
	0.35 mm base metal	बण्डल	२३९८.००	२३९८.००	२५८८.००
	0.38 mm base metal	बण्डल	२५९५.००	२५९५.००	२७९८.००
	0.41 mm base metal	बण्डल	२७५९.००	२७५९.००	२९८०.००
५	४ फिट X ८ फिट को जि.आई. प्लेन सिट				
	1.1 mm base metal	पिस	३९०५.००	३९०५.००	३३९६.००
	0.90 mm base metal	पिस	२५६९.००	२५६९.००	२८०७.००
	0.80 mm base metal	पिस	२३२३.००	२३२३.००	२५३०.००
	0.75 mm base metal	पिस	२१८३.००	२१८३.००	२३७४.००
	0.70 mm base metal	पिस	२०३३.००	२०३३.००	२२९८.००
	0.62 mm base metal	पिस	१८१९.००	१८१९.००	१९८७.००
	0.55 mm base metal	पिस	१६३७.००	१६३७.००	१७७६.००
	0.50 mm base metal	पिस	१४८८.००	१४८८.००	१६९९.००
	0.48 mm base metal	पिस	१४३४.००	१४३४.००	१५५५.००
	0.45 mm base metal	पिस	१३५९.००	१३५९.००	१४७२.००
	0.42 mm base metal	पिस	१३२७.४३	१३२७.४३	१३८०.००
	0.40 mm base metal	पिस	१२९९.००	१२९९.००	१३९६.००
	0.37 mm base metal	पिस	११३४.००	११३४.००	१२२४.००
	0.35 mm base metal	पिस	१०८९.००	१०८९.००	११७८.००
	0.30 mm base metal	पिस	९५२.००	९५२.००	१०३०.००
	0.28 mm base metal	पिस	८९८.००	८९८.००	९६६.००
६	४ X ८ फिट को रङ्गिन प्लेन सिट				
	0.90 mm base metal	पिस	२८२५.००	२८२५.००	३०७९.००
	0.80 mm base metal	पिस	२५५८.००	२५५८.००	२७८९.००
	0.75 mm base metal	पिस	२४४०.००	२४४०.००	२६९६.००
	0.70 mm base metal	पिस	२३२३.००	२३२३.००	२५०६.००
	0.62 mm base metal	पिस	२०८७.००	२०८७.००	२२४२.००
	0.55 mm base metal	पिस	१८८४.००	१८८४.००	२०९४.००
	0.50 mm base metal	पिस	१७३३.००	१७३३.००	१८४९.००
	0.48 mm base metal	पिस	१६४८.००	१६४८.००	१७६८.००
	0.45 mm base metal	पिस	१५९५.००	१५९५.००	१६६८.००



### छाना छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	0.42 mm base metal	पिस	१६६४.००	१६६४.००	१५५८.००
	0.40 mm base metal	पिस	१४५५.००	१४५५.००	१५३१.००
	0.37 mm base metal	पिस	१३४८.००	१३४८.००	१४३१.००
	0.35 mm base metal	पिस	१२९४.००	१२९४.००	१३६७.००
	0.30 mm base metal	पिस	११४५.००	११४५.००	१२१२.००
	0.28 mm base metal	पिस	१०९१.००	१०९१.००	११४८.००
<b>७</b>	<b>GI Expanded metal Mesh</b>				
	1.20 mm मोटाई र ३ फिट चौडाई भएको जाली	र.मि.	१३२.००	१३२.००	१५९.००
	1.20 mm मोटाई र ४ फिट चौडाई भएको जाली	र.मि.	१८३.००	१८३.००	२१२.००
	1.00 mm मोटाई र ३ फिट चौडाई भएको जाली	र.मि.	११२.००	११२.००	१३२.००
	1.00 mm मोटाई र ४ फिट चौडाई भएको जाली	र.मि.	१५३.००	१५३.००	१७६.००
	0.90 mm मोटाई र ३ फिट चौडाई भएको जाली	र.मि.	१०२.००	१०२.००	१२३.००
	0.90 mm मोटाई र ४ फिट चौडाई भएको जाली	र.मि.	१५९.२९	१५९.२९	१५९.००
<b>८</b>	<b>UPVC Roofing Sheet (3mm thick )</b>				
	PMMA coating & Mesh ( Regular )	व.मि.	१५०६.००	१५०६.००	१६०५.००
	Stone coated (18 inch* 4 feet)	व.मि.	१२००.००	१२००.००	१२७९.००
	Ridge cover Regular Profile 1.10 R.m.	र.मि.	१९२५.००	१९२५.००	२०५२.००
	Ridge cover Tile Profile 1.05 R.m.	र.मि.	१९२५.००	१९२५.००	२०५२.००
	UPVC Clip	गोटा	२६.००	२६.००	२७.००
	self tapping screw 3"	गोटा	३०.००	३०.००	३१.००
	self tapping screw 2.2"	गोटा	२०.००	२०.००	२१.००
	self tapping screw 2"	गोटा	११.००	११.००	११.००
	self tapping screw 1.5"	गोटा	८.५०	८.५०	९.००
	UPVC Roofing Sheet Double Mesh (Tile or regular)	व.मि.		१४५२.६०	१५४८.००
	UPVC Roofing Sheet Single Mesh (Tile or regular)	व.मि.		१२९१.२०	१३७६.००
	UPVC Roofing Sheet No Mesh (Tile or regular)	व.मि.		११२९.८०	१२०४.००
	Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	व.मि.		१४००.००	१४९२.००
	Non Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	व.मि.		१३००.००	१३८६.००
<b>९</b>	<b>Eco-UPVC Roofing Sheet (Ultra Modern Technology)</b>				
	Corrugated sheets(2mm)	व.फि.	६६.३७	६६.३७	७०.००
	Corrugated ridge (2mm) (3*1.4')	गोटा	७४५.१३	७४५.१३	७९४.००
	Corrugated ridge side(2mm)(3*1.4')	गोटा	४४७.७९	४४७.७९	४७७.००
	Spanish tile without fiber mesh(3mm)	व.फि.	१०१.७७	१०१.७७	१०८.००
	Spanish tile with fiber mesh(3mm)	व.फि.	११०.६२	११०.६२	११७.००
	Spanish ridge(3mm)(3*1.4')	गोटा	१३४३.३६	१३४३.३६	१४३२.००
	Spanish ridge side(3mm)	गोटा	७४५.१३	७४५.१३	७९४.००
	Spanish tile tripod(3mm)	गोटा	९९६.४६	९९६.४६	१०६२.००
	Clip Set	गोटा	८.८५	८.८५	९.००
<b>१०</b>	<b>एल्युमिनियम प्लेन सिट</b>				
	(क) २६ गेज	व.फि.	२९.००	२९.००	३०.००

*[Handwritten signatures]*

*[Handwritten signatures and stamps]*  
 प्रमुख जिल्ला अधिकारी



## छाना छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	(ख) ३० गेज	व.फि.	२७.००	२७.००	२८.००
११	<b>Corrugated/Plain Fiber Glass Sheet</b>				
	०.८ मी. मी. मोटो प्लेन	व.फि.	११५.००	११५.००	१२२.००
	०.८ मी. मी. मोटो कोरोगेटेड	व.फि.	१२७.००	१२७.००	१३५.००
	१.२ मी.मी. मोटा प्लेन	व.फि.	१२७.००	१२७.००	१३५.००
	१.२ मी.मी. मोटो कोरोगेटेड	व.फि.	१४६.००	१४६.००	१५५.००
	२ मी.मी. मोटो प्लेन	व.फि.	२१६.००	२१६.००	२३०.००
	२ मी.मी. मोटो कोरोगेटेड	व.फि.	२५५.००	२५५.००	२७१.००
	३ मी. मी. मोटो प्लेन	व.फि.	२९३.००	२९३.००	३१२.००
	३ मी. मी. मोटो कोरोगेटेड	व.फि.	३८२.००	३८२.००	४०७.००
१२	<b>ASP Corrugated roofingSheet</b> (L-6,8,10,12,14,16,18 ft W-3ft)				
	Corrugated steel Sheet-Thickness-1.1mm, weight-5.5K/sam	व.मिटर	१०७६.००	१०७६.००	११४७.००
	Ridge Cover corrugated	र.मिटर	१५५०.००	१५५०.००	१६५२.००
	Self tapping screw 75mm with clip set	गोटा	२०.००	२०.००	२१.००
	Ridge Cover regular Profile 1.10 RM	र.मिटर		१६००.००	१७०५.००
	Ridge Cover regular Profile 1.05 RM	र.मिटर		१६००.००	१७०५.००
	Self tapping screw 3" with clip set	गोटा		३०.००	३१.००
	Self tapping screw 2.2" with clip set	गोटा		२५.००	२६.००
१३	Fiber Glass छाानाको लागि Alumunium strip (25 x 1.5) mm	र.मि.	६७.००	६७.००	७१.००
१४	Fiber Glass छाानाको लागि Ribet nut	गोटा	७.००	७.००	७.००
१५	विभिन्न साइजको जे-हुक, यु-हुक	केजी	१३७.००	१३७.००	१४६.००
१६	२" साइज रुफिङ्ग नेल्स	गोटा	७.००	७.००	७.००
१७	३" साइज रुफिङ्ग नेल्स	गोटा	१०.००	१०.००	१०.००
१८	<b>Roofing Material</b>				
	Stone Coated Roofing having 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm)	व.मि		४०००.००	४२६४.००
	Stone Coated Roofing Sheet 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm)	व.मि		३०००.००	३१९८.००
१९	<b>Fiber Plain Sheet</b>				
	(Thickness : 1.2 mm)-Red, Blue, Green and Clear	व.फि.		१००.००	१०६.००
	(Thickness : 1.5 mm)-Red, Blue, Green and Clear	व.फि.		१२०.००	१२७.००
	(Thickness : 1.8 mm)-Red, Blue, Green and Clear	व.फि.		१४५.००	१५४.००
	(Thickness : 2 mm)-Red, Blue, Green and Clear	व.फि.		१५५.००	१६५.००
	(Thickness : 2.5 mm)-Red, Blue, Green and Clear	व.फि.		१९५.००	२०७.००
	(Thickness : 3 mm)-Red, Blue, Green and Clear	व.फि.		२४०.००	२५५.००
२०	<b>Fiber Corrugated Sheet</b>				
	Fiber S span Thickness 2mm, width 42"	र. फि		६४०.००	६८२.००
	Normal Corrugation (Thickness : 0.6 mm)-Clear	र. फि		१२५.००	१३३.००
	Normal Corrugation (Thickness : 0.8 mm)-Clear	र. फि		१७०.००	१८१.००
	Fiber Heritage Sheet Width 34" Thickness 2 mm	र. फि		४८५.००	५१७.००





## छाना छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Providing and installing roofing shingles made with resilient, heavyweight fiberglass mat and reinforces the roofing shingles along with required accessories & fittings like roof starter, Ridge Cap Shingles, Screws, Sealant etc. Their premium laminated fiberglass mat is saturated and stabilized with IKO SBS modified asphalt for exceptional flexibility in all types of weather which gives Cambridge IR collection exceptional flexibility, tear- resistance and a UL 2218/FM 4473 Class 4 Impact Resistance rating. It Includes up to 110 mph (177 km/h) Limited Wind Warranty, Which constructed with one of the heaviest mats in the industry for their class, Cambridge is engineered to withstand the elements for years. For superior weather and impact resistance, Cambridge collections are built-in algae-resistant granules.	ब.मी.		२९६०.००	३१५५.००
	IKO Roof Gard-cool Grey or Stormtite underlayment is an innovative RoofGard/ Stormtite synthetic underlayment for giving total deck protection.	ब.मी.		४००.००	४२६.००
	Providing and installing 12mm thick Cement Fiber Board (Thailand) complying with standards for the required test value, Density = 1260 kg/cubic meter (ASTM C 1185 standard), water absorption should be less than or equal to 34% and water expansion rate equal to 0.12%, complying with JIS A 5420 standard, providing sound resistant (STC) up to 38dB as per BS 2750 standard for laying over the fabricated ceiling of GI to support roofing shingles.	ब.मी.		१५६०.००	१६६३.००
२१	Black Color/Combat Color Zinc Panel for wall & Roof				
	50mm			४५६.००	४८६.००
	75mm			४६३.००	४९३.००
	100mm			५१२.००	५४५.००
	125mm			६०८.००	६४८.००
	150mm			६५२.००	६९५.००
२२	Blue & Orange Color Roofing Panel				
	50mm			३९८.००	४२४.००
	75mm			४४७.००	४७६.००
	100mm			५३६.००	५७१.००
	125mm			५४५.००	५८१.००
	150mm			५९३.००	६३२.००

प्रमुख जिल्ला अधिकारी

## Partition Board and Ceiling



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	<b>Plain Particle Board (Exteriors Grade)</b>				
	९ मी .मी	व.फि	३८.००	३८.००	४०.००
	१२ मी .मी	व.फि	४३.००	४३.००	४५.००
	१८ मी .मी	व.फि	५५.००	५५.००	५८.००
	२५ मी .मी	व.फि	७४.००	७४.००	७८.००
२	<b>PPB One side lamination Melaminated faced (Exterior Grade)</b>				
	९ मी .मी	व.फि	७७.००	७७.००	८२.००
	१२ मी .मी	व.फि	८६.००	८६.००	९१.००
	१८ मी .मी	व.फि	१०२.००	१०२.००	१०८.००
	२५ मी .मी	व.फि	१३२.००	१३२.००	१४०.००
३	<b>PPB Both side lamination Melaminated faced (Exteriors Grade)</b>				
	९ मी .मी	व.फि	८६.००	८६.००	९१.००
	१२ मी .मी	व.फि	९९.००	९९.००	१०५.००
	१८ मी .मी	व.फि	११४.००	११४.००	१२१.००
	२५ मी .मी	व.फि	१४५.००	१४५.००	१५४.००
४	<b>Plain Particle Board (Interiors Grade)</b>				
	९ मी .मी	व.फि	२८.००	२८.००	२९.००
	१२ मी .मी	व.फि	३२.००	३२.००	३४.००
	१८ मी .मी	व.फि	४८.००	४८.००	५१.००
	२५ मी .मी	व.फि	६९.००	६९.००	७५.००
५	<b>PPB One side lamination Melaminated faced (InteriorGrade)</b>				
	३ मी .मी	व.फि	४२.००	४२.००	४४.००
	६ मी .मी	व.फि	५९.००	५९.००	६२.००
	९ मी .मी	व.फि	६८.००	६८.००	७२.००
	१२ मी .मी	व.फि	७७.००	७७.००	८२.००
	१८ मी .मी	व.फि	८९.००	८९.००	९४.००
	२५ मी .मी	व.फि	१११.००	१११.००	११८.००
६	<b>PPB Both side lamination Melaminated faced (Interiors Grade)</b>				
	३ मी .मी	व.फि	४८.००	४८.००	५१.००
	६ मी .मी	व.फि	६४.००	६४.००	६८.००
	९ मी .मी	व.फि	७७.००	७७.००	८२.००
७	<b>PPB One side lamination Melaminated faced (Interior Grade)</b>				
	३ मी .मी	व.फि	४८.००	४८.००	५१.००
	४ मी .मी	व.फि	५५.००	५५.००	५८.००
	६ मी .मी	व.फि	६८.००	६८.००	७२.००
	९ मी .मी	व.फि	८८.००	८८.००	९३.००
	१२ मी .मी	व.फि	९९.००	९९.००	१०५.००
	१८ मी .मी	व.फि	१२७.००	१२७.००	१३५.००
	२५ मी .मी	व.फि	१७६.००	१७६.००	१८७.००
८	<b>PPB Both side lamination Melaminated faced - (Interiors Grade)</b>				
	३ मी .मी	व.फि	५५.००	५५.००	५८.००
	४ मी .मी	व.फि	६९.००	६९.००	७५.००
	६ मी .मी	व.फि	७६.००	७६.००	८१.००
	९ मी .मी	व.फि	९५.००	९५.००	१०१.००



## Partition Board and Ceiling

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. बाहेकको दररेट		
			आ. व. २०७७/०७८	आ. व. २०७८/७९	आ. व. २०७९/८०
	१२ मी .मी	व.फि	१०५.००	१०५.००	१११.००
	१८ मी .मी	व.फि	१३३.००	१३३.००	१४१.००
	२५ मी .मी	व.फि	१८०.००	१८०.००	१९१.००
९	<b>Alstone Hybrid Board (WPC Board)</b>				
	६ मी .मी (१२२० X २४४०)	व.फि	१७५.००	१७५.००	१८६.००
	१२ मी .मी	व.फि	२८०.००	२८०.००	२९८.००
	१८ मी .मी	व.फि	४२३.००	४२३.००	४५१.००
१०	<b>Alstone Hybrid Board</b>				
	४ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि	८४.००	८४.००	८९.००
	६ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि	१२०.००	१२०.००	१२७.००
	१२ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि	२२१.००	२२१.००	२३५.००
	१८ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि	३०५.००	३०५.००	३२५.००
	६ मी.मी बाक्लो Hybrid Board (WPC Art Jali)	व.फि	३७०.००	३७०.००	३९४.००
	१२ मी.मी बाक्लो Hybrid Board (WPC Art Jali)	व.फि	५५३.००	५५३.००	५८९.००
	१८ मी.मी बाक्लो Hybrid Board (WPC Art Jali)	व.फि	७९३.००	७९३.००	८६०.००
	WPC door framme 100*50 mm upto ht 7 ft	व.फि	३८०.००	३८०.००	४०५.००
	WPC door shutter 30 mm th. (7*3) size	व.फि	५४०.००	५४०.००	५७५.००
	18 mm th. WPC OLIGO (colour)	व.फि	५७५.००	५७५.००	६१३.००
११	<b>Alstone Hybrid Board (WPC Board) ,</b>				
	६ मी .मी size ( 1220*2440) mm	व.फि	१६८.००	१६८.००	१७९.००
	१२ मी .मी size ( 1221*2440) mm	व.फि	३१९.००	३१९.००	३४०.००
	१८ मी .मी size ( 1222*2440) mm	व.फि	४४४.००	४४४.००	४७३.००
१२	<b>Supplying and fixing of Thai gypsum board</b>				
	Wall partition	व.फि	१२४.००	१२४.००	१३२.००
	Wall paneling	व.फि	८२.००	८२.००	८७.००
	12.5mm thick Gypsum Board False ceiling	व.फि	८३.००	८३.००	८८.००
१३	<b>Fiber cement board (Wall)</b>				
	3.2 MM (2'X2')	व.फि.	२६.००	२६.००	२७.००
	3.2 MM (4'x8')	व.फि.	२८.००	२८.००	२९.००
	3.5 MM (4'x8')	व.फि.	३२.००	३२.००	३४.००
	4MM (4'x8')	व.फि.	३३.००	३३.००	३५.००
	6MM (4'x8')	व.फि.	४७.००	४९.२९	५०.००
	8MM (4'x8')	व.फि.	६३.००	६६.८५	६७.००
	9MM (4'x8')	व.फि.	७१.००	७५.४९	७५.००
	10MM (4'x8')	व.फि.	८०.००	८४.७५	८५.००
	12MM (4'x8')	व.फि.	८९.००	१०१.२८	९४.००
	<b>Fiber cement board (Floor)</b>				
	15MM (4'x8')	व.फि.		१३४.४५	१४३.००
	18MM (4'x8')	व.फि.		१६०.७७	१७१.००
	20MM (4'x8')	व.फि.		१८०.३२	१९२.००
	<b>Fiber cement board (Cassiano)</b>				
	8MM (4'x8')	व.फि.		८८.२०	९४.००
१४	<b>Fiber Cement Board (Planck)</b>				
	8MM (3"x 9'-10") 9'-10"Rft	व.फि.	३२.००	३२.००	३४.००
	8MM (6"x 9'-10") 9'-10"Rft	व.फि.	५०.००	५५.३८	५५.००



### Partition Board and Ceiling

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. बाहेकको दररेट		
			आ. व. २०७७/०७८	आ. व. २०७८/७९	आ. व. २०७९/८०
	8MM (8"x 9'-10") 9'-10"Rft	व.फि.	६८.००	७४.५३	७४.००
	8MM Coloured Teak Texture Walnut (6"x 9'-10") 9'-10"Rft	व.फि.		६४.८६	६९.००
	8MM Coloured Teak Texture GST (6"x 9'-10") 9'-10"Rft	व.फि.		६४.८६	६९.००
	8MM Coloured Teak Texture Cherry Red (6"x 9'-10") 9'-10"Rft	व.फि.		६४.८६	६९.००
	8MM Coloured Teak Texture Afromosia -Brown (6"x 9'-10") 9'-10"Rft	व.फि.		६४.८६	६९.००
१५	Infill wall Partition using 6mm Board on 74mm Stud	ब.मि		४९९७.२४	५२४७.००
	Infill wall Partition using 10mm Board on 74mm Stud	ब.मि	६३७०.००	५९६३.५८	६२६९.००
	Infill wall Partition using 6mm Board on 50mm Stud	ब.मि		४०५६.५२	४२५९.००
	Dry wall Partition using 10mm Board on 74mm Stud	ब.मि		५०९३.६६	५२६४.००
१६	Vinyl Laminated gypsum ceiling board (7 mm thick)	व.फि.	९०.००	९०.००	९५.००
१७	<b>Material for Wall</b>				
	<b>Mural Wall:</b> 20-25mm thk. Cement tile from Craft Betton of approved colour, shade, pattern, achieved by mixing cement with matching colour pigment as directed, curing, acid cleaning as applicable, laid to required pattern on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointed with white cement slurry mixed with pigment.	ब.मि		१५०००.००	१५६००.००
१८	<b>Ivory Color Flat Wall Panel</b>				
	50mm			३४२.५०	३६५.००
	75mm			३५०.००	३७३.००
	100mm			३९८.००	४२४.००
	125mm			४९६.००	५२८.००
	150mm			५४५.००	५८९.००
१९	<b>Gray Color RP Wall Panel</b>				
	50mm			३७५.००	३९९.००
	75mm			३८२.००	४०७.००
	100mm			४३९.००	४५९.००
	125mm			५२८.००	५६२.००
	150mm			५७७.५०	६१५.००
२०	<b>Wooden Color Siding Wall Panel</b>				
	50mm				
	75mm			४६३.००	४९३.००
	100mm			५९२.००	५४५.००
	125mm			५६८.००	६०५.००
	150mm			६९०.००	६५०.००

Handwritten signatures and initials at the bottom left of the page.

Handwritten signature and initials at the bottom right of the page.

प्रमुख जिल्ला अधिकारी



## Prefab Panel for wall Partition

सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Supply and erection of different mm th. cement base prefabricated everest solid wall panel (RAPION) non asbestos including 1.1 mm thick GI channel (50*25*20) mm with necessary accessories and fittings charge in partation wall all complete				
	a) 75 mm thick	व.फि	३०२.००	३०२.००	३२१.००
	b) 50 mm thick	व.फि	२३९.००	२३९.००	२५४.००
१	<b>False Ceiling/Partition/External cladding of SCG/Shera or equivalent Fiber Board</b>				
	Supplying, making, fixing of false ceiling with everest fibre designer board in E-grid	व.फि	९३.००	९३.००	९९.००
	Supplying, making, fixing of 70mm thick exterior with full height of partion with everest fibre cemnet board	व.फि	२७९.००	२७९.००	२९७.००
	Supplying, making, fixing of 66mm thick exterior with full height of partion with everest fibre cemnet board	व.फि	२४४.००	२४४.००	२६०.००
	Supplying, making, fixing of 91mm thick exterior with full height of partion with everest fibre cemnet board	व.फि	३११.००	३११.००	३३१.००
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm everest sliding board	व.फि	२७४.००	२७४.००	२९२.००
	Supplying, making, fixing of 50mm thick full height of partion with everest RAPICON wall panels	व.फि	२१७.००	२१७.००	२३१.००
	Supplying, making, fixing of 75mm thick full height of partion with everest RAPICON wall panels	व.फि	२८८.००	२८८.००	३०७.००
	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	व.फि	३५.००	३५.००	३७.००
	TEAK TILE CLADDING: CNC cut or hand made engraving on 8 mm thick teak tile fixed on 12mm thick marine plywood(BWV) base fixed to wall with adequate hardware/fixing arrangement as/design.				
	150X150Tile	गोटा		२८००.००	२९४०.००
	150X300 Tile	गोटा		३५००.००	३६७५.००
	300X300 Tile	गोटा		४०००.००	४२००.००
३	<b>Cement board Aerocon C Board</b>				
	6 mm thick	व.फि	३४.००	३४.००	३६.००
	8 mm thick	व.फि	४२.००	४२.००	४४.००
	10 mm thick	व.फि	५३.००	५३.००	५६.००
	12 mm thick	व.फि	६४.००	६४.००	६८.००
४	<b>Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire</b>				
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	व.फि	३९३.००	३९३.००	४१९.००
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	व.फि	४२४.००	४२४.००	४५२.००
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	व.फि	५२४.००	५२४.००	५५८.००
	Joint less false ceiling chanel 0.55mm thick flange of 20 mm and another flange 30mm ( conform to IS 4862 : 2000 ) all complete work Everest or equivalent	व.फि	११२.००	११२.००	११९.००
	Rapicon solid wall panel 50/75 mm thick conform to IS 14862 ( density more than 1200kg /m3) Everest or equivalent				
	50 mm thick	व.फि	२६३.००	२६३.००	२८०.००
	75 mm thick	व.फि	३४७.००	३४७.००	३६९.००
	External cladding with 9mm /7.5 mm siding board and GI steel frame work	व.फि	२८२.००	२८२.००	३००.००
	Full Height Partition (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	व.फि	२८६.००	२८६.००	३०४.००
	Full Height Partition (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	व.फि	२५०.००	२५०.००	२६६.००
	Full Height Partition (With 9mm thick Fiber Cement Wall Board exterior & 10mm Interior on interior side and 72mm G.I wall frame system) Exterior cum Interior confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	व.फि	३१९.००	३१९.००	३४०.००

१ अनामकेली, अम  
 जिल्ला अधिकारी



## Prefab Panel for wall Partition

सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	False Floor / Cavity Floor (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M.S frame system for design load) confirming to IS 14862 : 2000	व.फि	३५९.००	३५९.००	३८२.००
५	EPS ( Expanded Polystyrene) and Cement Base Light Weight Sandwich Panel with 4.5mm thick Calcium Silicate Board (Non Asbestos ) as face board on both sides (Size 2270*610mm)-excluding installation				
	50mm thickness	व.फि	१८०.००	१८०.००	१९१.००
	60mm thickness	व.फि	२७५.००	२७५.००	२९३.००
	75mm thickness	व.फि	३३०.००	३३०.००	३५१.००
	90mm thickness	व.फि	३८५.००	३८५.००	४१०.००
	120mm thickness	व.फि	४६५.००	४६५.००	४९५.००
	Installation charge	व.फि	२५.००	२५.००	२६.००
	Other Accessories	व.फि			४७.००
६	<b>Precast boundary wall, Precast slab, Precast Beam</b>				
	H-beam	र.फि	१८५.००	१८५.००	१९७.००
	50 mm wall slab	व.फि	१६०.००	१६०.००	१७०.००
	120 mm floor slab (with installation)	व.फि	३५०.००	३५०.००	३७३.००
	70 mm water permeable				
	Color Block	व.फि	१३५.००	१३५.००	१४३.००
	Non Color Block	व.फि	१२०.००	१२०.००	१२७.००
७	<b>स्याण्डविच पफ रुफिङ्ग प्यानल(चौडाई ९५० मि.मि.)</b>				
	३० मि.मि.मोटाई,रङ्ग रातो, निलो, हरियो,क्रिम	व.फि	२३०.००	२३०.००	२४५.००
	४० मि.मि.मोटाई,रङ्ग रातो, निलो, हरियो,क्रिम	व.फि	२५०.००	२५०.००	२६६.००
	५० मि.मि.मोटाई,रङ्ग रातो, निलो, हरियो,क्रिम	व.फि	२७५.००	२७५.००	२९३.००
	६० मि.मि.मोटाई,रङ्ग रातो, निलो, हरियो,क्रिम				३४५.००
८	<b>स्याण्डविच पफ वाल प्यानल (चौडाई ९५०मि.मि)</b>				
	४० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	२३५.००	२३५.००	२५०.००
	५० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	२५५.००	२५५.००	२७१.००
	६० मि.मि.मोटाई,रङ्ग क्रिम	व.फि			३४५.००
	७५ मि.मि.मोटाई,रङ्ग क्रिम	व.फि	३३०.००	३३०.००	३५१.००
	८० मि.मि.मोटाई,रङ्ग क्रिम	व.फि			४००.००
	१०० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	४१५.००	४१५.००	४४२.००
	१२५ मि.मि.मोटाई,रङ्ग क्रिम	व.फि		५०५.००	५३८.००
	१५० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	४९०.००	४९०.००	५२२.००
९	<b>स्याण्डविच पफ स्लेब सिट</b>				
	४० मि.मि.मोटाई,रङ्ग क्रिम	व.फि			१७५.००
	५० मि.मि.मोटाई,रङ्ग क्रिम	व.फि			२००.००
	६० मि.मि.मोटाई,रङ्ग क्रिम	व.फि			२२५.००
	८० मि.मि.मोटाई,रङ्ग क्रिम	व.फि			२८५.००
	१०० मि.मि.मोटाई,रङ्ग क्रिम	व.फि			३४०.००
१०	<b>EPE Sandwich Pannel (Puff Density=20kg±2)</b>				
	४० मि.मि.मोटाई,रङ्ग क्रिम	व.फि			२४५.००
	५० मि.मि.मोटाई,रङ्ग क्रिम	व.फि			२८०.००
	६० मि.मि.मोटाई,रङ्ग क्रिम	व.फि			३१५.००
	८० मि.मि.मोटाई,रङ्ग क्रिम	व.फि			३७०.००
	१०० मि.मि.मोटाई,रङ्ग क्रिम	व.फि			४३०.००
११	<b>स्याण्डविच पफ ब्रिक वाल प्यानल (चौडाई ९५०मि.मि )</b>				
	४० मि.मि.मोटाई,रङ्ग दुवै तर्फ ब्रिक(इष्ट)	व.फि	२८०.००	२८०.००	२९८.००
	५० मि.मि.मोटाई,रङ्ग दुवै तर्फ ब्रिक(इष्ट)	व.फि	३००.००	३००.००	३१९.००
	७५ मि.मि.मोटाई,रङ्ग दुवै तर्फ ब्रिक(इष्ट)	व.फि	३७५.००	३७५.००	३९९.००
	१०० मि.मि.मोटाई,रङ्ग दुवै तर्फ ब्रिक(इष्ट)	व.फि	४६०.००	४६०.००	४९०.००



## Prefab Panel for wall Partition

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	१५० मि.मि.मोटाई,रङ्ग दुबै तर्फ ब्रिक(इट्टा)	व.फि	५३५.००	५३५.००	५७०.००
10	<b>स्याण्डविच पफ ब्रिक वाल प्यानल (चौडाई ९५०मि.मि )</b>				
	४० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिक(इट्टा) अर्का तर्फ क्रिम	व.फि	२५५.००	२५५.००	२७१.००
	५० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिक(इट्टा) अर्का तर्फ क्रिम	व.फि	२७५.००	२७५.००	२९३.००
	७५ मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिक(इट्टा) अर्का तर्फ क्रिम	व.फि	३५०.००	३५०.००	३७३.००
	१०० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिक(इट्टा) अर्का तर्फ क्रिम	व.फि	४३५.००	४३५.००	४६३.००
	१५० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिक(इट्टा) अर्का तर्फ क्रिम	व.फि	५१५.००	५१५.००	५४९.००
11	<b>पोलिकार्बोनेट रुफिङ सिट</b>				
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाइ ०.८ मि.मि चौडाई ३२ इन्च	व.फि	११९.००	११९.००	१२६.००
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाइ १ मि.मि चौडाई ३२ इन्च	व.फि	१४९.००	१४९.००	१५८.००
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाइ १.२ मि.मि चौडाई ४२ इन्च	व.फि	१७७.००	१७७.००	१८८.००
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाइ १.५ मि.मि चौडाई ४३ इन्च	व.फि	२२४.००	२२४.००	२३८.००
	<b>पोलिकार्बोनेट प्लेन तथा क्रिस्टल सिट</b>				
	नर्मल तथा क्रिस्टल सिट मोटाइ १.५ मि.मि चौडाई ३२ इन्च	व.फि	१८५.००	१८५.००	१९७.००
	नर्मल तथा क्रिस्टल सिट मोटाइ २ मि.मि चौडाई ३२ इन्च	व.फि	२४७.००	२४७.००	२६३.००
	नर्मल तथा क्रिस्टल सिट मोटाइ १ मि.मि चौडाई ३२ इन्च	व.फि	१५५.००	१५५.००	१६५.००
	टायल प्रोफायल मेटल रुफिङ सिट सिट मोटाइ ०.५ मि.मि चौडाई ३२ इन्च	व.फि	१२०.००	१२०.००	१२७.००
	<b>सि एण्ड जेड पर्लिन</b>				
	सि एण्ड जेड पर्लिन(२१० मि.मि. सिट),मोटाइ १.८ मि.मि ग्याल्भनाइज्ड	प्रति केजी	१४९.००	१४९.००	१५८.००
	सि एण्ड जेड पर्लिन(३२० मि.मि. सिट),मोटाइ २ मि.मि ग्याल्भनाइज्ड	प्रति केजी	१४७.००	१४७.००	१५६.००
	सि एण्ड जेड पर्लिन(३६० मि.मि. सिट),मोटाइ २ मि.मि ग्याल्भनाइज्ड	प्रति केजी	१४६.००	१४६.००	१५५.००
	सि एण्ड जेड पर्लिन(४१० मि.मि. सिट),मोटाइ २ मि.मि ग्याल्भनाइज्ड	प्रति केजी	१५८.००	१५८.००	१६८.००
	<b>अल्मुनियम</b>				
	पेन्टेडअल्मुनियम एस स्पान सिट मोटाई ०.६ मि.मि	प्रति वण्डल	१८५००.००	१८५००.००	१९२४०.००
	पेन्टेड अल्मुनियम एस स्पान सिट नर्मल मोटाई ०.६ मि.मि	प्रति वण्डल	१४५००.००	१४५००.००	१५०८०.००
	पेन्टेडअल्मुनियम एस स्पान सिट मोटाई ०.५ मि.मि	प्रति वण्डल	१६५००.००	१६५००.००	१७१६०.००
	पेन्टेड अल्मुनियम नर्मल सिट मोटाई ०.५ मि.मि	प्रति वण्डल	१२५००.००	१२५००.००	१३०००.००
	<b>Metal Tile Roofing Sheet</b>				
	0.45 Thickness - (Red, Green, Blue)	बन्डल		२२१५०.००	२३०३६.००
	0.5 Thickness - (Chocolate)	बन्डल		२४५५०.००	२५५३२.००
	<b>Ridge Cap(0.4 Thickness)</b>	र फि		२००.००	२००.००
	<b>Gutter</b>				
	0.50 mm Thickness (Size- 12")	र फि		९५.००	१०१.००
	0.50 mm Thickness (Size- 16")	र फि			१२५.००
	0.50 mm Thickness (Size- 18")	र फि		१६५.००	१७५.००
	0.40 mm Thickness (Size- 12")	र फि		११५.००	१२२.००
	0.40 mm Thickness (Size- 16")	र फि			१३०.००
	0.40 mm Thickness (Size- 12")	र फि		१६५.००	१७५.००

Page 43
   
 प्रमुख जिल्ला अधिकारी



### Prefab Panel for wall Partition

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	<b>Polycarbonate Corrugated Sheet</b>				
	1 mm Thickness	व.फि		१००.००	१०६.००
	1.25mm Thickness	व.फि		१२०.००	१२७.००
	1.5 mm Thickness	व.फि		१४५.००	१५४.००
	1.75mm Thickness	व.फि		१६५.००	१७५.००
	2mm Thickness	व.फि		१९०.००	२०२.००
	2.5 mm Thickness	व.फि		२३०.००	२४५.००
	3 mm Thickness	व.फि			३८५.००
	<b>Polycarbonate Plain Sheet</b>				
	1 mm Thickness	व.फि		८५.००	९०.००
	1.5 mm Thickness	व.फि		१३०.००	१३८.००
	2 mm Thickness	व.फि		१७५.००	१८६.००
	2.5 mm Thickness	व.फि		२१५.००	२२९.००
	3 mm Thickness	व.फि		२६०.००	२७७.००
	4 mm Thickness	व.फि		३५०.००	३७३.००
	5 mm Thickness	व.फि		४३५.००	४६३.००
	6 mm Thickness	व.फि		५२५.००	५५९.००
	7 mm Thickness	व.फि			६४३.००
	8 mm Thickness	व.फि		७००.००	७४६.००
	9 mm Thickness	व.फि			८२१.००
	10 mm Thickness	व.फि		८८०.००	९३८.००
	12 mm Thickness	व.फि		१०५५.००	११०७.००

प्रमुख जिल्ला अधिकारी





## भ्याल ढोकामा प्रयोगहुने फिक्सचरहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	फलामको कब्जा				
	(क) ३" साइज	गोटा	१५.००	१५.००	१५.००
	(ख) ४" साइज	गोटा	२८.००	२८.००	२९.००
	(ग) ५" साइज	गोटा	४३.००	४३.००	४५.००
	(घ) ६" साइज	गोटा	५६.००	५६.००	५९.००
२	Locking Set (L-drop)				
	300 mm	गोटा	२६०.००	२६०.००	२७७.००
	225 mm	गोटा	२२७.००	२२७.००	२४२.००
	150 mm	गोटा	१९५.००	१९५.००	२०७.००
३	Aluminum Towerbolt (छेस्कीनी)				
	(क) ३" लामो	गोटा	२०.००	२०.००	२१.००
	(ख) ४" लामो	गोटा	४०.००	४०.००	४२.००
	(ग) ६" लामो	गोटा	६७.००	६७.००	७१.००
	(घ) ८" लामो	गोटा	८०.००	८०.००	८५.००
	(ङ) १०" लामो	गोटा	९४.००	९४.००	१००.००
	(च) १२" लामो	गोटा	१०७.००	१०७.००	११४.००
४	Aluminum Handle (हतकल)				
	Ordinary	गोटा	३२.००	३२.००	३४.००
	Special	गोटा	४७.००	४७.००	५०.००
५	ब्रासको कब्जा				
	2" x 1/2"	गोटा	६३.००	६३.००	६७.००
	2 1/2 x 3/4"	गोटा	७१.००	७१.००	७५.००
	3" x 3/4"	गोटा	८७.००	८७.००	९२.००
	2" x 3/4"	गोटा	७१.००	७१.००	७५.००
	2 1/2" x 3/4"	गोटा	७९.००	७९.००	८४.००
	3" x 3/4"	गोटा	८७.००	८७.००	९२.००
	3" x 1"	गोटा	१८९.००	१८९.००	२०१.००
	4" x 1"	गोटा	२८४.००	२८४.००	३०२.००
	5" x 1"	गोटा	३७९.००	३७९.००	४०४.००
	6" x 1"	गोटा	४५८.००	४५८.००	४८८.००
६	Brass Towerbolt (छेस्कीनी)				
	(क) ३" लामो	गोटा	१४२.००	१४२.००	१५१.००
	(ख) ४" लामो	गोटा	१८९.००	१८९.००	२०१.००
	(ग) ६" लामो	गोटा	२८४.००	२८४.००	३०२.००
	(घ) ८" लामो	गोटा	३७९.००	३७९.००	४०४.००
	(ङ) १०" लामो	गोटा	४७३.००	४७३.००	५०४.००
	(च) १२" लामो	गोटा	५६८.००	५६८.००	६०५.००
७	Brass Handle (हतकल)				
	6" Brass handle	गोटा	१५०.००	१५०.००	१५९.००
	8" Brass handle	गोटा	४५८.००	४५८.००	४८८.००
	10" Brass handle	गोटा	९४७.००	९४७.००	१००९.००
८	Brass Locking Set (L-drop)				
	(क) ८" लामो	गोटा	९४७.००	९४७.००	१००९.००
	(ख) १०" लामो	गोटा	१५६२.००	१५६२.००	१६६५.००



भ्याल ढोकामा प्रयोगहुने फिक्सचरहरु






सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	(ग) १२" लामो	गोटा	१७३५.००	१७३५.००	१८४९.००
	<b>Special Fittings</b>				
९	<b>एल ड्रप</b>				
	८" लामो	गोटा	१०६२.००	१०६२.००	११३२.००
	१०" लामो	गोटा	११९९.००	११९९.००	१२७८.००
	१२" लामो	गोटा	१२४९.००	१२४९.००	१३३१.००
१०	ह्याण्डल ८" लामो	गोटा	१२४९.००	१२४९.००	१३३१.००
११	<b>टावर बोल्ट</b>				
	६" लामो	गोटा	२२५.००	२२५.००	२३९.००
	८" लामो	गोटा	३००.००	३००.००	३१९.००
	१०" लामो	गोटा	३७५.००	३७५.००	३९९.००
१२	<b>डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर)</b>				
	<b>एल ड्रप</b>				
	८" लामो	गोटा	८९२.००	८९२.००	९५१.००
	१०" लामो	गोटा	११३०.००	११३०.००	१२०४.००
	१२" लामो	गोटा	१२४९.००	१२४९.००	१३३१.००
	<b>ह्याण्डल</b>				
	६" लामो	गोटा	२५०.००	२५०.००	२६६.००
	८" लामो	गोटा	३७५.००	३७५.००	३९९.००
	<b>मोर्टिस लक</b>				
	Ordinary	गोटा	६२५.००	६२५.००	६६६.००
	Chinese	गोटा	४१६.००	४१६.००	४४३.००
	Indian Godrej Company	गोटा	२५५७.००	२५५७.००	२७२६.००
	Brass	गोटा	११३०.००	११३०.००	१२०४.००
१३	<b>Door Spring (Door Closer)</b>				
	Ordinary	गोटा	१७८.००	१७८.००	१८९.००
	hydraulic	गोटा	१८७४.००	१८७४.००	१९९८.००
	Window I-hook	गोटा	१८.००	१८.००	१९.००
१४	<b>Gate Hook</b>				
	4" Gate hook	गोटा	३१.००	३१.००	३३.००
	5" Gate hook	गोटा	३५.००	३५.००	३७.००
	6" Gate hook	गोटा	४२.००	४२.००	४४.००
	Brass Gate hook	गोटा	७५.००	७५.००	७९.००
१५	<b>Door stopper</b>				
	Butterfly	गोटा	१४८.००	१४८.००	१५७.००
	Bell catch 2" size	गोटा	१९६.००	१९६.००	२०८.००
	C.P. handle	गोटा	४२५.००	४२५.००	४५३.००
	Power coated handle	गोटा	४०६.००	४०६.००	४३२.००
	Brass coated handle	गोटा	८७४.००	८७४.००	९३१.००
	Door stopper, single brass stopper	गोटा	१००.००	१००.००	१०६.००
	Door stopper double brass stopper	गोटा	१७८.००	१७८.००	१८९.००
१६	<b>Screw Brass</b>				
	20mm	गोटा	१.९२	१.९२	२.००

Page 46
   
 प्रमुख जिल्ला अधिकारी



### भ्याल ढोकामा प्रयोगहुने फिक्सचरहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	25mm	गोटा	२.६७	२.६७	२.००
	35mm	गोटा	४.९९	४.९९	४.००
	50mm	गोटा	९२.०६	९२.०६	९२.००
	75mm	गोटा	९५.०८	९५.०८	९६.००
१७	<b>Screw Steel</b>				
	20mm	गोटा	९.९७	९.९७	९.००
	25mm	गोटा	९.९२	९.९२	२.००
	35mm	गोटा	२.३३	२.३३	२.००
	50mm	गोटा	७.२०	७.२०	७.००
	75mm	गोटा	७.५४	७.५४	८.००
१८	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	९२.७०	९२.७०	९८.००
१९	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	९७.८५	९७.८५	१०४.००

प्रमुख जिल्ला अधिकारी



## रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	सिमेन्ट पेन्ट	के.जि.	६५.००	६५.००	६९.००
२	सिमेन्ट प्राइमर सेतो	के.जि.	२७१.००	२७१.००	२८८.००
३	उड प्राइमर	लिट्र	३६५.००	३६५.००	३८९.००
४	सेन्थेटिक इनामेल पेन्ट	लिट्र	५०९.००	५०९.००	५४२.००
५	नेपाल रेडको म्याट फिनिसिङ्ग	लिट्र	४९९.००	४९९.००	५२३.००
६	कोरुगेटेड रुफ पेन्ट	लिट्र	४६२.००	४६२.००	४९२.००
७	तयारी अल्मुनियम पेन्ट	लिट्र	५३०.००	५३०.००	५६५.००
८	तयारी बार्नेस	लिट्र	४२७.००	४२७.००	४५५.००
९	तयारी बार्नेर सेन्थेटिक	लिट्र	३३०.००	३३०.००	३५९.००
१०	भारतीय थिनर	लिट्र	२२४.००	२२४.००	२३८.००
११	उड एण्ड ग्लास पुटिन	के.जी	१२८.००	१२८.००	१३६.००
१२	मेटल पुटिन	के.जी	१५९.००	१५९.००	१६०.००
१३	चुना पेन्ट गर्न राख्ने गम	के.जी	१९७.००	१९७.००	२१०.००
१४	नेपाली थिनर	लिट्र	२१९.००	२१९.००	२२४.००
१५	तारपिन तेल	लिट्र	२०८.००	२०८.००	२२१.००
१६	रेड अकसाइड पेन्ट	लिट्र	२५४.००	२५४.००	२७०.००
१७	उड प्रिजरभेटिव पेन्ट	लिट्र	२२२.००	२२२.००	२३६.००
१८	व्याक जापान	लिट्र	४६६.००	४६६.००	४९६.००
१९	राम तिलक	के.जि.	५४.००	५४.००	५७.००
२०	गेरु रंग	के.जि.	१३३.००	१३३.००	१४१.००
२१	चप्रा	के.जि.	१२८०.००	१२८०.००	१३४४.००
२२	स्पीट	लिट्र	८७.००	८७.००	९२.००
२३	तयारी वासेवल डिस्टेम्पर	लिट्र	२१७.००	२१७.००	२३१.००
२४	तयारी प्लास्टिक्स इमल्सन पेन्ट (interior)	लिट्र	५१९.००	५१९.००	५४४.००
२५	तयारी वेदरकोट पेन्ट (exterior)	लिट्र	६१२.००	६१२.००	६५२.००
२६	प्लास्टिक ईमल्सन पेण्ट	लिट्र	६५०.००	६५०.००	६९३.००
२७	एक्सटेरियर वेदर कोट	लिट्र	६८३.००	६८३.००	७२८.००
२८	रोड मार्कीङ थमोप्लास्टीक पेण्ट	लिट्र	५६२.००	५६२.००	५९९.००
२९	लिनसिड आयल	लिट्र	१९९.००	१९९.००	२०३.००
३०	स्थानीय स्पीट	लिट्र	११४.००	११४.००	१२१.००
३१	मोविकल/फेविकल	के.जि.	२५५.००	२५५.००	२७१.००
३२	मैन पालिस	के.जि.	३४५.००	३४५.००	३६७.००
३३	अक्जालिक एसिड	के.जि.	११८.००	११८.००	१२५.००
३४	१" चौडा पेन्ट ब्रस	गोटा	७०.००	७०.००	७४.००
३५	२" चौडा पेन्ट ब्रस	गोटा	१४०.००	१४०.००	१४९.००
३६	३" चौडा पेन्ट ब्रस	गोटा	२१०.००	२१०.००	२२३.००
३७	४" चौडा पेन्ट ब्रस	गोटा	२८०.००	२८०.००	२९८.००
३८	रंग लगाउने रोलर	गोटा	४००.००	४००.००	४२६.००
३९	Sand paper	गोटा	६.००	६.००	६.००
४०	Wall putty plain	के.जि.	३६.००	३६.००	३८.००
४१	Wall putty- water Proof		६०.००	६०.००	६३.००
४२	Plaster of Parish (POP)	के.जि.	२२.००	२२.००	२३.००

*[Signature]*

*[Signature]*

*[Signature]*

*[Signature]*

*[Signature]*

*[Signature]*



## रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
४३	Redoxide zink cromate primer For Bridge	लिटर	४५०.००	४५०.००	४७९.००
४४	Silk Breathless easy	लिटर	१२३८.००	१२३८.००	१३१९.००
४५	Epoxy Paint for Operation theater	व.मी.	११७०६.००	११७०६.००	१२१७४.००
४६	SPC CemTec Exterior Primer	लिटर		२३३.२४	२४८.००
४७	SPC CemTec Interior Primer	लिटर		१६८.५६	१७९.००
४८	SPC SynTec Enamel Paints	लिटर		५०१.७६	५३४.००
४९	SPC WoodTec Primer	लिटर		३०६.७४	३२७.००
५०	SPC Tetrox Red Oxide	लिटर		२७०.४८	२८८.००
५१	SPC WalTec Wall Putty	के.जि.		३५.२८	३७.००
	<b>Decorative Painting Material</b>				
<b>A</b>	<b>Specialized paints</b>				
१	Bio-guard (Anti bacterial Hospital Paint)	लिटर	१०९९.००	१०९९.००	११५३.००
२	Elastocrab (Anti carbonisation paint)	लिटर	७६२.००	७६२.००	८१२.००
३	Dr. wallz Cerainsul (Heat Reflecting Energy Saving Insulation Paint)	लिटर		११३०.००	११८६.००
४	Dr. Wallz Firegard (Instumescent weather resistant chlorinated rubber fire resistant retardant coating)	लिटर		११३८.००	११६६.००
५	Dr. Wallz Renustu	के.जि.		९७.३५	९७.३५
६	Health -Guard Silver Ion higeinic Coating Paint	लिटर		९५०.००	९७०.००
७	Health Pro Self Sanitizing Silver Ion Higienic Coating	लिटर		९५०.००	९७०.००
<b>B</b>	<b>Texture paints</b>				
१	Mediterrano	के.जि.	१७६.००	१७६.००	१८७.००
२	Stucco Veneziano	के.जि.	१६३९.००	१२७०.००	१३१६.००
३	Velvetino	के.जि.	४३०५.००	४३०५.००	४५२०.००
४	Travertino	के.जि.	४१२.००	३४६.००	३६२.००
५	Gtone plaster	के.जि.	१२१.००	१२१.००	१२९.००
६	Colorato (Multi color)	के.जि.	९२१.००	९२१.००	९५०.००
७	Pearl skin texture	के.जि.	१४९.००	१४९.००	१५८.००
८	TS 52 Spray white	के.जि.	१९९.००	१९९.००	२१२.००
९	Rustic	के.जि.	१७४.००	१९७.००	१९९.००
१०	Rockart	लिटर	१७४.००	१८७.००	१९६.००
११	Manhattan	के.जि.	२३८.००	२३८.००	२४०.००
१२	Sabbia	के.जि.	२३८.००	२३८.००	२४०.००
१३	Sandy Stone	के.जि.	१७४.००	१७४.००	१८५.००
१४	Insulplast	के.जि.	२३७.००	२३७.००	२३७.००
१५	Poly Under White	के.जि.	२६४.००	२६४.००	२८१.००
१६	Antica(Top coat)	के.जि.	१२६७.००	१२६७.००	१३३०.००
१७	T.C 100(Top coat)	के.जि.	७२८.००	७२८.००	७६४.००
१८	Dekorica White	के.जि.	२६३१.००	२६३१.००	२७५७.००
१९	Poly Plaster	के.जि.	१०७.००	१०७.००	११२.३५
२०	Granite tone	के.जि.	१६५.००	१६५.००	१७०.००
२१	Graffiato	के.जि.	१५९.००	१५९.००	१६५.००
२२	Elligance stone	के.जि.	१८९.००	१८९.००	१९२.००
२३	Marmorino Base	के.जि.	४१२.००	४१२.००	४१२.००
२४	Acro fine	लिटर	१८१.००	१८१.००	१८६.००
२५	Marmocastro base	के.जि.	१३९.००	१३९.००	१४६.००



## रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
२६	Selva Granite	के.जि.	२१५.००	२१५.००	२१५.००
२७	Romart	के.जि.	२३९.००	२३९.००	२३९.००
२८	Renstu plaster putty	के.जि.		१८६.७०	९१.००
२९	Hyperion base putty	के.जि.		५०७.००	५०७.००
३०	Cementzio base putty	के.जि.		२३०.००	२४५.००
३१	Helios base putty	के.जि.		४९७.००	४९७.००
३२	Cratere base putty	के.जि.		४८८.००	४८८.००
३३	Cerrotta base putty	के.जि.		४८८.००	४८८.००
३४	Coppotto Di cemento	के.जि.		१७०८.००	१७०८.००
३५	Muroplast putty	के.जि.		७९.००	७५.००
३६	Acro pure ( PU top coat)	के.जि.		११४५.००	११४५.००
३७	Satenatto emulsion	लिटर		६००.००	६३०.००
३८	StuccoPlaster	लिटर		२८२.६४	२८९.००
३९	Elegantile	के.जि.		१९०.००	१९९.५०
४०	Multi Granite	के.जि.		१९०.००	१९९.५०
४१	Hermes Base	के.जि.		२३५.००	२४६.७५
४२	Botticelli Base	के.जि.		२८२.००	२९६.१०
४३	Granito Wall	के.जि.		१४६.००	१५५.००
<b>C</b>	<b>Weather coat paints</b>				
१	Guard	लिटर	५०३.००	५०३.००	५३६.००
२	Guard -3x	लिटर	५८८.००	५८८.००	६२६.००
३	Shield	लिटर	३२२.००	३२२.००	३४३.००
४	Acrotex matt	लिटर	५१०.००	५१०.००	५२०.००
५	Ext wall Primer	लिटर	२३८.००	२३८.००	२५३.००
६	SPC ExterShield Premium	लिटर		५७६.२४	६१४.००
७	SPC ExterShield Smooth	लिटर		४९२.९४	५२५.००
८	SPC ExterShield Standard	लिटर		३१५.५६	३३६.००
<b>D</b>	<b>Emulsion Paints/Distemper</b>				
१	silk Emulsion paints	लिटर	५२२.००	५२२.००	५५६.००
२	Aqualin Int.Emulsion	लिटर	२८०.००	२८०.००	२९८.००
३	pearl Emulsion paints	लिटर	७७२.००	७७२.००	८२३.००
४	int. wall Primer	लिटर	१७२.००	१७२.००	१८३.००
५	Acrylic Washable Distemper	लिटर	१४२.००	१४२.००	१५१.००
६	Gold Enamel	लिटर	५१२.००	५१२.००	५४५.००
७	Universal primer ( wood primer)	लिटर	३१३.००	३१३.००	३३३.००
८	Red oxide metal primer	लिटर	२७६.००	२७६.००	२९४.००
९	Water seal stretch (Damp coat)	लिटर			५२७.००
१०	Construction Chemical / waterproof coating system				
	crack sill	लिटर	३८७.००	३८७.००	४१२.००
	crack fill A+B	लिटर	१७०.००	१७०.००	१८१.००
१०	Silicon Bases water repellent impregnation				
	Acropreg	लिटर	४६६.००	४६६.००	४९६.००
	Acropreg W	लिटर	६१९.००	६१९.००	६५९.००
	Wall putty	के.जि.	३९.००	३९.००	४०.००
११	SPC InnraCare Premium Emulsion	लिटर		७०७.५६	७५४.००
१२	SPC InnraCare Smooth Emulsion	लिटर		५११.५६	५४५.००
१३	SPC InnraCare Standard Emulsion	लिटर		२७४.४०	२९२.००

## रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१४	SPC EvtinVigil Washable Distemper	के.जि.		१३९.१६	१४८.००
	<b>Texture ISO certified 9001-2008 ( Silicone &amp; Ceramic technology / All weather resistance / Fire retardant / Heat reflecting / Algae &amp; Fungi resistant / Ultra violet resistant) for painting works</b>				
<b>A</b>	<b>Spanezia maestro finishes texture</b>				
१	Mediterrano texture	व.फि.	१२८.००	१२८.००	१३६.००
२	Traventino texture	व.फि.	१९५.००	१९५.००	२०७.००
३	Velvetino texture	व.फि.	१६७.००	१६७.००	१७८.००
४	Gtone plaster and Colorato texture(Multicolour texture)	व.फि.	१३३.००	१३३.००	१४१.००
५	Stucco veneziano texture	व.फि.	१४०.००	१४०.००	१४९.००
६	Pearl skin texture	व.फि.	१२०.००	१२०.००	१२७.००
७	Marmorino texture	व.फि.	१५६.००	१५६.००	१६६.००
८	Mediterrano and Colorato texture(Multi color texture)	व.फि.		१५९.००	१६९.००
<b>B</b>	<b>Texture</b>				
१	Spray flat/ spray dewes texture	व.फि.	६५.००	६५.००	६९.००
२	Featherglow/Royal touch/Superfine/Ceratex texture	व.फि.	७४.००	७४.००	७८.००
३	Rustic texture	व.फि.	९९.००	९९.००	१०५.००
४	Rockart texture	व.फि.	९३.००	९३.००	९९.००
५	Graffiato texture	व.फि.	१०३.००	१०३.००	१०९.००
६	Marmocastro texture	व.फि.	९०.००	९०.००	९५.००
७	Marmoplast texture	व.फि.	९०.००	९०.००	९५.००
८	Sabbia texture	व.फि.	११२.००	११२.००	११९.००
९	Manhattan texture	व.फि.	११२.००	११२.००	११९.००
१०	Sandy stone texture	व.फि.	१५४.००	१५४.००	१६४.००
११	Selva Granite texture	व.फि.	११६.००	११६.००	१२३.००
१२	Elligance stone texture	व.फि.	१०७.००	१०७.००	११३.००
१३	Granite tone texture	व.फि.	९८.००	९८.००	१०४.००
१४	Romaart texture	व.फि.	१२४.००	१२४.००	१२४.००
१५	Insulplast texture	व.फि.	१३५.००	१३५.००	१३९.१८
१६	Lastrafiniture texture	व.फि.	२३४.२७	२३४.२७	२४९.००
१७	Fossa finiture texture	व.फि.	२५३.८७	२५३.८७	२७०.००
१८	PierreDe Beaton texture	व.फि.	२१५.२२	२१५.२२	२२९.००
१९	Maglia texture	व.फि.	२४४.००	२४४.००	२६०.००
२०	Pietra texture	व.फि.	२५१.१४	२५१.१४	२६७.००
२१	Muro fussa texture	व.फि.	२९७.५३	२९७.५३	३१७.००
२२	Cattelo Di Cemento texture	व.फि.	२१४.३४	२१४.३४	२२०.१३
२३	Cratere texture	व.फि.	२५४.९१	२५४.९१	२६०.८२
२४	Cerrotta texture	व.फि.	१३४.६३	१३४.६३	१३९.७७

## रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
२५	Cementizio texture	व.फि.	१२१.९१	१२१.९१	१२९.००
२६	Riverstire De Pennelli texture	व.फि.	२४२.८४	२४२.८४	२४८.२१
२७	Bio-guard (Hospital Paint)	व.फि.	५४.००	४८.६१	५१.००
२८	Ellastocarb(anti carbonisation paint)	व.फि.	३८.००	४८.४५	५१.००
२९	fire guard (fire retardent paint)	व.फि.	३४.००	३४.००	३६.००
३०	Health Guard Silver Ion hygienic Coating Paint	व.फि.		४३.७९	४६.००
३१	Health Pro self Sanitizing Silver ion Hygienic Coating	व.फि.		४४.५८	४७.००
३२	Cerainsu (Heat Reflecting Energy Saving Insulation Paint)	व.फि.		४३.००	४३.००
३३	Elegantile	व.फि.		१३०.००	१३८.००
३४	Multi Granite	व.फि.		१२१.००	१२९.००
३५	Harmesh	व.फि.		२०८.००	२०९.००
३६	Botticelli	व.फि.		१७३.००	१७५.००
३७	Granito Wall	व.फि.		१४२.००	१४३.००
३८	Cratere texture with marmocatello and acro pure	व.फि.		२२८.००	२३२.११
३९	Cratere texture with marmocatello and elastocarb	व.फि.		२२७.००	२३१.७३
४०	Stucco Plaster Texture	व.फि.		२४१.००	२५०.९२
<b>C</b>	<b>EXTERIOR SURFACE WEATHERCOAT PAINTS</b>				
	GUARD 3X	व.फि.	२३.००	२३.००	२४.००
	GUARD	व.फि.	२१.००	२१.००	२२.००
	SHIELD	व.फि.	१७.००	१७.००	१८.००
	ACROTEX MATT	व.फि.	३१.००	३१.००	३३.००
<b>D</b>	<b>INTERIOR SURFACE EMULSION PAINTS</b>				
	PEARL EMULSION PAINTS	व.फि.	२४.००	२४.००	२५.००
	SILK EMULSION PAINTS	व.फि.	२०.००	२०.००	२१.००
	AQUALIN EMULSION PAINTS	व.फि.	१६.००	१६.००	१७.००
	AQUALIN ACRYLIC WASHABLE DISTEMPER	व.फि.	११.००	११.००	११.००
	GOLD ENAMEL PAINTS	व.फि.	१८.००	१८.००	१९.००
<b>E</b>	<b>Wall Paper</b>				
	Wall paper (10m.x 0.53m)	रोल	१२३६.००	१२३६.००	१३१७.००
	Fittings for wall paper	व.फि.	७.००	७.००	७.००
	White glue for wall paper	लि.	१०८.००	१०८.००	११५.००
<b>F</b>	<b>Pro_Plaster Material</b>	के.जी	३२.४३	३२.४३	३४.००
	<b>Environment Friendly Paints</b>				
1	Eco - Friendly High glossy Exterior Wall Paint	20 L		२०८८०.००	२१५०६.००
		10 L		११४४०.००	११७८३.००
		4 L		४५८०.००	४७१७.००
		1 L		११५०.००	११८४.००
2	Environmentally Friendly Natural Exterior Paint	20 L			
		10 L		१३८००.००	१४२१४.००









## रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
		4 L		७१००.००	७३१३.००
		1 L		२९८०.००	३०६९.००
				८२०.००	८४४.००
3	Environmentally Friendly Constant Color Exterior Paint	20 L			
		10 L		१०८८०.००	११२०६.००
		4 L		५९४०.००	६११८.००
		1 L		२५८०.००	२६५७.००
				६४०.००	६६९.००
4	Eco - Friendly Dark Color Interior and Exterior Wall Paint	20 L			
		10 L		११८००.००	१२१५४.००
		4 L		६४००.००	६५९२.००
		1 L		२७६०.००	२८४२.००
				७००.००	७२१.००
5	Eco - Friendly High glossy Interior Wall Paint	20 L			
		10 L		१८८००.००	१९३६४.००
		4 L		९९००.००	१०१९७.००
		1 L		३९६०.००	४०७८.००
				९९०.००	१०१९.००
6	Environmentally Friendly Natural Interior Wall paint	20 L			
		10 L		१२८००.००	१३१८४.००
		4 L		६६००.००	६७९८.००
		1 L		२७६०.००	२८४२.००
				७२०.००	७४१.००
7	Environmentally Friendly Constant Interior wall Paint	20 L			
		10 L		९८००.००	१००९४.००
		4 L		५१००.००	५२५३.००
		1 L		२१६०.००	२२२४.००
				५८०.००	५९७.००
8	Eco Friendly Interior Wall Paint	20 L			
		10 L		५९००.००	६०७७.००
		4 L		३१५०.००	३२४४.००
		1 L		१३८०.००	१४२१.००
				४००.००	४१२.००
9	Environmentally Efficient Exterior Wall Primer	20 L			
		10 L		१०८००.००	१११२४.००
		4 L		६६००.००	६७९८.००
		1 L		३९६०.००	४०७८.००
				१२४०.००	१२७७.००
10	Environmentally Friendly Alkali Resistant wall primer interior	20 L			
		10 L		८४००.००	८६५२.००
		4 L		५२००.००	५३५६.००
		1 L		२५६०.००	२६३६.००
				१०८०.००	१११२.००
11	Eco Friendly Primer	20 L			
		10 L		६४००.००	६५९२.००
		4 L		४३००.००	४४२९.००
		1 L		२२००.००	२२६६.००
				८८०.००	९०६.००
12	Granite texture Spray / Imitation Stone Paint	1 sq ft			
				१४५.००	१४९.००
13	Water in Water Colorfull Paint Four in one				
	Granite Primer	6 kg		५८२०.००	५९९४.००



### रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Intermediate Coating Paint	7 Kg		७०००.००	७२९०.००
	Granite Surface Paint	9 kg		९५०००.००	९५४५०.००
	Dust proof Surface Paint	3 kg		४९८०.००	५९२९.००

प्रमुख जिल्ला अधिकारी



## Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
<b>A</b>	<b>CONCRETE ADMIXTURES (Chemical)</b>				
१	Form Oil	लिट्र	१००.००	१००.००	१०६.००
२	Polymer for M35, M 40 or higher concrete	लिट्र	३५०.००	३५०.००	३७३.००
३	Epoxy Bonding agent for old and new construction	लिट्र	२०००.००	२०००.००	२१००.००
४	डैम्प प्रूफ तथा हार्डनिङ कम्पाउण्ड सेफ माईट	लिट्र	२३५.००	२३५.००	२५०.००
५	(Damp proof, Anti Termite , Anti Fungal, Anti Saltpetre and benefit of High Compressive Strength)				
	Waterproof Coating With Latex	के.जी.	३५०.००	३५०.००	३७३.००
	Waterproof Coating with Polymer	के.जी.	४५०.००	४५०.००	४७९.००
६	Water Reducing Admixture Concrete & Mortar [ Lignosulphonate Based] ASTM C 494 -( Type A,B&D) IS 9103/2645 /1981	के.जी.	१५०.००	१५०.००	१५९.००
७	High Range Water Reducing Super Plasticizer for Concrete & Mortar [ Naphthalene Formialdehyde Based] ASTM C 494 -( Type A,C,E & F) IS 9103-79 /1999 Dose 0.2 to 3% by wt of cement .	के.जी.	२५०.००	२५०.००	२६६.००
८	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [ Polycarboxylate Ether Based] ASTM C 494 -( Type A,F& G) IS 9103-1999 /1981	के.जी.	४५०.००	४५०.००	४७९.००
९	Integral Waterproofing Additive for Concrete & Plaster .ASTM C 494 IS 2645-75 ( Type G) , IS 9103-2007 / IS 2645	के.जी.	३००.००	३००.००	३१९.००
१०	Integral Crystalline Waterproofing Powder Admixture STD . Conformane : ASTM C 494, IS 3085-1997, DIN 1048 -1991 Part	के.जी.	१०००.००	१०००.००	१०५०.००
११	Integral Crystalline Waterproofing Liquid Admixture STD Conformance : ASTM C 494 IS 3085 -1997 , DIN 1048-1991	के.जी.	१०००.००	१०००.००	१०५०.००
१२	Integral Crystalline Waterproofing Powder Admixture STD . Conformane : ASTM C 494, IS 3085-1997, DIN 1048 -1991 Part	के.जी.	१२५०.००	१२५०.००	१३१२.००
१३	Integral Waterproofing Powder Admixture for Mortars Std. Coformance : ASTM C 494, IS 3085-1997, DIN 1048-1991 Part	के.जी.	१८०.००	१८०.००	१९१.००
१४	Accelerator & Spray Shotcrete / Concrete Plasticizer [ Silicate Based]	के.जी.	२५०.००	२५०.००	२६६.००
१५	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [ Alkali Free]	के.जी.	३५०.००	३५०.००	३७३.००
१६	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [ Alkali Free] ASTM C 1240, IS 15388-2003	के.जी.	३५०.००	३५०.००	३७३.००
१७	Retarding Superplasticizer for Concrete [ Naphthalene Based] ASTM C 494-1981 ( TYPE G/D), IS 9103-2007	के.जी.	२५०.००	२५०.००	२६६.००
१८	Retarding Superplasticizer for Concrete [ Polycarboxylate Ether Based] ASTM C 494-1981 ( Type G )	के.जी.	४५०.००	४५०.००	४७९.००
<b>B</b>	<b>CONCRETE ADMIXTURES (Mineral)</b>				
१	Silica Cement Admixture (Volcanic Product Inorganic)	के.जी.	३३०.००	३३०.००	३५१.००
२	Micro Silica for High Performance Concrete ASTM C 1240 - 2005 , IS 15388-2003.	के.जी.	११०.००	११०.००	११७.००
३	Processed FA Based Mineral Additives	के.जी.	८५.००	८५.००	९०.००
<b>C</b>	<b>FOR JOINT SEALANTS &amp; SYSTEMS</b>				
१	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	के.जी.	१८००.००	१८००.००	१८९०.००
२	Two Component Pour Grade Polysulfide Sealant for Horizontal Surfaces	के.जी.	१८००.००	१८००.००	१८९०.००
३	One Component Low Viscosity Primer For Polysulfide Sealant	के.जी.	३०००.००	३०००.००	३१५०.००
४	Two Component Pour Grade Polyurethane Sealant for Joints	के.जी.	२०००.००	२०००.००	२१००.००
५	Low Viscosity Primer For Polyurethane Sealant	के.जी.	३०००.००	३०००.००	३१५०.००
६	High Performance Hybrid Silyl Sealant (290 ml per set)	सेट	१२००.००	१२००.००	१२६०.००
७	HOT APPLIED Bituminous Sealing Compound Sealent [TYPE A]	के.जी.	३५०.००	३५०.००	३७३.००
८	HOT APPLIED Bituminous Sealing Compound Sealent [TYPE B]	के.जी.	४५०.००	४५०.००	४७९.००
९	Butyl Tape for various Applications	र. मि.	१२५.००	१२५.००	१३३.००
१०	Waterproofing Joint Tape [ 120 mm]	र. मि.	५५०.००	५५०.००	५८६.००



## Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व.	आ.व.	आ.व.
			२०७७/०७८	२०७८/७९	२०७९/८०
११	Waterproofing Joint Tape [ 200 mm]	र. मि.	७५०.००	७५०.००	७९९.००
१२	NBR based Waterproofing Joint Tape [ 200 mm]	र. मि.	४०००.००	४०००.००	४२००.००
१३	Joint Tape Epoxy Adhesive	के.जी.	३०००.००	३०००.००	३१५०.००
१४	Glass Fiber Joint Tape	र. मि.	२७५.००	२७५.००	२९३.००
१५	Waterproofing / Expansion Joint Tape [100 mm]	र. मि.	१५००.००	१५००.००	१५७५.००
१६	Waterproofing / Expansion Joint Tape [200 mm]	र. मि.	२७००.००	२७००.००	२८३५.००
१७	Construction Joint Tape [ 100 mm]	र. मि.	८००.००	८००.००	८५२.००
१८	Cross Linked Premoulded Compressive Joint Filler [25 mm]	ब. मि.	२४५०.००	२४५०.००	२५७२.००
१९	Cross Linked Premoulded Compressive Joint Filler [50 mm]	ब. मि.	४८५०.००	४८५०.००	५०९२.००
२०	Closed Cell Polymerbased Joint Filler [25 mm]	ब. मि.	८००.००	८००.००	८५२.००
२१	Closed Cell Polymerbased Joint Filler [50 mm]	ब. मि.	१५००.००	१५००.००	१५७५.००
२२	Compressible Resilint Non- Extrudible Joint EXJO FILLER [12 mm {4' X 4'}]	ब. मि.	२५००.००	२५००.००	२६२५.००
२३	Compressible Resilint Non- Extrudible Joint EXJO FILLER [18 mm {4' X 4'}]	ब. मि.	३५००.००	३५००.००	३६७५.००
२४	Compressible Resilint Non- Extrudible Joint EXJO FILLER [25 mm {4' X 4'}]	ब. मि.	४५००.००	४५००.००	४७२५.००
<b>D</b>	<b>INDUSTRIAL FLOORING SOLUTIONS</b>				
१	Hardwearing, abrasion resistant monolithic industrial flooring compound [ Metallic]	के.जी.	१२०.००	१२०.००	१२७.००
२	Liquid Concrete Hardener & Dust Proofer	के.जी.	४५०.००	४५०.००	४७९.००
३	Anti Bacterial Wall Coating [Walgard WBA]	के.जी.		७००.००	७४६.००
४	Anti Bacterial Wall Coating [ Polyurethane] Walgard WBA	के.जी.		१०४५.००	१०९७.००
५	Anti bacterial Wall Coating Clearseal	के.जी.		७८५.००	८३६.००
६	Self Levelling Flooring System [ Epoxy] Florgard SL	के.जी.		१३०५.००	१३७०.००
७	Flooring System [ Polyurethane] Florthane	के.जी.		१३०५.००	१३७०.००
३	Anti Bacterial Floor & Wall Coating [ Epoxy]	के.जी.	२५००.००	२५००.००	२६२५.००
४	Anti Bacterial Floor & Wall Coating [ Polyurethane]	के.जी.	३०००.००	३०००.००	३१५०.००
५	Anti bacterial Floor & Wall Coating [ Acrylic]	के.जी.	२०००.००	२०००.००	२१००.००
६	Self Levelling Flooring System [ Epoxy]	के.जी.	१३७५.००	१३७५.००	१५८१.२५
७	Self Levelling Flooring System [ Polyurethane]	के.जी.	२०७५.००	२०७५.००	२३८६.२५
८	Self Levelling Cementitious Flooring System	के.जी.	४१९.००	४१९.००	४८१.८५
<b>E</b>	<b>ENGINEERING GROUTS</b>				
१	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [ M40]	के.जी.	११०.००	११०.००	११७.००
२	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	के.जी.	१२५.००	१२५.००	१३३.००
३	Hard wearing cementitious tile grout	के.जी.	१६०.००	१६०.००	१७०.००
४	Hard wearing epoxy based tile grout	के.जी.	१०००.००	१०००.००	१०५०.००
५	Super Plasticizer, Shrinkage Compensating Grout Admixture	के.जी.	५००.००	५००.००	५३३.००
६	High Strength Precision Grade, Non Shrink Structural Epoxy Anchor Grout	के.जी.	२५००.००	२५००.००	२६२५.००
७	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [ 400 MI Cartridge]	मिलि लिटर	४५००.००	४५००.००	४७२५.००
८	Low Viscosity Injection Epoxy Grout	के.जी.	७५००.००	७५००.००	७८७५.००
९	Low Viscosity Polyurethane Injection Grout	के.जी.	१२५००.००	१२५००.००	१३०००.००
१०	Low Viscosity Acrylate Gel Injection Grout	के.जी.	८५००.००	८५००.००	८९२५.००
११	Low Viscosity Soil Stabilization Hydrophobic one component Injection Grout	के.जी.	१४०००.००	१४०००.००	१४५६०.००
१२	Low Viscosity Soil Stabilization Hydrophobic, water reactive, solvent and phthalate free Injection Grout	के.जी.	९५००.००	९५००.००	९९७५.००
१३	Resin Capsule (32*300mm)	पिस	१३०.००	१३०.००	१३८.००
१४	Cement Capsule(32*300mm)	पिस	६०.००	६०.००	६३.००

Page 56

प्रमुख जिल्ला अधिकारी



## Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१५	Microfine Cement (MFC)	के.जी.	२५०.००	२५०.००	२६६.००
१६	Durasport (Sport court coating)			१३०५.००	१३७०.००
१७	Eposeal (for water storage tanks)			१३०५.००	१३७०.००
१८	Duraseal WB (Water Base/Weather proofing & decorative coating for buildings)			६९६.००	७४२.००
१९	Duraseal SB (Solvent Base/Weather proofing & decorative coating for buildings exteriors)			६९६.००	७४२.००
२०	K10 Sovacryl (Waterproofs external surfaces)			१०४५.००	१०९७.००
२१	Zinc Rich Primer (Cathodic protection to the base metal)			७८५.००	८३६.००
२२	Coaltar Epoxy ( Excellent resistance to water and alkali in steel surface)			३९२.००	४१७.००
२३	Epilux 44 Enamel (Suitable for protection of metallic objects and structures in oil refineries, paper, etc)			७८५.००	८३६.००
२४	Epilux 610 prime (anti-corrosive nature suitable for steel surfaces)			६९६.००	७४२.००
२५	Ferrotol HR Aluminium paints (Excellent durability and weather resistant properties)			६९६.००	७४२.००
२६	ROZC Primer (Exterior and interior surfaces subjected to humidity condensation and industrial environments)			३४८.००	३७९.००
<b>F</b>	<b>BONDING ADHESIVES FOR CONCRETE &amp; MORTAR (Polymer &amp; Epoxy Resin)</b>				
१	Acrylic Bonding Agent For Concrete & Mortar	के.जी.	७५०.००	७५०.००	७९९.००
२	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	के.जी.	९५०.००	९५०.००	१०१२.००
३	High Performance Pure Acrylic Polymer for Concrete & Mortar Modification & Bonding Adhesive	के.जी.	१२००.००	१२००.००	१२६०.००
४	Two Component Epoxy Resin Bonding Agent [ For bonding new to old concrete]	के.जी.	१८००.००	१८००.००	१८९०.००
<b>G</b>	<b>FIBERS (Steel &amp; Polypropylene)</b>				
१	FIBERMESH MF [Monofilament PP Fibers]	के.जी.	१२००.००	१२००.००	१२६०.००
२	FIBERMESH FB [Collated PP Fibers]	के.जी.	१५००.००	१५००.००	१५७५.००
३	FIBERMESH MACRO [Structural PP Fibers]	के.जी.	२०००.००	२०००.००	२१००.००
४	Loose steel Fibers	के.जी.	२५०.००	२५०.००	२६६.००
५	Glued Steel Fibers	के.जी.	३५०.००	३५०.००	३७३.००
६	Crimped Steel Fibers	के.जी.	२५०.००	२५०.००	२६६.००
<b>H</b>	<b>SURFACE TREATMENT</b>				
१	Protective, Decorative Anti Carbonation Coating	के.जी.	१२००.००	१२००.००	१२६०.००
२	Protective, Decorative Insulating Anti Carbonation Coating	के.जी.	१३५०.००	१३५०.००	१४१७.००
३	Concrete Penetrating Corrosion Inhibitor	के.जी.	४५००.००	४५००.००	४७२५.००
४	Protective Acrylic Sealer	के.जी.	१५००.००	१५००.००	१५७५.००
५	Protective Polyurethane Sealer	के.जी.	१८००.००	१८००.००	१८९०.००
६	Water Based Fire Retardant Coating	के.जी.	१५००.००	१५००.००	१५७५.००
७	High Performance Water Repellent Paint	लिट्र	९००.००	९००.००	९५९.००
८	Concentrated & Emulsified Chemical Mould Release Agent	लिट्र	५००.००	५००.००	५३३.००
९	Ready to use Chemical Mould Release Agent	लिट्र	५००.००	५००.००	५३३.००
१०	Concrete Curing Aid	के.जी.	४५०.००	४५०.००	४७९.००
<b>I</b>	<b>CONCRETE REPAIRS</b>				
१	Rust Remover & Passivator	लिट्र	१०००.००	१०००.००	१०५०.००
२	Corrosion Inhibitor	के.जी.	१२००.००	१२००.००	१२६०.००
३	Micro Concrete [ M60] for Permanant Repairs	के.जी.	१४०.००	१४०.००	१४९.००
४	Single Component Polymer Modified Cementitious Repair Mortar	के.जी.	१७५.००	१७५.००	१८६.००
५	Two Component Polymer Modified Cementitious Repair Mortar	के.जी.	२५०.००	२५०.००	२६६.००
६	Cementitious, Waterproof Crack Repair Mortar	के.जी.	२००.००	२००.००	२१३.००
७	Acrylic Based Crack Filling Putty	के.जी.	१२००.००	१२००.००	१२६०.००



## Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
<b>J</b>	<b>PREPACKED MORTARS</b>				
१	Tile, Marble, Granite etc. Adhesive	के.जी.	८५.००	८५.००	९०.००
२	Marble & Granite etc. Adhesive	के.जी.	३५०.००	३५०.००	३७३.००
३	Coarse and water resistant Readymix plastering Mortar	के.जी.	८५.००	८५.००	९०.००
४	High Performance Polymer Based Wall Putty (Skim Coat)	के.जी.	८५.००	८५.००	९०.००
५	High Performance Polymer Based Insulating Wall Putty (Skim Coat)	के.जी.	९०.००	९०.००	९५.००
<b>K</b>	<b>WATERPROOFING SYSTEMS</b>				
	<b>INTEGRAL</b>				
१	Integral Waterproofing Additive for Concrete & Plaster	के.जी.	२७५.००	२७५.००	२९३.००
२	High Performance Sodium Silicate CWS 100 Based Deep Penetrating Sealer Waterproofing System	के.जी.	७५००.००	७५००.००	७८७५.००
<b>L</b>	<b>LIQUID APPLIED</b>				
१	Single Pack Polymer Modified Flexible Waterproof Coating System Dose : Cover area 30 sqft. -45 sqft /kg 2 coat .	के.जी.	७००.००	७००.००	७४६.००
२	Two Component Polymer Modified Flexible Elastomeric Waterproof Coating System Dose : Cover area 5 sqft. - 7 sqft /kg 2 coat .	के.जी.	५००.००	५००.००	५३३.००
३	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose : consumption : 1:kg/m2.	के.जी.	७५०.००	७५०.००	७९९.००
४	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose : cover area : 6 sqft/litre 3 coat.	के.जी.	८५०.००	८५०.००	९०६.००
५	Acrylic elastomeric exterior water proof coating for exterior wall Dose : 35 sqft / litre 2 coat .	के.जी.	७५०.००	७५०.००	७९९.००
६	Crystalline Based Waterproofing System	के.जी.	३५०.००	३५०.००	३७३.००
७	Fast setting plugging compound for stopping running water system	के.जी.	४००.००	४००.००	४२६.००
८	Polyurethane based waterproof coating system	के.जी.	१६५०.००	१६५०.००	१७३२.००
९	Polymer modified Bitumen Based Water Proofing Coating System	के.जी.	१२५०.००	१२५०.००	१३१२.००
१०	Efflorescence Resistance Penetrating primer Dose : Cover Area: 80sqft/ltr 1 coat	के.जी.	६००.००	६००.००	६३९.००
<b>M</b>	<b>PREFORMED</b>				
१	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	ब. मि.	१८००.००	१८००.००	१८९०.००
२	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish]	ब. मि.	२०००.००	२०००.००	२१००.००
३	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	ब. मि.	१०५०.००	१०५०.००	११०२.००
४	Polymer Modified Self Adhesive Bituminous Membranes [ 2mm]	ब. मि.	१५००.००	१५००.००	१५७५.००
५	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	ब. मि.	१५००.००	१५००.००	१५७५.००
६	1.2 mm High Polymer PVC Membranes	ब. मि.	२०००.००	२०००.००	२१००.००
७	PVC Adhesive	के.जी.	२५००.००	२५००.००	२६२५.००
८	1.2 mm EPDM Membranes	ब. मि.	२५००.००	२५००.००	२६२५.००
९	EPDM Adhesive	के.जी.	२५००.००	२५००.००	२६२५.००
१०	EPDM Primer	के.जी.	३०००.००	३०००.००	३१५०.००
११	2mm TPO Membranes	ब. मि.	३५००.००	३५००.००	३६७५.००
१२	Polythene & Polypropylene Polymer Compound Waterproof Membrane	ब. मि.	८००.००	८००.००	८५२.००
१३	100% Synthetic Rubber Roof Coating	के.जी.	४५००.००	४५००.००	४७२५.००
<b>N</b>	<b>SPECIALTY</b>				
१	Antistripping Agent for Bitumen	के.जी.	५५०.००	५५०.००	५८६.००
२	Cold Applied Multi Purpose Modified Bituminous Compound in semi Liquid Creamy for Bonding	के.जी.	२२५.००	२२५.००	२३९.००



## Water Proofing Chemicals & Treatment works

सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
३	Cold Applied Viscous Heavy Duty Modified Bituminous Protective water Barrier Coating for Below Ground Structures (Raft / Pile / Footings etc)	के.जी.	५२५.००	५२५.००	५५९.००
४	Bituminous based Aluminized Heat Reflective Paint	के.जी.	६५०.००	६५०.००	६९३.००
५	Cold Applied Sealing & Calking Compound	के.जी.	१२५०.००	१२५०.००	१३१२.००
६	ROAD REPAIR PRE-MIX	के.जी.	१०००.००	१०००.००	१०५०.००
७	ANTI CORROSIVE PIPE WRAP 2 mm	के.जी.	७५०.००	७५०.००	७९९.००
८	ANTI CORROSIVE PIPE WRAP 4 mm	के.जी.	१०००.००	१०००.००	१०५०.००
९	Anti Termite [ Imidacloprid 30.5% ]	के.जी.	१०४००.००	१०४००.००	१२०००.००
१०	Expanding Concrete Joint WATERSTOP	र. मि.	२५००.००	२५००.००	२६२५.००
११	WB ADHESIVE Primer for Expanding Waterstop	लिट्र	७५००.००	७५००.००	७८७५.००
१२	Swellable WATERSTOP	र. मि.	२५००.००	२५००.००	२६२५.००
१३	SEALGUARD PVC WATERSTOP - PVC Waterstops	र. मि.	२५००.००	२५००.००	२६२५.००
१४	Nodular Drain with Geotextile Roof Garden	ब. मि.	२५००.००	२५००.००	२६२५.००
१५	SEALGUARD GEOTEX [P] -Polyester Geotextile	ब. मि.	११०.००	११०.००	११७.००
१६	XPS - Extruded Polystyrene Boards [ 25 mm]	ब. मि.	१५२५.००	१५२५.००	२८००.००
१७	XPS - Extruded Polystyrene Boards [ 50 mm]	ब. मि.	३५००.००	३५००.००	३६७५.००

*(Handwritten signatures and marks)*

प्रमुख जिल्ला अधिकारी



## WATER PROOFING MEMBRANE

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	1.2 mm thick flexible waterproofing membrane consisting HDPE Carrier sheet	व.मि.	४४००.००	४४००.००	४६२०.००
२	Elastomeric cold spray liquid waterproofing system to provide a homogeneous 2mm minimum thick fully bounded membrane.	व.मि.	३८००.००	३८००.००	३९९०.००
३	Supply and installing hydrophilic resin and elastomer based strip Swellseal 3V of 20mm x 10 mm fixed with nailing or adhesive fixer by manufacture approved applicator for construction joint treatment	व.मि.	१२००.००	१२००.००	१२६०.००
४	Waterproofing of Podium Deck(Landscape/Hardscape) with GCP Single component liquid Polyurethane Waterproofing membrane	व.मि.	४२००.००	४२००.००	४४१०.००
५	Waterproofing of elevated Swimming Pools/ Terrace Garden with ESSELAC based Advanced resin system- Integritank @ 2mm thick( No protection required)	व.मि.	२८००.००	२८००.००	२९४०.००
६	Providing and Applying polymer modified acrylic base two component , flexible waterproofing coating in two layers applied in horizontal and vertical strokes, when each coat is in tacky condition, Aquafin-2K/M plus or equivalent having Crack-bridging to ASTM C836: > 2.0 mm Elongation, to ASTM D 412-16: ca. 192 % and Water tightness when installed: 2.5 bar meeting the ( ASTM D 412-98 a) over the prepared RCC slab and on the vertical surfaces . After 3 days ponding the area with water for 3 days to test water tightness etc. complete.	व.मी.		१०२५.००	१०७६.००
७	Providing and Applying crystalline base ,waterproofing coating in two layers applied in horizontal and vertical strokes, when each coat is in tacky condition, Aquafin-IC that can resists 130m from positive and negative side that should match German DVGW worksheets W 347 AND W 270, over the prepared RCC slab and on the vertical surfaces . After 3 days ponding the area with water for 3 days to test water tightness etc. complete.	व.मी.		५९०.००	६२९.००
८	Providing the thermoplastic expansive waterstop having swelling capacity > 700% after 8 days and expansive pressure approx 1.06 N/MM2 for waterproofing construction joints.	र.फि.		१६५.००	१७५.००
९	Providing the bonding emulsion Aquafin latex having specific gravity 1.05 kg/l based on polymer emulsion styrene butadiene co polymer for additive for screeds and mortars and for new and old concrete joints.	के.जी.		९९०.००	१०५५.००
१०	Providing the ASO-Joint-Tape-2000 for water proofing works at Corner Joints of wall and floor and also for pipe seal works basis from fleece - membrane - fleece colour in white, showing SCHOMBURG logo and name of thickness 0.3 mm and allow initial movement:max. 30% of the joint width having tension at least 0.5 N/mm <sup>2</sup>				
	12 cm	र.मि.		३९५.००	४२१.००
	20 cm	र.मि.		५७५.००	६१३.००

प्रमुख जिल्ला अधिकारी





## STRUCTURAL STRENGTHENING &amp; SEISMIC RETROFITTING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
<b>A</b>	<b>STRUCTURAL STRENGTHENING</b>				
१	Carbon Laminate [50 mm Wide 1.4 mm Thick]	र. मि.	८५००.००	८५००.००	८९२५.००
२	Carbon Laminate [75 mm Wide 1.4 mm Thick]	र. मि.	१००००.००	१००००.००	१०४००.००
३	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 230 GSM	ब. मि.	८०००.००	८०००.००	८४००.००
४	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 450 GSM	ब. मि.	१२०००.००	१२०००.००	१२४८०.००
५	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 640	ब. मि.	१६०००.००	१६०००.००	१६६४०.००
६	Fiber Reinforced Polyer] GLASS FiberWRAP Sheet 900 GSM	ब. मि.	१२०००.००	१२०००.००	१२४८०.००
७	EPOXY PRIMER	के.जी.	३५००.००	३५००.००	३६७५.००
८	SATURANT	के.जी.	३५००.००	३५००.००	३६७५.००
९	LAMINATE ADHESIVE	के.जी.	२५००.००	२५००.००	२६२५.००
१०	EPOXY TOPCOAT	के.जी.	३५००.००	३५००.००	३६७५.००
११	POLYURETHANE TOPCOAT	के.जी.	४५००.००	४५००.००	४७२५.००
१२	Glass Fiber anchor system 5to 10 mm	र. मि.	२५००.००	२५००.००	२६२५.००
१३	Carbon Fiber anchor system 5to 10 mm	र. मि.	३५००.००	३५००.००	३६७५.००
१४	Carbon Laminate [50 mm Wide 2 mm Thick]	र. मि.	१००००.००	१००००.००	१०४००.००
१५	Carbon Laminate [75 mm Wide 2 mm Thick]	र. मि.	१२०००.००	१२०००.००	१२४८०.००
<b>B</b>	<b>Horizontal Expansion Joint for Slab</b>				
१	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	१०४९०.००	१०४९०.००	१०९०९.००
२	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	१२४६०.००	१२४६०.००	१२९५८.००
३	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	१४७६०.००	१४७६०.००	१५३५०.००
४	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	१९६८०.००	१९६८०.००	२०४६७.००
<b>C</b>	<b>Expansion Joint for Basement</b>				
१	Expansion Joint for Basement Area with 3 to 5mm Different Aluminium Plates and Covering with 20 gauge copper sheet with Joint Gap upto 4" Gap	र. मि.	१८०४०.००	१८०४०.००	१८७६९.००
<b>D</b>	<b>Expansion Joint for Roof</b>				
१	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	१२५८०.००	१२५८०.००	१३०८३.००
२	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	१४९५५.००	१४९५५.००	१५५५३.००
३	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	१७७९०.००	१७७९०.००	१८४९८.००
४	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	२३६९५.००	२३६९५.००	२४५५९.००
<b>E</b>	<b>Inside Vertical Expansion Joint</b>				
१	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	६५६०.००	६५६०.००	६८८८.००
२	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	८२००.००	८२००.००	८६९०.००
३	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	९८४०.००	९८४०.००	१०३३२.००
४	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	१३९२०.००	१३९२०.००	१३६४४.००
<b>F</b>	<b>Outside Vertical Expansion Joint</b>				



**STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING**

सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. बाहेकको दररेट		
			आ. व. २०७७/०७८	आ. व. २०७८/७९	आ. व. २०७९/८०
१	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	७५४०.००	७५४०.००	७९१७.००
२	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	९४३०.००	९४३०.००	९९०१.००
३	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	११३१०.००	११३१०.००	११७६२.००
४	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	१५०८०.००	१५०८०.००	१५६८३.००

प्रमुख जिल्ला अधिकारी

## Cement Concrete Block



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	<b>Interlocking Cement Concrete Block ( Not less than M20 concrete</b>				
	Curb stone-Not less than M20 concrete	र.मि.	१,०५१.००	१,०५१.००	१,१०३.००
	25 mm thick C.C. Tile (Grey color)-Burfi , Round , Boby	व.फि	४०.००	४०.००	४२.००
	25 mm thick C.C. Tile (Red color)-Burfi , Round , Boby	व.फि	४२.००	४२.००	४४.००
	50 mm thick CC Block (Grey color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	व.फि	४८.००	४८.००	५१.००
	50 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	व.फि	४९.००	४९.००	५२.००
	60 mm thick CC Block (Grey color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	व.फि	५०.००	५०.००	५३.००
	60 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	व.फि	५२.००	५२.००	५५.००
	70 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	व.फि	५९.००	५९.००	६२.००
२	<b>60 mm thick CC Block ( Ocm or equivalent )</b>				
	Brick type (23*11*6cm)non colour	गोटा	१०.००	१०.००	१०.००
	Hexagon (22*22 cm) non colour	गोटा	२२.००	२२.००	२३.००
	Hexagon (22*22 cm) colour	गोटा	२४.००	२४.००	२५.००
	Squire paver (30*30*4.5cm)non colour	गोटा	३०.००	३०.००	३१.००
	Squire paver (30*30*4.5cm)colour	गोटा	३३.००	३३.००	३५.००
	inter block(24*13*6cm)	गोटा	१५.००	१५.००	१५.००
	Isave paver (20*16*6cm)	गोटा	१६.००	१६.००	१७.००
३	<b>Concrete Block different items</b>				
	Hollow Block ( 16**8**6")	गोटा	७५.००	७५.००	७९.००
	Hollow Block ( 16**8**4")	गोटा	६६.००	६६.००	७०.००
	Corner Hollow Block ( 16**8**6")	गोटा	८४.००	८४.००	८९.००
	Lintel Block ( 16**8**6")	गोटा	८४.००	८४.००	८९.००
	Pavers Block ( fish or other shape ) 60mm thick	गोटा	१९.००	१९.००	२०.००
	concrete Brick ( 9**4**2.5")	गोटा	१२.००	१२.००	१२.००
५	<b>Concrete block</b>				
	Concrete block size (40*15*20) cm	गोटा	३८.००	३८.००	४०.००
	Concrete block size ( 40*10*20) cm	गोटा	३३.००	३३.००	३५.००
	Concrete block size ( 39*14*19) cm	गोटा	५२.००	५२.००	५५.००
६	<b>Cellular light weight concrete(CLC) block</b>				
	Cellular light weight concrete(CLC) block- 24"x8"x4"	गोटा	११७.००	११७.००	१२४.००
	Cellular light weight concrete(CLC) block 24"x8"x6"	गोटा	१७६.००	१७६.००	१८७.००
	Cellular light weight concrete(CLC) block24"x8"x8"	गोटा	२३५.००	२३५.००	२५०.००
७	<b>Interlock Concrete Paving Blocks</b>				
	Behaton Interlock I Paver (Grey Color) with Compressive Strength M25 or Above 80MM Thickness.	व.मी	२,२७८.००	२,२७८.००	२,३९१.००
	Behatone Interlock I Paver (Single Color) with Compressive Strength M25 or Above. 80MM Thickness	व.मी	२,८२७.००	२,८२७.००	२,९६८.००
	Behaton Interlock I Paver (Multi Color) with Compressive Strength M25 or Above. 80MM Thickness	व.मी	३,४६६.००	३,४६६.००	३,६३९.००
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	१,६८४.००	१,६८४.००	१,७६८.००
	Interlock Pavers (Single Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	२,११८.००	२,११८.००	२,२२३.००
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	२,५७३.००	२,५७३.००	२,७०१.००
	Rectangular Interlock Paver (Grey Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	१,८२९.००	१,८२९.००	१,९२०.००
	Rectangular Interlock Paver (Single Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	२,३२३.००	२,३२३.००	२,४३९.००



### Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Rectangular Interlock Paver (Multi Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	२,८१८.००	२,८१८.००	२,९५८.००
	Half Battered Kerb Stone with Compressive Strength M25 or Above	र.मी	१,५८९.००	१,५८९.००	१,६६८.००
	Bull Nose Kerb Stone with Compressive Strength M25 or Above	र.मी	१,८५२.००	१,८५२.००	१,९४४.००
	Matrix Slab (Grey Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी	१,०८२.००	१,०८२.००	१,१३६.००
	Matrix Slab (Single Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी	१,२९८.००	१,२९८.००	१,३६२.००
	Matrix Slab (Multi Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी	१,६८४.००	१,६८४.००	१,७६८.००
८	<b>CONCRETE PAVING BLOCKS</b>				
	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50	व.मी.	१,९८१.३४	१,९८१.३४	१,६५६.४५
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50	व.मी.	२,२१५.११	२,२१५.११	१,९८७.७४
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50	व.मी.	२,३१२.८४	२,३१२.८४	२,०९८.१७
	Behaton Interlock I Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80	व.मी.		१,९८१.३४	२,०८०.००
	Behaton Interlock I Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80	व.मी.		२,२१५.११	२,३२५.००
	Behaton Interlock I Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80	व.मी.		२,३१२.८४	२,४२८.००
	Hexagon Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50	व.मी.			१,३३६.३९
	Hexagon Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50	व.मी.			१,६०३.६७
	Hexagon Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50	व.मी.			१,६९२.७६
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:226*200*80 mm)	व.मी.	१,७६०.८३	१,७६०.८३	१,८४८.००
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:226*200*80 mm)	व.मी.	१,९१८.५२	१,९१८.५२	२,०१४.००
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:226*200*80mm )	व.मी.	१,९९७.३६	१,९९७.३६	२,०९७.००
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60	व.मी.	१,२६१.४९	१,२६१.४९	१,३२४.००
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60	व.मी.	१,४१९.१८	१,४१९.१८	१,४९०.००
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60	व.मी.	१,४९८.०२	१,४९८.०२	१,५७२.००
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:226*200*50 mm)	व.मी.	१,०२४.९६	१,०२४.९६	१,०७६.००
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:226*200*50 mm)	व.मी.	१,२३५.२१	१,२३५.२१	१,२९६.००

## Cement Concrete Block



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:226*200*50 mm)	व.मी.	१,३१४.०५	१,३१४.०५	१,३७९.००
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70	व.मी.			१,९३०.३४
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70	व.मी.			२,१३८.२३
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70	व.मी.			२,२२७.३२
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80	व.मी.		१,७६०.८३	१,८४८.००
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80	व.मी.		१,९१८.५२	२,०१४.००
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80	व.मी.		१,९९७.३६	२,०९७.००
	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80	व.मी.		१,९५७.५२	२,०५५.००
	Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80	व.मी.		२,२३७.१७	२,३४९.००
	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80	व.मी.		२,३४२.०३	२,४५९.००
	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100	व.मी.		३,५८७.३४	३,७६६.००
	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100	व.मी.		३,८५८.९०	४,०५१.००
	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100	व.मी.		४,१२६.२३	४,३३२.००
	Zigzag Interlock Pavers Grey Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120	व.मी.			५,६४८.४९
	Zigzag Interlock Pavers Single Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120	व.मी.			६,०४३.४९
	Zigzag Interlock Pavers Blended Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120	व.मी.			६,४७७.९९
	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60	व.मी.	१,६९९.३८	१,६९९.३८	१,७८४.००
	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60	व.मी.	२,१६६.९६	२,१६६.९६	२,२७५.००
	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60	व.मी.	२,७०८.९२	२,७०८.९२	२,८१४.००
	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100	व.मी.		३,७३४.८४	३,९२१.००
	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100	व.मी.		४,०९२.५८	४,२९७.००
	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100	व.मी.		४,३९८.५९	४,६१८.००

## Cement Concrete Block



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहिकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*173 *60mm)	व.मी.	१,५४१.०३	१,५४१.०३	१,६१८.००
	Romba 3D interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*173 *60mm)	व.मी.	१,६९७.७५	१,६९७.७५	१,७८२.००
	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*173 *60mm)	व.मी.	१,७४९.९९	१,७४९.९९	१,८३७.००
	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60	व.मी.	१,४१०.४२	१,४१०.४२	१,४८०.००
	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60	व.मी.	१,६२५.०५	१,६२५.०५	१,७०६.००
	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60	व.मी.	१,७१७.०३	१,७१७.०३	१,८०२.००
	Square Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50	व.मी.			१,७७४.६८
	Square Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50	व.मी.			२,२४९.५९
	Square Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50	व.मी.			२,७९९.४९
	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१,६६६.०७	१,६६६.०७	१,७४९.००
	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१,९६२.२६	१,९६२.२६	२,०६०.००
	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	२,२२१.५०	२,२२१.५०	२,३३२.००
	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60	व.मी.	१,६२९.२६	१,६२९.२६	१,७१०.००
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60	व.मी.	१,९२५.७३	१,९२५.७३	२,०२२.००
	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60	व.मी.	२,२२२.२०	२,२२२.२०	२,३३३.००
	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१,५३३.७३	१,५३३.७३	१,६१०.००
	Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१,६९८.९०	१,६९८.९०	१,७८३.००
	Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१,७६९.६९	१,७६९.६९	१,८५८.००
	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१,५०४.१५	१,५०४.१५	१,५७९.००
	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१,६५८.९९	१,६५८.९९	१,७४१.००
	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१,७४७.४७	१,७४७.४७	१,८३४.००
	Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:400x600x80mm	व.मी.		१,६५८.२८	१,७४१.००
९	<b>CONCRETE PAVING TILES (M35 Grade)</b>				

प्रमुख जिल्ला अधिकारी

## Cement Concrete Block



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१,२९६.४०	१,२९६.४०	१,३६१.००
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१,४३५.२६	१,४३५.२६	१,५०७.००
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१,६२०.४८	१,६२०.४८	१,७०१.००
	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.			२,६२५.६६
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.			२,९३८.२३
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.			३,२८२.०७
१०	<b>CONCRETE KERB-STONES</b>				
	Half batterd Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension:300*200*350mm)	र.फि.	३२९.२०	३२९.२०	३५०.००
	Half batterd Kerbstone Grey Color with compressive strength M20. (Specification: Thickness: 200mm, Dimension:300*200*350mm)	र.फि.	३४०.७१	३४०.७१	३६३.००
	Half batterd Kerbstone Grey Color with compressive strength M25. (Specification: Thickness: 200mm, Dimension:300*200*350mm)	र.फि.	३७६.११	३७६.११	४०१.००
	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.		४२१.४३	४४९.००
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.		४३६.१६	४६५.००
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.		४८१.४८	५१३.००
	Bullnose Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension:200*350*300mm)	र.फि.	३६७.२६	३६७.२६	३९१.००
	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.		४१९.६९	४४७.००
	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.		४४७.९९	४७७.००
	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	र.मी.		१,६९१.११	१,७७५.००
११	<b>CONCRETE ENGINEERED BRICKS AND HOLLOW-</b>				
	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	१९.६८	१९.६८	२०.००



## Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	२१.४५	२१.४५	२२.००
	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	१७.३५	१७.३५	१८.००
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	१८.२४	१८.२४	१९.००
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	गोटा	१४३.३६	143.3628319	१५२.००
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	गोटा	१६९.५०	169.5	१८०.००
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	गोटा	१०२.५०	102.5044248	१०९.००
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	गोटा	११७.५०	117.5044248	१२५.००
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	गोटा	८७.००	87	९२.००
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	गोटा	९८.००	98	१०४.००
१२	<b>CONCRETE PAVING BLOCKS</b>				
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70mm)	व.मी.	१,४७१.७४	1471.739469	१,५४५.००
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70mm)	व.मी.	१,६५५.७१	1655.706903	१,७३८.००
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70mm)	व.मी.	१,७३४.५५	१,७३४.५५	१,८२१.००
	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50mm)	व.मी.	१,२७०.४३	१,२७०.४३	१,३३३.००
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50mm)	व.मी.	१,५१४.७५	१,५१४.७५	१,५९०.००
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50mm)	व.मी.	१,५९६.१८	१,५९६.१८	१,६७५.००
	Zigzag Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80mm)	व.मी.	१,९५७.५२	१,९५७.५२	२,०५५.००
	Zigzag Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80mm)	व.मी.	२,२३७.१७	२,२३७.१७	२,३४९.००
	Zigzag Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80mm)	व.मी.	२,३४२.०३	२,३४२.०३	२,४५९.००
	Nostalgic Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet	व.मी.	२,३८२.०६	२,३८२.०६	२,५०१.००
	Nostalgic Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet	व.मी.	२,६३७.२८	२,६३७.२८	२,७६९.००

प्रमुख जिल्ला अधिकारी



## Cement Concrete Block



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet	व.मी.	२,७२२.३५	२,७२२.३५	२,८५८.००
	Grass Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:400x600x80mm)	व.मी.	१,६५८.२८	१,६५८.२८	१,७४१.००
१३	<b>CONCRETE PAVING TILES (M35 Grade)</b>				
	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१,४११.३३	१,४११.३३	१,४८१.००
	Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१,५४१.५७	१,५४१.५७	१,६१८.००
	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१,७१७.९८	१,७१७.९८	१,८०३.००
१४	<b>CONCRETE KERB-STONES</b>				
	Half batterd Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 165mm, Dimension:300*165*325mm)	र.फि.	२६१.०६	२६१.०६	२७८.००
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH)	र.फि.	२७८.७६	२७८.७६	२९७.००
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH)	र.फि.	३०९.७३	३०९.७३	३३०.००
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.			४५१.७८
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.			४९२.३९
	Half batterd Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension:250*200*380mm)	र.फि.	३२९.२०	३२९.२०	३५०.००
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.	३४०.७१	३४०.७१	३६३.००
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.	३७६.११	३७६.११	४०१.००
	Bullnose Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension:300*200*350mm)	र.फि.	३६७.२६	३६७.२६	३९१.००
	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.	३९३.८१	३९३.८१	४१९.००
	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.	४२०.३५	४२०.३५	४४८.००
	EPS-C(Expanded polystyreneconcrete) Block				
१	EPS-C Blocks 24"x4"x8" (LxBxH)	गोटा			१४६.००
२	EPS-C Blocks 24"x6"x8" (LxBxH)	गोटा			२१९.००
३	EPS-C Blocks 24"x8"x8" (LxBxH)	गोटा			२९२.००

प्रशासकी. अप्ठे  
मार् २ - २०७८

## Security System




सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	<b>Steel Security Gate</b>				
	Metal detector (black Scorpien Company)	गोटा	१६९९५.००	१६९९५.००	१७६७४.००
	Access Controller (Taiwanese)	गोटा	२८८४०.००	२८८४०.००	२९९९३.००
	Access Controller (Chainese)	गोटा	१३९०५.००	१३९०५.००	१४४६९.००
२	<b>Steel Security Door</b>				
	Single leaf :- 50 mm, 70 mm, 100mm	ब. मि.	८६८३.००	८६८३.००	९०६९.००
	Half leaf :- 50 mm, 70 mm, 100mm	ब. मि.	९९३०.००	९९३०.००	१०३७१.००
	Double leaf :- 50 mm, 70 mm, 100mm	ब. मि.	१०४१९.००	१०४१९.००	१०८३५.००
३	<b>Security System</b>				
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR moton detector-1, Door Sensor-1, Remote Controller -2)	गोटा	३४३३३.००	३४३३३.००	३५७०६.००
	iii) Access Controller with record using Card and Pin ( with 10 piece RFID Card.)	गोटा	२०६००.००	२०६००.००	२१४२४.००
	iv) Access Controller without record using Card and Pin ( with 5 piece RFID Card.)	गोटा	१२८७५.००	१२८७५.००	१३३९०.००
	v) Finger print access system with software	गोटा	३६०५०.००	३६०५०.००	३७४९२.००
	vi) Security from Panic Alarm	गोटा	३६०५०.००	३६०५०.००	३७४९२.००
४	<b>CCTV System</b>				
	Out door high speed Dome Integrated CAMERA Multi Protocol ,480 TVL,128 preset points , automatic surveillance,360 degrees horizontal rotation , AC 240V power supply , integrated heating system , highest angle speed 360 degree/ sec ,weather resistance, water resistance, robust type.				
	Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	५६६५०.००	५६६५०.००	५८३४९.००
	Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	५८९१६.००	५८९१६.००	६०६८३.००
५	<b>Indoor high speed Dome Integrated CAMERA</b>				
	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	५४३८४.००	५४३८४.००	५६०१५.००
	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	५६६५०.००	५६६५०.००	५८३४९.००
	VISTA Box camera with adoptor, IR view distance 25mm Mirror shutter;with mirror image switchable,white balance; auto,Horizontal resolution : 480 TV line . system signal; NTSC/PALBlacklight compression :ON/OFF(Switchable) , AGC: ON/OFF	सेट	१५४५०.००	१५४५०.००	१६०६८.००
	7" Sphirical Shilded with bracket included chip excluded Camera		८३६४.००	८३६४.००	८६९८.००
	8 Channel DVR MJPEG Compression Type 8 Channel ionput 2 Channel output USB2.0Interface , Hard Disc > 200G, Multi-Record ,Motion Detector Function , Remote Control	सेट	३३९९०.००	३३९९०.००	३५३४९.००
	6 Channel Alarm input , 16 Channel Record 8 channel Alarm output , Internate Explore, MPG-4 Record	सेट	५०९८५.००	५०९८५.००	५२५१४.००
	17" LCD Monitor	सेट	१०८१५.००	१०८१५.००	११२४७.००

*[Handwritten signatures]*

*[Handwritten signatures]*

प्रमुख जिल्ला अधिकारी



**NON DESTRUCTIVE TEST FOR FORENSIC ENGINEERING**

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/०८०
१	Surface Hardness	Element	१०००.००	१०००.००	१०२७.००
२	Cover Survey/ Rebar Orientation	Element	४०००.००	४०००.००	४१०८.००
३	Homogeneity	Element	५०००.००	५०००.००	५१३५.००
४	Crack Depth Measurement	Element	५०००.००	५०००.००	५१३५.००
५	E-Modulus Calculation Test	Element	५०००.००	५०००.००	५१३५.००
६	Resistivity	Element	२५००.००	२५००.००	२५६७.००
७	Curing Efficiency Test	Element	२५००.००	२५००.००	२५६७.००
८	Corrosion Mapping	Element	१५०००.००	१५०००.००	१५४०५.००
९	Half Cell Potential	Element	७०००.००	७०००.००	७१८९.००
१०	Sonic Echo/ Void Detection Test	Element	१००००.००	१००००.००	१०२७०.००
११	Pulloff Test/ Bond Test	Element	७०००.००	७०००.००	७१८९.००
१२	Concrete Tensile Strength Test	Element	७०००.००	७०००.००	७१८९.००
१३	Moisture Content	Element	४५००.००	४५००.००	४६२१.००
१४	Core Extraction				
	32 mm Dia	Element	७५००.००	७५००.००	७७०२.००
	52 mm Dia	Element	८०००.००	८०००.००	८२१६.००
	75 mm Dia	Element	८५००.००	८५००.००	८७२९.००
	100 mm Dia	Element	१०००.००	१०००.००	१०२७.००
	150 mm Dia	Element	१२५००.००	१२५००.००	१२८३७.००
	200 mm Dia	Element	१५०००.००	१५०००.००	१५४०५.००
	250 mm Dia	Element	१७५००.००	१७५००.००	१७९७२.००
	300 mm Dia	Element	२००००.००	२००००.००	२०५४०.००
	350 mm Dia	Element	२५०००.००	२५०००.००	२५६७५.००
१५	Rapid Chloride Penetration Test	Element	१५०००.००	१५०००.००	१५४०५.००
१६	Anchor Pullout Test	Element	२००००.००	२००००.००	२०५४०.००
१७	Infrared Thermography	Element	३५००.००	३५००.००	३५९४.००
१८	Low Strain Pile Integrity Test	Element	११०००.००	११०००.००	११२९७.००
१९	High Strain Dynamic Pile Load Test	Element	५०००००.००	५०००००.००	५१३५००.००
२०	Fresh Concrete Resistivity (Smart Box)	Element	४०००.००	४०००.००	४१०८.००
२१	Fine/ Coarse Aggregate Moisture Content	Element	३५००.००	३५००.००	३५९४.००
२२	Fresh Concrete Moisture Content (W/C Ratio)	Element	३५००.००	३५००.००	३५९४.००
२३	Cross Hole Sonic Logging	Element	१२५००.००	१२५००.००	१२८३७.००
२४	Impulse Echo	Element	१००००.००	१००००.००	१०२७०.००
२५	Maturity Meter Test	Element	३५०००.००	३५०००.००	३५९४५.००
२६	Chloride Profile	Element	१२५००.००	१२५००.००	१२८३७.००
२७	Carbonation Depth Detection Test	Element	२५००.००	२५००.००	२५६७.००
२८	Boroscope	Element	३५०००.००	३५०००.००	३५९४५.००
२९	Videoscope	Element	८५०००.००	८५०००.००	८७२९५.००
३०	Ground Penetrating Radar	Element	५००००.००	५००००.००	५१३५०.००
३१	CAPO Test	Element	१२५००.००	१२५००.००	१२८३७.००
३२	Permeability Test	Element			
	Air		३००००.००	३००००.००	३०८१०.००
	Water		४००००.००	४००००.००	४१०८०.००
३३	Concrete Cutting Services	R. M.	३००००.००	३००००.००	३०८१०.००
३४	Wall Cutting Services	R. M.	५००००.००	५००००.००	५१३५०.००
३५	Impact Echo	Element	१००००.००	१००००.००	१०२७०.००
३६	Mortar Strength Test (Penetrometer)	Element	५०००.००	५०००.००	५१३५.००
३७	ASR Detection Test	Element	१००००.००	१००००.००	१०२७०.००
३८	Moisture Content Test				
	Concrete	Element	२०००.००	२०००.००	२०५४.००
	Brick	Element	२०००.००	२०००.००	२०५४.००
	Masonry	Element	२०००.००	२०००.००	२०५४.००
	Wood	Element	२५००.००	२५००.००	२५६७.००

मन्त्रालय, ललितपुर जिल्ला अदालत



## वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	हेज ८ इन्च पोली	गोटा	४१.००	४१.००	४४.००
२	कार्पेट दुवो	व.फि	३६.००	३६.००	३८.००
३	कार्पेट दुवोको लागि टाप्ने कायै ज्याला	व.फि	२७.००	२७.००	२९.००
४	निगालो (जरा सहित)	गोटा	१३.००	१३.००	१४.००
५	स्थानीय स्तरमा उत्पासित विरुवा फलफूल बाहेक	गोटा	१२.००	१२.००	१२.००
६	गाई भैसीको मल/गोठे मल	के.जी.		६.००	६.००
७	लेयर्स कुखुराको मल	के.जी.		७.००	७.००
८	बोईलर कुखुराको मल	के.जी.		५.००	५.००
९	तोरीको पिना	के.जी.		४५.००	४८.००
१०	नरिबल डोरी	के.जी.	१४५.००	१६०.००	१७२.००
११	नाइलन डोरी	के.जी.	३०८.००	३०८.००	३३२.००
१२	ठूलो साइजको बाँसको विरुवा विउबाट उत्पादित	गोटा	२४२.००	२४२.००	२६१.००
	वन कार्यालयबाट सम्पादन गरिने कार्यहरु				
१	पोलिथिन टयुव ४ प्वाल भएको २०० गेजको विभिन्न साइज	के.जी.	४१२.००	४१२.००	४४४.००
२	ठूला विरुवा रोपन ४ फिट सम्म	प्रति विरुवा	१५१.००	१५१.००	१६२.००
३	ठूला विरुवा रोपन ४ फिट देखि ६ फिट सम्म	प्रति विरुवा	१६९.००	१६९.००	१८२.००
४	अग्ला विरुवा रोपन ६ फिट देखि ८ फिट सम्म	प्रति विरुवा	२५४.००	२५४.००	२७४.००
५	दाउरा संकलन, ढुवानी चट्टा निर्माण (२० फि.* ५ फि. ८ ५ फि)				
६	दाउरा लोड	चट्टा	३३००.००	३३००.००	३५६०.००
७	दाउरा अनलोड	चट्टा	१२१२.००	१२१२.००	१३०७.००
८	संकलन कटान, मुछान	चट्टा	४४००.००	४४००.००	४७४७.००
९	ढुवानी (५ कि.मी.सम्म)	चट्टा	४४००.००	४४००.००	४७४७.००
१०	अनलोडिङ	चट्टा	१५४०.००	१५४०.००	१६६१.००
११	चट्टा निर्माण	चट्टा	१६५०.००	१६५०.००	१७८०.००
१२	ठुटा उखेली घाटगद्दी स्थल १०० मी. सम्म लैजाने कार्य	गोटा	३०.००	३०.००	३२.००
१३	वन सुपारी	प्रति विरुवा	४४.००	४४.००	४७.००
	शहरी वृक्षारोपणकार्य				
१	४ फिट सम्मको विरुवा	प्रति विरुवा	१५४.००	१५४.००	१६६.००
२	५ फिट सम्मको विरुवा	प्रति विरुवा	१७०.००	१७०.००	१८३.००
३	६ फिट सम्मको विरुवा	प्रति विरुवा	१७०.००	१७०.००	१८३.००
४	८ फिट सम्मको विरुवा	प्रति विरुवा	२६४.००	२६४.००	२८४.००
५	४ फिट गोलाई ४ फिट उचाईको	प्रति विरुवा		४०००.००	४३१६.००
६	५ फिट गोलाई ५ फिट उचाईको	प्रति विरुवा		४८००.००	५१७९.००
	४ फिट सम्मको विरुवाको मुल्य				
१	कपूर	प्रति विरुवा	८४७.००	८४७.००	९१३.००
२	रुद्राक्ष	प्रति विरुवा	१०४५.००	१०४५.००	११२७.००
३	कल्की बोटल ब्रस	प्रति विरुवा	७२६.००	७२६.००	७८३.००
४	ज्याकारण्डा गोल्डमोहोर	प्रति विरुवा	७२६.००	७२६.००	७८३.००
५	असारे	प्रति विरुवा	७२६.००	७२६.००	७८३.००
९	पैयू	प्रति विरुवा	४८४.००	४८४.००	५२२.००
१०	लप्सी	प्रति विरुवा	४८४.००	४८४.००	५२२.००
११	धूपी	प्रति विरुवा	५४४.००	५४४.००	५८६.००

प्रमुख जिल्ला अधिकारी



## वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१२	बगमबेली	प्रति विरुवा	७२६.००	७२६.००	७८३.००
१३	काइयो	प्रति विरुवा	७२६.००	७२६.००	७८३.००
१४	रक्तकमल	प्रति विरुवा	१३८६.००	१३८६.००	१४९५.००
१५	समी	प्रति विरुवा	१०७२.००	१०७२.००	११५६.००
१६	बर	प्रति विरुवा	१३८६.००	१३८६.००	१४९५.००
१७	पिपल	प्रति विरुवा	१३८६.००	१३८६.००	१४९५.००
१८	५ फिट सम्मको करविर विरुवा	प्रति विरुवा	१३२०.००	१३२०.००	१४२४.००
१९	५ फिट सम्मको तिकोमा विरुवा	प्रति विरुवा	१३२०.००	१३२०.००	१४२४.००
२०	५ फिट सम्मको चापको विरुवा	प्रति विरुवा	१४३०.००	१४३०.००	१५४२.००
	४ फिट देखि ६ फिट सम्मको विरुवाको मुल्य				
१	तिकोमा	प्रति विरुवा		१७००.००	१८३४.००
	वायो ईन्जिनियरिङ सम्बन्धि काम				
	घासको विउ				
१	जई	कि.ग्रा	८२.००	८२.००	८८.००
२	भेच	कि.ग्रा	१८७.००	१८७.००	२०१.००
३	नेपीयर	सेट	३.००	३.००	३.००
४	वर्सिम	कि.ग्रा	१९२.००	१९२.००	२०७.००
५	घाँसको विउ र औषधि जिल्ला भित्र दुवानी गर्दा	कि.ग्रा	१७६.००	१७६.००	१८९.००
६	घाँसको विउ जिल्ला बाहिरबाट दुवानी गर्दा	कि.ग्रा	१.००	१.००	१.००
७	माटो भर्ने खाली बोरा	गोटा	३.००	३.००	३.००
८	बास काटेको सिंगो घाना	घाना	३८५.००	३८५.००	४१५.००
९	बाँसको कटिंग स्टम्प विरुवा(१५ महिने नर्सरीमा राखेको) १.५ फिट देखि २ फिट लामो	प्रति कटिंग	६०.००	६०.००	६४.००
	<b>Vegetation/Shrubs Cuttings/Slip/Plants/etc.</b>				
१	अघिसो(राइजोम)	प्रति विरुवा	७.००	७.००	७.००
२	अलैची गानो	प्रति विरुवा	१२.००	१२.००	१२.००
३	अलैची विरुवा	प्रति विरुवा	११.००	११.००	११.००
४	हार्डउड कटिङ्गस् (बैस) पेन्सिल साइज	प्रति विरुवा	६.००	६.००	६.००
५	नेपीयर कटिङ्गस्	प्रति विरुवा	२.००	२.००	२.००
६	NB <sub>21</sub> घाँस	प्रति विरुवा	२.००	२.००	२.००
७	निगालो राइजोम	प्रति विरुवा	५५.००	५५.००	५९.००
८	बासको बेर्ना (कटीग राइजोम)	प्रति विरुवा	३८५.००	३८५.००	४१५.००
९	बाबियो ताइवानी दुबो	प्रति विरुवा	३.००	३.००	३.००
१०	सिजनल फुल ८ इन्च पोली	गोटा	२७.००	२७.००	२९.००
११	गुलाफ फुल ८ इन्च पोली	गोटा	१६५.००	१६५.००	१७८.००
१२	कार्पेट दुबो	व.फी.	३६.००	३६.००	३८.००
१३	कार्पेट दुबो को लागि छप्ने कार्यको ज्याला	व.फी.	२७.००	२७.००	२९.००
१४	निगालो (जरा सहीत)	गोटा	१३.००	१३.००	१४.००
१५	स्थानीय स्तरमा उत्पादीत विरुवा फलफुल बाहेक	गोटा	१२.००	१२.००	१२.००
१६	डाले घासको विरुवा	गोटा	१२.००	१२.००	१२.००
१७	मोलाटो विरुवा	गोटा	२.००	२.००	२.००
१८	लौठ सल्ला नेपाली	गोटा	१४५.००	१४५.००	१५६.००
१९	लौठ सल्ला अमेरिकन	गोटा	३०८.००	३०८.००	३३२.००
२०	खर	गोटा	८५.००	८५.००	९१.००



## वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
२१	अम्बा	प्रति विरुवा	१३२.००	१३२.००	१४२.००
२२	उतिस ,धयेरो,असुरो,वकाइनो,निम आदी	गोटा	४१०.००	४१०.००	४४२.००
२३	भुजेत्रो	के.जी.	१५५०.००	१५५०.००	१६७२.००
२४	खर,फुर्के सिटो आदिको विउ	के.जी.	१४५०.००	१४५०.००	१५६४.००
२५	जुट नेट	व.मी.	४८५.००	४८५.००	५२३.००
	<b>द टिम्बर कर्परिशनबाट सम्पादन गरिने कार्यहरु</b>				
१	चिरान उत्पादन(बाकल,भुष,फाल्ने कस काटिंग समेत)	क्यू.फि.	७१.००	७१.००	७६.००
२	चिरान लोड	क्यू.फि.	२४.००	२४.००	२५.००
३	चिरान पाइलिंग	क्यू.फि.	८.००	८.००	८.००
४	चिरान अनलोड	क्यू.फि.	९.००	९.००	९.००
५	मिल सिपमेन्टको गोलिया अनलोड	क्यू.फि.	१२.००	१२.००	१२.००
६	भाडाको स:मिलबाट गोलिया चिरान ज्याला(गोलियामा)	क्यू.फि.	९९.००	९९.००	१०६.००
७	दाउरा लोड	क्वीन्टल	५५.००	५५.००	५९.००
८	दाउरा अनलोड	क्वीन्टल	१८.००	१८.००	१९.००
९	पोल लोड	प्रति गोटा	६६.००	६६.००	७१.००
१०	पोल अनलोड	प्रति गोटा	३३.००	३३.००	३५.००
	<b>पाल्मका प्रजाति</b>				
१	फिस्टेल पाल्म	प्रति गोटा	१३१२.००	१५००.००	१६१८.००
२	रोयल पाल्म	प्रति गोटा	१५७५.००	१८००.००	१९४२.००
३	बोटल पाल्म	प्रति गोटा	८४०.००	९५०.००	१०२५.००
४	किं पाल्म	प्रति गोटा	१५७५.००	१८००.००	१९४२.००
५	हवाई पाल्म	प्रति गोटा	२१००.००	२४००.००	२५८९.००
६	होचो हुने प्रजाति १ देखि २ फिट सम्म	प्रति गोटा			
७	साइकस पाल्म	प्रति गोटा	१०५०.००	१२००.००	१२९४.००
८	स्याविस पाल्म	प्रति गोटा	८४०.००	९५०.००	१०२५.००
९	रेक्सोन पाल्म	प्रति गोटा	१०५०.००	१२००.००	१२९४.००
१०	फोनिक्स पाल्म	प्रति गोटा	६३०.००	७००.००	७५५.००
११	च्यामडोरा पाल्म	प्रति गोटा	६३०.००	७००.००	७५५.००
१२	सिपेरिया पाल्म	प्रति गोटा	४२०.००	५००.००	५३९.००
१३	फयान पाल्म	प्रति गोटा	६३०.००	७५०.००	८०९.००
१४	एरिका पाल्म	प्रति गोटा	६३०.००	७५०.००	८०९.००
	<b>४ देखि ५ फिट उचाई सम्म</b>				
१	हेवि सकस	प्रति गोटा	८४०.००	१००.००	१०७.००
२	एजेलिया	प्रति गोटा	१५७५.००	१८००.००	१९४२.००
३	क्यामेलिया	प्रति गोटा	१५७५.००	१८००.००	१९४२.००
४	ग्राउण्ड कमर	प्रति गोटा	२६२.००	३००.००	३२३.००
	<b>स्थानिय वास्नादार प्रजाति ४ देखि ६ फिट</b>				
१	पारिजात	प्रति गोटा	१२६०.००	१४००.००	१५१०.००
२	चमेली	प्रति गोटा	१०५०.००	१२००.००	१२९४.००
३	जाई	प्रति गोटा	८४०.००	९५०.००	१०२५.००
४	बेलपत्र	प्रति गोटा	८४०.००	९५०.००	१०२५.००
	<b>स्थानिय प्रजाति २ देखि ४ फिट</b>				
१	मालती	प्रति गोटा	४२०.००	५००.००	५३९.००



वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
२	वगमवेली	प्रति गोटा	५२५.००	६००.००	६४७.००
३	वेली	प्रति गोटा	५२५.००	६००.००	६४७.००
४	पेशन फ्लावर	प्रति गोटा	६३०.००	७००.००	७५५.००
५	मान्डोमिल्ला	प्रति गोटा	१०५०.००	१२००.००	१२९४.००
६	फाइक्स पुमिला	प्रति गोटा	१५७.००	२००.००	२१५.००
७	आडीम प्लाण्ट	प्रति गोटा	२६२.००	३००.००	३२३.००
८	कपुर	प्रति गोटा	८०८.००	८०८.००	८५९.००
९	रुद्राक्ष	प्रति गोटा	९९७.००	९९७.००	१०७५.००
१०	कल्की	प्रति गोटा	६९३.००	६९३.००	७४७.००
११	जाकारन्डा	प्रति गोटा	६९३.००	६९३.००	७४७.००
१२	असारे	प्रति गोटा	६९३.००	६९३.००	७४७.००
१३	शिरिस	प्रति गोटा	६०६.००	७५०.००	८०९.००
१४	पैयू	प्रति गोटा	४६२.००	४६२.००	४९८.००
१५	लप्सी	प्रति गोटा	४६२.००	४६२.००	४९८.००
१६	धुपी	प्रति गोटा	५१९.००	५१९.००	५६०.००
१७	वगनवेली	प्रति गोटा	६९३.००	६९३.००	७४७.००
१८	काईयो	प्रति गोटा	६९३.००	६९३.००	७४७.००
१९	अम्रीसो(सानो विरुवा)	प्रति गोटा	६.००	६.००	६.००
२०	तेजपात	प्रति गोटा	८२६.००	१०००.००	१०७९.००
२१	अमला	प्रति गोटा	७६.००	७८०.००	८४१.००
२२	हरौं	प्रति गोटा	७६.००	८५०.००	९१७.००
२३	वरौं	प्रति गोटा	७६.००	८५०.००	९१७.००
२४	वकाईनो	प्रति गोटा	७६.००	८५०.००	९१७.००
२५	इनद्रकमल	प्रति गोटा	११५७.००	१८००.००	१९४२.००
२६	लालीगुरास	प्रति गोटा	१३२३.००	१६५०.००	१७८०.००
२७	स्यालफुसरे	प्रति गोटा	१३२३.००	१६५०.००	१७८०.००
२८	पुवाले	प्रति गोटा	१३२३.००	१६५०.००	१७८०.००
२९	देवदार	प्रति गोटा	२७५६.००	२६५०.००	२८५९.००
३०	क्रिसमस	प्रति विरुवा		३०००.००	३२३७.००
३१	गोल्डेन धुपि	प्रति विरुवा		२४००.००	२५८९.००
३२	गुन्सी	प्रति विरुवा		१९५०.००	२१०४.००
३३	अन्य	प्रति विरुवा		१६५०.००	१७८०.००
	बस्ती क्षेत्र भित्रका रुख कटान मुछान गरी गिण्डा पार्ने				
१	सामान्य जोखिम भएको	प्रति गोटा	७८.००	७८.००	८४.००
२	मध्यम	प्रति गोटा	१३१.००	१३१.००	१४१.००
३	अति जोखिम	प्रति गोटा	२१०.००	२१०.००	२२६.००
	वन पैदावर संकलन तथा घाटगद्दी खर्च				
१	रुख नम्बरीङ्ग/छपान/व्लेजीङ्ग गर्न ०।००२ जना प्रति क्यू.फि.)	क्यू.फि.	२	२	२.००
२	ढलापडा रुख कटान मुछान	क्यू.फि.	४०	४०	४३.००
३	गोलिया काठ नम्बरीङ्ग तथा नाप पैमाइस (०।००८ जना प्रति क्यू.फि.)	क्यू.फि.	६०	६०	६४.००
४	बोक्रा ताछ्ने (आवश्यकता अनुसार) (०।००८ जना प्रति क्यू.फि.)	क्यू.फि.	६	६	६.००

*(Handwritten signatures)*

*(Handwritten signature)*

*(Handwritten signature)*

प्रमुख जिल्ला उपप्रिन्सिपल



## वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु




सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
५	याडिङ्ग गर्ने (भिरालो भौगोलिक अवस्थामा मात्र) (०।१६७ जना प्रति क्यू.फि.)	क्यू.फि.	११५	११५	१२४.००
६	गोलिया काठ लोड गर्ने (०।०३२ जना प्रति क्यू.फि.)	क्यू.फि.	२०	२०	२१.००
७	गोलिया काठ ढुवानी घाटगद्दी सम्म (५ कि.मी दुरीसम्म) (०।०६७ जना प्रति क्यू.फि.)	क्यू.फि.	४५	४५	४८.००
८	गोलिया काठ अनलोड गर्ने (०।०२९ जना प्रति क्यू.फि.)	क्यू.फि.	१८	१८	१९.००
९	ग्रेडिङ्ग अनुसार घाटगद्दी गर्ने (०।०२७ जना प्रति क्यू.फि.)	क्यू.फि.	२५	२५	२६.००
१०	कूल संकलन खर्च (०।३७ जना प्रति क्यू.फि.)	क्यू.फि.	२३०	२३०	२४८.००
ख	आयआर्जन तथा पार्कको लागि आवश्यक विरुवाको स्थानिय बजारको मूल्य				
१	टिमुर	गोटा	५५	५५	५९.००
२	सतुवा	गोटा	१३०	१३०	१४०.००
३	ओखर	गोटा	२५०	२५०	२६९.००
४	बडहर	गोटा	७०	७०	७५.००
५	कटहर	गोटा	७०	७०	७५.००
६	सुपारी	गोटा	२६०	२६०	२८०.००
७	नरिवल	गोटा	२६०	२६०	२८०.००
८	अर्गलि कटिंग	गोटा	४०	४०	४३.००
९	चिराइतो	गोटा	४०	४०	४३.००
१०	सल्लो	गोटा	४०	४०	४३.००
११	वकाइनो	गोटा	२५	२५	२६.००
१२	वयर	गोटा	१६०	१६०	१७२.००
१३	सिमल	गोटा	३०	३०	३२.००
१४	सुगन्धकोकिला	गोटा	४८	४८	५२.००
१५	कल्किफुल	गोटा	७०	७०	७५.००
१६	दालचिनी	गोटा	३५	३५	३७.००
१७	बाँस विउबाट एक वर्षे	गोटा	८५	८५	९१.००
१९	वन सुपारी	प्रति विरुवा	५०	५०	५३.००
२०	अगर उड	प्रति विरुवा	२७५	२७५	२९६.००
२२	करविर फूल	प्रति विरुवा	९७०	९७०	१०४६.००
२३	चाँप	प्रति विरुवा	१७००	१७००	१८३४.००
२५	ठूलो साईजको बाँसको विरुवा (विउबाट उत्पादित)	गोटा	३००	३००	३२३.००
२६	बोधिचिन्त	गोटा	१२६	१२६	१३५.००
२७	दाते ओखर	गोटा	२००	२००	२१५.००
२८	रिटठा	गोटा	५०	५०	५३.००
२९	निम	गोटा	८०	८०	८६.००
३०	चिउरी	गोटा	७०	७०	७५.००
३१	श्रीखण्ड	गोटा	३७०	३७०	३९९.००
३२	रक्तचन्दन	गोटा	२७०	२७०	२९१.००
३३	खयर	गोटा	७०	७०	७५.००
घ	खाली एलानी पर्ति जग्गामा लगाउन आवश्यक फलफूल विरुवा				
१	कागती	प्रति विरुवा	२२०	२२०	२३७.००
२	सुन्तला	प्रति विरुवा	२२०	२२०	२३७.००
३	जुनार	प्रति विरुवा	२२०	२२०	२३७.००






वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
४	हलुवावेद	प्रति विरुवा	२२०	२२०	२३७.००
५	आँप	प्रति विरुवा	२२०	२२०	२३७.००
६	कागति	गोटा	५०	५०	५३.००
७	सुन्तला	गोटा	५०	५०	५३.००
८	निवुवा	गोटा	५०	५०	५३.००
९	नास्याति	गोटा	२२०	२२०	२३७.००
१०	एभोकाडो	गोटा	२६०	२६०	२८०.००

५ कार्यालयी,   
 जिल्ला अधिकारी



# Geocell Technology

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Geocell Technology प्रयोग गरि Slope protectionn,Earth retention,channel protection जस्ता Geotechnical काम गर्न				
	Small size (opening 330 mm) strength category-B				
	cell height-50 mm	व.मि.	६३०.००	६३०.००	६३०.००
	cell height-75 mm	व.मि.	९००.००	९००.००	९००.००
	cell height-100 mm	व.मि.	१२००.००	१२००.००	१२००.००
	cell height-120 mm	व.मि.	१५००.००	१५००.००	१५००.००
	cell height-150 mm	व.मि.	१७५०.००	१७५०.००	१७५०.००
	cell height-200 mm	व.मि.	२४२५.००	२४२५.००	२४२५.००
	Small size (opening 330 mm) strength category-C				
	cell height-50 mm	व.मि.	६५०.००	६५०.००	६५०.००
	cell height-75 mm	व.मि.	९२५.००	९२५.००	९२५.००
	cell height-100 mm	व.मि.	१२५०.००	१२५०.००	१२५०.००
	cell height-120 mm	व.मि.	१५५०.००	१५५०.००	१५५०.००
	cell height-150 mm	व.मि.	१८००.००	१८००.००	१८००.००
	cell height-200 mm	व.मि.	२५००.००	२५००.००	२५००.००
	Small size (opening 330 mm) strength category-D				
	cell height-50 mm	व.मि.	९५०.००	९५०.००	९५०.००
	cell height-75 mm	व.मि.	१३५०.००	१३५०.००	१३५०.००
	cell height-100 mm	व.मि.	१८००.००	१८००.००	१८००.००
	cell height-120 mm	व.मि.	२३००.००	२३००.००	२३००.००
	cell height-150 mm	व.मि.	२६००.००	२६००.००	२६००.००
	cell height-200 mm	व.मि.	३६५०.००	३६५०.००	३६५०.००
	Small size (opening 356 mm) strength category-B				
	cell height-50 mm	व.मि.	६००.००	६००.००	६००.००
	cell height-75 mm	व.मि.	८५०.००	८५०.००	८५०.००
	cell height-100 mm	व.मि.	११५०.००	११५०.००	११५०.००
	cell height-120 mm	व.मि.	१४५०.००	१४५०.००	१४५०.००
	cell height-150 mm	व.मि.	१६७५.००	१६७५.००	१६७५.००
	cell height-200 mm	व.मि.	२३००.००	२३००.००	२३००.००
	Small size (opening 356 mm) strength category-C				
	cell height-50 mm	व.मि.	६००.००	६००.००	६००.००

प्रमुख जिल्ला अधिकारी



# Geocell Technology

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	cell height-75 mm	व.मि.	८५०.००	८५०.००	८५०.००
	cell height-100 mm	व.मि.	१२००.००	१२००.००	१२००.००
	cell height-120 mm	व.मि.	१५००.००	१५००.००	१५००.००
	cell height-150 mm	व.मि.	१७००.००	१७००.००	१७००.००
	cell height-200 mm	व.मि.	२४००.००	२४००.००	२४००.००
	<b>Small size (opening 356 mm) strength category-D</b>				
	cell height-50 mm	व.मि.	९००.००	९००.००	९००.००
	cell height-75 mm	व.मि.	१२५०.००	१२५०.००	१२५०.००
	cell height-100 mm	व.मि.	१७००.००	१७००.००	१७००.००
	cell height-120 mm	व.मि.	२१५०.००	२१५०.००	२१५०.००
	cell height-150 mm	व.मि.	२५००.००	२५००.००	२५००.००
	cell height-200 mm	व.मि.	३४५०.००	३४५०.००	३४५०.००
	<b>Medium size (opening 445 mm) strength category-B</b>				
	cell height-50 mm	व.मि.	५२५.००	५२५.००	५२५.००
	cell height-75 mm	व.मि.	७५०.००	७५०.००	७५०.००
	cell height-100 mm	व.मि.	१०००.००	१०००.००	१०००.००
	cell height-120 mm	व.मि.	१२७५.००	१२७५.००	१२७५.००
	cell height-150 mm	व.मि.	१४७५.००	१४७५.००	१४७५.००
	cell height-200 mm	व.मि.	२०५०.००	२०५०.००	२०५०.००
	<b>Medium size (opening 445 mm) strength category-C</b>				
	cell height-50 mm	व.मि.	५५०.००	५५०.००	५५०.००
	cell height-75 mm	व.मि.	७७५.००	७७५.००	७७५.००
	cell height-100 mm	व.मि.	१०५०.००	१०५०.००	१०५०.००
	cell height-120 mm	व.मि.	१३००.००	१३००.००	१३००.००
	cell height-150 mm	व.मि.	१५००.००	१५००.००	१५००.००
	cell height-200 mm	व.मि.	२१००.००	२१००.००	२१००.००
	<b>Medium size (opening 445 mm) strength category-D</b>				
	cell height-50 mm	व.मि.	८००.००	८००.००	८००.००
	cell height-75 mm	व.मि.	११००.००	११००.००	११००.००
	cell height-100 mm	व.मि.	१५००.००	१५००.००	१५००.००
	cell height-120 mm	व.मि.	१९५०.००	१९५०.००	१९५०.००
	cell height-150 mm	व.मि.	२२००.००	२२००.००	२२००.००
	cell height-200 mm	व.मि.	३१००.००	३१००.००	३१००.००



# Geocell Technology

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	<b>Large size (opening 660 mm) strength category-B</b>				
	cell height-50 mm	व.मि.	३६५.००	३६५.००	३६५.००
	cell height-75 mm	व.मि.	५२५.००	५२५.००	५२५.००
	cell height-100 mm	व.मि.	७२५.००	७२५.००	७२५.००
	cell height-120 mm	व.मि.	९००.००	९००.००	९००.००
	cell height-150 mm	व.मि.	१०००.००	१०००.००	१०००.००
	cell height-200 mm	व.मि.	१४००.००	१४००.००	१४००.००
	<b>Large size (opening 660 mm) strength category-C</b>				
	cell height-50 mm	व.मि.	३७५.००	३७५.००	३७५.००
	cell height-75 mm	व.मि.	५५०.००	५५०.००	५५०.००
	cell height-100 mm	व.मि.	७२५.००	७२५.००	७२५.००
	cell height-120 mm	व.मि.	९००.००	९००.००	९००.००
	cell height-150 mm	व.मि.	१०५०.००	१०५०.००	१०५०.००
	cell height-200 mm	व.मि.	१४५०.००	१४५०.००	१४५०.००
	<b>Large size (opening 660 mm) strength category-D</b>				
	cell height-50 mm	व.मि.	५५०.००	५५०.००	५५०.००
	cell height-75 mm	व.मि.	८००.००	८००.००	८००.००
	cell height-100 mm	व.मि.	१०५०.००	१०५०.००	१०५०.००
	cell height-120 mm	व.मि.	१३२५.००	१३२५.००	१३२५.००
	cell height-150 mm	व.मि.	१५५०.००	१५५०.००	१५५०.००
	cell height-200 mm	व.मि.	२१००.००	२१००.००	२१००.००
	<b>Large size (opening 712 mm) strength category-B</b>				
	cell height-50 mm	व.मि.	२९०.००	२९०.००	२९०.००
	cell height-75 mm	व.मि.	४२५.००	४२५.००	४२५.००
	cell height-100 mm	व.मि.	५९०.००	५९०.००	५९०.००
	cell height-120 mm	व.मि.	७६०.००	७६०.००	७६०.००
	cell height-150 mm	व.मि.	८६५.००	८६५.००	८६५.००
	cell height-200 mm	व.मि.	१२००.००	१२००.००	१२००.००
	<b>Large size (opening 712 mm) strength category-C</b>				
	cell height-50 mm	व.मि.	३००.००	३००.००	३००.००
	cell height-75 mm	व.मि.	४५०.००	४५०.००	४५०.००
	cell height-100 mm	व.मि.	६००.००	६००.००	६००.००
	cell height-120 mm	व.मि.	७५०.००	७५०.००	७५०.००

*(Handwritten signatures)*

प्रमुख जिल्ला अधिकारी

*(Handwritten signatures)*

प्रमुख जिल्ला अधिकारी



# Geocell Technology

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	cell height-150 mm	व.मि.	९००.००	९००.००	९००.००
	cell height-200 mm	व.मि.	१२५०.००	१२५०.००	१२५०.००
	<b>Large size (opening 712 mm) strength category-D</b>				
	cell height-50 mm	व.मि.	४५०.००	४५०.००	४५०.००
	cell height-75 mm	व.मि.	६२५.००	६२५.००	६२५.००
	cell height-100 mm	व.मि.	९००.००	९००.००	९००.००
	cell height-120 mm	व.मि.	११००.००	११००.००	११००.००
	cell height-150 mm	व.मि.	१३००.००	१३००.००	१३००.००
	cell height-200 mm	व.मि.	१८००.००	१८००.००	१८००.००

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

मु.अ.क. बाहेकको दररेट

## WPS/Fibre, Concrete Prefabricated Doors &amp; Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	<b>WPC Single Hollow Door Board</b> (Thickness 32±2 mm)				
	Plain Door	व.फि		६६०.००	७०३.००
	Colored/Hot Stamping/Printing/Grooving/Embossing	व.फि		७६५.००	८१५.००
२	<b>WPC Single Room Hollow Door Board</b> (Thickness 32±2 mm)				
	Plain Door	व.फि		६६०.००	७०३.००
	Colored/Hot Stamping/Printing/Grooving/Embossing	व.फि		७६५.००	८१५.००
३	<b>FRP Composite Door Frame</b>				
	Thickness: 100 mm	र.फि		४३५.००	४६३.००
	Thickness: 110 mm	र.फि		४३५.००	६००.००
४	<b>FRP Composite Window or Ventilation Frame</b>				
	Thickness: 110 mm	र.फि		४५५.००	५२३.००
५	<b>FRP Composite Window Net Panel</b>				
	Non-Overlapping (Size: 4.5 sq.ft. to 7.5 sq.ft.)	गोटा		४५००.००	४९७७.००
६	<b>FRP Composite Window Panel</b>				
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black , Green	गोटा		४७४०.००	५२२९.००
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	गोटा		४५३०.००	४९७७.००
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black , Green	गोटा		४९८०.००	४९९३.००
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	गोटा		४७४०.००	३७९७.००
७	<b>FRP Composite Ventilation Panel</b>				
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Blue, Black, Green	गोटा		३५४०.००	४०००.००
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Clear	गोटा		३३६०.००	३५२८.००
८	<b>FRP Composite Ventilation Net Panel</b>				
	(Size: 3 Sq.ft. to 4.5 sq.ft.)	गोटा		३३६०.००	३५२८.००
९	<b>Fiber Door Panel</b>				
	Single Fiber Door (Galaxy)	व.फि			१०१०.००
	Double Fiber Door (D Model)	व.फि			१३१०.००
	Double Fiber Door (New Murti)	व.फि			१९५०.००



प्रमुख जिल्ला अधिकारी



## FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	<b>Vinyl Flooring</b>				
१	Providing & Fixing 2 mm thick homogeneous Phthalate free, PVC Vinyl flooring with a single layer of PVC, total weight is 3000 g/m <sup>2</sup> , XR PUR (polyurethane reinforced, Abrasion group T: ≤2.00 mm, residual indentation approx.0.03 mm, castor wheel test qualified, dimensional stability ≤0.40%,static electrical charge < 2kv, impact sound reduction approx +4db, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. Clean Room class A certified. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤10μg/m <sup>3</sup> ).Phthalate Free. Multicolor welding rods. Non Directional in Design. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor.	व.मी		४८००.००	४८००.००
२	Providing & Fixing 2 mm thick homogeneous Phthalate free, PVC Vinyl flooring with a single layer of PVC, total weight is 3150g/m <sup>2</sup> , XR PUR (polyurethane reinforced, Abrasion group T: ≤2.00 mm, residual indentation approx.0.03 mm, castor wheel test qualified, dimensional stability ≤0.40%,static electrical charge < 2kv, impact sound reduction approx +4db, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. Clean Room class A certified. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤10μg/m <sup>3</sup> ).Phthalate Free.Directional in Design. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor.	व.मी		३७००.००	३७००.००
३	Providing and fixing 1.3 mm thick homogeneous PVC Vinyl wall-covering with total weight 2210 g/m <sup>2</sup> ,polyurethane reinforced (PUR) , dimensional stability ≤0.40%, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria, Clean room class A certified. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤100μg/m <sup>3</sup> ). The laid flooring should be included of Self leveling base course all complete as per the specification.	व.मी		३५००.००	३५००.००
४	Providing & Fixing of 6.5mm thick Vinyl Flooring, 100% recycled flexible, Phthalate free Certificate, TVOC less than 10 ug/m <sup>2</sup> heterogeneous compact indoor floor covering of approved manufacturer, having total weight 4080 g/m <sup>2</sup> in sheet of size 2mtrs. X 23 mtrs. In approved pattern & color combination with PUR Reinforced – patented polyurethane surface treatment. The vinyl flooring having wear resistance of ≤ 1g as per EN ISO 5470-1; Resistance to indentation should be ≤ 0.16mm confirming to EN 1516 and shock absorption ≥ 17% as per EN 14808; Vertical deformation ≤ 5mm confirming to EN 14809 with Vertical ball behavior ≥ 90% as per EN 12235; Friction should be 80-110 as per EN 13036-4 standard. Vinyl flooring must be follow the fire rating of EN 13501-1 class Cfls1 with slip resistance to rolling load ≤0.50mm on EN 1569. NFS 31-074 certified Class A ≤ 65db noise reduction with Thermal resistance Approx. 0.07m <sup>2</sup> K/W as per EN IOS 10456. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Generally is a sustainable loose-lay installation method – only 2% of the surface is glued – offering an economical and easy installation solution. This unique method is made possible by:- The Product's Exceptional Dimensional Stability (0.10%) ; Omnisports Reference, Excel, & Pure Play's Weight ; The honeycomb backing, creating a suction effect.	व.मी		६२००.००	६२००.००

प्रमुख जिल्ला उपरिस्वारी



### FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
५	Providing & Fixing 3.25 mm thickness having wear layer of 0.80mm heterogeneous Accoustic PVC Vinyl Phthalate free, flooring Tarkett/Mohawk/Polyflor or euqivalent brand, total weight is 3250g/m2, PUR, No wax no polish for life (, Abrasion group T: ≤2.00 mm, residual indentation approx.0,03 mm, castor wheel test qualified, dimensional stability ≤0.40%, impact sound reduction approx +19db with accoustic improvement <65Db class A,Slip Resistance R9/R10woods, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤10µg/m3) in roll form 23running meterx200cm. Phthalate Free.Design & shades to be as per Engineer in charge on zero level floor OR after self leveling on floor till 3-3.5mm thickness of Selfleveling material of low VOC. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor.	व.मी		५०००.००	५०००.००
6	Providing & Fixing of 2mm thick Vinyl Flooring, 100% recycled flexible, Phthalate free Certificate, TVOC less than 10 ug/m2 (after 28 days) permanently static dissipative pressed homogeneous Vinyl (IQ Granit) indoor floor covering of approved manufacturer, having total weight 2950 g/m2 in sheet of size 2mtrs. X 23 mtrs. In approved pattern & color combination with PUR Reinforced - patented polyurethane surface treatment. IQ Granit is coordinated with the extended Granit family of acoustic, conductive and slip resistance flooring solution and no wax no polish over the life time. Vinyl flooring must be follow the fire rating of EN 13501-1 class Bfls1. Flooring have binder content Type I confirmed by ISO 10581 and effect of castor chair suitable with standard ISO 4918-EN 425.Flooring containing Electrical insulation Ri≥5x104 Ohm; Electrical resistance R ≤ 109 Ohms with having Clean room test Class A ; Chemical resistance good confirmed by ISO 26987 - EN 423 ; Bacteria resistance does not favor growth by ISO 846:Part C ; ease of decontamination good by ISO 8690. Vinyl flooring should follow excellence dry buffing system to prevent any kind of scratches.Thermal resistance Approx. 0.01m2 K/W as per EN 12667. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor.	व.मी		५८००.००	५८००.००
7	Providing & Fixing of 2mm thick Vinyl Flooring, 100% recycled flexible, Phthalate free Certificate, TVOC less than 10 ug/m2 (after 28 days) permanently static conductive pressed homogeneous compact (IQ Toro SC) indoor floor covering of approved manufacturer, having total weight 2950 g/m2 in sheet of size 2mtrs. X 23 mtrs. In approved pattern & color combination with PUR Reinforced - patented polyurethane surface treatment. <b>As Carbon coated on the top of the floor it will prevent any kind of electric shock.</b> The vinyl flooring having wear resistance of ≤ 1g as per EN ISO 5470-1; Resistance to indentation should be ≤ 0.10mm confirming to ISO 24343-1-EN433. Vinyl flooring must be follow the fire rating of EN 13501-1 class Cfls1 with surface treatment new IQ PUR. <b>Flooring follows excellent dry buffing system which always give new looks to the floor.</b> Flooring have binder content Type I confirmed by ISO 10581 and effect of castor chair suitable with standard ISO 4918-EN 425.Flooring containing Electrical insulation Ri≥5x104 Ohm; Electrical resistance R ≤ 109 Ohms with having Clean room test Class A ; Chemical resistance good confirmed by ISO 26987 - EN 423 ; Bacteria resistance does not favor growth by ISO 846:Part C ; ease of decontamination good by ISO 8690. Thermal resistance Approx. 0.01m2 K/W as per EN 12667. Hot welded joints provide exclusively seamless finishing. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions.	व.मी		५८००.००	५८००.००
	False Ceiling				

*(Handwritten signatures and initials)*

*(Handwritten signature)*

प्रमुख जिल्ला अधिकारी



### FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
1	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी		२१५२.००	२१५२.००
2	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी		४७५०.००	४७५०.००
3	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी		४८४२.००	४८४२.००
4	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी		४६२६.००	४६२६.००

*(Handwritten signatures and marks)*

प्रमुख जिल्ला अधिकारी



## FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
5	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी		४६२६.००	४६२६.००
6	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी		११८३६.००	११८३६.००
7	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी		१२३७४.००	१२३७४.००
8	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी		१२९९२.००	१२९९२.००
	Levelling Compund for Vinyl Flooring				

प्रमुख जिल्ला अधिकारी



## FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
1	All substrate must be structurally sound, dust free, dry, solid and stable, grease OR wax free, Ph 5-11 and turn off radiant heat system before 48 hrs of installation of self levelling compund. In case of uneven sub floor the same should be levelled using self levelling compund. IPS/Vitrified/ceramic/mosaic tiles do not provide zero leveled sub floor. self levelling compund to be poured in two layer with drying time gap and a primer coat between two layer as per manufacturer PDS to achieve desired thickness. Self levelling material must be fully dried at least 72 hrs or more as per climatic condition and moisture level shoild be less than 8% before application for Vinyl flooring.	व.मी		५९२.००	५९२.००
2	Providing and fixing 4mm thick curve shape UPVC Cove former. Cove former to be laid on the corner of floor before applying the flooring. For the skirting solution cove former plays as support for the flooring	व.मी		२९५.००	२९५.००
<b>WPC Items</b>					
1	Providing and installing WPC Baffle Ceiling with the size of 40mm x 100 mm (W x H) & "100mm" Gap, standards need to be conformed as per CB/T19001 - 2008 idt ISO9001 : 2008. Baffle must comply with Including all accessories such as hanging arrangement, screws and other accessories required to complete the job. The material should conform the following tests, like - Thicking swelling - less than 1%, Dimension changing ratio after heating Less or equal to 2.5%, Bending elastic modulus should be more than 1800 MPa, Bending Strength > than 20 MPa, Superficial Rockwell hardness should be more than 58, Moisture resistant - less than 2%, Water absorption - Less than 1%.	व.मी		९४६९.००	९४६९.००
2	Providing and installing WPC Wall panel cladding in pre- painted finish color with the size of 8" x 9' (W x H) & 16mm thick , Including all accessories screws and other accessories required to complete the job. Flame tested and smoke developed is tested accordance to ASTM E84 - 13a with standards need to be conformed as per CB/T19001 - 2008 idt ISO9001 : 2008. The material should conform the following tests, like - Thicking swelling - less than 1%, Dimension changing ratio after heating Less or equal to 2.5%, Bending elastic modulus should be more than 1800 MPa, Bending Strength > than 20 MPa, Superficial Rockwell hardness should be more than 58, Moisture resistant - less than 2%, Water absorption - Less than 1%.	व.मी		६५९०.००	६५९०.००
<b>Ceiling</b>					



### FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
1	<p>Supply &amp; Fixing of <b>U-Baffle Ceiling</b> System using Hat type carrier &amp; torsion spring, comprising of baffle width of 30 mm and height of 100 mm manufactured out of 0.7 mm thick Coil Coated Aluminium of alloy AA 3105 at a module of 200 mm. The coil is coated on a continuous paint line double baked and shall be stove enamelled in a continuous coil coating process with the approved colour on the exposed side and the reverse side with polyester primer. The Linear Aluminium ceiling system should meet the required standards for Green Pro certification and should qualify as green product as per CII green products and services council. The manufacturer should be ISO 9001:2015 Quality Management System Certifications compliant with in house testing facility and should have their own manufacturing plant in India. The coated coil is passed thru Six Hi configuration roller levelling process to ensure the flatness of the coil. The U-Baffle shall be manufactured on an integrated high speed, high precision Roll forming machine to avoid micro-cracking of metal corners which occurs while bending on press brake machines. The U Baffle ceiling panels shall be mounted on coil coated customized Hat type aluminium alloy AA 3005 carrier of size 60mm X 30mm X 0.9 mm. The customized carrier shall be manufactured in-house on a high press PLC controlled roll forming machine line. The carrier suitable, for torsion springs based &amp; standard fixed Baffle panels. The carrier shall be suspended with M6 Threaded rod hangers spaced at 1200mm c/c. Up to 20% of the total ceiling area, based on client requirement, shall be demountable torsion spring-based panels.</p>	व.मी		१४५२६.००	१४५२६.००



### Slope Stabilizing Structures

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	Reinforced Soil Wall with using precast RCC fascia panels of minimum 160mm thickness and 50mm   70mm wide geosynthetic strap soil reinforcement made of polyester yarns and encapsulated in LLDPE sheathing with top three layers of soil reinforcement having high coefficient of apparent friction (using trapezoidal grooves on both sides of the geosynthetic strap) and the minimum coefficient of apparent friction at the top most layer shall be 1.5, using active connectors between fascia and soil reinforcement as per recommendation of BS-8006 for high seismic zone along with the all necessary accessories.				
	Upto 5 Height (in Metre)	व.मी		१७५९९.४३	१८२९५.००
	10 Height (in Metre)	व.मी		२२१४३.४०	२३०२९.००
	15 Height (in Metre)	व.मी		२६८६९.५९	२७९४४.००
	20 Height (in Metre)	व.मी		३४५६२.४४	३५९४४.००
	25 Height (in Metre)	व.मी		४७०४४.९७	४८९८९.००
	30 Height (in Metre)	व.मी		६००५६.७९	६१८५८.००
२	Reinforced Soil structure using prefabricated flexible galvanized steel mesh (minimum diameter of bar 8mm and galvanization is 500 grams/sqm) and 50mm   70mm wide geosynthetic strap soil reinforcement made of polyester yarns and encapsulated in LLDPE sheathing with top three layers of soil reinforcement having high coefficient of apparent friction (using trapezoidal grooves on both sides of the geosynthetic strap) and the minimum coefficient of apparent friction at the top most layer shall be 1.5, using active connectors between fascia and soil reinforcement as per recommendation of BS-8006 for high seismic zone along with the all necessary accessories.				
	10 Height (in meter)	व.मी		२७९३९.९९	२९०४९.००
	20 Height (in meter)	व.मी		३८०६४.९३	३९५८६.००
	30 Height (in meter)	व.मी		५५७३८.९३	५७४९०.००
३	Reinforced Soil pure abutment structure, where the bridge deck is directly supported on a beam seat placed over Reinforced Soil Structure using precast RCC fascia panels of minimum 160mm thickness and 50mm   70mm wide geosynthetic strap soil reinforcement made of PVA (Polyvinyl Alcohol) yarns and encapsulated in LLDPE sheathing and having elongation less than 7%, with top three layers of soil reinforcement having high coefficient of apparent friction (using trapezoidal grooves on both sides of the geosynthetic strap) and the minimum coefficient of apparent friction at the top most layer shall be 1.5, using active connectors between fascia and soil reinforcement as per recommendation of BS-8006 for high seismic zone along with the all necessary accessories.				
	10 Height (in meter)	व.मी		३४९५४.५९	३६३५२.००
४	Geo-composite Drainage with mini pipes				
	Geocomposite drainage consisting of a filter layer, draining mat and 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metre widthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, with minimum unit weight of geotextile as 300 grams/sqm and minimum unit weight of the total geocomposite including mini pipes as 362 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी		९२६.५४	९९९.००

१९२०२३  
 जिल्ला प्रशासन कार्यालय, ललितपुर  
 जिल्ला अधिकारी



### Slope Stabilizing Structures

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Geocomposite drainage consisting of a filter layer, draining mat and 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metre widthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, with minimum unit weight of geotextile as 400 grams/sqm and minimum unit weight of the total geocomposite including mini pipes as 462 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी		१२१९.२६	१२८०.००
	Geocomposite drainage consisting of two filter layers, draining mat 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metre widthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, embedded within two layers of filters and draining mat having minimum unit weight of geotextile as 550 grams/sqm and total geocomposite minimum unit weight including mini pipes as 612 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी		१४५१.५४	१५२४.००
	Geocomposite drainage consisting of a filter layer, draining mat, one 0.5mm thick polyethylene membrane layer and 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metre widthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, with minimum unit weight of the total geocomposite including mini pipes as 962 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी		२०८८.३०	२१९२.००
५	Rockfall Protection Barrier				
	Supply and installation of flexible rockfall protection barrier with an European Technical Approval (ETA), CE-certificate and complying as per ONR 24810 standard, having an omega shaped primary net structure made out of steel wire cable nets, 1x7 spiral, with a minimum rope diameter of 6.0 mm and a tensile strength of minimum of 1770 N/mm <sup>2</sup> , zinc coating class A according to EN 10244-2 for the primary net and hot-dip galvanization for all other accessories such as brake elements, posts, base plate, bearing ropes, second mesh layer (if required), anchors, fixtures including men, machinery, tools, plants, all complete.				
	Capacity 500 KJ and height 3.5m	र.मी.		१४६९२७.००	१४९८६५.००
	Capacity 1000 KJ and height 5m	र.मी.		२९३६५१.००	२९९५२४.००
	Capacity 1500 KJ and height 5m	र.मी.		३४२३१०.००	३४९१५६.००
	Capacity 2000 KJ and height 5m	र.मी.		४२३९५५.००	४३२४३४.००
	Capacity 3000 KJ and height 5m	र.मी.		४९९४७६.००	५०९४६५.००
	Capacity 5000 KJ and height 7m	र.मी.		९११९७३.००	९३०२१२.००
६	High Tensile Wire mesh (wire strength ≥ 1770N/mm <sup>2</sup> )				
	Supply and installation of European technical approval (ETA) certified rectangular shape high tensile wire mesh having minimum aperture size of 50mm x 50mm and made from minimum 3.2mm diameter wire (wire strength ≥ 1770 N/mm <sup>2</sup> ) for active slope protection against both rock fall and landslide stabilization manufactured in accordance with EN 10223-6, having Zn-Al corrosion protection with class B (150 g/m <sup>2</sup> coating) according to EN 10244-2, tensile strength greater than equal to 150 kN/m in both direction.	व.मी		१३१७.००	१३६९७.००
७	High Strength Geogrid coated with linear low-density polyethylene (LLDPE)				



## Slope Stabilizing Structures

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm ( $\pm 1$ mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity polyester (PET) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath with smooth edges and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी		२०८८.३०	२९९२.००
	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm ( $\pm 1$ mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity Polyvinyl Alcohol (PVA) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath with smooth edges and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी		९०१८.५३	९४६९.००
	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm ( $\pm 1$ mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity polyester (PET) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath having trapezoidal groove like rib (lateral teeth) on both sides of the strap to generate high coefficient of friction and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी		२६८९.९७	२८२४.००
	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm ( $\pm 1$ mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity Polyvinyl Acetate (PVA) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath having trapezoidal groove like rib (lateral teeth) on both sides of the strap to generate high coefficient of friction and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी		९९६९७.७०	९२९६५.००
८	Fabric formed erosion and scour protection concrete mattresses				
	Supplying and placing of Articulating Block fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD   TD ) not less than 50kN/m as per ASTM D 4595 with reinforcing galvanized steel cables laid on one direction. Cables shall be of minimum 6mm diameter and the breaking strength of the cable shall not be less than 30kN.	व.मी		५८२६.६०	६९९७.००
	Supplying and placing of Articulating Block fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD   TD) not less than 50kN/m as per ASTM D 4595 with reinforcing galvanized steel cables laid on both directions Cables shall be of minimum 6mm diameter and the breaking strength of the cable shall not be less than 30kN.	व.मी		६७८२.९०	७९२९.००

सहायक प्रशासक, जिल्ला प्रशासन कार्यालय ललितपुर

### Slope Stabilizing Structures

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Supplying and placing of fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer as per ASTM D 5261 and the wide width tensile strength (MD   TD ) not less than 50kN/m as per ASTM D 4595 having filtration points as per the detailed design, thickness and technical specifications.	व.मी		३७३३.६०	३९२०.००
	Supplying and placing of woven geotextile fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD   TD) not less than 50kN/m as per ASTM D 4595 having uniform cross section as per the detailed design, thickness and technical specifications.	व.मी		४०६९.००	४२७२.००
	Supply of 3m long high tensile soil anchor of 21 capacity with galvanisation of minimum 500gsm for the anchoring of Fabric Form Mattress having anchor strand wire of diameter 8mm (minimum)	गोटा		८०८७.३०	८४९९.००
	Supply of 3m long high tensile soil anchor of 41 capacity with galvanisation of minimum 500gsm for the anchoring of Fabric Form Mattress having anchor strand wire of diameter 8mm (minimum)	गोटा		९९९३७.३०	९९९०२.००









प्रमुख जिल्ला अधिकारी



### Railway

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/०८०
१	Bore Pile Machine for Railway bridge for =>1.5m diameter with piling ring and assories.	प्रति घण्टा		७९८०.००	८३७९.००
२	Spherical bearing = > 2250 KN Fixed type	गोटा		१३०७५.००	१३३३७२.००
३	Spherical bearing =>2250 KN Free type	गोटा		१४५६९८.००	१४८५३०.००
४	Elastomeric slab seal expansion joint assembly manufactured by using chloroprene, elastomer for elastomeric slab for railway bridge.	र.मि		१५१०४.००	१५७०८.००
५	Crane =>100 tonne capacity for lifting of railway PSC / IPC girder.	प्रति घण्टा		१३९७९.००	१४५३८.००
६	Ultra sonic cross-hole test Machine hire	गोटा		२२३०.००	२३४१.००
७	Sheath tube, D75mm (Mild steel )	र.मि		३५०.००	३७७.००
८	Carrying out Dynamic pile load test	गोटा		२८८६९२.००	२९४४६५.००
९	Earthing cable(GV70)	र.मि		५७५.००	६१५.००
१०	Cad Mold(Medium) for earthing job in bridge	गोटा		४२२०.००	४४३९.००
११	Unbonded Pre stressed concrete strand	के.जी.		१५१.००	१६२.००


  
 The bottom section of the document contains several handwritten signatures and a circular official stamp. The stamp is from the 'नेपाल सरकार' (Government of Nepal), 'मन्त्रालय' (Ministry), 'जिल्ला प्रशासन कार्यालय' (District Administration Office), 'ललितपुर' (Lalitpur). There are also some handwritten notes and initials scattered around the stamp area.

## Flooring Room Heating System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	Electric Hot Film	व.मी.			११५०.००
२	Thermostat UTH-200/Sensor	गोटा			५५००.००
३	Insulation Pad	व.मी.			३५०.००
४	Eye Clip	गोटा			५०.००
५	2.5 mm Multi Strand wire	र.मि			६०.००
६	Installation Charge	व.मी.			३००.००
७	Parqueting	व.फि.			१७०.००
८	Scoting readymade	र.फि.			१७०.००
९	Scoting Local mare	र.फि.			१३०.००
१०	Protected Mat	व.मी.			३००.००
११	Special Tape	र.फि.			१००.००

*Reed*

*Se*

*Spair*

*प्रमुख जिल्ला अधिकारी*

*महेन्द्र*



पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व. २०७९/८०
१	High Density Polythene Pipe NS-40	के.जी.	२५५.००	२७०.००	२८७.००
२	G.I Pipe threaded - Light class				
	15mm	र.मी	१२८.००	१२८.००	१७०.००
	20mm	र.मी	१७४.००	१७४.००	२३२.००
	25mm	र.मी	२४६.००	२४६.००	३२२.००
	32mm	र.मी	३१६.००	३१६.००	४११.००
	40mm	र.मी	३९२.००	३९२.००	५०८.००
	50mm	र.मी	६००.००	६००.००	६४१.००
	65mm	र.मी	६८३.००	६८३.००	८८५.००
	80mm	र.मी	८०३.००	८०३.००	१०३८.००
	100mm	र.मी	११५५.००	११५५.००	१४८५.००
	125mm	र.मी	१७५२.००	१७५२.००	२३७७.००
	150mm	र.मी	२१५४.००	२१५४.००	२८२३.००
	200mm	र.मी	३१०३.००	३१०३.००	४०५१.००
३	MS PIPE SEAMLESS SIZE OD (MM)-ASTM-A-106				
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	र.मी	४५२.००	४५२.००	५१९.००
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	र.मी	५४२.००	५४२.००	६२३.००
	33.4 mm OD 1" SCH.40, 3.38mm thickness	र.मी	६८०.००	६८०.००	७८२.००
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	र.मी	८३९.००	८३९.००	९६४.००
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	र.मी	९६०.००	९६०.००	११०४.००
	60.3mm OD 2" SCH.40, 3.91 mm thickness	र.मी	१२३३.००	१२३३.००	१४१७.००
	73mm OD 3" SCH.40, 5.16 mm thickness	र.मी	१८९५.००	१८९५.००	२१७९.००
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	र.मी	२४८१.००	२०००.००	२३००.००
	101.6mm OD 4" SCH.40, 5.74 mm thickness	र.मी	३२०५.००	२८८०.००	३३१२.००
	114.3mm OD 5" SCH.40, 6.02 mm thickness	र.मी	३५३१.००	३५३१.००	४०६०.००
	141.3mm OD 6" SCH.40, 6.557 mm thickness	र.मी	४७८२.००	४७८२.००	५४९९.००
	168.3mm OD 4" SCH.40, 7.11 mm thickness	र.मी	६२०७.००	६२०७.००	७१३८.००
	65 mm ID SCH.40	र.मी		१९००.००	२१८५.००
	80 mm ID SCH.40	र.मी		२३००.००	२६४५.००
	125 mm ID SCH.40	र.मी		३८००.००	४३७०.००
	150 mm ID SCH.40	र.मी		४४३०.००	५०९४.००
	200 mm ID SCH.40	र.मी		५५२०.००	६३४८.००
	250mm ID SCH.40	र.मी		७१३०.००	८१९९.००
	300 mm ID SCH.40	र.मी		९७८०.००	११२४७.००
	350 mm ID SCH.40	र.मी		१८४००.००	२११६०.००
	400 mm ID SCH.40	र.मी		२४०००.००	२७६००.००
	450 mm ID SCH.40	र.मी		३०३३०.००	३४८७९.००
	500 mm ID SCH.40	र.मी		३५७००.००	४१०५५.००
४	G.I Pipe threaded -Medium class				
	15mm	र.मी	१५१.००	१५७.७७	१८१.००
	20mm	र.मी	१९१.००	१९६.३५	२२५.००
	25mm	र.मी	२९०.००	२९९.१५	३४४.००
	32mm	र.मी	३७९.००	३८९.२४	४४७.००
	40mm	र.मी	४३६.००	४४६.९९	५१४.००
	50mm	र.मी	५९८.००	६१४.४६	७०६.००
	65mm	र.मी	७६५.००	७८४.२५	९०१.००
	80mm	र.मी	९५०.००	९७५.९८	११२२.००
	100mm	र.मी	१५७३.००	१४६१.०८	१६८०.००
	125mm	र.मी	१९१८.००	१९१०.३७	२१९६.००
	150mm	र.मी	२३२१.००	२३१०.००	२६५६.००
	200mm	र.मी	३५४८.००	३९९७.००	४५९६.००

Handwritten signatures and stamps at the bottom of the page, including a stamp that reads "प्रमुख जिल्ला अधिकारी" (Chief District Officer).

पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७७८	आ.व. ०७८१७९	आ.व. २०७९/८०
५	<b>G.I Pipe threaded - Heavy duty</b>				
	15mm	र.मी	१८१.००	१८४.८०	२१२.००
	20mm	र.मी	२२५.००	२३१.००	२६५.००
	25mm	र.मी	३२०.००	३४४.९७	३९६.००
	32mm	र.मी	४३६.००	४०७.४०	४६८.००
	40mm	र.मी	५०३.००	५१६.२९	५९३.००
	50mm	र.मी	७४०.००	७५८.८४	८७२.००
	65mm	र.मी	९२३.००	८६३.१०	९९२.००
	80mm	र.मी	१०९०.००	१११८.०४	१२८५.००
	100mm	र.मी	१६७६.००	१९२०.८०	२२०८.००
	125mm	र.मी	२१६१.००	२१७७.१८	२५०३.००
	150mm	र.मी	२०२४.००	२४६३.६२	२८३३.००
	200mm	र.मी	३७६९.००	४४२०.००	५०८३.००
६	<b>G.M. Gate valve</b>				
	15mm	र.मी	९६२.००	९६२.००	७५१.००
	20mm	र.मी	११९८.००	११९८.००	१०५०.००
	25mm	र.मी	१९३०.००	१९३०.००	१६००.००
	32mm	र.मी	२७५३.००	२७५३.००	२३५०.००
	40mm	र.मी	३४६७.००	३४६७.००	३१३३.००
	50mm	र.मी	५५१९.००	५५१९.००	४८८३.००
	65mm	र.मी	११४११.००	११४११.००	८७७२.००
	80mm	र.मी	१४१८८.००	१४१८८.००	१२०५०.००
	100mm	र.मी	२३२३८.००	२३२३८.००	२०५९०.००
७	<b>G.M Check valve</b>				
	15mm	गोटा	८९३.००	८९३.००	८९३.००
	20mm	गोटा	१२००.००	१२००.००	१२००.००
	25mm	गोटा	१७७५.००	१७७५.००	१७७५.००
	32mm	गोटा	२६२३.००	२६२३.००	२६२३.००
	40mm	गोटा	३०३५.००	३०३५.००	३०३५.००
	50mm	गोटा	५०३३.००	५०३३.००	५०३३.००
	65mm	गोटा	१०२२५.००	१०२२५.००	१०२२५.००
	80mm	गोटा	१३६५७.००	१३६५७.००	१३६५७.००
	100mm	गोटा	१९३०१.००	१९३०१.००	१९३०१.००
८	<b>G.I. Elbow</b>				
	15mm	गोटा	४२.००	४५.००	४२.००
	20mm	गोटा	९४.००	७१.००	६६.००
	25mm	गोटा	१४५.००	११३.००	१०५.००
	32mm	गोटा	२२०.००	१७६.००	१६२.००
	40mm	गोटा	३०८.००	२४२.००	२२३.००
	50mm	गोटा	४६४.००	३६८.००	३४४.००
	65mm	गोटा	८०५.००	६८५.००	६५३.००
	80mm	गोटा	१२५३.००	९७८.००	८८०.००
	100mm	गोटा	२१५९.००	१७५३.००	१५७०.००
	125mm	गोटा	५३४२.००	२१०३.६०	२१०३.६०
	150mm	गोटा	६४३०.००	२५२४.३२	२५२४.३२
९	<b>G.I. Tee</b>				
	15mm	गोटा	८०.००	७०.००	६६.००
	20mm	गोटा	१२७.००	११०.००	१०४.००
	25mm	गोटा	१८५.००	१५०.००	१४२.००
	32mm	गोटा	२९६.००	२४०.००	२१९.००



*[Handwritten signatures and marks]*

*[Handwritten signatures and official stamps]*

पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७७	आ.व. ०७८१७९	आ.व. २०७९/८०
	40mm	गोटा	४१०.००	२९५.००	२८२.००
	50mm	गोटा	६७१.००	४६०.००	४९२.००
	65mm	गोटा	१०५४.००	९०५.००	८२८.००
	80mm	गोटा	१४२४.००	१२०५.००	११८७.००
	100mm	गोटा	२५८७.००	२०५३.००	१९५३.००
	125mm	गोटा	७१६०.००	२४६५.००	२४६५.००
	150mm	गोटा	८२९८.००	२९६०.००	२९६०.००
१०	<b>G.I Union</b>				
	15mm	गोटा	१६९.००	१२४.००	११३.००
	20mm	गोटा	२३८.००	१७३.००	१५३.००
	25mm	गोटा	३४९.००	२३०.००	२१०.००
	32mm	गोटा	४८०.००	३४५.००	३२९.००
	40mm	गोटा	५९४.००	४५५.००	४०९.००
	50mm	गोटा	८८४.००	६३०.००	६११.००
	65mm	गोटा	१८०८.००	१२३०.००	११३८.००
	80mm	गोटा	२४३६.००	१६८०.००	१५८६.००
	100mm	गोटा	३२१०.००	२३०८.००	२२०५.००
	125mm	गोटा	७१६०.००	२७७०.००	२७७०.००
	150mm	गोटा	८६६३.००	३३२४.००	३३२४.००
११	<b>G.I. Socket</b>				
	15mm	गोटा	४७.००	४१.००	३८.००
	20mm	गोटा	७३.००	६४.००	५७.००
	25mm	गोटा	१००.००	८२.००	७५.००
	32mm	गोटा	१५४.००	१२९.००	११५.००
	40mm	गोटा	२०८.००	१७३.००	१४४.००
	50mm	गोटा	३०६.००	२६८.००	२४९.००
	65mm	गोटा	५५४.००	३७५.००	३९१.००
	80mm	गोटा	८१७.००	६००.००	५८६.००
	100mm	गोटा	१४१५.००	९५०.००	९५९.००
	125mm	गोटा	३५३४.००	११४०.००	११४०.००
	150mm	गोटा	४७५२.००	१३६८.००	१३६८.००
१२	<b>C.I. Plug</b>				
	15mm	गोटा	३०.००	३०.००	३०.००
	20mm	गोटा	४०.००	४०.००	४०.००
	25mm	गोटा	४९.००	४९.००	४९.००
	32mm	गोटा	९८.००	९८.००	९८.००
	40mm	गोटा	१२४.००	१२४.००	१२४.००
	50mm	गोटा	१४९.००	१४९.००	१४९.००
	65mm	गोटा	२१४.००	२१४.००	२१४.००
	80mm	गोटा	४३७.००	४३७.००	४३७.००
	100mm	गोटा	८३८.००	८३८.००	८३८.००
१३	<b>Hex Nipple</b>				
	15mm	गोटा	५६.००	५६.००	५६.००
	20mm	गोटा	८६.००	८६.००	८६.००
	25mm	गोटा	१३९.००	१३९.००	१३९.००
	32mm	गोटा	२१७.००	२१७.००	२१७.००
	40mm	गोटा	२७५.००	२७५.००	२७५.००
	50mm	गोटा	४०९.००	४०९.००	४०९.००



Handwritten signatures and notes at the bottom of the page, including the name 'प्रमुख जिल्ला अधिकारी' (Chief District Officer) and the date '२०७२/०८/०८'.

पाईप तथा फिटिङ्गहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७७	आ.व. ०७८१	आ.व. २०७९/८०
	65mm	गोटा	७५०.००	७५०.००	७५०.००
	80mm	गोटा	९६८.००	९६८.००	९६८.००
	100mm	गोटा	१४८४.००	१४८४.००	१४८४.००
१४	<b>Reducing Tee</b>				
	20mm	गोटा	१३९.००	१२०.००	१२०.००
	25mm	गोटा	२०४.००	१६२.००	१४८.००
	32mm	गोटा	३२५.००	१४८.००	१६२.००
	40mm	गोटा	४५१.००	३२५.००	३२५.००
	50mm	गोटा	७३७.००	५१७.००	५१७.००
	65mm	गोटा	११६०.००	९१८.००	९१८.००
	80mm	गोटा	१५६८.००	१४५०.००	१४५०.००
	100mm	गोटा	२८६६.००	२७५०.००	२७५०.००
	125mm	गोटा	७८८४.००	३३००.००	३३००.००
	150mm	गोटा	९९२६.००	३९६०.००	३९६०.००
१५	<b>Reducing Elbow</b>				
	20mm	गोटा	१०३.००	१०३.००	१०३.००
	25mm	गोटा	१६०.००	१६०.००	१६०.००
	32mm	गोटा	२४४.००	२४४.००	२४४.००
	40mm	गोटा	३४२.००	३४२.००	३४२.००
	50mm	गोटा	५११.००	५११.००	५११.००
	65mm	गोटा	८८३.००	८८३.००	८८३.००
	80mm	गोटा	१३६१.००	१३६१.००	१३६१.००
	100mm	गोटा	२४१०.००	२४१०.००	२४१०.००
	125mm	गोटा	५८७८.००	५८७८.००	५८७८.००
	150mm	गोटा	७०७३.००	७०७३.००	७०७३.००
१६	<b>Reducing socket</b>				
	15mm(1/2")	गोटा		५०.००	
	20mm	गोटा	८०.००	८०.००	८०.००
	25mm	गोटा	१०८.००	१००.००	१००.००
	32mm	गोटा	१६८.००	१५०.००	१५०.००
	40mm	गोटा	२२६.००	२१०.००	२१०.००
	50mm	गोटा	३३७.००	३२०.००	३२०.००
	65mm	गोटा	६०२.००	४५०.००	४५०.००
	80mm	गोटा	८६०.००	७२०.००	७२०.००
	100mm	गोटा	१५५२.००	११४०.००	११४०.००
	125mm	गोटा	४४३६.००	१३६८.००	१३६८.००
	150mm	गोटा	५२१६.००	१४८२.००	१४८२.००
१७	<b>Short bend</b>				
	15mm	गोटा	१३९.००	१३०.००	१३०.००
	20mm	गोटा	२१४.००	१५०.००	१५०.००
	25mm	गोटा	३२८.००	१९०.००	१९०.००
	32mm	गोटा	६३०.००	२९०.००	२९०.००
	40mm	गोटा	९५२.००	४००.००	४००.००
	50mm	गोटा	१३९३.००	५९०.००	५९०.००
	65mm	गोटा	३५७६.००	३५७६.००	१५००.००
	80mm	गोटा	५५४४.००	५५४४.००	१८००.००
	100mm	गोटा	७८५५.००	७८५५.००	२५००.००
१८	<b>Cross Tee</b>				



*[Handwritten signatures and marks]*

*[Handwritten signatures and marks]*

पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व. २०७९/८०
	15mm	गोटा	१३१.००	१३१.००	१३१.००
	20mm	गोटा	१८६.००	१८६.००	१८६.००
	25mm	गोटा	२९३.००	२९३.००	२९३.००
	32mm	गोटा	५०९.००	५०९.००	५०९.००
	40mm	गोटा	६११.००	६११.००	६११.००
	50mm	गोटा	९९०.००	९९०.००	९९०.००
	65mm	गोटा	१६७०.००	१६७०.००	१६७०.००
	80mm	गोटा	२४२०.००	२४२०.००	२४२०.००
	100mm	गोटा	३२६८.००	३२६८.००	३२६८.००
१९	<b>Tank Nipple</b>				
	15mm	गोटा	१५४.००	१५४.००	१५४.००
	20mm	गोटा	२१४.००	२१४.००	२१४.००
	25mm	गोटा	३१९.००	३१९.००	३१९.००
	32mm	गोटा	४८०.००	४८०.००	४८०.००
	40mm	गोटा	६११.००	६११.००	६११.००
	50mm	गोटा	९९०.००	९९०.००	९९०.००
	65mm	गोटा	१९०६.००	१९०६.००	१९०६.००
	80mm	गोटा	२५३८.००	२५३८.००	२५३८.००
	100mm	गोटा	३३६७.००	३३६७.००	३३६७.००
२०	<b>G.I. Nipple Medium Class - 2" Long</b>				
	15mm	गोटा	२५.००	२२.००	२२.००
	20mm	गोटा	३७.००	३४.००	३४.००
	25mm	गोटा	५०.००	४४.००	४४.००
	32mm	गोटा	६८.००	५७.००	५७.००
	40mm	गोटा	८३.००	७१.००	७१.००
	50mm	गोटा	१२७.००	१२७.००	१२७.००
२१	<b>G.I. Nipple Medium Class -3" Long</b>				
	15mm	गोटा	३७.००	३४.००	३४.००
	20mm	गोटा	५६.००	४७.००	४७.००
	25mm	गोटा	७६.००	६६.००	६६.००
	32mm	गोटा	१०२.००	८५.००	८५.००
	40mm	गोटा	१२६.००	१०६.००	१०६.००
	50mm	गोटा	१८८.००	१३४.००	१३४.००
	65mm	गोटा	२५९.००	१८६.००	१८६.००
	80mm	गोटा	३७८.००	२२०.००	२२०.००
२२	<b>G.I. Nipple Medium Class -4" Long</b>				
	15mm	गोटा	५०.००	४५.००	४५.००
	20mm	गोटा	७४.००	६३.००	६३.००
	25mm	गोटा	१०१.००	८८.००	८८.००
	32mm	गोटा	१३६.००	११३.००	११३.००
	40mm	गोटा	१६६.००	१४२.००	१४२.००
	50mm	गोटा	२५३.००	१७९.००	१७९.००
	65mm	गोटा	३४७.००	२४८.००	२४८.००
	80mm	गोटा	५०५.००	२०४.००	२०४.००
	100mm	गोटा	६४९.००	४२२.००	४२२.००
	125mm	गोटा		६४३.००	६४३.००
	150mm	गोटा		७६३.००	७६३.००
२३	<b>G.I. Nipple Medium Class -6" Long</b>				



प्रमुख जिल्ला अधिकारी

### पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७अ७८	आ.व. ०७८/७९	आ.व. २०७९/८०
	15mm	गोटा	७६.००	६८.००	६८.००
	20mm	गोटा	११३.००	९४.००	९४.००
	25mm	गोटा	१५१.००	१३२.००	१२२.००
	32mm	गोटा	२०५.००	१७०.००	१३२.००
	40mm	गोटा	२५३.००	१२२.००	१४०.००
	50mm	गोटा	३७९.००	२६९.००	२६९.००
	65mm	गोटा	५१८.००	३७३.००	३७३.००
	80mm	गोटा	७४२.००	४३९.००	४३९.००
	100mm	गोटा	९१७.००	६३३.००	६३३.००
	125mm	गोटा		९६५.००	९६५.००
	150mm	गोटा		११४६.००	११४६.००
२४	<b>G.I. Nipple Medium Class -9" Long</b>				
	15mm	गोटा	११३.००	१०२.००	१०२.००
	20mm	गोटा	१६७.००	१४२.००	१४२.००
	25mm	गोटा	२०२.००	१९९.००	१९९.००
	32mm	गोटा	३०७.००	२५५.००	२५५.००
	40mm	गोटा	४१३.००	३१९.००	३१९.००
	50mm	गोटा	५६९.००	४०३.००	४०३.००
	65mm	गोटा	७६८.००	५६०.००	५६०.००
	80mm	गोटा	११३६.००	६५८.००	६५८.००
	100mm	गोटा	४८७९.००	९४९.००	९४९.००
	125mm	गोटा		१४४८.००	१४४८.००
	150mm	गोटा		१७९९.००	१७९९.००
२५	<b>G.I. Nipple Medium Class -12" Long</b>				
	15mm	गोटा	१५१.००	१३६.००	१३६.००
	20mm	गोटा	२२१.००	१८९.००	१८९.००
	25mm	गोटा	२५१.००	२६५.००	२६५.००
	32mm	गोटा	४१०.००	३४०.००	३४०.००
	40mm	गोटा	५०५.००	४२५.००	४२५.००
	50mm	गोटा	७५७.००	५३७.००	५३७.००
	65mm	गोटा	१०२२.००	७४६.००	७४६.००
	80mm	गोटा	१५१४.००	८७७.००	८७७.००
	100mm	गोटा	१८०८.००	१२६६.००	१२६६.००
	125mm	गोटा		१९३१.००	१९३१.००
	150mm	गोटा		२२९१.००	२२९१.००
२६	<b>G.I. Nipple Medium Class -18" Long</b>				
	15mm	गोटा	२२७.००	२२७.००	२२७.००
	20mm	गोटा	२८०.००	२८०.००	२८०.००
	25mm	गोटा	३७८.००	३७८.००	३७८.००
	32mm	गोटा	६१४.००	६१४.००	६१४.००
	40mm	गोटा	७५५.००	७५५.००	७५५.००
	50mm	गोटा	११३६.००	११३६.००	११३६.००
	65mm	गोटा	१५३६.००	१५३६.००	१५३६.००
	80mm	गोटा	२२४९.००	२२४९.००	२२४९.००
	100mm	गोटा	२७४३.००	२७४३.००	२७४३.००
२७	<b>GI End Cap</b>				
	15mm	गोटा		२५.००	२५.००
	20mm	गोटा		४०.००	४०.००



Handwritten signatures and notes at the bottom of the page, including names like 'Reeb' and '13', and a large signature on the right side.



पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७७	आ.व. ०७८/७९	आ.व. २०७९/८०
	25mm	गोटा		६५.००	६५.००
	32mm	गोटा		८०.००	८०.००
	40mm	गोटा		१७५.००	१७५.००
	50mm	गोटा		२५०.००	२५०.००
२८	<b>G.I./G.I. Flange</b>				
	32mm	गोटा	९६४.००	९६४.००	९६४.००
	40mm	गोटा	११८६.००	११८६.००	११८६.००
	50mm	गोटा	१४५३.००	१४५३.००	१४५३.००
	65mm	गोटा	१६९९.००	१६९९.००	१६९९.००
	80mm	गोटा	१८९२.००	१८९२.००	१८९२.००
	100mm	गोटा	२३४८.००	२३४८.००	२३४८.००
	125mm	गोटा	३३५८.००	३३५८.००	३३५८.००
	150mm	गोटा	३४८८.००	३४८८.००	३४८८.००
	200mm	गोटा	६९४८.००	६९४८.००	६९४८.००
२९	<b>G.I./ Flange Set</b>				
	32mm(1-1/4")	गोटा		६६०.००	६६०.००
	40mm(1-1/2")	गोटा		८८०.००	८८०.००
	50mm(2")	गोटा		१३७५.००	१३७५.००
	65mm(2-1/2")	गोटा		१७७५.००	१७७५.००
	80mm(3")	गोटा		२३५०.००	२३५०.००
	100mm(4")	गोटा		२७२०.००	२७२०.००
	125mm(5")	गोटा		२९९२.००	२९९२.००
	150mm(6")	गोटा		३२९१.००	३२९१.००
	200mm(8")	गोटा		३६२०.००	३६२०.००
३०	<b>G.I./HDP Flange</b>				
	32mm	गोटा	१०३८.००	१०३८.००	१०३८.००
	40mm	गोटा	१३२२.००	१३२२.००	१३२२.००
	50mm	गोटा	१५६२.००	१५६२.००	१५६२.००
	65mm	गोटा	१८२४.००	१८२४.००	१८२४.००
	80mm	गोटा	१९५०.००	१९५०.००	१९५०.००
	100mm	गोटा	२४०६.००	२४०६.००	२४०६.००
	125mm	गोटा	३३५८.००	३३५८.००	३३५८.००
	150mm	गोटा	३५०५.००	३५०५.००	३५०५.००
	200mm	गोटा	७६२७.००	७६२७.००	७६२७.००
३१	<b>GI/HDP Flange set with adaptor</b>				
	50mm(2")	गोटा		१२८०.००	१२८०.००
	65mm(2-1/2")	गोटा		१९८०.००	१९८०.००
	80mm(3")	गोटा		२४२०.००	२४२०.००
	100mm(4")	गोटा		२७७५.००	२७७५.००
	125mm(5")	गोटा		३०५३.००	३०५३.००
	150mm(6")	गोटा		३३५८.००	३३५८.००
	200mm(8")	गोटा		३६९४.००	३६९४.००
३२	<b>HDP/HDP Flange set with adaptor</b>				
	32mm	गोटा	९९८.००	९९८.००	१०३८.००
	40mm	गोटा	१२७२.००	१२७२.००	१३२२.००
	50mm	गोटा	१५०३.००	१५०३.००	१५६२.००
	65mm	गोटा	१७५५.००	१७५५.००	१८२४.००
	80mm	गोटा	१८७६.००	१८७६.००	१९५०.००
	100mm	गोटा	२३१५.००	२३१५.००	२४०६.००
	125mm	गोटा	३६७०.००	३६७०.००	३६९४.००
	150mm	गोटा	३३७४.००	३३७४.००	३५०५.००
	200mm	गोटा	७३४०.००	७३४०.००	७६२७.००
३३	<b>Brass Compression Fittings</b>				



Handwritten signatures and dates at the bottom of the page.

पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७७	आ.व. ०७८१	आ.व. २०७९/८०
	15mm	गोटा		२१०.००	२१०.००
	20mm	गोटा		३२०.००	३२०.००
	25mm	गोटा		८१०.००	८१०.००
	32mm	गोटा		१३८०.००	१३८०.००
	40mm	गोटा		१५८०.००	१५८०.००
	1/2" dia Brass Ferrule (400gm)	गोटा		३८०.००	३८०.००
	1/2" (25-30mm dia) HDPE Saddle	गोटा		१८०.००	१८०.००
३४	<b>Brass tap - 1/2"</b>				
	15mm 400 gm heavy	गोटा	८७२.००	८७२.००	७५०.००
	Ordinary	गोटा	१९७.००	१९७.००	२०५.००
३५	<b>Globe Valve (GM)</b>				
	15mm	गोटा	८८८.००	८८८.००	९२४.००
	20mm	गोटा	१४४८.००	१४४८.००	१५०५.००
	25mm	गोटा	१७८८.००	१७८८.००	१८५९.००
	32mm	गोटा	२८४९.००	२८४९.००	२९५३.००
	40mm	गोटा	३५७७.००	३५७७.००	३७५६.००
	50mm	गोटा	४४६५.००	४४६५.००	४६४०.००
	65mm	गोटा	८७७२.००	८७७२.००	९११४.००
	80mm	गोटा	१४४९४.००	१४४९४.००	१५०६०.००
	100mm	गोटा	२३४३७.००	२३४३७.००	२४३५०.००
३६	<b>Float Valve</b>				
	15mm	गोटा	१०९१.००	१०९१.००	११३४.००
	20mm	गोटा	१२३४.००	१२३४.००	१२८३.००
	25mm	गोटा	१४९७.००	१४९७.००	१५५६.००
	32mm	गोटा	२५८९.००	२५८९.००	२६९०.००
	40mm	गोटा	३८८९.००	३८८९.००	४०४२.००
	50mm	गोटा	५१७९.००	५१७९.००	५३८१.००
३७	<b>C.I. Air valve (Heavy)</b>				
	15mm	गोटा	३६१५.००	३६१५.००	२५००.००
	20mm	गोटा	४९८७.००	४९८७.००	५१८२.००
	25mm	गोटा	५५३०.००	५५३०.००	५७४६.००
३८	<b>Brass Union with Adopter</b>				
	15mm	गोटा	२३५.००	२३५.००	१५०.००
	20mm	गोटा	३६२.००	३६२.००	२७०.००
	25mm	गोटा	५४८.००	५४८.००	३४५.००
	32mm	गोटा	७९३.००	७९३.००	५३०.००
	40mm	गोटा	१२७२.००	१२७२.००	६७५.००
	50mm	गोटा	१८८७.००	१८८७.००	९४०.००
३९	<b>Saddle Ferrule</b>				
	40mm	गोटा	३४०.००	३४०.००	१८५.००
	50mm	गोटा	४४९.००	४४९.००	२४२.००
	65mm	गोटा	१२५६.००	१२५६.००	२७२.००
	80mm	गोटा	१६६२.००	१६६२.००	३०१.००
	100mm	गोटा	२३७०.००	२३७०.००	४८०.००
४०	<b>Flow Regulating Valve (G.M.)</b>				
	15mm	गोटा	१२७२.००	१२७२.००	१३२२.००
४१	<b>C.I Sluice Valve</b>				
	40mm	गोटा	६५८८.००	६५८८.००	६८४६.००
	50mm	गोटा	८७८८.००	८७८८.००	७०००.००
	65mm	गोटा	१०९७७.००	१०९७७.००	८४५०.००
	80mm	गोटा	१३१७६.००	१३१७६.००	१०५००.००
	100mm	गोटा	१७५६४.००	१७५६४.००	१४०००.००
	125mm	गोटा	२६६९६.००	२६६९६.००	१७५००.००
	10mm	गोटा	३२०३९.००	३२०३९.००	२९०००.००
	200mm	गोटा	४४८५५.००	४४८५५.००	३००००.००



Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller ones on the right.

पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व. २०७९/८०
४२	<b>Brass Ferrule Cock</b>				
	15mm	गोटा	१४४८.००	१४४८.००	६००.००
	20mm	गोटा	१८८७.००	१८८७.००	१३७२.००
	25mm	गोटा	२७७०.००	२७७०.००	२०१५.००
४३	<b>Ball valve</b>				
	15mm	गोटा	४९३.००	४९३.००	५१४.००
	20mm	गोटा	६२५.००	६२५.००	६५०.००
	25mm	गोटा	८३९.००	८३९.००	८७२.००
	32mm	गोटा	१०११.००	१०११.००	१०५१.००
	40mm	गोटा	१९५८.००	१९५८.००	२०३५.००
	50mm	गोटा	३२१४.००	३२१४.००	३३४१.००
४४	<b>ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)</b>				
	Single Socket (R/R)	गोटा	४५१.००	४५१.००	४५१.००
	Single Socket (R/R)	गोटा	८३८.००	८३८.००	८३८.००
	Single Socket (R/R)	गोटा	९०३.००	९०३.००	९०३.००
	Single Socket Self Fit	गोटा	११६४.००	११६४.००	११६४.००
	Single Socket Self Fit	गोटा	१४२३.००	१४२३.००	१४२३.००
	Single Socket Self Fit	गोटा	१९५६.००	१९५६.००	१९५६.००
	Single Socket Self Fit	गोटा	२३०२.००	२३०२.००	२३०२.००
	Single Socket Self Fit	गोटा	३०७५.००	३०७५.००	३०७५.००
	Single Socket Self Fit	गोटा	३६६४.००	३६६४.००	३६६४.००
	Long Radius Bend - 45 Degree	गोटा	११९१.००	११९१.००	११९१.००
	Long Radius Bend - 45 Degree	गोटा	२१७५.००	२१७५.००	२१७५.००
	Long Radius Bend - 45 Degree	गोटा	३९२६.००	३९२६.००	३९२६.००
	Long Radius Bend - 45 Degree	गोटा	७६१३.००	७६१३.००	७६१३.००
	Long Radius Bend - 60 Degree	गोटा	१३१२.००	१३१२.००	१३१२.००
	Long Radius Bend - 60 Degree	गोटा	२४०५.००	२४०५.००	२४०५.००
	Long Radius Bend - 60 Degree	गोटा	४४११.००	४४११.००	४४११.००
	Long Radius Bend - 60 Degree	गोटा	८३५२.००	८३५२.००	८३५२.००
	Long Radius Bend - 90 Degree	गोटा	६४४.००	६४४.००	६४४.००
	Long Radius Bend - 90 Degree	गोटा	१५५४.००	१५५४.००	१५५४.००
	Long Radius Bend - 90 Degree	गोटा	२८६७.००	२८६७.००	२८६७.००
	Long Radius Bend - 90 Degree	गोटा	५३६१.००	५३६१.००	५३६१.००
	Long Radius Bend - 90 Degree	गोटा	९८७८.००	९८७८.००	९८७८.००
	Fab. Coupler	गोटा	१८५.००	१८५.००	१८५.००
	Fab. Coupler	गोटा	४४४.००	४४४.००	४४४.००
	Fab. Coupler	गोटा	९५६.००	९५६.००	९५६.००
	Fab. Coupler	गोटा	१८७०.००	१८७०.००	१८७०.००
	Fab. Coupler	गोटा	३४४०.००	३४४०.००	३४४०.००
	End Cap	गोटा	३९६.००	३९६.००	३९६.००
	End Cap	गोटा	६५१.००	६५१.००	६५१.००
	End Cap	गोटा	१०४०.००	१०४०.००	१०४०.००
	End Cap	गोटा	१५१८.००	१५१८.००	१५१८.००
	Equal Tee	गोटा	११३३३.००	११३३३.००	११३३३.००
	Equal Tee	गोटा	६५२२.००	६५२२.००	६५२२.००
	Equal Tee	गोटा	३६२०.००	३६२०.००	३६२०.००
	Gully Trap with grating	गोटा	१०५८.००	१०५८.००	१०५८.००
	Rodding Point	गोटा	६२७.००	६२७.००	६२७.००
	Adjustable Bend 7 Degree to 37.5 Degree	गोटा	६६९.००	६६९.००	६६९.००
	Adjustable Bend 7 Degree to 87.5 Degree	गोटा	९१७.००	९१७.००	९१७.००
	Inspection Chamber Body	गोटा	३३००.००	३३००.००	३३००.००
	Inspection Chamber Riser	गोटा	१६३९.००	१६३९.००	१६३९.००
	Inspection Chamber Lid with Cover	गोटा	३११२.००	३११२.००	३११२.००
	Inspection Chamber Body	गोटा	९११२.००	९११२.००	९११२.००
	Inspection Chamber Riser	गोटा	२८९७.००	२८९७.००	२८९७.००
	Inspection Chamber Lid with Cover	गोटा	४८३५.००	४८३५.००	४८३५.००

मैदान सरकार  
मूढ सन्त्रालय  
प्रशासन कार्यालय  
ललितपुर

*(Handwritten signatures and marks)*

### DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व. ०७९/८०
	Supply of standard length all ductile iron pipes as per ISO 2531:2009 and rubber (ring) as per ISO certification				
	The rate shall include for supply and delivery of all DI pipes, specials & fittings including rubber rings, lubricant, gaskets, bolts and nuts, Denso or equivalent primer, paste, protection tape and all other associated material required for complete installation				
	<b>DI pipes with spigot and socket joints</b>				
	DN100 C40	र.मी		२१९०.००	२२९९.००
	DN150 C40	र.मी		३०१०.००	३१६०.००
	DN200 C40	र.मी		४१४०.००	४३४७.००
	DN250 C40	र.मी		५७६०.००	६०४८.००
	DN300 C40	र.मी		७१८०.००	७५३९.००
	DN350 C40	र.मी		८३९०.००	८८०९.००
	DN400 C30	र.मी		९९९०.००	१०४८९.००
	DN450 C30	र.मी		११७७०.००	१२२४०.००
	DN500 C30	र.मी		१३९१०.००	१४४६६.००
	DN600 C30	र.मी		१८८५०.००	१९६०४.००
	DN700 C25	र.मी		२४०५०.००	२५०१२.००
	DN800 C25	र.मी		३०८८०.००	३२११५.००
	DN900 C25	र.मी		४०७००.००	४२३२८.००
	DN1000 C25	र.मी		४९०१०.००	५०९७०.००
	<b>DI pipes with flanged end</b>				
	Dia 1000mm C25	र.मी		६६६१०.००	६८६०८.००
	Dia 900mm C25	र.मी		६४६३०.००	६६५६८.००
	Dia 800mm C25	र.मी		५३४१०.००	५५०१२.००
	Dia 700mm C25	र.मी		४२५५०.००	४४२५२.००
	Dia 600mm C30	र.मी		३४८४०.००	३६२३३.००
	Dia 500mm C30	र.मी		२५७४०.००	२६७६९.००
	Dia 450mm C30	र.मी		२१६००.००	२२४६४.००
	Dia400mm C30	र.मी		१८०१०.००	१८७३०.००
	Dia 350mm C30	र.मी		१४९२०.००	१५५१६.००
	Dia 300mm C30	र.मी		११७७०.००	१२२४०.००
	Dia250mm C40	र.मी		९३५०.००	९८१७.००
	Dia200mm C40	र.मी		६९९०.००	७३३९.००
	Dia150mm C40	र.मी		५१८०.००	५४३९.००
	Dia100mm C40	र.मी		३८२०.००	४०११.००
	Dia80mm C40	र.मी		३३१०.००	३४७५.००
	Supply of standard length all ductile iron fitting as per ISO 2531:2009 and rubber ring as per ISO certification				
	The rate shall include for supply and delivery of all DI fittings including rubber rings, luvricant, gaskets, bolts and nuts, Denso or equivalent primer, paste, protection tape and all other associated material required for complete installation				
	<b>DI double socket bends</b>				
	90 deg bend				
	Dia 700mm	गोटा		१०५६००.००	१०७७२.००



+ कारकोपी. 
  
 महेन्द्र प्रसाद जिल्ला अधिकारी

### DI पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व. ०७९/८०
	Dia 600mm	गोटा		७३०१०.००	७५२००.००
	Dia 500mm	गोटा		४६९३०.००	४८८०७.००
	Dia 450mm	गोटा		४१७६०.००	४३४३०.००
	Dia 300mm	गोटा		१६९३०.००	१७६०७.००
	Dia250mm	गोटा		१२४१०.००	१२९०६.००
	Dia200mm	गोटा		८५३०.००	८९५६.००
	Dia150mm	गोटा		५२८०.००	५५४४.००
	Dia100mm	गोटा		२९७०.००	३११८.००
<b>45 deg bend</b>					
	Dia 1000mm	गोटा		१८३१८०.००	१८६८४३.००
	Dia 700mm	गोटा		८२२१०.००	८४६७६.००
	Dia 600mm	गोटा		६०२९०.००	६२०९८.००
	Dia 500mm	गोटा		३८९७०.००	४०५२८.००
	Dia 450mm	गोटा		३१६७०.००	३२९३६.००
	Dia400mm	गोटा		२४६६०.००	२५६४६.००
	Dia 350mm	गोटा		१८५७०.००	१९३१२.००
	Dia 300mm	गोटा		१४३१०.००	१४८८२.००
	Dia250mm	गोटा		१०४३०.००	१०८४७.००
	Dia200mm	गोटा		७३९०.००	७७५९.००
	Dia150mm	गोटा		४७४०.००	४९७७.००
<b>22.5 deg bend</b>					
	Dia 1000mm	गोटा		१३८०५०.००	१४०८११.००
	Dia 900mm	गोटा		१०७८००.००	१०९९५६.००
	Dia 700mm	गोटा		५९५४०.००	६१३२६.००
	Dia 600mm	गोटा		४०३७०.००	४१९८४.००
	Dia 500mm	गोटा		२९६३०.००	३०८१५.००
	Dia 450mm	गोटा		२३२४०.००	२४१६९.००
	Dia400mm	गोटा		१८०१०.००	१८७३०.००
	Dia 350mm	गोटा		१४५२०.००	१५१००.००
	Dia 300mm	गोटा		११६२०.००	१२०८४.००
	Dia250mm	गोटा		८७३०.००	९१६६.००
	Dia200mm	गोटा		६३३०.००	६६४६.००
	Dia150mm	गोटा		४१६०.००	४३६८.००
<b>11.25 deg bend</b>					
	Dia 1000mm	गोटा		११७४७०.००	११९८१९.००
	Dia 900mm	गोटा		९२१६०.००	९४९२४.००
	Dia 800mm	गोटा		६९९१०.००	७२००७.००
	Dia 700mm	गोटा		५३०६०.००	५४६५१.००
	Dia 600mm	गोटा		३४७५०.००	३६१४०.००
	Dia 300mm	गोटा		१०६४०.००	११०६५.००
	Dia250mm	गोटा		८०१०.००	८४१०.००
	Dia200mm	गोटा		५८४०.००	६१३२.००
	Dia150mm	गोटा		४३६०.००	४५७८.००
<b>DI double flanged bends</b>					
<b>90 deg bend</b>					
	Dia 900mm	गोटा		२१०२००.००	२१४४०४.००
	Dia 600mm	गोटा		८९०१०.००	९१६८०.००
	Dia 300mm	गोटा		१८९२०.००	१९६७६.००



Handwritten signatures and notes at the bottom of the page, including the name 'शुभा शर्मा' and other illegible signatures.

### DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७७	आ.व. ०७८१	आ.व. ०७९/८०
	Dia250mm	गोटा		९५००.००	९९७५.००
	Dia200mm	गोटा		८४३०.००	८८५९.००
	Dia150mm	गोटा		५५२०.००	५७९६.००
	Dia100mm	गोटा		३२७०.००	३४३३.००
<b>45 deg bend</b>					
	Dia 900mm	गोटा		१६१५२०.००	१६४७५०.००
	Dia 800mm	गोटा		१२५३४०.००	१२७८४६.००
	Dia 600mm	गोटा		७४७००.००	७६९४९.००
	Dia 300mm	गोटा		२०६३०.००	२१४५५.००
	Dia250mm	गोटा		१५४७०.००	१६०८८.००
	Dia200mm	गोटा		१०३९०.००	१०७२२.००
	Dia150mm	गोटा		५१५०.००	५४०७.००
	Dia100mm	गोटा		३१३०.००	३२८६.००
<b>22.5 deg bend</b>					
	Dia 900mm	गोटा		१६५६४०.००	१६८९५२.००
	Dia 700mm	गोटा		९३०९०.००	९५८००.००
	Dia 300mm	गोटा		२९०७०.००	२९९९२.००
	Dia200mm	गोटा		७७२०.००	८१०६.००
	Dia150mm	गोटा		५२८०.००	५५४४.००
<b>11.25 deg bend</b>					
	Dia 900mm	गोटा		१६३८००.००	१६७०७६.००
	Dia 600mm	गोटा		७४३७०.००	७६६०९.००
	Dia 500mm	गोटा		४९७९०.००	५१६९८.००
	Dia 300mm	गोटा		२९९४०.००	२९९८५.००
	Dia200mm	गोटा		७९००.००	८२९५.००
	Dia150mm	गोटा		५३६०.००	५६२८.००
<b>DI mechanical joint bends</b>					
<b>90 deg bend</b>					
	Dia 600mm	गोटा		७९६४०.००	८२०२९.००
	Dia400mm	गोटा		४००९०.००	४१६९०.००
	Dia 350mm	गोटा		३२०८०.००	३३३६३.००
	Dia 300mm	गोटा		२५९८०.००	२६९८७.००
	Dia250mm	गोटा		१८०७०.००	१८७९२.००
	Dia200mm	गोटा		१३५००.००	१४०४०.००
	Dia150mm	गोटा		९८६०.००	१०३५३.००
	Dia100mm	गोटा		६१५०.००	६४५७.००
	Dia80mm	गोटा		५२५०.००	५५९२.००
<b>DI Duck Foot 90 deg Bend</b>					
	Dia 80mm	गोटा		३८००.००	३९९०.००
	Dia100mm	गोटा		४७५०.००	४९८७.००
	Dia150mm	गोटा		७०००.००	७३५०.००
	Dia200mm	गोटा		९९९०.००	१०४०५.००
	Dia250mm	गोटा		१५९५५.००	१५७६९.००
	Dia300mm	गोटा		२०४००.००	२१२९६.००
<b>DI long radius bend</b>					
	Dia 100mm	गोटा		४७५०.००	४९८७.००
	Dia 150mm	गोटा		८०२०.००	८४२९.००
	Dia 200mm	गोटा		१२०६०.००	१२४४२.००



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट	
			आ.व. ०७७७	आ.व. ०७८०
	Dia 250mm	गोटा		१७७९०.००
	<b>DI double socket reducer</b>			
	Dia 1000mmX900mm	गोटा	९७६५०.००	१००५७९.००
	Dia 900mmx800mm	गोटा	७८८३०.००	८११९४.००
	Dia 800mmx700mm	गोटा	६९४९०.००	६३३३४.००
	Dia 300mmx200mm	गोटा	१०२८०.००	१०६९१.००
	Dia 200mmx150mm	गोटा	५५१०.००	५७८५.००
	<b>DI double flanged reducer</b>			
	Dia 900mmx700mm	गोटा	१०३८३०.००	१०५९०६.००
	Dia 700mmx600mm	गोटा	६९०८०.००	७११५२.००
	Dia 700mmx400mm	गोटा	५९९९०.००	६१७८९.००
	Dia 600mmx500mm	गोटा	५५९४०.००	५७६१८.००
	Dia 600mmx400mm	गोटा	५११२०.००	५२६५३.००
	Dia 500mmx400mm	गोटा	३६५७०.००	३८०३२.००
	Dia 400x350mm	गोटा	१८६१०.००	१९३५४.००
	Dia 400mmx300mm	गोटा	२३८४०.००	२४७९३.००
	Dia 400mmx250mm	गोटा	२२६८०.००	२३५८७.००
	Dia 300mmx250mm	गोटा	११४८०.००	११९३९.००
	Dia 300mmx200mm	गोटा	१४४१०.००	१४९८६.००
	Dia300mmx150mm	गोटा	१३६१०.००	१४१५४.००
	Dia250mmx200mm	गोटा	८५९०.००	९०१९.००
	Dia250mmx150mm	गोटा	११०२०.००	८५६८.००
	Dia 200mmx150mm	गोटा	६०४०.००	६३४२.००
	Dia 200mmx100mm	गोटा	७४००.००	७७७०.००
	Dia 150mmx100mm	गोटा	४२४०.००	४४५२.००
	Dia150mmx80mm	गोटा	४३९०.००	४६०९.००
	Dia150mmx65mm	गोटा	४४००.००	४६२०.००
	<b>DI Blank flange</b>			
	Dia 1000mm	गोटा	११२४१०.००	११४६५८.००
	Dia 900mm	गोटा	८३८१०.००	८६३२४.००
	Dia 800mm	गोटा	६३२८०.००	६५१७८.००
	Dia 700mm	गोटा	४५८६०.००	४७६९४.००
	Dia 600mm	गोटा	३५३८०.००	३६७९५.००
	Dia 500mm	गोटा	२२५१०.००	२३४१०.००
	Dia 450mm	गोटा	१७६९०.००	१८३९७.००
	Dia400mm	गोटा	१३०७०.००	१३५९२.००
	Dia 350mm	गोटा	९६८०.००	१०१६४.००
	Dia 300mm	गोटा	६६४०.००	६९७२.००
	Dia250mm	गोटा	४९८०.००	५२२९.००
	Dia200mm	गोटा	३१६०.००	३३१८.००
	Dia150mm	गोटा	२१४०.००	२२४७.००
	Dia100mm	गोटा	१२७०.००	१३३३.००
	Dia80mm	गोटा	११३०.००	११८६.००
	<b>Double Socket Tee with Flanged Branch</b>			
	Dia 900mmx150mm	गोटा	१०२७००.००	१०४७५४.००
	Dia 800mmx600mm	गोटा	१६१०६०.००	१६४२८१.००
	Dia 800mmx400mm	गोटा	१०७९२०.००	११००७८.००
	Dia 700mmx150mm	गोटा	६५३३०.००	६७२८९.००



Handwritten signatures and notes at the bottom of the page, including the name 'प्रमुख जिल्ला अधिकारी' (Chief District Officer) and 'ललितपुर' (Lalitpur).

DI पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट	
			आ.व. ०७७/७८	आ.व. ०७८/७९
	Dia 600mmx150mm	गोटा	४५३७०.००	४७९८४.००
	Dia 600mmx100mm	गोटा	४०२७०.००	४१८८०.००
	Dia 500mmx100mm	गोटा	३००३०.००	३१२३१.००
	Dia 400mmx150mm	गोटा	२७६९०.००	२८७९७.००
	Dia 300mmx100mm	गोटा	१४२९०.००	१४८६१.००
	Dia 300mmx80mm	गोटा	१४०५०.००	१४६१२.००
	Dia300mmx65mm	गोटा	१३९८०.००	१४५३९.००
	Dia250mmx250mm	गोटा	१७६४०.००	१८३४५.००
	Dia250mmx150mm	गोटा	१४७३०.००	१५३१९.००
	Dia 250mmx100mm	गोटा	११५९०.००	१२०५३.००
	Dia 250mmx80mm	गोटा	११३९०.००	११८४५.००
	Dia 250mmx65mm	गोटा	११४४०.००	११७२६.००
	Dia 200mmx150mm	गोटा	१०३६०.००	१०७७४.००
	Dia 200mmx100mm	गोटा	८८७०.००	९३१३.००
	Dia 200mmx80mm	गोटा	८०००.००	८४००.००
	Dia 200mmx65mm	गोटा	८३४०.००	८३१६.००
	Dia 150mmx150mm	गोटा	७८३०.००	८२२१.००
	Dia150mmx100mm	गोटा	६४६०.००	६७८३.००
	Dia150mmx80mm	गोटा	६०२०.००	६३२१.००
	Dia150mmx65mm	गोटा	६०६०.००	६२५७.००
<b>Mechanical joint Tee with flanged branch</b>				
	Dia 600mmx600mm	गोटा	१०३२००.००	१०७३२८.००
	Dia 500mmx500mm	गोटा	७३७००.००	७६६४८.००
	Dia 400mmx400mm	गोटा	४९५७०.००	५१५५२.००
	Dia 350mmx350mm	गोटा	३९६००.००	४११८४.००
	Dia 300mmx300mm	गोटा	३०८८०.००	३२११५.००
	Dia250mmx250mm	गोटा	२२६७०.००	२३५७६.००
	Dia200mmx200mm	गोटा	१६५२०.००	१७१८०.००
	Dia 150mmx150mm	गोटा	१२०२०.००	१२५००.००
	Dia100mmx100mm	गोटा	७५६०.००	७९३८.००
	Dia 80mmx80mm	गोटा	६५१०.००	६८३५.००
<b>All Socket Tee</b>				
	Dia 300mmx200mm	गोटा	१८४५०.००	१९१८८.००
	Dia 300mmx150mm	गोटा	१७५७०.००	१८२७२.००
	Dia 250mmx200mm	गोटा	१५३९०.००	१६००५.००
	Dia 250mmx150mm	गोटा	१४१००.००	१४६६४.००
	Dia 200mmx200mm	गोटा	११९३०.००	१२४०७.००
	Dia 200mmx150mm	गोटा	९६९०.००	१०१७४.००
	Dia 150mmx150mm	गोटा	७२८०.००	७६४४.००
<b>All Flanged Tee</b>				
	Dia 900mmx900mm	गोटा	२६१५३०.००	२६६७६०.००
	Dia 700mmx300mm	गोटा	९९४७०.००	१०२४५४.००
	Dia 600mmx500mm	गोटा	११६३२०.००	११८६४६.००
	Dia 600mmx400mm	गोटा	१०७३८०.००	१०९५२७.००
	Dia 600mmx300mm	गोटा	१०३४९०.००	१०५५५९.००
	Dia 500mmx300mm	गोटा	७२३२०.००	७४४८९.००
	Dia500mmx200mm	गोटा	६५४८०.००	६७४४४.००
	Dia450mmx150mm	गोटा	५११७०.००	५२७०५.००



Handwritten signatures and initials at the bottom of the page.



### DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व. ०७९/८०
	Dia400mmx400mm	गोटा		५२६५०.००	५४२२९.००
	Dia400mmx300mm	गोटा		४७५८०.००	४९४८३.००
	Dia 400mmx150mm	गोटा		४५३८०.००	४७१९५.००
	Dia 350mmx350mm	गोटा		४२६४०.००	४४३४५.००
	Dia 350mmx300mm	गोटा		४१७३०.००	४३३९९.००
	Dia 300mmx300mm	गोटा		३३५००.००	३४८४०.००
	Dia 300mmx250mm	गोटा		२९२००.००	३०३६८.००
	Dia 300mmx200mm	गोटा		२७०००.००	२८०८०.००
	Dia 300mmx150mm	गोटा		२६०००.००	२७०४०.००
	Dia 300mmx100mm	गोटा		२४५६०.००	२५५४२.००
	Dia 300mmx80mm	गोटा		२३९८०.००	२४९३९.००
	Dia250mmx250mm	गोटा		२२५४०.००	२३४४१.००
	Dia250mmx200mm	गोटा		२०६३०.००	२१४५५.००
	Dia250mmx150mm	गोटा		२००४०.००	२०८४१.००
	Dia250mmx100mm	गोटा		१८३७०.००	१९१०४.००
	Dia250mmx80mm	गोटा		१८०९०.००	१८८१३.००
	Dia250mmx65mm	गोटा		१५३३०.००	१५९४३.००
	Dia200mmx200mm	गोटा		१३४००.००	१३९३६.००
	Dia200mmx150mm	गोटा		१२३९०.००	१२८८५.००
	Dia200mmx100mm	गोटा		११४००.००	११८५६.००
	Dia200mmx80mm	गोटा		११२३०.००	११६७९.००
	Dia150mmx150mm	गोटा		८९००.००	९३४५.००
	Dia150mmx100mm	गोटा		८०६०.००	८४६३.००
	Dia150mmx80mm	गोटा		७८८०.००	८२७४.००
	Dia150mmx65mm	गोटा		७७६०.००	८१४८.००
	Dia125mmx125mm	गोटा		८५५०.००	८९७७.००
	Dia125mmx100mm	गोटा		८०१०.००	८४१०.००
	Dia125mmx80mm	गोटा		७६८०.००	८०६४.००
	Dia125mmx65mm	गोटा		७३५०.००	७७५७.००
	Dia100mmx100mm	गोटा		६६००.००	६९३०.००
	Dia100mmx80mm	गोटा		६४५०.००	६७७२.००
	Dia100mmx65mm	गोटा		६२००.००	६५१०.००
	<b>Level invert/ Tangential socket Tee with flanged branch</b>				
	Dia 1000mmx200mm	गोटा		१४४१८०.००	१४७०६३.००
	Dia 900mmx150mm	गोटा		११८१२०.००	१२०४८२.००
	Dia 700mmx150mm	गोटा		७३०२०.००	७५२१०.००
	Dia 600mmx100mm	गोटा		४२९७०.००	४४६८८.००
	Dia 500mmx100mm	गोटा		३३१७०.००	३४४९६.००
	Dia 400mmx80mm	गोटा		२४२५०.००	२५२२०.००
	Dia 300mmx80mm	गोटा		१५४५०.००	१६०६८.००
	Dia 250mm x 80mm	गोटा		१२२९०.००	१२७८१.००
	Dia 200mmx80mm	गोटा		९५७०.००	१००४८.००
	Dia 150mmx80mm	गोटा		९५३०.००	१०००६.००
	<b>DI Flanged Socket (FS)</b>				
	Dia 1400mm	गोटा		३४८३७०.००	३५५३३७.००
	Dia 1200mm	गोटा		२५१०४०.००	२५६०६०.००

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*  
 प्रमुख जिल्ला अफि  
 मोरङ

### DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व. ०७९/८०
	Dia 1100mm	गोटा		३२५३७०.००	३३१८७७.००
	Dia 1000mm	गोटा		१६६१५०.००	१६९४७३.००
	Dia 900mm	गोटा		१२९८६०.००	१३२४५७.००
	Dia 800mm	गोटा		१०६०००.००	१०८१२०.००
	Dia 700mm	गोटा		७९९९०.००	८२३८९.००
	Dia 600mm	गोटा		७१७९०.००	७३९४३.००
	Dia 500mm	गोटा		४७२२०.००	४९१०८.००
	Dia400mm	गोटा		३३२५०.००	३४५८०.००
	Dia 350mm	गोटा		३०१८०.००	३१३८७.००
	Dia 300mm	गोटा		२१४८०.००	२२३३९.००
	Dia250mm	गोटा		१६०१०.००	१६६५०.००
	Dia200mm	गोटा		१०४३०.००	१०८४७.००
	Dia150mm	गोटा		८७५०.००	९१८७.००
	Dia100mm	गोटा		६५४०.००	६८६७.००
<b>DI Single Flanged Tail Piece (SFTP)</b>					
	1400mmdia	गोटा		३५२७०.००	३५९७६.००
	1200mmdia	गोटा		३६२८२०.००	३७००७६.००
	1100mmdia	गोटा		३२९२८०.००	३३५८६५.००
	1000mmdia	गोटा		१७८६६०.००	१८२२३३.००
	900mmdia	गोटा		१४३८००.००	१४६६७६.००
	800mmdia	गोटा		११८९१०.००	१२१२८८.००
	700mmdia	गोटा		९०४८०.००	९३१९४.००
	600mmdia	गोटा		६८४५०.००	७०५०३.००
	500mmdia	गोटा		४७९९०.००	४९९०९.००
	450mmdia	गोटा		३९६८०.००	४१२६७.००
	400mmdia	गोटा		३००६०.००	३१२६२.००
	350mmdia	गोटा		२२४८०.००	२३३७९.००
	300mmdia	गोटा		१७९५०.००	१८६६८.००
	250mmdia	गोटा		१३०५०.००	१३५७२.००
	200mmdia	गोटा		९३५०.००	९८१७.००
	150mmdia	गोटा		६६००.००	६९३०.००
	100mmdia	गोटा		३९२०.००	४११६.००
	80mmdia	गोटा		३१७०.००	३३२८.००
<b>DI Double Flanged Tail Piece (DFTP-1m)</b>					
	1400mmdia	गोटा		४०६७०.००	४१४८४४.००
	1200mmdia	गोटा		२०७६९०.००	२११८४३.००
	1000mmdia	गोटा		१६२३३०.००	१६५५७६.००
	900mmdia	गोटा		१३२२५०.००	१३५१५०.००
	800mmdia	गोटा		९९९९०.००	१०२९८९.००
	700mmdia	गोटा		८९७४०.००	९२४३२.००
	600mmdia	गोटा		५९०३०.००	६०८००.००
	500mmdia	गोटा		४१५६०.००	४३२२२.००
	400mmdia	गोटा		३७७३०.००	३९२३९.००
	300mmdia	गोटा		२६८५०.००	२७९२४.००
	250mmdia	गोटा		२००१०.००	२०८१०.००
	200mmdia	गोटा		१३०४०.००	१३५६१.००
	150mmdia	गोटा		१०९४०.००	११३७७.००
	100mmdia	गोटा		८१८०.००	८५८९.००



Handwritten signatures and notes at the bottom of the page, including 'मिति: २०७५.०८.०२' and 'नमो भगवते वासुदेवाय'.

### DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व. ०७९/८०
	80mmdia	गोटा		६८७०.००	७२९३.००
	<b>DI all Flanged cross</b>				
	Dia 900mm	गोटा		२९४८५०.००	३००७४७.००
	Dia 800mm	गोटा		२३२७९०.००	२३७४४५.००
	Dia 700mm	गोटा		१८४९४०.००	१८७८२२.००
	Dia 600mm	गोटा		१५३३९०.००	१५६३७६.००
	Dia 500mm	गोटा		१००५९०.००	१०२६०९.००
	Dia400mm	गोटा		६७४७०.००	६९४९४.००
	Dia 300mm	गोटा		४०३४०.००	४१९५३.००
	Dia250mm	गोटा		२९५९०.००	३०६९०.००
	Dia200mm	गोटा		१७५३०.००	१८२३९.००
	Dia150mm	गोटा		११७३०.००	१२९९९.००
	<b>DI all socket cross</b>				
	Dia 900mm	गोटा		३९८७८०.००	३२५९५५.००
	Dia 800mm	गोटा		२३८७९०.००	२४३४८४.००
	Dia 700mm	गोटा		१७७७२०.००	१८९२७४.००
	Dia 600mm	गोटा		१०७९६०.००	१०९३०३.००
	Dia 500mm	गोटा		७२३७०.००	७४५४९.००
	Dia400mm	गोटा		४७०५०.००	४८९३२.००
	Dia 300mm	गोटा		२६९७०.००	२८०४८.००
	Dia250mm	गोटा		१९४२०.००	२०९९६.००
	Dia200mm	गोटा		१३८९०.००	१४४४५.००
	Dia150mm	गोटा		९९००.००	९५५५.००
	Supply of Flange Adaptors to Connect DI/DI pipe/fitting Complete with sets of gaskets, nuts & bolts, fasteners, sealing Rings and required accessories etc as per specification all complete				
	Dia 1000mm	गोटा		१०९५८०.००	१०३६९९.००
	Dia 900mm	गोटा		८९५५०.००	८३९९६.००
	Dia 800mm	गोटा		६६४३०.००	६८४२२.००
	Dia 700mm	गोटा		५३९९०.००	५५५२७.००
	Dia 600mm	गोटा		४९९८०.००	४२८२७.००
	Dia 500mm	गोटा		३९६३०.००	३२८९५.००
	Dia 450mm	गोटा		२५७००.००	२६७२८.००
	Dia 400mm	गोटा		२९४२०.००	२२२७६.००
	Dia350mm	गोटा		१६९९०.००	१७५८६.००
	Dia 300mm	गोटा		१२५९०.००	१३०९३.००
	Dia 250mm	गोटा		९००४०.००	९०४४९.००
	Dia 200mm	गोटा		७३९०.००	७६७५.००
	Dia 150mm	गोटा		५३६०.००	५६२८.००
	Dia 100mm	गोटा		३३००.००	३४६५.००
	Dia 80mm	गोटा		३०३०.००	३१८९.००
	Dia 65mm	गोटा		२९००.००	२२०५.००
	Supply of Dismantling joints complete with sets of Nut and bolts , fasteners, Sealing Rings and required accessories ets as per specification all complete				
	Dia 1000mm	गोटा		२६९३५०.००	२६६५७७.००
	Dia 900mm	गोटा		२०४३६०.००	२०८४४७.००








  
 प्रमुख जिल्ला अधिकारी

### DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व. ०७९/८०
	Dia 800mm	गोटा		१५९६१०.००	१६२८०२.००
	Dia 700mm	गोटा		१३४४५०.००	१३७३३९.००
	Dia 600mm	गोटा		१०६८९०.००	१०९०२७.००
	Dia 500mm	गोटा		८३३७०.००	८५८७१.००
	Dia 450mm	गोटा		६४५००.००	६६४३५.००
	Dia 400mm	गोटा		५२४७०.००	५४०४४.००
	Dia350mm	गोटा		४०९९०.००	४१७९७.००
	Dia 300mm	गोटा		३१९८०.००	३२४२७.००
	Dia 250mm	गोटा		२३२००.००	२४१२८.००
	Dia 200mm	गोटा		१६७४०.००	१७४०९.००
	Dia 150mm	गोटा		१३१००.००	१३६२४.००
	Dia 100mm	गोटा		७७२०.००	८१०६.००
	Dia 80mm	गोटा		६७००.००	७०३५.००
	<b>Supply of DI Mechanical Couplings Complete with sets of Nuts and bolts , fasteners, Sealing Rings and required accessories etc as per specification all complete.</b>				
	Dia 900mm	गोटा		४८६८०.००	५०६२७.००
	Dia 700mm	गोटा		३१९८०.००	३२४२७.००
	Dia 600mm	गोटा		२०३३०.००	२११४३.००
	Dia 500mm	गोटा		१६३३०.००	१६९८३.००
	Dia 450mm	गोटा		१४१४०.००	१४७०५.००
	Dia 400mm	गोटा		१३८२०.००	१४३७२.००
	Dia350mm	गोटा		१०७९०.००	११२२१.००
	Dia 300mm	गोटा		७६००.००	७९८०.००
	Dia 250mm	गोटा		६१४०.००	६४४७.००
	Dia 200mm	गोटा		४३६०.००	४५७८.००
	Dia 150mm	गोटा		३४९०.००	३६६४.००
	Dia 100mm	गोटा		२१६०.००	२२६८.००
	Dia 80mm	गोटा		१९६०.००	२०५८.००
	Dia65mm	गोटा		१९६०.००	२०५८.००
	<b>DI basket type strainer (FE xFE) with all complete nut,bolt,rubber gasket as per drawing and specification.</b>				
	Dia 400mm	गोटा		१६३७०.००	१६६९८.००
	Dia350mm	गोटा		१२३६७०.००	१२६१४३.००
	Dia 300mm	गोटा		६७३३०.००	६९३४९.००
	Dia 250mm	गोटा		४५१२०.००	४६९२४.००
	Dia 200mm	गोटा		२८१२०.००	२९२४४.००
	Dia 150mm	गोटा		१६२३०.००	१६८७९.००
	Dia 100mm	गोटा		७९६०.००	८३५८.००
	<b>Double Flanged Tail Piece with puddle Flange (1 mtr long)</b>				
	1000 mm dia	गोटा		७३२७०.००	७५४६८.००
	900 mm dia	गोटा		७०९०.००	७३२२२.००
	800 mm dia	गोटा		५८७५०.००	६०५१२.००
















### DI पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व. ०७९/८०
	700 mm dia	गोटा		४६८१०.००	४८६८२.००
	600 mm dia	गोटा		३८३२०.००	३९८५२.००
	500 mm dia	गोटा		२८३१०.००	२९४४२.००
	450 mm dia	गोटा		२३७६०.००	२४७१०.००
	400 mm dia	गोटा		१९८१०.००	२०६०२.००
	350 mm dia	गोटा		१६४१०.००	१७०६६.००
	300 mm dia	गोटा		१२९४०.००	१३४६८.००
	250 mm dia	गोटा		१०२९०.००	१०७०१.००
	200 mm dia	गोटा		७६९०.००	८०७४.००
	150 mm dia	गोटा		५७००.००	५९८५.००
	100 mm dia	गोटा		४२००.००	४४१०.००
	80 mm dia	गोटा		३६४०.००	३८२२.००
<b>DI Flange Bell Mouth</b>					
	Dia 700mm	गोटा		७३६२०.००	७५८२८.००
	Dia 600mm	गोटा		५३२८०.००	५४८७८.००
	Dia 500mm	गोटा		३७०७०.००	३८५५२.००
	Dia 450mm	गोटा		१६९७०.००	१७६४८.००
	Dia 400mm	गोटा		१६५८०.००	१७२४३.००
	Dia 350mm	गोटा		१२९४०.००	१३४६८.००
	Dia 300mm	गोटा		९१२०.००	९५७६.००
	Dia 250mm	गोटा		७३७०.००	७७३८.००
	Dia 200mm	गोटा		५२३०.००	५४९१.००
	Dia 150mm	गोटा		४१९०.००	४३९९.००
	Dia 100mm	गोटा		२५९०.००	२७९९.००
	Dia 80mm	गोटा		२३५०.००	२४६७.००
	Dia 65mm	गोटा		२३५०.००	२४६७.००
<b>DI Strainer</b>					
	1200 mm dia	गोटा		३६३४६०.००	३७०७२९.००
	1100 mm dia	गोटा		२८६२८०.००	२९२००५.००
	1000 mm dia	गोटा		२०९०९०.००	२१३२७१.००
	900 mm dia	गोटा		१५७०३०.००	१६०१७०.००
Supply of double flanged butterfly vaive PN16 as per specification all complete					
	Dia 1000mm	गोटा		७२७६००.००	७४२१५२.००
	Dia 900mm	गोटा		५८०९५०.००	५९२५६९.००
	Dia 800mm	गोटा		४१६३२०.००	४२४६४६.००
	Dia 700mm	गोटा		३३७०४०.००	३४३७८०.००
	Dia 600mm	गोटा		२२५६९०.००	२३०२०३.००
	Dia 500mm	गोटा		१७०४२०.००	१७३८२८.००
	Dia 450mm	गोटा		१२७५९०.००	१३०१४१.००
	Dia 400mm	गोटा		१०१६८०.००	१०३७३३.००
	Dia 350mm	गोटा		७३९२०.००	७६८७६.००
	Dia 300mm	गोटा		६०६७०.००	६३०९६.००
	Dia 250mm	गोटा		४७७६०.००	४९६७०.००
	Dia 200mm	गोटा		३९२६०.००	४०८३०.००
	Dia 150mm	गोटा		१५४१०.००	१६०२६.००
Supply of double flanged Gate valve PN16 as per specification all complete					



मुख जिल्ला अधिकारी

### DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व. ०७९/८०
	Dia 600mm	गोटा		५९६७५०.००	५२७०८५.००
	Dia 500mm	गोटा		२८५६७०.००	२९९३८३.००
	Dia 450mm	गोटा		१९७८१०.००	२०१७६६.००
	Dia 400mm	गोटा		१३९४४०.००	१४२२२८.००
	Dia 350mm	गोटा		१०२१८०.००	१०४२२३.००
	Dia 300mm	गोटा		६२२२०.००	६४०८६.००
	Dia 250mm	गोटा		४६३४०.००	४८१९३.००
	Dia 350mm	गोटा		९२२७०.००	९५९६०.००
	Dia 300mm	गोटा		५६५६०.००	५८८२२.००
	Dia 250mm	गोटा		४३२७०.००	४५०००.००
	Dia 200mm	गोटा		२५८२०.००	२६८५२.००
	Dia 150mm	गोटा		१९८५०.००	२०६४४.००
	Dia 125mm	गोटा		१६५००.००	१७६०.००
	Dia 100mm	गोटा		१७८५०.००	१८५६४.००
	Dia 80mm	गोटा		१२८६६.००	१३३८०.००
	Dia 65mm	गोटा		९६७०.००	१०१५३.००
	Dia 50mm	गोटा		८६५२.००	९०८४.००
	<b>Fire Hydrant</b>				
	Dia 80mm	गोटा		११४७०.००	११९२८.००
	Dia 100mm	गोटा		२३०४०.००	२३९६१.००
	<b>160mm dia CI ROAD SURFACE BOX</b>	गोटा		३१५०.००	३३०७.००
	<b>Ball Valve</b>				
	15mm	गोटा		१८०.००	१९१.००
	25mm	गोटा		३२०.००	३४१.००
	32mm	गोटा		८५०.००	९०६.००
	40mm	गोटा		१३४०.००	१४०७.००
	50mm	गोटा		२२००.००	२३१०.००
	<b>Check valve (Horizontal Flow)</b>				
	15mm	गोटा		५२०.००	५५४.००
	20mm	गोटा		८२०.००	८७४.००
	25mm	गोटा		१४१०.००	१४८०.००
	<b>Check valve (vertical Flow)</b>				
	15mm	गोटा		३२०.००	३४१.००
	20mm	गोटा		४१०.००	४३७.००
	25mm	गोटा		४५०.००	४७९.००
	<b>Check valve</b>				
	150mm	गोटा		१७९७०.००	१८६८८.००
	200mm	गोटा		२६९५०.००	२८०२८.००
	250mm	गोटा		४०४३०.००	४२०४७.००
	300mm	गोटा		६०६५०.००	६२४६९.००
	<b>Pressure Gauge (Pressure up to) including Fitting &amp; accessories</b>				
	PN10	गोटा		२४५०.००	२५७२.००
	PN15	गोटा		३२००.००	३३६०.००
	PN30	गोटा		४६००.००	४८३०.००
	PN45	गोटा		५५००.००	५७७५.००
	<b>Bulk Water Meter</b>				
	300mm	गोटा		१५३६४०.००	१५६७२.००



प्रमुख जिल्ला अधिकारी

### DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व. ०७९/८०
	200mm	गोटा		१०२४३०.००	१०४४७८.००
	150mm	गोटा		७५७४०.००	७८०१२.००
	100mm	गोटा		४३७००.००	४५४४८.००
	80mm	गोटा		२९१३०.००	३०२९५.००
	65mm	गोटा		१९४२०.००	२०१९६.००
	15mm	गोटा		१५००.००	१५७५.००
<b>Supply of water meter volumetric type including fittings and accessories</b>					
	15mm	गोटा		१६१०.००	१६९०.००
	20mm	गोटा		२२९०.००	२४०४.००
	25mm	गोटा		५९४०.००	६२३७.००
<b>Float Valve</b>					
	15mm	गोटा		७३०.००	७७८.००
	20mm	गोटा		१४१०.००	१४८०.००
	25mm	गोटा		२३२०.००	२४३६.००
<b>GM Gate/ Globe Valve</b>					
	15mm	गोटा		७७०.००	८२०.००
	20mm	गोटा		१०९०.००	११४४.००
	25mm	गोटा		१६८०.००	१७६४.००
	32mm	गोटा		२२३०.००	२३४१.००
	40mm	गोटा		२५८०.००	२७०९.००
	50mm	गोटा		४२७५.००	४४८८.००
	65mm	गोटा		८६९०.००	९१२४.००
	80mm	गोटा		११६००.००	१२०६४.००
	100mm	गोटा		१६४००.००	१७०५६.००
<b>DI Sluice Valve</b>					
	65mm(2-1/2")	गोटा		१२७३०.००	१२७३०.००
	80mm(3")	गोटा		१७७३०.००	१७७३०.००
	100mm(4")	गोटा		२५०००.००	२५०००.००
	125mm(5")	गोटा		३०४५०.००	३०४५०.००
	150mm(6")	गोटा		३७५००.००	३७५००.००



*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*







*[Handwritten signature]*

*[Handwritten signature]*  
प्रमुख जिल्ला अधिकारी

## PE Electro Fusion Fittings and Combination Accessories

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब. ०७७७८	आ.ब. ०७८१७९	आ.व. ०७९१८०
१	Electrofusion (PE100) HDPE Fittings				
	<b>Electrofusion Coupler</b>				
	20mm	गोटा		९९.००	१०२.००
	25mm	गोटा		१२३.००	१२७.००
	32mm	गोटा		१३२.००	१३७.००
	40mm	गोटा		२५७.००	२६७.००
	50mm	गोटा		२४५.००	२५४.००
	63mm	गोटा		२५३.००	२६३.००
	75mm	गोटा		३९०.००	४०५.००
	90mm	गोटा		४५५.००	४७३.००
	110mm	गोटा		६१२.००	६३६.००
	125mm	गोटा		८२३.००	८५५.००
	140mm	गोटा		१२७३.००	१३२३.००
	160mm	गोटा		१४३३.००	१४९०.००
	180mm	गोटा		२१५०.००	२२३६.००
	200mm	गोटा		२५४७.००	२६४८.००
	225mm	गोटा		३५०३.००	३६४३.००
	250mm	गोटा		५५७२.००	५७९४.००
	280mm	गोटा		६६८६.००	६९५३.००
	<b>Electrofusion Reducer</b>				
	50mm x 40mm	गोटा		२०९.००	२१७.००
	63mm x 50mm	गोटा		२४४.००	२५३.००
	75mm x 63mm	गोटा		४८५.००	५०४.००
	90mm x 75mm	गोटा		६०३.००	६२७.००
	90mm x 63mm	गोटा		६६१.००	६८७.००
	90mm x 50mm	गोटा		९०५.००	९४१.००
	110mm x 63mm	गोटा		७९६.००	८२७.००
	110mm x 75mm	गोटा		१४६३.००	१५२१.००
	110mm x 90mm	गोटा		८६१.००	८९५.००
	125mm x 63mm	गोटा		१०२८.००	१०६९.००
	125mm x 75mm	गोटा		१७१०.००	१७७८.००
	125mm x 90mm	गोटा		११०७.००	११५१.००
	125mm x 110mm	गोटा		८६६.००	९००.००
	140mm x 90mm	गोटा		३४२७.००	३५६४.००
	140mm x 110mm	गोटा		४०१३.००	४१७३.००
	140mm x 125mm	गोटा		४४६३.००	४६४१.००
	160mm x 90mm	गोटा		४३६१.००	४५३५.००
	160mm x 110mm	गोटा		४६२९.००	४८१४.००
	160mm x 125mm	गोटा		५१५९.००	५३६५.००
	160mm x 140mm	गोटा		५८४५.००	६०७८.००
	180mm x 90mm	गोटा		६१८६.००	६४३३.००
	180mm x 125mm	गोटा		६४५३.००	६७११.००









  
 प्रमुख जिल्ला अधिकारी



## PE Electro Fusion Fittings and Combination Accessories






सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व. ०७९/८०
	180mm × 140mm	गोटा		७३२१.००	७६१३.००
	180mm × 160mm	गोटा		८१२७.००	८४५२.००
	200mm × 110mm	गोटा		६७३३.००	७००२.००
	200mm × 140mm	गोटा		८६६८.००	९०१४.००
	200mm × 160mm	गोटा		९१०९.००	९४७३.००
	200mm × 180mm	गोटा		१०६४०.००	११०६५.००
	225mm × 90mm	गोटा		९७९६.००	१०१८७.००
	225mm × 110mm	गोटा		९५४७.००	९९२८.००
	225mm × 225mm	गोटा		१५०१४.००	१५६१४.००
	225mm × 160mm	गोटा		११२८८.००	११७३९.००
	225mm × 180mm	गोटा		१३०८२.००	१३६०५.००
	225mm × 200mm	गोटा		१४३८४.००	१४९५९.००
	250mm × 160mm	गोटा		१४४१५.००	१४९९१.००
	225mm × 180mm	गोटा		१६६६५.००	१७३३१.००
	225mm × 200mm	गोटा		१७५६६.००	१८२६८.००
	225mm × 225mm	गोटा		२०२७५.००	२१०८६.००
	280mm × 180mm	गोटा		१९८७१.००	२०६६५.००
	280mm × 200mm	गोटा		२१२२५.००	२२०७४.००
	280mm × 225mm	गोटा		२३२०३.००	२४१३१.००
	280mm × 250mm	गोटा		२८१०१.००	२९२२५.००
	<b>Electrofusion Elbow 45°</b>				
	50mm	गोटा		३०४.००	३१६.००
	63mm	गोटा		४४७.००	४६४.००
	75mm	गोटा		११७०.००	१२१६.००
	90mm	गोटा		१००७.००	१०४७.००
	110mm	गोटा		३०१३.००	३१३३.००
	125mm	गोटा		४१६०.००	४३२६.००
	140mm	गोटा		५६२३.००	५८४७.००
	160mm	गोटा		७२४६.००	७५३५.००
	180mm	गोटा		१०३९६.००	१०८११.००
	200mm	गोटा		१३०८९.००	१३६१२.००
	225mm	गोटा		१७८७८.००	१८५९३.००
	250mm	गोटा		२५७४६.००	२६७७५.००
	280mm	गोटा		३३९९१.००	३५३५०.००
	<b>90</b>				
	50mm	गोटा		२५३.००	२६३.००
	63mm	गोटा		४०३.००	४१९.००
	75mm	गोटा		५३१.००	५५२.००
	90mm	गोटा		१०२५.००	१०६६.००
	110mm	गोटा		१३७२.००	१४२६.००
	125mm	गोटा		१७३१.००	१८००.००
	140mm	गोटा		६४५२.००	६७१०.००


 प्रमुख जिल्ला अ

## PE Electro Fusion Fittings and Combination Accessories

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब. ०७७।७८	आ.ब. ०७८।७९	आ.ब. ०७९।८०
	160mm	गोटा		८१९५.००	८५२२.००
	180mm	गोटा		११९४७.००	१२४२४.००
	200mm	गोटा		१५९११.००	१६५४७.००
	225mm	गोटा		२०४२२.००	२१२३८.००
	250mm	गोटा		३००१०.००	३१२१०.००
	280mm	गोटा		४२८३३.००	४४५४६.००
	<b>Electrofusion End Cap</b>				
	50mm	गोटा		३३६.००	३४९.००
	63mm	गोटा		४१७.००	४३३.००
	75mm	गोटा		५९४.००	६१७.००
	90mm	गोटा		७६२.००	७९२.००
	110mm	गोटा		१३६५.००	१४१९.००
	125mm	गोटा		११७५.००	१२२२.००
	140mm	गोटा		२३९५.००	२४९०.००
	160mm	गोटा		३४७०.००	३६०८.००
	180mm	गोटा		४९७२.००	५१७०.००
	200mm	गोटा		६५०८.००	६७६८.००
	225mm	गोटा		८४३२.००	८७६९.००
	250mm	गोटा		११९७.००	१२४४.००
	280mm	गोटा		१५४७७.००	१६०९६.००
	<b>Electrofusion Equal Tee</b>				
	50mm	गोटा		३३५.००	३४८.००
	63mm	गोटा		४८१.००	५००.००
	75mm	गोटा		७५९.००	७८९.००
	90mm	गोटा		११९८.००	१२४५.००
	110mm	गोटा		१५४३.००	१६०४.००
	125mm	गोटा		१९०९.००	१९८५.००
	140mm	गोटा		७६२०.००	७९२४.००
	160mm	गोटा		१०४७७.००	१०८९६.००
	180mm	गोटा		१४८२४.००	१५४१६.००
	200mm	गोटा		१८७४८.००	१९४९७.००
	225mm	गोटा		२५५१५.००	२६५३५.००
	250mm	गोटा		३६९६५.००	३८४४३.००
	280mm	गोटा		५२५५५.००	५४६५७.००
	<b>Electrofusion Saddle Clamp</b>				
	50mm×40mm	गोटा		७२८.००	७५७.००
	75-225mm×50mm	गोटा		९५२.००	९९०.००
	<b>HDPE Adopter PN 16</b>				
	50mm	गोटा		२७०.००	२८०.००
	63mm	गोटा		३४०.००	३५३.००
	75mm	गोटा		४८०.००	४९९.००
	90mm	गोटा		६२०.००	६४४.००
	110mm	गोटा		८६०.००	८९४.००
	125mm	गोटा		९५०.००	९८८.००



प्रमुख जिल्ला अधिकारी  
 ललितपुर

## PE Electro Fusion Fittings and Combination Accessories

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब. ०७७७८	आ.ब. ०७८१७९	आ.व. ०७९१८०
	140mm	गोटा		१३००.००	१३५२.००
	160mm	गोटा		१८७०.००	१९४४.००
	180mm	गोटा		२६८०.००	२७८७.००
	200mm	गोटा		२९३०.००	३०४७.००
	225mm	गोटा		३८००.००	३९५२.००
	250mm	गोटा		५०४०.००	५२४९.००
	280mm	गोटा		६९७०.००	७२४८.००

*[Handwritten signature]*


*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*



प्रमुख जिल्ला अधिकारी

## High Pressure Valve and Fittings

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७७७८	आ.व.०७८७९	आ.व.०७९८०
१	High Pressure Valve & Fittings				
	<b>Cast Steel Sluice Valve, Class 300</b> confirming to BS:1414 or equivalent. Hydraulic Test pressure: Body 76 kg/cm <sup>2</sup> , Seat 55 kg/cm <sup>2</sup> , including ISOD Flange, Nut & bolt, Gasket. Set				
	DN 40	गोटा		२१२८०.००	२१९१८.००
	DN 50	गोटा		२८७५०.००	२९६१२.००
	DN 65	गोटा		३४५००.००	३५५३५.००
	DN 80	गोटा		४०२५०.००	४१४५७.००
	DN 100	गोटा		४६०००.००	४७३८०.००
	DN 125	गोटा		५७५००.००	५९२२५.००
	DN 150	गोटा		७४७५०.००	७६९९२.००
	DN 200	गोटा		१०३५००.००	१०५५७०.००
	DN 250	गोटा		१४९५००.००	१५२४९०.००
	DN 300	गोटा		२०१२५०.००	२०५२७५.००
	DN 350	गोटा		३१६२५०.००	३२२५७५.००
	<b>Cast Steel Non Return Valve (NRV), Class 300</b> confirming to BS:1414 or equivalent. Hydraulic Test pressure: Body 76 kg/cm <sup>2</sup> , Seat 55 kg/cm <sup>2</sup> , including ISOD Flange, Nut & bolt, Gasket.				
	DN 40	गोटा		२३०००.००	२३६९०.००
	DN 50	गोटा		३०४८०.००	३१३९४.००
	DN 65	गोटा		३६२३०.००	३७३१६.००
	DN 80	गोटा		४१९८०.००	४३२३९.००
	DN 100	गोटा		४७७३०.००	४९१६१.००
	DN 125	गोटा		५९२३०.००	६१००६.००
	DN 150	गोटा		७६४८०.००	७८७७४.००
	DN 200	गोटा		१०५२३०.००	१०७३३४.००
	DN 250	गोटा		१५१२३०.००	१५४२५४.००
	DN 300	गोटा		२०२९८०.००	२०७०३९.००
	DN 350	गोटा		३१७९८०.००	३२४३३९.००
	<b>MS Flange, ISOD 12mm thick</b>				
	DN 40	गोटा		४००.००	४१२.००
	DN 50	गोटा		४३०.००	४४२.००
	DN 65	गोटा		५८०.००	५९७.००
	DN 80	गोटा		६३०.००	६४८.००
	DN 100	गोटा		६५०.००	६६९.००
	DN 150	गोटा		७५०.००	७७२.००
	DN 125	गोटा		८८०.००	९०६.००
	DN 200	गोटा		१४४०.००	१४८३.००
	DN 250	गोटा		२१६०.००	२२२४.००
	DN 300	गोटा		२५९०.००	२६६७.००
	DN 350	गोटा		३५७०.००	३६७७.००
	<b>MS Blind Flange, ISOD 16mm thick</b>				
	DN 40	गोटा		५२०.००	५३५.००
	DN 50	गोटा		५६०.००	५७६.००
	DN 65	गोटा		७५०.००	७७२.००
	DN 80	गोटा		८२०.००	८४४.००

*[Handwritten signature]*

*[Handwritten signature]*


*[Handwritten signature]*



ललितपुर जिल्ला अफिस

## High Pressure Valve and Fittings

सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७/७८	आ.ब.०७८/७९	आ.व.०७९/८०
	DN 100	गोटा		८५०.००	८७५.००
	DN 125	गोटा		९७०.००	९९९.००
	DN 150	गोटा		११५०.००	११८४.००
	DN 200	गोटा		१८७०.००	१९२६.००
	DN 250	गोटा		२८१०.००	२८९४.००
	DN 300	गोटा		३३६०.००	३४६०.००
	DN 350	गोटा		४६३०.००	४७६८.००
	<b>MS Flange, ISOD 22mm thick</b>				
	DN 40	गोटा		९२०.००	९४७.००
	DN 50	गोटा		९९०.००	१०१९.००
	DN 65	गोटा		१२७०.००	१३०८.००
	DN 80	गोटा		१४४०.००	१४८३.००
	DN 100	गोटा		१७३०.००	१७८१.००
	DN 125	गोटा		२०७०.००	२१३२.००
	DN 150	गोटा		२६५०.००	२७२९.००
	DN 200	गोटा		४३३०.००	४४५९.००
	DN 250	गोटा		५६५०.००	५८१९.००
	DN 300	गोटा		८३२०.००	८५६९.००
	DN 350	गोटा		९३२०.००	९५९९.००
	<b>MS Blind Flange, ISOD 32mm thick</b>				०.००
	DN 40	गोटा		१२००.००	१२३६.००
	DN 50	गोटा		१२९०.००	१३२८.००
	DN 65	गोटा		१६४०.००	१६८९.००
	DN 80	गोटा		१८७०.००	१९२६.००
	DN 100	गोटा		२२४०.००	२३०७.००
	DN 125	गोटा		२६९०.००	२७७०.००
	DN 150	गोटा		३४४०.००	३५४३.००
	DN 200	गोटा		५६४०.००	५८०९.००
	DN 250	गोटा		७३६०.००	७५८०.००
	DN 300	गोटा		१०८१०.००	१११३४.००
	DN 350	गोटा		१२९१०.००	१२४७३.००
	<b>Seamless (90°-22°) CARBON STEEL BEND, size dia</b>				
	2"	गोटा		३३०.००	३३९.००
	2 1/2"	गोटा		५८०.००	५९७.००
	3"	गोटा		८३०.००	८५४.००
	4"	गोटा		१३८०.००	१४२१.००
	5"	गोटा		२५३०.००	२६०५.००
	6"	गोटा		३५१०.००	३६१५.००
	8"	गोटा		६५६०.००	६७५६.००
	10"	गोटा		१२८८०.००	१३२६६.००
	12"	गोटा		१७८३०.००	१८३६४.००
	14"	गोटा		२०९३०.००	२०७३३.००
	<b>Seamless REDUCER ASTM-40, (size dia larger dia.)</b>				
	2"	गोटा		२६०.००	२६७.००
	2 1/2"	गोटा		४६०.००	४७३.००



Page 121

प्रमुख जिल्ला अफिस  
 ललितपुर

## High Pressure Valve and Fittings


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७७।७८	आ.व.०७८।७९	आ.व.०७९।८०
	3"	गोटा		६७०.००	६९०.००
	4"	गोटा		११००.००	११३३.००
	5"	गोटा		२०२०.००	२०८०.००
	6"	गोटा		२८१०.००	२८९४.००
	8"	गोटा		५२४०.००	५३९७.००
	10"	गोटा		१०३००.००	१०६०९.००
	12"	गोटा		१४२६०.००	१४६८७.००
	14"	गोटा		१६१००.००	१६५८३.००
	Nut & Bolt (FORZED, Size, set/kg)	गोटा		३००.००	३०९.००
	3 mm thick Gasket liner	गोटा		२५६०.००	२६३६.००

*(Handwritten signatures)*

*(Handwritten signature)*

*(Handwritten signature)*


*(Handwritten signature)*



## पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७/७८	आ.व.०७८/७९	आ.व. २०७९/०८०
१	<b>PP-R Pipe (PN-10)</b>				
	20mm outer, 1.9 mm thick, 0.107 kg/m	र.मि	५१.३३	५१.३३	५६.००
	25mm " 2.3 mm thick 0.164kg/m	र.मि	७८.७६	७८.७६	८६.००
	32mm 2.9 mm thick 0.26kg/m	र.मि	१२४.७८	१२४.७८	१३७.००
	40mm 3.7 mm thick 0.412kg/m	र.मि	१९७.३५	१९७.३५	२१७.००
	50mm 4.6 mm thick 0.638kg/m	र.मि	३०६.१९	३०६.१९	३३६.००
	63 mm 8.6 mm thick 0.638kg/m	र.मि	४८४.९६	४८४.९६	५३३.००
	75 mm	र.मि	६७६.११	६७६.११	७४३.००
	90 mm	र.मि	९७३.४५	९७३.४५	१०७०.००
	110 mm	र.मि	१४४४.२५	१४४४.२५	१५८८.००
२	<b>PP-R Pipe (PN-16)</b>				
	20mm 2.80 mm thick 0.148kg/m	र.मि	६९.०३	६९.०३	७५.००
	25mm 3.50 mm thick 0.26kg/m	र.मि	१०७.९६	१०७.९६	११८.००
	32mm 3.7 mm thick 0.230kg/m	र.मि	१७१.६८	१७१.६८	१८८.००
	40mm 5.50 mm thick 0.575kg/m	र.मि	२७६.११	२७६.११	३०३.००
	50mm 6.90 mm thick 0.896kg/m	र.मि	४३०.०९	४३०.०९	४७३.००
	63 mm 4.6 mm thick 0.638kg/m	र.मि	६७६.११	६७६.११	७४३.००
	75 mm	र.मि	९६४.६०	९६४.६०	१०६१.००
	90 mm	र.मि	१३७६.९९	१३७६.९९	१५१४.००
	110 mm	र.मि	२०६२.८३	२०६२.८३	२२६९.००
३	<b>PP-R Pipe (PN-20)</b>				
	20mm 3.4 mm thick 0.172 kg/m	र.मि	८२.३०	८२.३०	९०.००
	25mm 4.20 mm thick 0.266kg/m	र.मि	१२७.४३	१२७.४३	१४०.००
	32mm 5.40 mm thick 0.434kg/m	र.मि	२०७.९६	२०७.९६	२२८.००
	40mm 6.70 mm thick 0.671kg/m	र.मि	३२२.१२	३२२.१२	३५४.००
	50mm 8.30 mm thick 1.04kg/m	र.मि	४९९.१२	४९९.१२	५४९.००
	63mm 8.6mm thick 1.04kg/m	र.मि	७९१.१५	७९१.१५	८७०.००
	75 mm	र.मि	११२२.१२	११२२.१२	१२३४.००
	90 mm	र.मि	१६११.५०	१६११.५०	१७७२.००
	110 mm	र.मि	२४०३.५४	२४०३.५४	२६४३.००
४	<b>PP-R Pipe Accessories</b>				
	<b>Elbow ( 87.5 ° )</b>				
	20mm	गोटा			२३.००
	25mm	गोटा			४३.००
	32mm	गोटा			७०.००
	40mm	गोटा			१४८.००
	50mm	गोटा			२४९.००
	63 mm	गोटा			४३९.००
	75 mm	गोटा			८४३.००
	90 mm	गोटा			१३७६.००
	110 mm	गोटा			२५५८.००
	<b>Elbow ( 90 ° )</b>				
	20mm	गोटा	१०.६२	१०.६२	११.००
	25mm	गोटा	२०.३५	२०.३५	२२.००
	32mm	गोटा	३५.४०	३५.४०	३८.००





Page 123
प्रमुख जिल्ला अधि

## पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु


सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७७/७८	आ.व.०७८१/७९	आ.व. २०७९/०८०
	40mm	गोटा	७३.४५	७३.४५	८०.००
	50mm	गोटा	१२३.०१	१२३.०१	१३५.००
	63 mm	गोटा	२१६.८१	२१६.८१	२३८.००
	75 mm	गोटा	४०६.१९	४०६.१९	४४६.००
	90 mm	गोटा	६८५.८४	६८५.८४	७५४.००
	110 mm	गोटा	१२७७.८८	१२७७.८८	१४०५.००
५	Equal Tee				
	20mm	गोटा	१४.१६	१४.१६	१५.००
	25mm	गोटा	२४.७८	२४.७८	२७.००
	32mm	गोटा	४३.३६	४३.३६	४७.००
	40mm	गोटा	८४.०७	८४.०७	९२.००
	50mm	गोटा	१४३.३६	१४३.३६	१५७.००
	63mm	गोटा	२६०.१८	२६०.१८	२८६.००
	75 mm	गोटा	४५१.३३	४५१.३३	४९६.००
	90 mm	गोटा	८२६.५५	८२६.५५	९०९.००
	110 mm	गोटा	१४३५.४०	१४३५.४०	१५७८.००
६	Coupler				
	20mm	गोटा	७.००	७.००	९.००
	25mm	गोटा	९.००	९.००	११.००
	32mm	गोटा	२०.३५	२०.३५	२२.००
	40mm	गोटा	३९.८२	३९.८२	४३.००
	50mm	गोटा	६६.३७	६६.३७	७३.००
	63 mm	गोटा	११६.८१	११६.८१	१२८.००
	75 mm	गोटा	२२५.६६	२२५.६६	२४८.००
	90 mm	गोटा	३३३.६३	३३३.६३	३६६.००
	110 mm	गोटा	६०९.७३	६०९.७३	६७०.००
७	45 Degree Elbow				
	20 mm	गोटा	१४.१६	१४.१६	१५.००
	25 mm	गोटा	२३.०१	२३.०१	२५.००
	32 mm	गोटा	३५.४०	३५.४०	३८.००
	40 mm	गोटा	६६.३७	६६.३७	७३.००
	50 mm	गोटा	१११.५०	१११.५०	१२२.००
	63 mm	गोटा	१८४.०७	१८४.०७	२०२.००
	75 mm	गोटा	३६१.०६	३६१.०६	३९७.००
	90 mm	गोटा	६०९.७३	६०९.७३	६७०.००
	110 mm	गोटा	१०६४.६०	१०६४.६०	११७९.००
८	Union (Plastic)				
	20mm	गोटा	५३.९८	५३.९८	५९.००
	25mm	गोटा	९२.०४	९२.०४	१०१.००
	32mm	गोटा	१४८.६७	१४८.६७	१६३.००
	40mm	गोटा	२२४.७८	२२४.७८	२४७.००
	50mm	गोटा	३५२.२१	३५२.२१	३८७.००
	63mm	गोटा	४२०.३५	४२०.३५	४६२.००
९	Reducing Coupler				
	25mm*20mm	गोटा	१५.०४	१५.०४	१६.००






## पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व. २०७९/०८०
	32mm*20mm	गोटा	१८.५८	१८.५८	२०.००
	32mm*25mm	गोटा	२०.००	२०.००	२३.००
	40mm*20mm	गोटा	३०.९७	३०.९७	३४.००
	40mm*25mm	गोटा	३१.८६	३१.८६	३५.००
	40mm*32mm	गोटा	४३.३६	४३.३६	४७.००
	50mm*20mm	गोटा	५८.४१	५८.४१	६४.००
	50mm*25mm	गोटा	५५.७५	५५.७५	६१.००
	50mm*32mm	गोटा	६३.७२	६३.७२	७०.००
	50mm*40mm	गोटा	६६.३७	६६.३७	७३.००
	63mm*20mm	गोटा	९१.१५	९१.१५	१००.००
	63mm*25mm	गोटा	११२.३९	११२.३९	१२३.००
	63mm*32mm	गोटा	९२.००	९२.००	१२४.००
	63mm*40mm	गोटा	११३.२७	११३.२७	१२४.००
	63mm*50mm	गोटा	११३.२७	११३.२७	१२४.००
	75mm*40mm	गोटा	२२५.६६	२२५.६६	२४८.००
	75mm*50mm	गोटा	२३०.०९	२३०.०९	२५३.००
	75mm*63mm	गोटा	२३२.७४	२३२.७४	२५६.००
	90mm*50mm	गोटा	४२९.२०	४२९.२०	४७२.००
	90mm*63mm	गोटा	४६०.१८	४६०.१८	५०६.००
	90mm*75mm	गोटा	५४१.५९	५४१.५९	५९५.००
	110mm*75mm	गोटा	७५८.४१	७५८.४१	८३४.००
	110mm*90mm	गोटा	८४४.२५	८४४.२५	९२८.००
	75mm	गोटा			४७६.००
	90mm	गोटा			७३८.००
	110mm	गोटा			१२५१.००
१०	<b>Reducing Tee</b>				
	25*20*25 mm	गोटा	२६.५५	२६.५५	२९.००
	32*20*32 mm	गोटा	४०.७१	४०.७१	४४.००
	32*25*32 mm	गोटा	४३.३६	४३.३६	४७.००
	40*20*40 mm	गोटा	५८.४१	५८.४१	६४.००
	40*25*40 mm	गोटा	६५.४९	६५.४९	७२.००
	40*32*40 mm	गोटा	६९.९१	६९.९१	७६.००
	50*20*50 mm	गोटा	१०२.००	१०२.००	१३०.००
	50*25*50 mm	गोटा	१०८.००	१०८.००	१३४.००
	50*32*50 mm	गोटा	१३०.९७	१३०.९७	१४४.००
	50*40*50 mm	गोटा	१३५.४०	१३५.४०	१४८.००
	63*20*63 mm	गोटा	१७६.९९	१७६.९९	१८८.००
	63*25*63 mm	गोटा	१९६.४६	१९६.४६	२०९.००
	63*32*63 mm	गोटा	२०३.५४	२०३.५४	२२३.००
	63*40*63 mm	गोटा	२०७.०८	२०७.०८	२२७.००
	63*50*63 mm	गोटा	२१४.१६	२१४.१६	२३५.००
	75*50*75 mm	गोटा	५१९.४७	५१९.४७	५५३.००
	75*63*75 mm	गोटा	५२१.२४	५२१.२४	५५५.००
	90*63*90 mm	गोटा	८५७.५२	८५७.५२	९१४.००
	90*75*90 mm	गोटा	९४७.७९	९४७.७९	१०१०.००
	110*75*110 mm	गोटा	१५३४.५१	१५३४.५१	१६३६.००
	110*90*110 mm	गोटा	१५७९.६५	१५७९.६५	१६८४.००
	75mm	गोटा			१०३९.००
	90mm	गोटा			१७४५.००
	110mm	गोटा			२९६८.००



Page 125


  
 प्रमुख जिल्ला अधिकारी

## पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७७	आ.व. ०७८१७९	आ.व. २०७९/०८०
११	Reducing Elbow				
	25mm*20mm	गोटा	२०.३५	२०.३५	२२.००
	32mm*20mm	गोटा	३७.१७	३७.१७	४०.००
	32mm*25mm	गोटा	४६.०२	४६.०२	५०.००
	40*20mm	गोटा			१४०.००
	40*25mm	गोटा			१५२.००
	40*32mm	गोटा			१८८.००
	75mm	गोटा			१००७.००
	90mm	गोटा			१३७५.००
	110mm	गोटा			२६१३.००
	<b>U CLAMP LONG</b>				
	20mm	गोटा			३०.००
	25mm	गोटा			३४.००
	32mm	गोटा			४६.००
	40mm	गोटा			५२.००
	50mm	गोटा			७०.००
	63mm	गोटा			७८.००
	<b>U CLAMP</b>				
	20mm	गोटा			१३.००
	25mm	गोटा			१६.००
	32mm	गोटा			३०.००
	40mm	गोटा			३७.००
	50mm	गोटा			५९.००
	63mm	गोटा			७६.००
	<b>PLUG</b>				
	20mm	गोटा			१३.००
	25mm	गोटा			२१.००
	32mm	गोटा			२६.००
	<b>CAPS</b>				
	20mm	गोटा			३१.००
	25mm	गोटा			४६.००
	32mm	गोटा			७०.००
	40mm	गोटा			१११.००
	50mm	गोटा			१८७.००
	63mm	गोटा			३३८.००
	75mm	गोटा			५१५.००
	90mm	गोटा			५७६.००
	110mm	गोटा			११८२.००
	<b>CROSS OVER</b>				
	20mm	गोटा			१४२.००
	25mm	गोटा			२०३.००

*(Handwritten signatures and marks)*

*(Handwritten signatures and marks)*



नेपाल सरकार  
गृह मन्त्रालय  
जस्ता प्रशासन कार्यालय  
ललितपुर

## पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व. २०७९/०८०
	32mm	गोटा			२९४.००
१२	<b>High Footed Pipe Clip</b>				
	20mm	गोटा	११.००	११.००	१२.००
	25mm	गोटा	१३.००	१३.००	१४.००
	32mm	गोटा	२०.३५	२०.३५	२२.००
	40mm	गोटा	२३.०१	२३.०१	२५.००
	50mm	गोटा	२४.७८	२४.७८	२७.००
	63 mm	गोटा	३३.६३	३३.६३	३६.००
१३	<b>Low Footed Pipe Clip</b>				
	20mm	गोटा	५.५०	५.५०	६.००
	25mm	गोटा	७.००	७.००	७.००
	32mm	गोटा	१३.२०	१३.२०	१४.००
	40mm	गोटा	१७.५०	१७.५०	२०.००
	50mm	गोटा	२८.३२	२८.३२	३१.००
	63 mm	गोटा	३६.२८	३६.२८	३९.००
१४	<b>"Y" type Pipe Clip</b>				
	20mm	गोटा	१७.५०	१७.५०	२०.००
	25mm	गोटा	२०.७५	२०.७५	२३.००
	32mm	गोटा	२५.००	२५.००	२८.००
	40 mm	गोटा	५०.००	५०.००	५५.००
१५	<b>End Plug (short)</b>				
	20mm	गोटा	५.५०	५.५०	६.००
	25mm	गोटा	८.७५	८.७५	१०.००
	32mm	गोटा	१२.००	१२.००	१३.००
१६	<b>End Plug with Ring</b>				
	20mm	गोटा	२०.३५	२०.३५	२२.००
१७	<b>End Plug (long)</b>	गोटा			
	20mm	गोटा	७.७०	७.७०	१०.००
१८	<b>End Cap</b>				
	20mm	गोटा	११.००	११.००	१२.००
	25mm	गोटा	१७.५०	१७.५०	२०.००
	32mm	गोटा	२७.४३	२७.४३	३०.००
	40mm	गोटा	४०.७१	४०.७१	४४.००
	50mm	गोटा	७१.६८	७१.६८	७८.००
	63 mm	गोटा	१३८.०५	१३८.०५	१५१.००
	75 mm	गोटा	२२१.२४	२२१.२४	२४३.००
१९	<b>Cross Tee</b>				
	20mm	गोटा	२३.८९	२३.८९	२६.००
	25mm	गोटा	३५.४०	३५.४०	३८.००
	32mm	गोटा	६१.९५	६१.९५	६८.००
२०	<b>Short Passover</b>				
	20mm	गोटा	६९.०३	६९.०३	७५.००
	25mm	गोटा	९९.१२	९९.१२	१०९.००
	32mm	गोटा	१५३.९८	१५३.९८	१६९.००
२१	<b>Long Bypass</b>				

*[Signature]*

*[Signature]*

*[Signature]*



ललितपुर जिल्ला आ. व. क.

## पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब. ०७७७७८	आ.ब.०७८१७९	आ.ब. २०७९/०८०
	20mm	गोटा	७८.७६	७८.७६	८६.००
	25mm	गोटा	१३०.९७	१३०.९७	१४४.००
	32mm	गोटा	१९२.०४	१९२.०४	२११.००
<b>२२</b>	<b>Male Tee</b>				
	20mmx1/2"	गोटा	१३०.९७	१३०.९७	१४४.००
	20mmx3/4"	गोटा			१४६.००
	25mmx1/2"	गोटा	१३८.०५	१३८.०५	१५१.००
	25mmx3/4"	गोटा	१६४.६०	१६४.६०	१८१.००
	32mmx1/2"	गोटा	१४०.७१	१४०.७१	१५४.००
	32mmx3/4"	गोटा	२०७.०८	२०७.०८	२२७.००
	32mmx1"	गोटा	३६०.१८	३६०.१८	३९६.००
	40mm*1/2"	गोटा			६७३.००
	40mm*5/4"	गोटा			६५५.००
	50mm*6/4"	गोटा			१०३८.००
	63mm*1"	गोटा			१२३५.००
	63mm*2"	गोटा			१३४१.००
<b>२३</b>	<b>Female Tee</b>				
	20mmx1/2"	गोटा	१०६.१९	१०६.१९	११६.००
	20mmx3/4"	गोटा			१३१.००
	25mmx1/2"	गोटा	१३८.०५	१३८.०५	१५१.००
	25mmx3/4"	गोटा	१६०.१८	१६०.१८	१७६.००
	32mmx1/2"	गोटा	१५७.५२	१५७.५२	१७३.००
	32mmx3/4"	गोटा	१८४.९६	१८४.९६	२०३.००
	32mmx1"	गोटा	३११.५०	३११.५०	३४२.००
	40mm*1/2"	गोटा			५३०.००
	40mm*5/4"	गोटा			५२१.००
	50mm*6/4"	गोटा			७९०.००
	63mm*1"	गोटा			९९२.००
	63mm*2"	गोटा			१०४८.००
<b>२४</b>	<b>Male elbow</b>				
	20mmx1/2"	गोटा	१२५.६६	१२५.६६	१३८.००
	25mmx1/2"	गोटा	१३८.०५	१३८.०५	१५१.००
	25mmx3/4"	गोटा	१६९.०३	१६९.०३	१८५.००
	32mmx1/2"	गोटा	२८४.०७	२८४.०७	३१२.००
	32mmx3/4"	गोटा	२२५.६६	२२५.६६	२४८.००
	32mmx1"	गोटा	३७४.३४	३७४.३४	४११.००
	40mm*5/4"	गोटा			५९२.५०
<b>२५</b>	<b>Female elbow</b>				
	20mmx1/2"	गोटा	१०३.५४	१०३.५४	११३.००
	25mmx1/2"	गोटा	१६८.१४	१६८.१४	१८४.००
	25mmx3/4"	गोटा	१३८.०५	१३८.०५	१५१.००
	32mmx1/2"	गोटा	१८४.०७	१८४.०७	२०२.००
	32mmx3/4"	गोटा	२१६.८१	२१६.८१	२३८.००
	32mmx1"	गोटा	३०३.५४	३०३.५४	३३३.००
	40mm*5/4"	गोटा			६७५.००

*[Handwritten signature]*

*[Handwritten signature]*


*[Handwritten signature]*

*[Handwritten signature]*



## पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब. ०७७७८	आ.ब. ०७८१७९	आ.ब. २०७९/०८०
	50mm*6/4"	गोटा			७७५.००
	63mm*2"	गोटा			८९२.००
	<b>MALE SOCKET</b>				
	20mm*1/2"	गोटा			१४५.००
	20mm*3/4"	गोटा			१७५.००
	25mm*1/2"	गोटा			१५५.००
	25mm*3/4"	गोटा			१७६.००
	32mm*1/2"	गोटा			१९६.००
	32mm*3/4"	गोटा			२०६.००
	32mm*1"	गोटा			३९२.००
	40mm*5/4"	गोटा			६४९.००
	50mm*6/4"	गोटा			१०४८.००
	63mm*2"	गोटा			१३९५.००
	75mm	गोटा			३४८०.००
	90mm	गोटा			४७६९.००
	110mm	गोटा			८९६८.००
	<b>FEMALE SOCKET</b>				
	20mm*1/2"	गोटा			११०.००
	20mm*3/4"	गोटा			१२५.००
	25mm*1/2"	गोटा			१३५.००
	25mm*3/4"	गोटा			१३७.००
	32mm*1/2"	गोटा			१३१.००
	32mm*3/4"	गोटा			१४१.००
	32mm*1"	गोटा			३०६.००
	40mm*5/4"	गोटा			५७०.००
	50mm*6/4"	गोटा			७९१.००
	63mm*2"	गोटा			१०७०.००
	75mm	गोटा			३०४२.००
	90mm	गोटा			४१८४.००
	110mm	गोटा			७९००.००
२६	<b>Male Coupling</b>				
	20mmx1/2"	गोटा	१२२.१२	१२२.१२	१३४.००
	20mmx3/4"	गोटा	१२९.२०	१२९.२०	१४२.००
	25mmx1/2"	गोटा	१४८.६७	१४८.६७	१६३.००
	25mmx3/4"	गोटा	१७०.८०	१७०.८०	१८७.००
	32mmx1/2"	गोटा	१५३.९८	१५३.९८	१६९.००
	32mmx3/4"	गोटा	१६४.६०	१६४.६०	१८१.००
	32mmx1"	गोटा	३३०.०९	३३०.०९	३६३.००
	40mmx1-1/4"	गोटा	५५८.४१	५५८.४१	६१४.००
	50mmx1-1/2"	गोटा	८४१.५९	८४१.५९	९२५.००
	63mmx2"	गोटा	१११०.६२	१११०.६२	१२२१.००
	75mmx2-1/2"	गोटा	२७६१.०६	२७६१.०६	३०३७.००
२७	<b>Female Coupling</b>				
	20mmx1/2"	गोटा	९९.१२	९९.१२	१०९.००
	20mmx3/4"	गोटा	११६.८१	११६.८१	१२८.००
	25mmx1/2"	गोटा	१३०.९७	१३०.९७	१४४.००



प्रमुख जिल्ला अधिकारी

## पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब. ०७७७८	आ.ब.०७८१७९	आ.व. २०७९/०८०
	25mmx3/4"	गोटा	१३२.७४	१३२.७४	१४६.००
	32mmx1/2"	गोटा	११२.३९	११२.३९	१२३.००
	32mmx3/4"	गोटा	१२०.३५	१२०.३५	१३२.००
	32mmx1"	गोटा	२८३.१९	२८३.१९	३११.००
	40mmx1-1/4"	गोटा	४९०.२७	४९०.२७	५३९.००
	50mmx1-1/2"	गोटा	६३५.४०	६३५.४०	६९८.००
	63mmx2"	गोटा	८५१.३३	८५१.३३	९३६.००
	75mmx2-1/2"	गोटा	२५२६.५५	२५२६.५५	२७७९.००
२८	<b>Male Union</b>				
	20mmx1/2"	गोटा	२७५.२२	२७५.२२	३०२.००
	25mmx3/4"	गोटा	३९५.५८	३९५.५८	४३५.००
	32mmx1"	गोटा	५८१.४२	५८१.४२	६३९.००
	40mmx1 1/4"	गोटा	१०४६.९०	१०४६.९०	११५१.००
	50mmx1/2"	गोटा	१३९९.१२	१३९९.१२	१५३९.००
	63mmx2"	गोटा	३६०९.७३	३६०९.७३	३९७०.००
२९	<b>Female Union</b>				
	20mmx1/2"	गोटा	२६५.४९	२६५.४९	२९२.००
	25mmx3/4"	गोटा	३४४.२५	३४४.२५	३७८.००
	32mmx1"	गोटा	५५५.७५	५५५.७५	६११.००
	40mmx1 1/4"	गोटा	७६७.२६	७६७.२६	८४३.००
	50mmx1/2"	गोटा	१३१०.६२	१३१०.६२	१४४१.००
	63mmx2"	गोटा	२३९१.१५	२३९१.१५	२६३०.००
३०	<b>Stop Valve</b>				
	20 mm	गोटा	३१७.७०	३१७.७०	३४९.००
	25 mm	गोटा	४१८.५८	४१८.५८	४६०.००
	32 mm	गोटा	५०५.३१	५०५.३१	५५५.००
	40mm	गोटा	५४१.५९	५४१.५९	५९५.००
	50 mm	गोटा	९०२.६५	९०२.६५	९९२.००
	63 mm	गोटा	१३५५.७५	१३५५.७५	१४९१.००
	75 mm	गोटा			२८४०.००
	90 mm	गोटा			३१०९.००
	110 mm	गोटा			४२४९.००
	<b>MALE SEATED ELBOW</b>				
	20mm*1/2"	गोटा			१५५.००
	25mm*1/2"	गोटा			१७८.००
	25mm*3/4"	गोटा			१९८.००
	<b>FEMALE SEATED ELBOW</b>				
	20mm*1/2"	गोटा			१६८.००
	25mm*1/2"	गोटा			२१०.००
	25mm*3/4"	गोटा			२२०.००
३१	<b>Male base elbow</b>				
	20mm x 1/2"	गोटा	१४२.४८	१४२.४८	१५६.००
	25mm x 1/2"	गोटा	१७६.११	१७६.११	१९३.००
	25mm x 3/4"	गोटा	१७६.११	१७६.११	१९३.००
३२	<b>Female base elbow</b>				



## पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७७७८	आ.व. ०७८१७९	आ.व. २०७९/०८०
	20mm x 1/2"	गोटा	१३९.८२	१३९.८२	१५३.००
	25mm x 1/2"	गोटा	१७९.६८	१७९.६८	१८८.००
	25mm x 3/4"	गोटा	१६९.०३	१६९.०३	१८५.००
३३	<b>Metal Ball valve (double)</b>				
	20mmx1/2"	गोटा	५८६.७३	५८६.७३	६४५.००
	25mmx3/4"	गोटा	८५९.२९	८५९.२९	९४५.००
	32mmx1"	गोटा	१०६९.०६	१०६९.०६	११६७.००
	40mmx1-1/4"	गोटा	३०२९.२४	३०२९.२४	३३२३.००
	50mmx1-1/2"	गोटा	४१५९.३३	४१५९.३३	४५६६.००
३४	<b>Metal Ball valve (Single)</b>				
	20mmx1/2"	गोटा	५४९.५९	५४९.५९	५९५.००
	25mmx3/4"	गोटा	७०५.३९	७०५.३९	७७५.००
	32mmx1"	गोटा	११९५.५८	११९५.५८	१३१५.००
३५	<b>Conceal Valve (Lux)</b>				
	20mm	गोटा	८७५.००	८७५.००	१११३.००
३६	<b>Conceal Valve (Nor)</b>				
	20mm	गोटा	८५२.२९	८५२.२९	९३७.००
३७	<b>Ball Valve (Plastic)</b>				
	20mm	गोटा	८५.८४	८५.८४	९४.००
	25mm	गोटा	११६.८९	११६.८९	१२८.००
	32mm	गोटा	१९९.९२	१९९.९२	२१९.००
	40mm	गोटा	४३२.७४	४३२.७४	४७६.००
	50mm	गोटा	६२७.४३	६२७.४३	६९०.००
	63 mm	गोटा	१०६९.०६	१०६९.०६	११६७.००
	75 mm	गोटा			१६३३.००
	90 mm	गोटा			३२३७.००
	110 mm	गोटा			४४२७.००
३८	<b>Ball Valve (Brass)</b>				
	20mm	गोटा	३९९.५०	३९९.५०	३४२.००
	25mm	गोटा	३८४.०७	३८४.०७	४२२.००
	32mm	गोटा	५२९.२४	५२९.२४	५७३.००
	40mm	गोटा	८६९.९५	८६९.९५	९४८.००
	<b>TANK NIPPLE</b>				
	32mm	गोटा			२६५.००
	40mm	गोटा			३२७.००
	<b>PIPE TANK NIPPLE</b>				
	32mm	गोटा			१४८.००
	<b>BALL VALVE METAL BODY</b>				
	20mm	गोटा			५९२.००
	25mm	गोटा			८०४.००
	32mm	गोटा			११६६.००
	40mm	गोटा			१५५२.००
	50mm	गोटा			१९४९.००
	63mm	गोटा			२४८५.००
	75mm	गोटा			६७२४.००



Page 131

प्रमुख जिल्ला अधिकारी  
 ललितपुर

## पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब. ०७७७८	आ.ब. ०७८१७९	आ.व. २०७९/०८०
	90mm	गोटा			१०८८५.००
	110mm	गोटा			१३०६२.००
	<b>BALL VALVE FEMALE</b>				
	20mm	गोटा			५९२.००
	25mm	गोटा			८०४.००
	32mm	गोटा			११६६.००
	40mm	गोटा			१५५२.००
	50mm	गोटा			१९४९.००
	63mm	गोटा			२४८५.००
	75mm	गोटा			६७२४.००
	90mm	गोटा			१०८८५.००
	110mm	गोटा			१३०६२.००
	<b>PLUG NIPPLE</b>				
	20mm	गोटा			११.००
	<b>DOUBLE FEMALE ELBOW</b>				
	20mm*1/2"	गोटा			२५६.००
	25mm*1/2"	गोटा			२९४.००












यु.पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहिकको दररेट		
			आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व. २०७९/८०
A	<b>UPVC Pipes</b>				
१	<b>UPVC Pipe NS 206/046 - 2.5 kg /cm<sup>2</sup> Pressure</b>				
	90 mm	र.मी	१४३.८५	१४३.८५	१६६.००
	110 mm	र.मी	२१४.२०	२१४.२०	२४७.००
	125 mm	र.मी	२७३.००	२७३.००	३१५.००
	140 mm	र.मी	३३७.०५	३३७.०५	३८९.००
	160 mm	र.मी	४३९.९५	४३९.९५	५०८.००
	180 mm	र.मी	५६३.८५	५६३.८५	६५१.००
	200 mm	र.मी	६८९.८५	६८९.८५	७९६.००
२	<b>UPVC Pipe NS 206/046 - 4 kg /cm<sup>2</sup> Pressure</b>				
	63mm	र.मी	११४.४५	११४.४५	१३२.००
	75mm	र.मी	१५७.५०	१५७.५०	१८१.००
	90 mm	र.मी	२२५.७५	२२५.७५	२६०.००
	110 mm	र.मी	३०९.७५	३०९.७५	३५७.००
	125 mm	र.मी	४२६.३०	४२६.३०	४९२.००
	140 mm	र.मी	५४१.८०	५४१.८०	६२५.००
	160 mm	र.मी	७००.३५	७००.३५	८०८.००
	180 mm	र.मी	९००.९०	९००.९०	१०४०.००
	200 mm	र.मी	१०९३.०५	१०९३.०५	१२६२.००
३	<b>UPVC Pipe NS 206/046 - 6 kg /cm<sup>2</sup> Pressure</b>				
	40mm	र.मी	६७.२०	६७.२०	७७.००
	50mm	र.मी	१०१.८५	१०१.८५	११७.००
	63mm	र.मी	१६३.८०	१६३.८०	१८९.००
	75mm	र.मी	२२७.८५	२२७.८५	२६३.००
	90 mm	र.मी	३२७.६०	३२७.६०	३७८.००
	110 mm	र.मी	४७४.६०	४७४.६०	५४८.००
	125 mm	र.मी	६३२.१०	६३२.१०	७३०.००
	140 mm	र.मी	७८७.५०	७८७.५०	९०९.००
	160 mm	र.मी	१००८.००	१००८.००	११६४.००
	180 mm	र.मी	१२८६.२५	१२८६.२५	१४८५.००
	200 mm	र.मी	१५७५.००	१५७५.००	१८१९.००
४	<b>UPVC Pipe NS 206/046 - 10 kg /cm<sup>2</sup> Pressure</b>				
	20 mm	र.मी	२६.२५	२६.२५	३०.००
	25 mm	र.मी	४०.९५	४०.९५	४७.००
	32mm	र.मी	६७.२०	६७.२०	७७.००
	40mm	र.मी	१००.८०	१००.८०	११६.००
	50mm	र.मी	१५८.५५	१५८.५५	१८३.००
	63mm	र.मी	२५३.०५	२५३.०५	२९२.००
	75mm	र.मी	३६०.१५	३६०.१५	४१५.००
	90 mm	र.मी	५१३.४५	५१३.४५	५९३.००
	110 mm	र.मी	७६२.३०	७६२.३०	८८०.००
	125 mm	र.मी	९७५.४५	९७५.४५	११२६.००
	140 mm	र.मी	१२३१.६५	१२३१.६५	१४२२.००
	160 mm	र.मी	१५८४.४५	१५८४.४५	१८३०.००
	180 mm	र.मी	२०१९.१५	२०१९.१५	२३३२.००
	200 mm	र.मी	२४९६.९०	२४९६.९०	२८८३.००
	<b>UPVC PIPE AS PER IS 13592</b>				
	50mm	र.मी			88.00
	75mm	र.मी			141.00
	110mm	र.मी			278.00
	160mm	र.मी			586.00



Handwritten signatures and stamps at the bottom of the page, including a large signature on the left and a stamp on the right with the text 'ललितपुर' (Lalitpur).

यु.पि.भि.सि. पाईप तथा फिटिङ्गहरु


सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहिकको दररेट		
			आ.व. ०७७/७८	आ.व.०७८/७९	आ.व.२०७९/८०
	200mm	र.मी			905.00
	<b>DURADRAIN</b>				
	110mm SN 8	र.मी			424.00
	75mm SN 8	र.मी			210.00
B	<b>UPVC fittings</b>				
१	<b>Coupler</b>				
	50 mm	गोटा	३२.५५	३२.५५	३६.००
	75 mm	गोटा	७८.७५	७८.७५	८८.००
	110 mm	गोटा	१३४.४०	१३४.४०	१५०.००
२	<b>Bend 87.5 degree</b>				
	50 mm	गोटा	४८.३०	४८.३०	५४.००
	75 mm	गोटा	११३.४०	११३.४०	१२६.००
	110 mm	गोटा	२१०.००	२१०.००	२३५.००
३	<b>Bend 45 degree</b>				
	50 mm	गोटा	४७.२५	४७.२५	५२.००
	75 mm	गोटा	९२.४०	९२.४०	१०३.००
	110 mm	गोटा	१६५.९०	१६५.९०	१८५.००
४	<b>Single Tee</b>				
	50 mm	गोटा	७१.४०	७१.४०	७९.००
	75 mm	गोटा	१५४.३५	१५४.३५	१७२.००
	110 mm	गोटा	२९२.९५	२९२.९५	३२७.००
५	<b>Pipe clip</b>				
	50 mm	गोटा	१४.७०	१४.७०	१६.००
	75 mm	गोटा	२९.४०	२९.४०	३२.००
	110 mm	गोटा	३८.८५	३८.८५	४३.००
६	<b>Bend 87.5 degree with door</b>				
	75 mm	गोटा	१४५.९५	१४५.९५	१६३.००
	110 mm	गोटा	२५४.१०	२५४.१०	२८४.००
७	<b>Single Tee with door</b>				
	75 mm	गोटा	२०७.९०	२०७.९०	२३२.००
	110 mm	गोटा	३८७.४५	३८७.४५	४३३.००
८	<b>Double Tee</b>				
	75 mm	गोटा	३३८.१०	३३८.१०	३७८.००
	110 mm	गोटा	५३५.५०	५३५.५०	५९९.००
९	<b>Double Tee with door</b>				
	75 mm	गोटा	४४८.३५	४४८.३५	५०१.००
	110 mm	गोटा	६९५.१०	६९५.१०	७७८.००
१०	<b>Vent cowl</b>				
	75 mm	गोटा	५५.६५	५५.६५	६२.००
	110 mm	गोटा	९१.३५	९१.३५	१०२.००
११	<b>Socket plug</b>				
	75 mm	गोटा	६९.३०	६९.३०	७७.००
	110 mm	गोटा	११३.४०	११३.४०	१२६.००
१२	<b>Single "Y"</b>				
	75 mm	गोटा	१७६.४०	१७६.४०	१९७.००
	110 mm	गोटा	३८१.१५	३८१.१५	४२६.००
१३	<b>Single "Y" with door</b>				
	75 mm	गोटा	२४१.५०	२४१.५०	२७०.००
	110 mm	गोटा	४५९.९०	४५९.९०	५१४.००
१४	<b>Double "Y"</b>				
	75 mm	गोटा	२६५.६५	२६५.६५	२९७.००



Handwritten signatures and stamps at the bottom of the page, including a large signature on the left and a stamp on the right that reads 'मुख्य जिल्ला अफिस' (Chief District Office).

यु.पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहिकको दररेट		
			आ.व. ०७७७७	आ.व. ०७८१७९	आ.व. २०७९।८०
	110 mm	गोटा	५२३.९५	५२३.९५	५८६.००
१५	Double "Y" with door				
	75 mm	गोटा	३४९.२५	३४९.२५	३८२.००
	110 mm	गोटा	५४९.९५	५४९.९५	६१४.००
१६	Cleaning pipe				
	75 mm	गोटा	१५४.३५	१५४.३५	१७२.००
	110 mm	गोटा	२९८.२०	२९८.२०	३३३.००
१७	Reducer				
	110x 75 mm	गोटा	१३७.५५	१३७.५५	१५३.००
	75X50 mm	गोटा	७२.४५	७२.४५	८१.००
१८	P -Trap				
	125mmx110mm	गोटा	५६५.९५	५६५.९५	६३३.००
	110mmx110mm	गोटा	५३०.२५	५३०.२५	५९३.००
	75mmx75mm	गोटा	२०२.६५	२०२.६५	२२६.००
१९	Multi-Floor -Trap				
	110mmx75mm	गोटा	२९४.००	२९४.००	३२९.००
२०	Nahani-Trap				
	110mmx75mm	गोटा	२६७.७५	२६७.७५	२९९.००
२२	W.C. Connector (bent type)	गोटा	२७४.०५	२७४.०५	३०६.००
२३	Square tile with jali	गोटा	८८.२०	८८.२०	९३.००
२४	Round jali	गोटा	३९.९०	३९.९०	४४.००
२५	End cap 50mm	गोटा	२६.२५	२६.२५	२९.००



Handwritten signatures and notes in Nepali, including the name 'शुभ कार्की' and other illegible text.

## पि.भि.सि. पाईप तथा फिटिङहरू

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहिकको दररेट		
			आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व. ०७९/८०
	<b>"LEAD FREE" PVC PIPES as per ASTM D 1785</b>				
	1/2" dia. (42.19 Kg/cm2)	र.मि	११४.००	११४.००	१२१.००
	3/4" dia. (33.75 Kg/cm2)	र.मि	१४७.००	१४७.००	१५६.००
	1" dia. (31.64 Kg/cm2)	र.मि	२२६.००	२२६.००	२४०.००
	1-1/4" dia. (26.01 Kg/cm2)	र.मि	२७९.००	२७९.००	२९७.००
	1-1/2" dia. (23.20 Kg/cm2)	र.मि	३४२.००	३४२.००	३६४.००
	2" dia. (19.69 Kg/cm2)	र.मि	४८५.००	४८५.००	५१७.००
	2-1/2" dia. (21.09 Kg/cm2)	र.मि	६७८.००	६७८.००	७२२.००
	3" dia. (18.28 Kg/cm2)	र.मि	८५६.००	८५६.००	९१२.००
	4" dia. (15.47 Kg/cm2)	र.मि	१२५६.००	१२५६.००	१३१८.००
	6" dia. (12.66 Kg/cm2)	र.मि	२६१६.००	२६१६.००	२७४६.००
	<b>PVC FITTINGS as per ASTM D 2466</b>				
	<b>PVC Tee - Soc</b>				
	1/2"	गोटा	३२.००	३२.००	३४.००
	3/4"	गोटा	४४.००	४४.००	४६.००
	1"	गोटा	६९.००	६९.००	७३.००
	1-1/4"	गोटा	१०९.००	१०९.००	११६.००
	1-1/2"	गोटा	१४३.००	१४३.००	१५२.००
	2"	गोटा	२२१.००	२२१.००	२३५.००
	2-1/2"	गोटा	६३३.००	६३३.००	६७४.००
	3"	गोटा	८३१.००	८३१.००	८६६.००
	4"	गोटा	१५०३.००	१५०३.००	१५७८.००
	6"	गोटा	८३३६.००	८३३६.००	८७५२.००
	<b>PVC Reducer Tee - Soc</b>				
	3/4 x 1/2	गोटा	६३.००	६३.००	६७.००
	1 x 1/2	गोटा	९७.००	९७.००	१०३.००
	1 x 3/4	गोटा	९७.००	९७.००	१०३.००
	1-1/2 X 1/2	गोटा	३२९.००	३२९.००	३५०.००
	1-1/2 X 3/4	गोटा	३२९.००	३२९.००	३५०.००
	1-1/2 X 1	गोटा	३२९.००	३२९.००	३५०.००
	1-1/2 X 1-1/4	गोटा	३२९.००	३२९.००	३५०.००
	2 X 1/2	गोटा	४०६.००	४०६.००	४३२.००
	2 X 3/4	गोटा	४०६.००	४०६.००	४३२.००
	2 X 1	गोटा	४०६.००	४०६.००	४३२.००
	2 X 1-1/4	गोटा	४०६.००	४०६.००	४३२.००
	2 X 1-1/2	गोटा	४०६.००	४०६.००	४३२.००
	2-1/2 X 1/2	गोटा	१०४३.००	१०४३.००	१०९५.००
	2-1/2 X 3/4	गोटा	१०४३.००	१०४३.००	१०९५.००
	2-1/2 X 1	गोटा	१०४३.००	१०४३.००	१०९५.००
	2-1/2 X 1-1/4	गोटा	१०४३.००	१०४३.००	१०९५.००
	2-1/2 X 1-1/2	गोटा	१०४३.००	१०४३.००	१०९५.००
	2-1/2 X 2	गोटा	१०४३.००	१०४३.००	१०९५.००
	3 X 1/2	गोटा	१५२३.००	१५२३.००	१५९९.००
	3 X 3/4	गोटा	१५२३.००	१५२३.००	१५९९.००
	3 X 1	गोटा	१५२३.००	१५२३.००	१५९९.००
	3 X 1-1/4	गोटा	१५२३.००	१५२३.००	१५९९.००



नेपाल सरकार  
महानगर प्रशासन  
ललितपुर जिल्ला अफिस

पि.भि.सि. पाईप तथा फिटिङहरू

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहिकको दररेट		
			आ.व. ०७७७८	आ.व.०७८१७९	आ.व.०७९१८०
	<b>"LEAD FREE" PVC PIPES as per ASTM D 1785</b>				
	3 X 1-1/2	गोटा	१५२३.००	१५२३.००	१५९९.००
	3 X 2	गोटा	१५२३.००	१५२३.००	१५९९.००
	3 X 2-1/2	गोटा	१५२३.००	१५२३.००	१५९९.००
	6 X 1-1/4	गोटा	८००७.००	८००७.००	८४०७.००
	6 X 1-1/2	गोटा	८००७.००	८००७.००	८४०७.००
	6 X 2	गोटा	८००७.००	८००७.००	८४०७.००
	6 X 2-1/2	गोटा	८००७.००	८००७.००	८४०७.००
	6 X 3	गोटा	८००७.००	८००७.००	८४०७.००
	6 X 4	गोटा	८००७.००	८००७.००	८४०७.००
	<b>PVC Brass Tee - Soc x Fipt SCH 80</b>				
	1/2"	गोटा	१६१.००	१६१.००	१७१.००
	3/4"	गोटा	२९२.००	२९२.००	३११.००
	3/4" X 1/2"	गोटा	२३७.००	२३७.००	२५२.००
	1" X 1/2"	गोटा	४२०.००	४२०.००	४४७.००
	<b>PVC 90° Elbow - Soc</b>				
	1/2"	गोटा	२६.००	२६.००	२७.००
	3/4"	गोटा	३०.००	३०.००	३१.००
	1"	गोटा	५३.००	५३.००	५६.००
	1-1/4"	गोटा	९३.००	९३.००	९९.००
	1-1/2"	गोटा	१०९.००	१०९.००	११६.००
	2"	गोटा	१६७.००	१६७.००	१७८.००
	2-1/2"	गोटा	४९६.००	४९६.००	५२८.००
	3"	गोटा	५९४.००	५९४.००	६३३.००
	4"	गोटा	१२१६.००	१२१६.००	१२७६.००
	6"	गोटा	५१२१.००	५१२१.००	५३७७.००
	<b>PVC Brass 90° Elbow Soc x Fipt SCH 80</b>				
	1/2"	गोटा	१७३.००	१७३.००	१८४.००
	3/4"	गोटा	२४२.००	२४२.००	२५८.००
	3/4" X 1/2"	गोटा	२५०.००	२५०.००	२६६.००
	<b>PVC 45° Elbow - Soc</b>				
	1/2"	गोटा	५५.००	५५.००	५८.००
	3/4"	गोटा	८६.००	८६.००	९१.००
	1"	गोटा	१०२.००	१०२.००	१०८.००
	1-1/4"	गोटा	१४३.००	१४३.००	१५२.००
	1-1/2"	गोटा	१८०.००	१८०.००	१९१.००
	2"	गोटा	२३४.००	२३४.००	२४९.००
	2-1/2"	गोटा	६६९.००	६६९.००	७३३.००
	3"	गोटा	१०४०.००	१०४०.००	१०९२.००
	4"	गोटा	१८६६.००	१८६६.००	१९५९.००
	6"	गोटा	५१३५.००	५१३५.००	५३९१.००
	<b>PVC Coupling - Soc</b>				
	1/2"	गोटा	१७.००	१७.००	१८.००
	3/4"	गोटा	२६.००	२६.००	२७.००
	1"	गोटा	४१.००	४१.००	४३.००



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

मन्त्रालय अख्तियार  
ललितपुर

पि.भि.सि. पाईप तथा फिटिङहरू

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहिकको दररेट		
			आ.व. ०७७७८	आ.व.०७८१७९	आ.व.०७९१८०
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	1-1/4"	गोटा	५६.००	५६.००	५९.००
	1-1/2"	गोटा	७६.००	७६.००	८१.००
	2"	गोटा	११७.००	११७.००	१२४.००
	2-1/2"	गोटा	२४७.००	२४७.००	२६३.००
	3"	गोटा	३८६.००	३८६.००	४११.००
	4"	गोटा	६०४.००	६०४.००	६४३.००
	6"	गोटा	२४२०.००	२४२०.००	२५४९.००
	<b>PVC Reducer Coupling - Soc</b>				
	3/4 X 1/2	गोटा	४२.००	४२.००	४४.००
	1 X 3/4	गोटा	७३.००	७३.००	७७.००
	1-1/2 X 1-1/4	गोटा	१३१.००	१३१.००	१३९.००
	2 X 1-1/2	गोटा	२०८.००	२०८.००	२२१.००
	4 x 2	गोटा	१३९२.००	१३९२.००	१४६९.००
	4 X 3	गोटा	१३९२.००	१३९२.००	१४६९.००
	6 X 4	गोटा	२८९५.००	२८९५.००	३०३९.००
	<b>PVC Reducer Bushing - (Flush Style)</b>				
	3/4 X 1/2	गोटा	३५.००	३५.००	३७.००
	1 X 1/2	गोटा	५०.००	५०.००	५३.००
	1 X 3/4	गोटा	५०.००	५०.००	५३.००
	1-1/4 X 1/2	गोटा	८६.००	८६.००	९१.००
	1-1/4 X 3/4	गोटा	८६.००	८६.००	९१.००
	1-1/4 X 1	गोटा	८६.००	८६.००	९१.००
	1-1/2 X 1/2	गोटा	९०.००	९०.००	९५.००
	1-1/2 X 3/4	गोटा	९०.००	९०.००	९५.००
	1-1/2 X 1	गोटा	९०.००	९०.००	९५.००
	1-1/2 X 1-1/4	गोटा	९०.००	९०.००	९५.००
	2 X 1/2	गोटा	१६५.००	१६५.००	१७५.००
	2 X 3/4	गोटा	१६५.००	१६५.००	१७५.००
	2 X 1	गोटा	१६५.००	१६५.००	१७५.००
	2 X 1-1/4	गोटा	१६५.००	१६५.००	१७५.००
	2 X 1-1/2	गोटा	१६५.००	१६५.००	१७५.००
	2-1/2 X 1-1/4	गोटा	२३२.००	२३२.००	२४७.००
	2-1/2 X 1-1/2	गोटा	२३२.००	२३२.००	२४७.००
	2-1/2 X 2	गोटा	२३२.००	२३२.००	२४७.००
	3 X 1-1/2	गोटा	३४४.००	३४४.००	३६६.००
	3 X 2	गोटा	३४४.००	३४४.००	३६६.००
	3 X 2-1/2	गोटा	३४४.००	३४४.००	३६६.००
	4 X 2	गोटा	६७६.००	६७६.००	७२०.००
	4 X 3	गोटा	६७६.००	६७६.००	७२०.००
	6 X 2	गोटा	२२७.००	२२७.००	२३८.००
	6 X 3	गोटा	२२७.००	२२७.००	२३८.००
	6 X 4	गोटा	२२७.००	२२७.००	२३८.००
	<b>PVC Cap - Soc</b>				
	1/2"	गोटा	२४.००	२४.००	२५.००
	3/4"	गोटा	३०.००	३०.००	३१.००

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*



प्रमुख जिल्ला अधिकारी

पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहिकको दररेट		
			आ.व. ०७७७८	आ.व.०७८१७९	आ.व.०७९१८०
	<b>"LEAD FREE" PVC PIPES as per ASTM D 1785</b>				
	1"	गोटा	४२.००	४२.००	४४.००
	1-1/4"	गोटा	६०.००	६०.००	६३.००
	1-1/2"	गोटा	६६.००	६६.००	७०.००
	2"	गोटा	७९.००	७९.००	८४.००
	2-1/2"	गोटा	२५४.००	२५४.००	२७०.००
	3"	गोटा	२७८.००	२७८.००	२९६.००
	4"	गोटा	६३३.००	६३३.००	६७४.००
	6"	गोटा	२४९८.००	२४९८.००	२६२२.००
	<b>PVC Union - Soc With EPDM O-Ring Seal</b>				
	1/2"	गोटा	२५४.००	२५४.००	२७०.००
	3/4"	गोटा	२९९.००	२९९.००	३१०.००
	1"	गोटा	२९८.००	२९८.००	३१७.००
	1-1/4"	गोटा	९६०.००	९६०.००	१०२३.००
	1-1/2"	गोटा	१००९.००	१००९.००	१०५९.००
	2"	गोटा	१३५०.००	१३५०.००	१४१७.००
	2-1/2"	गोटा	१८८९.००	१८८९.००	१९८३.००
	3"	गोटा	३०९८.००	३०९८.००	३१६८.००
	4"	गोटा	४९७८.००	४९७८.००	४३८६.००
	<b>PVC Male Adaptor - Soc x MBSP</b>				
	1/2"	गोटा	४६.००	४६.००	४९.००
	3/4"	गोटा	५४.००	५४.००	५७.००
	1"	गोटा	७९.००	७९.००	७५.००
	1-1/4"	गोटा	८७.००	८७.००	९२.००
	1-1/2"	गोटा	१२९.००	१२९.००	१२९.००
	2"	गोटा	१५६.००	१५६.००	१६६.००
	2-1/2"	गोटा	५४५.००	५४५.००	५८९.००
	3"	गोटा	६४८.००	६४८.००	६९०.००
	4"	गोटा	१०२५.००	१०२५.००	१०७६.००
	6"	गोटा	२३५९.००	२३५९.००	२४७६.००
	<b>PVC Brass Male Adapter - Soc x Mipt SCH 80</b>				
	1/2"	गोटा	२६२.००	२६२.००	२७९.००
	3/4"	गोटा	३५०.००	३५०.००	३७३.००
	1"	गोटा	५२७.००	५२७.००	५६९.००
	<b>PVC Female Adaptor - Soc x FBSP</b>				
	1/2"	गोटा	५९.००	५९.००	६२.००
	3/4"	गोटा	६९.००	६९.००	६५.००
	1"	गोटा	६४.००	६४.००	६८.००
	1-1/4"	गोटा	१६७.००	१६७.००	१७८.००
	1-1/2"	गोटा	२४५.००	२४५.००	२६९.००
	2"	गोटा	२३८.००	२३८.००	२५३.००
	<b>PVC Brass Female Adapter - Soc x Fipt SCH 80</b>				
	1/2"	गोटा	२२०.००	२२०.००	२३४.००
	3/4"	गोटा	३९९.००	३९९.००	३३९.००
	1"	गोटा	३९९.००	३९९.००	४२५.००
	<b>PVC Ball Valve - Soc</b>				

*(Handwritten signature)*

*(Handwritten signature)*

*(Handwritten signature)*



पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहिकको दररेट		
			आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व. ०७९/८०
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	1/2"	गोटा	८८१.००	८८१.००	९२५.००
	3/4"	गोटा	१०४८.००	१०४८.००	११००.००
	1"	गोटा	१४६६.००	१४६६.००	१५३९.००
	1-1/4"	गोटा	१९८५.००	१९८५.००	२०८४.००
	1-1/2"	गोटा	३०२७.००	३०२७.००	३१७८.००
	2"	गोटा	३८२८.००	३८२८.००	४०१९.००
	2-1/2"	गोटा	६३२३.००	६३२३.००	६६३९.००
	3"	गोटा	१००१८.००	१००१८.००	१०४१८.००
	4"	गोटा	१६५५६.००	१६५५६.००	१७२१८.००
	6"	गोटा	३५९६१.००	३५९६१.००	३७३९९.००
	PVC Adhesive Solution (Med. Bonded 705)				
	118ML	गोटा	३०६.००	३०६.००	३२१.००
	237ML	गोटा	४३९.००	४३९.००	४६०.००
	473ML	गोटा	७९५.००	७९५.००	८३४.००
	946ML	गोटा	१३०८.००	१३०८.००	१३७३.००
	PVC Adhesive Solution (Heavy Bonded 717)				
	118ML	गोटा	४९२.००	४९२.००	५१६.००
	237ML	गोटा	६४९.००	६४९.००	६८१.००
	473ML	गोटा	११३८.००	११३८.००	११९४.००
	946ML	गोटा	१९६९.००	१९६९.००	२०६७.००


 The bottom section of the document contains several handwritten signatures and stamps. On the right side, there is a circular official stamp of the Lalitpur District Office, with text in Nepali: "ललितपुर जिल्लाको आ. व. २०७९/८० को दररेट" and "प्रशासन कार्यालय ललितपुर". Below the stamp, there are several handwritten signatures and initials, including one that appears to be "अ. व. २०७९/८०" and another that looks like "प्रमुख जिल्ला अधिकारी".



पि.भि.सि.ओ. पाईप तथा फिटिङ्गहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७७	आ.व.०७८१	आ.व.०७९१
1	<b>Class 500 PVC-O pipes-PN 12.5</b>				
	90 mm	र.मि	६५०.०३	७०२.०३	७३०.००
	110 mm	र.मि	९१७.३६	९९०.७५	१०५०.००
	125 mm	र.मि	१२९८.७८	१४०२.६८	१४५०.००
	140 mm	र.मि	१६३०.०५	१७६०.४५	१७५०.००
	160 mm	र.मि	२१२६.५०	२२९६.६२	२२००.००
	200 mm	र.मि	३३१६.८८	३५८२.२३	३५००.००
	225 mm	र.मि	४००६.९५	४३२७.५१	४४००.००
	250 mm	र.मि	४९३०.७५	५३२५.२१	५२००.००
	315 mm	र.मि	८२००.०३	८८५६.०३	८५००.००
	355 mm	र.मि	९९३८.३८	१०७३३.४५	१०८००.००
	400 mm	र.मि	१२२६७.४१	१३२४८.८०	१३७७८.००
	450 mm	र.मि	१७०६९.३४	१८४३४.८९	१९०००.००
	500 mm	र.मि	२१०४२.९८	२२७२६.४२	२२७००.००
	630 mm	र.मि	३३२४२.७०	३५९१२.९२	३६०००.००
	800 mm	र.मि	५३६०६.००	५७८९४.४८	५८०००.००
	1000 mm	र.मि			११००००.००
	1200 mm	र.मि			१५००००.००
2	<b>Class 500 PVC-O pipes-PN 16</b>				
	90 mm	र.मि	७८५.५७	८४८.४२	८५४.४०
	110 mm	र.मि	११६१.२४	१२५४.१४	१२६०.००
	125 mm	र.मि	१५०३.७६	१६२४.०६	१५५०.००
	140 mm	र.मि	१८८१.८३	२०३२.३८	१९५०.००
	160 mm	र.मि	२४६६.१२	२६६३.४१	२६००.००
	200 mm	र.मि	३८३९.८६	४१४७.०५	४०००.००
	225 mm	र.मि	४८५५.२२	५२४३.६४	४९५०.००
	250 mm	र.मि	५९९०.३८	६४६९.६१	६३००.००
	315 mm	र.मि	९४९१.१९	१०२५०.४९	९६००.००
	355 mm	र.मि	१२०४२.००	१३००५.३६	१२७००.००
	400 mm	र.मि	१३४८६.३५	१४५६५.२६	१५१४७.००
	450 mm	र.मि	१७९२३.०२	१९३५६.८६	२०१३१.००
	500 mm	र.मि	२१८९३.७८	२३६४५.२८	२४५९१.००
	630 mm	र.मि	३४१९८.७४	३६९३४.६४	३८४१२.००
	800 mm	र.मि	५३३८२.१३	५७५४२.७०	५९३८२.००
	1000 mm	र.मि			९६०००.००
	1200 mm	र.मि			१४००००.००
3	<b>Class 500 PVC-O pipes-PN 25</b>				
	90 mm	र.मि	१६५०.००	१७८२.००	१७००.००
	110 mm	र.मि	२४५०.००	२६४६.००	२५००.००
	125 mm	र.मि	२५५०.००	२७५४.००	२७००.००
	140 mm	र.मि	२९००.००	३१३२.००	३१००.००
	160 mm	र.मि	३५५०.००	३८३४.००	३८००.००
	200 mm	र.मि	४७६०.००	५१४०.८०	५३९७.००
	225 mm	र.मि			६५६६.००
	250 mm	र.मि	६७८०.००	७३२२.४०	७६८८.००
	315 mm	र.मि	९७००.००	१०४७६.००	१०८९५.०४
	355 mm	र.मि	१२५००.००	१३५००.००	१४०४०.००
	400 mm	र.मि	१७२९०.००	१८६७३.२०	१९४२०.१३
	450 mm	र.मि	२२८८५.९५	२४७१६.८३	२५७०५.५०
	500 mm	र.मि	२७८२७.३५	३००५३.५४	३१२५५.६८
	630 mm	र.मि	४२८९४.५३	४६३२६.०९	४८१७९.१४
	PVC-O Fittings				
	Elbow 11.25° (PN 16)				
	110	गोटा	६१४६.३४	६६३८.०५	६९६९.००



Handwritten signatures and official stamps at the bottom of the page, including a stamp from 'प्रमुख जिल्ला अधिकारी' (Chief District Officer).

पि.भि.सि.ओ. पाईप तथा फिटिङ्गहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७७८	आ.व. ०७८१७९	आ.व. ०७९१८०
	160	गोटा	१३३५१.८९	१४४२०.०४	१४९९६.८४
	200	गोटा	२४४२३.९३	२६४८५.८४	२७५४५.२८
	250	गोटा	३७३४२.५६	४०३२९.९६	४१९४३.१६
	315	गोटा	७५५७९.३२	७७३०५.६७	७९६२४.००
	400	गोटा	१३३६१०.८९	१४४२९९.७६	१४७८५.००
	<b>Elbow 22.5° (PN 16)</b>				
	110	गोटा	६३९२.१९	६९०३.५७	७२४८.००
	160	गोटा	१४०९३.९७	१५२२१.४९	१५८३०.३५
	200	गोटा	२५५०४.८९	२७५४५.२८	२८६४७.०९
	250	गोटा	३८८३६.२६	४१९४३.१६	४३६२०.८९
	315	गोटा	७४४४२.४९	८०३९७.८९	८२८०९.००
	400	गोटा	१३८९५५.३३	१५००७९.७६	१५३०७३.००
	<b>Elbow 45° (PN 16)</b>				
	110	गोटा	७०७०.९४	७६३६.६२	८०१८.००
	160	गोटा	१५४७५.४१	१६७३३.४४	१७३८१.९८
	200	गोटा	२८०४८.१९	३०२९२.०५	३१५०३.७३
	250	गोटा	४६००३.०३	४९६८३.२७	५१६७०.६०
	315	गोटा	८१६२५.२३	८८१५५.२५	९०७९९.००
	400	गोटा	१५८११९.९३	१७०७६९.५२	१७४१८४.००
	<b>Elbow 90° (PN 16)</b>				
	110	गोटा	१००४१.४५	१०८४४.७७	११२७८.५६
	160	गोटा	२०११८.८४	२१७२८.३५	२२५९७.४८
	200	गोटा	३६१८१.१७	३९०७५.६६	४०६३८.६९
	250	गोटा	६०२६४.६८	६५०८५.८५	६७०३८.००
	315	गोटा	९३८६६.६१	१०१३७५.९४	१०३४०३.००
	400	गोटा	१८८१६४.४३	२०३२१७.५८	२०७२८१.००
	<b>COUPLER (PN 16)</b>				
	110	गोटा	६१३२.६७	६६२३.२८	६९५४.००
	160	गोटा	१०९३५.८०	११८१०.६६	१२२८३.०९
	200	गोटा	१५८०६.८०	१७०७९.३४	१७७५४.२०
	250	गोटा	२९५८५.३५	३१९५२.१८	३३२३०.२७
	315	गोटा	५६०८०.४१	६०५६६.८४	६२३८३.००
	400	गोटा	१२४२९८.३३	१३४२४२.२०	१३६९२७.००
	<b>SLIDING COUPLER (PN 16)</b>				
	110	गोटा	६१३२.६७	६६२३.२८	६९५४.००
	160	गोटा	१०९३५.८०	११८१०.६६	१२२८३.०९
	200	गोटा	१५८०६.८०	१७०७९.३४	१७७५४.२०
	250	गोटा	२९५८५.३५	३१९५२.१८	३३२३०.२७
	315	गोटा	५६०८०.४१	६०५६६.८४	६२३८३.००
	400	गोटा	१२४२९८.३३	१३४२४२.२०	१३६९२७.००
	<b>REDUCING COUPLER (PN 16)</b>				
	110 to 90	गोटा	७६६१.८६	८२७४.८१	८६८८.००
	160 to 110	गोटा	१२५७६.७७	१३५८२.९१	१४१२६.२३
	200 to 160	गोटा	१२६१२.७०	१३६२१.७२	१४१६६.५८
	250 to 200	गोटा	२१७५५.८१	२३४९६.२७	२४४३६.१३
	315 to 250	गोटा	४८५९४.२४	५२४८१.७८	५४०५६.००
	400 to 315	गोटा	१००८६९.६८	१०८९३९.२५	१११११८.००

*(Handwritten signatures and notes)*



सि.पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब. ०७७७	आ.ब. ०७८१	आ.ब. ०७९१
<b>CPVC Pipe SDR 13.5 (22.5 Kg/cm2)-ASTM F-493 2846</b>					
	1/2" dia	र.मि	११५.००	११५.००	१२२.००
	3/4" dia	र.मि	१६०.००	१६०.००	१७०.००
	1" dia	र.मि	२१०.००	२१०.००	२२३.००
	1-1/4" dia	र.मि	२६१.००	२६१.००	२७८.००
	1-1/2" dia	र.मि	३६६.००	३६६.००	३९०.००
	2" dia	र.मि	५५९.००	५५९.००	५९६.००
<b>CPVC Pipe SDR 11 (28.1 Kg/cm2)-ASTM F-493 2846</b>					
	1/2" dia	र.मि	१३३.००	१३१.००	१३९.००
	3/4" dia	र.मि	१७८.००	१७८.००	१८९.००
	1" dia	र.मि	२४८.००	२४८.००	२६४.००
	1-1/4" dia	र.मि	३००.००	३००.००	३१९.००
	1-1/2" dia	र.मि	४१८.००	४१८.००	४४५.००
	2" dia	र.मि	६७७.००	६७७.००	७२१.००
<b>CPVC Ball Valve (CTS Sockets)</b>					
	1/2"	र.मि	३६५.००	२२१.००	२३५.००
	3/4"	र.मि	४८६.००	३४१.००	३६३.००
	1"	र.मि	५८८.००	५६०.००	५९७.००
	1-1/4"	र.मि	१३७१.००	९९४.००	१०५९.००
	1-1/2"	र.मि	१६४३.००	१६४३.००	१७५१.००
	2"	र.मि	२११७.००	२११७.००	२२५७.००
<b>CPVC Reducer Brass Coupling</b>					
	3/4" X 1/2"	गोटा	१३८.००	१३८.००	१४७.००
	1" X 1/2"	गोटा	१८१.००	१८१.००	१९२.००
<b>CPVC Tee</b>					
	1/2"	गोटा	३६.००	३६.००	३८.००
	3/4"	गोटा	७७.००	७७.००	८२.००
	1"	गोटा	११७.००	११७.००	१२४.००
	1-1/4"	गोटा	२२०.००	२२०.००	२३४.००
	1-1/2"	गोटा	३२०.००	३२०.००	३४१.००
	2"	गोटा	६८७.००	६८७.००	७३२.००
<b>CPVC Reducer Tee</b>					
	1/2" x 1/2" x 3/4"	गोटा	७०.००	७०.००	७४.००
	3/4" x 3/4" x 1/2"	गोटा	१०७.००	१०७.००	११४.००
	3/4" x 1/2" x 3/4"	गोटा	१३४.००	१३४.००	१४२.००
	3/4" x 1/2" x 1/2"	गोटा	१५३.००	१५३.००	१६३.००
	1" x 1" x 3/4"	गोटा	१६१.००	१६१.००	१७१.००
	1-1/2" x 1-1/2" x 1"	गोटा	२५१.००	२५१.००	२६७.००
	2" x 2" x 1"	गोटा	४३६.००	४३६.००	४६४.००
	1-1/4" x 1-1/4" x 1/2"	गोटा	१४२.००	१४२.००	१५१.००
	1-1/4" x 1-1/4" x 1"	गोटा	१५३.००	१५३.००	१६३.००
	2" x 2" x 1/2"	गोटा	४२८.००	४२८.००	४५६.००
	1" x 1" x 1/2"	गोटा	१००.००	१००.००	१०६.००



Handwritten signatures and official stamps at the bottom of the page, including the text 'ललितपुर' and 'आ. व. २०७९/८०'.

सि.पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब. ०७७७८	आ.ब. ०७८१७९	आ.ब. ०७९१८०
	<b>CPVC Brass FPT Tee</b>				
	1/2" x 1/2" x 1/2"	गोटा	१२०.००	१२०.००	१२७.००
	3/4" x 3/4" x 1/2"	गोटा	१२५.००	१२५.००	१३३.००
	1" x 1" x 1/2"	गोटा	१३९.००	१३९.००	१४८.००
	1-1/4" x 1-1/4" x 1-1/4"	गोटा	५०१.००	५०१.००	५३४.००
	1-1/4" x 1-1/4" x 1/2"	गोटा	२७२.००	२७२.००	२९०.००
	<b>CPVC Elbow 90°</b>				
	1/2"	गोटा	२५.००	१७.००	१८.००
	3/4"	गोटा	५२.००	३९.००	३३.००
	1"	गोटा	९५.००	५८.००	६१.००
	1-1/4"	गोटा	१७९.००	११७.००	१२४.००
	1-1/2"	गोटा	२६७.००	१६९.००	१८०.००
	2"	गोटा	५७२.००	३७२.००	३९६.००
	<b>CPVC Reducer Elbow 90°</b>				
	3/4" X 1/2"	गोटा	५३.००	५३.००	५६.००
	<b>CPVC Brass FPT Elbow 90°</b>				
	1/2" x 1/2"	गोटा	२२५.००	२२५.००	२३९.००
	3/4" x 1/2"	गोटा			
	3/4" x 3/4"	गोटा	२७०.००	२७०.००	२८७.००
	1" X 1/2"	गोटा	३९८.००	३९८.००	४२४.००
	1" X 1"	गोटा	४७१.००	४७१.००	५०२.००
	1-1/4" x 1-1/4"	गोटा	८६२.००	८६२.००	९१९.००
	<b>CPVC Elbow 45°</b>				
	1/2"	गोटा	३०.००	३०.००	३१.००
	3/4"	गोटा	५४.००	५४.००	५७.००
	1"	गोटा	७७.००	७७.००	८२.००
	1-1/4"	गोटा	१३६.००	१३६.००	१४५.००
	1-1/2"	गोटा	१९७.००	१९७.००	२१०.००
	2"	गोटा	४२७.००	४२७.००	४५५.००
	<b>CPVC Male Adapter (CPVC Threads)</b>				
	1/2"	गोटा	२२.००	२२.००	२३.००
	3/4"	गोटा	३९.००	३९.००	४१.००
	1"	गोटा	५९.००	५९.००	६२.००
	1-1/4"	गोटा	१०६.००	१०६.००	११३.००
	1-1/2"	गोटा	१४९.००	१४९.००	१५८.००
	2"	गोटा	२९०.००	२९०.००	३०९.००
	<b>CPVC Reducing Male Adapter (CPVC Threads)</b>				
	3/4" x 1/2"	गोटा	४१.००	४१.००	४३.००
	<b>CPVC Male Adapters (Brass Threads)</b>				
	1/2"	गोटा	२०६.००	२०६.००	२१९.००
	3/4"	गोटा	२६७.००	२६७.००	२८४.००
	1"	गोटा	४२१.००	४२१.००	४४८.००



Handwritten signatures and official stamps are present at the bottom of the page, including a signature that appears to be 'अ. व. २०७१/८०' and another signature 'प्रमुख जिल्ला अधिकारी'.

### सि.पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब. ०७७७८	आ.ब. ०७८१७९	आ.व. ०७९१८०
	1-1/4"	गोटा	९२६.००	९२६.००	९८७.००
	1-1/2"	गोटा	१०८०.००	१०८०.००	११५१.००
	2"	गोटा	२२२४.००	२२२४.००	२३७१.००
	<b>CPVC Reducing Male Adapter (Brass Threads)</b>				
	3/4" x 1/2"	गोटा	२२९.००	२२९.००	२४४.००
	<b>CPVC Female Adapter (CPVC Threads)</b>				
	1/2"	गोटा	३१.००	३१.००	३३.००
	3/4"	गोटा	५१.००	५१.००	५४.००
	1"	गोटा	७७.००	७७.००	८२.००
	<b>CPVC Female Adapters Brass Threads</b>				
	1/2"	गोटा	१९८.००	१९८.००	२११.००
	3/4"	गोटा	२६९.००	२६९.००	२८६.००
	1"	गोटा	३४९.००	३४९.००	३७२.००
	1-1/4"	गोटा	९१७.००	९१७.००	९७७.००
	1-1/2"	गोटा	१०२०.००	१०२०.००	१०८७.००
	2"	गोटा	१९९४.००	१९९४.००	२१२६.००
	<b>CPVC Caps</b>				
	1/2"	गोटा	१३.००	१३.००	१३.००
	3/4"	गोटा	२५.००	२५.००	२६.००
	1"	गोटा	३७.००	३७.००	३९.००
	1-1/4"	गोटा	७२.००	७२.००	७६.००
	1-1/2"	गोटा	१०६.००	१०६.००	११३.००
	2"	गोटा	२२५.००	२२५.००	२३९.००
	<b>CPVC Union</b>				
	1/2"	गोटा	२७०.००	२७०.००	२८७.००
	3/4"	गोटा	३९८.००	३९८.००	४२४.००
	1"	गोटा	४७१.००	४७१.००	५०२.००
	1-1/4"	गोटा	८६२.००	८६२.००	९१९.००
	1-1/2"	गोटा	९४२.००	९४२.००	१००४.००
	2"	गोटा	१३५२.००	१३५२.००	१४४१.००
	<b>CPVC Cross Tee</b>				
	1/2"	गोटा	४९.००	४९.००	५२.००
	3/4"	गोटा	१०६.००	१०६.००	११३.००
	<b>CPVC Step Over Bend</b>				
	1/2"	गोटा	६३.००	६३.००	६७.००
	3/4"	गोटा	१०४.००	१०४.००	११०.००
	<b>CPVC Ball Valve (CTS Sockets)</b>				
	1/2"	गोटा	६६१.००	६६१.००	७०४.००
	3/4"	गोटा	८०५.००	८०५.००	८५८.००
	1"	गोटा	९२१.००	९२१.००	९८१.००
	1-1/4"	गोटा	१८७९.००	१८७९.००	२००३.००
	1-1/2"	गोटा	२३९१.००	२३९१.००	२५४९.००
	2"	गोटा	३०७५.००	३०७५.००	३२७८.००



Handwritten signatures and initials at the bottom of the page.

सि.पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब. ०७७७८	आ.ब. ०७८१७९	आ.ब. ०७९१८०
	<b>CPVC Solvent Cement</b>				
	50ML	गोटा	१९९.००	१९९.००	२१२.००
	118ML	गोटा	३२९.००	३२९.००	३५०.००
	237ML	गोटा	५३३.००	५३३.००	५६८.००
	473ML	गोटा	८३८.००	८३८.००	८९३.००
	946ML	गोटा	१४७९.००	१४७९.००	१५६८.००
	<b>Plastic Strap</b>				
	1/2"	गोटा	५.००	५.००	५.००
	3/4"	गोटा	५.००	५.००	५.००
	1"	गोटा	८.००	८.००	८.००
	1-1/4"	गोटा	११.००	११.००	११.००
	1-1/2"	गोटा	१५.००	१५.००	१५.००
	2"	गोटा	१८.००	१८.००	१९.००
	<b>Metal Strap</b>				
	1/2"	गोटा	१३.००	१३.००	१३.००
	3/4"	गोटा	१६.००	१६.००	१७.००
	1"	गोटा	२१.००	२१.००	२२.००
	1-1/4"	गोटा	२५.००	२५.००	२६.००
	1-1/2"	गोटा	२७.००	२७.००	२८.००
	2"	गोटा	२९.००	२९.००	३०.००
	<b>Tee Holder</b>				
	1/2" X 1/2" X 1/2"	गोटा	५.००	५.००	५.००
	3/4" X 3/4" X 1/2"	गोटा	८.००	८.००	८.००
	<b>Elbow Holder</b>				
	1/2" X 1/2"	गोटा	५.००	५.००	५.००
	1/2" X 3/4"	गोटा	७.००	७.००	७.००
	<b>Snap Fix Repair Coupling</b>				
	1/2"	गोटा	२२९.००	२२९.००	२४४.००
	3/4"	गोटा	२४८.००	२४८.००	२६४.००
	<b>End plug threaded 1/2"</b>	गोटा	११.००	११.००	११.००

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

महानगरपालिका  
ललितपुर  
मुख्य जिल्ला अधिकारी

### GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब. ०७७७८	आ.ब. ०७८१७९	आ.ब. ०७९१८०
<b>1. GRP PIPES AS PER IS:12709:1994</b>					
<b>A)</b>	<b>PN-3, SN-2500 (124 Kpa)</b>				
	300 mm dia	मिटर	५०६४.००	५०६४.००	५३९७.००
	350 mm dia	मिटर	५८३३.००	५८३३.००	६१२४.००
	400 mm dia	मिटर	७८६८.००	७८६८.००	८२६९.००
	450 mm dia	मिटर	९३२७.००	९३२७.००	९७९३.००
	500 mm dia	मिटर	११४५३.००	११४५३.००	११९११.००
	600 mm dia	मिटर	१३५३६.००	१३५३६.००	१४०७७.००
	700 mm dia	मिटर	१९६९५.००	१९६९५.००	२०४८२.००
	800 mm dia	मिटर	२५६७८.००	२५६७८.००	२६७०५.००
	900 mm dia	मिटर	२७३७१.००	२७३७१.००	२८४६५.००
	1000 mm dia	मिटर	३३०२३.००	३३०२३.००	३४३४३.००
	1100 mm dia	मिटर	४४६५४.००	४४६५४.००	४६४४०.००
	1200 mm dia	मिटर	५२४४६.००	५२४४६.००	५४०१९.००
	1300 mm dia	मिटर	६४३७६.००	६४३७६.००	६६३०७.००
	1400 mm dia	मिटर	६९२४७.००	६९२४७.००	७१३२४.००
	1500 mm dia	मिटर	७८७०२.००	७८७०२.००	८१०६३.००
	1600 mm dia	मिटर	८५४०३.००	८५४०३.००	८७९६५.००
	1700 mm dia	मिटर	९६२८४.००	९६२८४.००	९९१७२.००
	1800 mm dia	मिटर	१०७०५१.००	१०७०५१.००	१०९१९२.००
	1900 mm dia	मिटर	११७९३९.००	११७९३९.००	१२०२८९.००
	2000 mm dia	मिटर	१२८८१२.००	१२८८१२.००	१३१३८८.००
	2100 mm dia	मिटर	१४३६६९.००	१४३६६९.००	१४६५४२.००
	2200 mm dia	मिटर	१५८५२५.००	१५८५२५.००	१६१६९५.००
	2300 mm dia	मिटर	१७३४४८.००	१७३४४८.००	१७६९१६.००
	2400 mm dia	मिटर	१८८३७०.००	१८८३७०.००	१९२१३७.००
<b>B)</b>	<b>PN-6, SN-2500 (124 Kpa)</b>				
	300 mm dia	मिटर	५४४५.००	५४४५.००	५७१७.००
	350 mm dia	मिटर	६२७२.००	६२७२.००	६५८५.००
	400 mm dia	मिटर	८४६९.००	८४६९.००	८८८४.००
	450 mm dia	मिटर	१००२९.००	१००२९.००	१०४३०.००
	500 mm dia	मिटर	१२३९५.००	१२३९५.००	१२८०७.००
	600 mm dia	मिटर	१४५५५.००	१४५५५.००	१५१३७.००
	700 mm dia	मिटर	२११७८.००	२११७८.००	२२०२५.००
	800 mm dia	मिटर	२७६९९.००	२७६९९.००	२८७५५.००
	900 mm dia	मिटर	२९४३२.००	२९४३२.००	३०६०९.००
	1000 mm dia	मिटर	३५५०९.००	३५५०९.००	३६९२९.००
	1100 mm dia	मिटर	४८०९५.००	४८०९५.००	४९९३५.००
	1200 mm dia	मिटर	५६३९४.००	५६३९४.००	५८०८५.००
	1300 mm dia	मिटर	६९२२९.००	६९२२९.००	७१२९७.००
	1400 mm dia	मिटर	७४४५९.००	७४४५९.००	७६६९२.००
	1500 mm dia	मिटर	८४६२६.००	८४६२६.००	८७९६४.००
	1600 mm dia	मिटर	९१८३२.००	९१८३२.००	९४५८६.००
	1700 mm dia	मिटर	१०३५३९.००	१०३५३९.००	१०५६०९.००
	1800 mm dia	मिटर	११५१०८.००	११५१०८.००	११७४१०.००
	1900 mm dia	मिटर	१२६८०८.००	१२६८०८.००	१२९३४४.००
	2000 mm dia	मिटर	१३८५०७.००	१३८५०७.००	१४१२७७.००

Page 147

### GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व. ०७९/८०
<b>1. GRP PIPES AS PER IS:12709:1994</b>					
	2100 mm dia	मिटर	१५४४८२.००	१५४४८२.००	१५७५७१.००
	2200 mm dia	मिटर	१७०४५७.००	१७०४५७.००	१७३८६६.००
	2300 mm dia	मिटर	१८६५०३.००	१८६५०३.००	१९०२३३.००
	2400 mm dia	मिटर	२०२५४९.००	२०२५४९.००	२०६५९९.००
	<b>PN-9, SN-2500 (124 Kpa)</b>				
	300 mm dia	मिटर	५८८१.००	५८८१.००	६१७५.००
	350 mm dia	मिटर	६७७४.००	६७७४.००	७११२.००
	400 mm dia	मिटर	९१३८.००	९१३८.००	९५९४.००
	450 mm dia	मिटर	१०८३१.००	१०८३१.००	११२६४.००
	500 mm dia	मिटर	१३३००.००	१३३००.००	१३८३२.००
	600 mm dia	मिटर	१५७९९.००	१५७९९.००	१६३४७.००
	700 mm dia	मिटर	२२८७२.००	२२८७२.००	२३७८६.००
	800 mm dia	मिटर	२९८२०.००	२९८२०.००	३१०१२.००
	900 mm dia	मिटर	३९७८६.००	३९७८६.००	३३०५७.००
	1000 mm dia	मिटर	३८३४९.००	३८३४९.००	३९८८२.००
	1100 mm dia	मिटर	५१८५६.००	५१८५६.००	५३४११.००
	1200 mm dia	मिटर	६०९०५.००	६०९०५.००	६२७३२.००
	1300 mm dia	मिटर	७४७५९.००	७४७५९.००	७७००१.००
	1400 mm dia	मिटर	८०४१६.००	८०४१६.००	८२८२८.००
	1500 mm dia	मिटर	९१३९६.००	९१३९६.००	९४१३७.००
	1600 mm dia	मिटर	९९१७८.००	९९१७८.००	१०२१५३.००
	1700 mm dia	मिटर	१११८१३.००	१११८१३.००	११४०४९.००
	1800 mm dia	मिटर	१२४३१७.००	१२४३१७.००	१२६८०३.००
	1900 mm dia	मिटर	१३६९५२.००	१३६९५२.००	१३९६९१.००
	2000 mm dia	मिटर	१४९५८८.००	१४९५८८.००	१५२५७९.००
	2100 mm dia	मिटर	१६६८४१.००	१६६८४१.००	१७०१७७.००
	2200 mm dia	मिटर	१८४०९४.००	१८४०९४.००	१८७७७५.००
	2300 mm dia	मिटर	२०१४२३.००	२०१४२३.००	२०५४५१.००
	2400 mm dia	मिटर	२१८७५३.००	२१८७५३.००	२२३१२८.००
	<b>D) PN-12, SN-2500 (124 Kpa)</b>				
	300 mm dia	मिटर	६४१०.००	६४१०.००	६७३०.००
	350 mm dia	मिटर	७३८४.००	७३८४.००	७७५३.००
	400 mm dia	मिटर	९९६०.००	९९६०.००	१०४५८.००
	450 mm dia	मिटर	११८०६.००	११८०६.००	१२२७८.००
	500 mm dia	मिटर	१४४९७.००	१४४९७.००	१५०७६.००
	600 mm dia	मिटर	१७३३४.००	१७३३४.००	१७८१९.००
	700 mm dia	मिटर	२४९३०.००	२४९३०.००	२५९२७.००
	800 mm dia	मिटर	३२५०३.००	३२५०३.००	३३८०३.००
	900 mm dia	मिटर	३४६४७.००	३४६४७.००	३६०३२.००
	1000 mm dia	मिटर	४१८०१.००	४१८०१.००	४३४७३.००
	1100 mm dia	मिटर	५६५२४.००	५६५२४.००	५८२१९.००
	1200 mm dia	मिटर	६६३८७.००	६६३८७.००	६८३७८.००
	1300 mm dia	मिटर	८१४८८.००	८१४८८.००	८३९३२.००
	1400 mm dia	मिटर	८७६५३.००	८७६५३.००	९०२८२.००
	1500 mm dia	मिटर	९९६२२.००	९९६२२.००	१०२६१०.००

मुख्य जिल्ला अधिकारी



### GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब. ०७७७८	आ.ब. ०७८१७९	आ.ब. ०७९१८०
<b>1. GRP PIPES AS PER IS:12709:1994</b>					
	1600 mm dia	मिटर	१०८१०४.००	१०८१०४.००	११०२६६.००
	1700 mm dia	मिटर	१२१८७७.००	१२१८७७.००	१२४३१४.००
	1800 mm dia	मिटर	१३५५०६.००	१३५५०६.००	१३८२१६.००
	1900 mm dia	मिटर	१४९२७८.००	१४९२७८.००	१५२२६३.००
	2000 mm dia	मिटर	१६३०५१.००	१६३०५१.००	१६६३१२.००
	2100 mm dia	मिटर	१८१८५७.००	१८१८५७.००	१८५४९४.००
	2200 mm dia	मिटर	२००६६२.००	२००६६२.००	२०४६७५.००
	2300 mm dia	मिटर	२१९५५१.००	२१९५५१.००	२२३९४२.००
	2400 mm dia	मिटर	२३८४४०.००	२३८४४०.००	२४३२०८.००
<b>E)</b>	<b>PN-15, SN-2500 (124 Kpa)</b>				
	300 mm dia	मिटर	७०५१.००	७०५१.००	७४०३.००
	350 mm dia	मिटर	८१२२.००	८१२२.००	८५२८.००
	400 mm dia	मिटर	१०९५६.००	१०९५६.००	११३९४.००
	450 mm dia	मिटर	१२९८७.००	१२९८७.००	१३५०६.००
	500 mm dia	मिटर	१५९४७.००	१५९४७.००	१६५८४.००
	600 mm dia	मिटर	१८८४८.००	१८८४८.००	१९६०१.००
	700 mm dia	मिटर	२७४२३.००	२७४२३.००	२८५१९.००
	800 mm dia	मिटर	३५७५४.००	३५७५४.००	३७१८४.००
	900 mm dia	मिटर	३८११२.००	३८११२.००	३९६३६.००
	1000 mm dia	मिटर	४५९८१.००	४५९८१.००	४७८२०.००
	1100 mm dia	मिटर	६२१७६.००	६२१७६.००	६४०४१.००
	1200 mm dia	मिटर	७३०२६.००	७३०२६.००	७५२१६.००
	1300 mm dia	मिटर	८९६३६.००	८९६३६.००	९२३२५.००
	1400 mm dia	मिटर	९६४१८.००	९६४१८.००	९९३१०.००
	1500 mm dia	मिटर	१०९५८४.००	१०९५८४.००	१११७७५.००
	1600 mm dia	मिटर	११८९१५.००	११८९१५.००	१२१२९३.००
	1700 mm dia	मिटर	१३४०६४.००	१३४०६४.००	१३६७४५.००
	1800 mm dia	मिटर	१४९०५६.००	१४९०५६.००	१५२०३७.००
	1900 mm dia	मिटर	१६४२०६.००	१६४२०६.००	१६७४९०.००
	2000 mm dia	मिटर	१७९३५६.००	१७९३५६.००	१८२९४३.००
	2100 mm dia	मिटर	२०००४२.००	२०००४२.००	२०४०४२.००
	2200 mm dia	मिटर	२२०७२९.००	२२०७२९.००	२२५१४३.००
	2300 mm dia	मिटर	२४१५०७.००	२४१५०७.००	२४६३३७.००
	2400 mm dia	मिटर	२६२२८५.००	२६२२८५.००	२६७५३०.००
<b>F)</b>	<b>PN-3, SN-5000 (248 Kpa)</b>				
	300 mm dia	मिटर	६५९३.००	६५९३.००	६९२२.००
	350 mm dia	मिटर	७५९५.००	७५९५.००	७९७४.००
	400 mm dia	मिटर	१०२४५.००	१०२४५.००	१०६५४.००
	450 mm dia	मिटर	१२१४३.००	१२१४३.००	१२६२८.००
	500 mm dia	मिटर	१४९१२.००	१४९१२.००	१५५०८.००
	600 mm dia	मिटर	१७६२४.००	१७६२४.००	१८३२८.००
	700 mm dia	मिटर	२५६४३.००	२५६४३.००	२६६६८.००
	800 mm dia	मिटर	३३४३३.००	३३४३३.००	३४७७०.००
	900 mm dia	मिटर	३५६३८.००	३५६३८.००	३७०६३.००

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*






*[Handwritten signature]*

*[Handwritten signature]*  
 प्रमुख जिल्ला अधिकारी  
 ललितपुर

### GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७७८	आ.व. ०७८१७९	आ.व. ०७९१८०
<b>1. GRP PIPES AS PER IS:12709:1994</b>					
	1000 mm dia	मिटर	४२९९६.००	४२९९६.००	४४७५५.००
	1100 mm dia	मिटर	५८१४०.००	५८१४०.००	५९८८४.००
	1200 mm dia	मिटर	६८२८५.००	६८२८५.००	७०३३३.००
	1300 mm dia	मिटर	८३८१८.००	८३८१८.००	८६३३२.००
	1400 mm dia	मिटर	९०१५९.००	९०१५९.००	९२८६३.००
	1500 mm dia	मिटर	१०२४७०.००	१०२४७०.००	१०४५१९.००
	1600 mm dia	मिटर	११११९५.००	११११९५.००	११३४१८.००
	1700 mm dia	मिटर	१२५३६१.००	१२५३६१.००	१२७८६८.००
	1800 mm dia	मिटर	१३९३८०.००	१३९३८०.००	१४२१६७.००
	1900 mm dia	मिटर	१५३५४६.००	१५३५४६.००	१५६६१६.००
	2000 mm dia	मिटर	१६७७३३.००	१६७७३३.००	१७१०६७.००
	2100 mm dia	मिटर	१८२०५६.००	१८२०५६.००	१९०७९७.००
	2200 mm dia	मिटर	२०६४००.००	२०६४००.००	२१०५२८.००
	2300 mm dia	मिटर	२२५८२९.००	२२५८२९.००	२३०३४५.००
	2400 mm dia	मिटर	२४५२५८.००	२४५२५८.००	२५०१६३.००
<b>G)</b>	<b>PN-6, SN-5000 (248 Kpa)</b>				
	300 mm dia	मिटर	७६२३.००	७६२३.००	८००४.००
	350 mm dia	मिटर	८७८१.००	८७८१.००	९२२०.००
	400 mm dia	मिटर	११८४५.००	११८४५.००	१२३१८.००
	450 mm dia	मिटर	१४०४०.००	१४०४०.००	१४६०१.००
	500 mm dia	मिटर	१७२४१.००	१७२४१.००	१७९३०.००
	600 mm dia	मिटर	२०३७७.००	२०३७७.००	२११९२.००
	700 mm dia	मिटर	२९६४९.००	२९६४९.००	३०८३४.००
	800 mm dia	मिटर	३८६५५.००	३८६५५.००	४०२०१.००
	900 mm dia	मिटर	४१२०४.००	४१२०४.००	४२८५२.००
	1000 mm dia	मिटर	४९७१२.००	४९७१२.००	५१७००.००
	1100 mm dia	मिटर	६७२२१.००	६७२२१.००	६९२३७.००
	1200 mm dia	मिटर	७८९५१.००	७८९५१.००	८१३१९.००
	1300 mm dia	मिटर	९६९१०.००	९६९१०.००	९९८१७.००
	1400 mm dia	मिटर	१०४२४३.००	१०४२४३.००	१०६३२७.००
	1500 mm dia	मिटर	११८४७७.००	११८४७७.००	१२०८४६.००
	1600 mm dia	मिटर	१२८५६४.००	१२८५६४.००	१३११३५.००
	1700 mm dia	मिटर	१४४९४३.००	१४४९४३.००	१४७८४१.००
	1800 mm dia	मिटर	१६११५२.००	१६११५२.००	१६४३७५.००
	1900 mm dia	मिटर	१७७५३१.००	१७७५३१.००	१८१०८१.००
	2000 mm dia	मिटर	१९३९१०.००	१९३९१०.००	१९७७८८.००
	2100 mm dia	मिटर	२१६२७५.००	२१६२७५.००	२२०६००.००
	2200 mm dia	मिटर	२३८६४०.००	२३८६४०.००	२४३४१२.००
	2300 mm dia	मिटर	२६११०४.००	२६११०४.००	२६६३२६.००
	2400 mm dia	मिटर	२८३५६८.००	२८३५६८.००	२८९२३९.००
<b>H)</b>	<b>PN-9, SN-5000 (248 Kpa)</b>				
	300 mm dia	मिटर	८८९२.००	८८९२.००	९३३६.००
	350 mm dia	मिटर	१०२४२.००	१०२४२.००	१०६५१.००
	400 mm dia	मिटर	१३८१६.००	१३८१६.००	१४३६८.००



### GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७७८	आ.व. ०७८१७९	आ.व. ०७९१८०
<b>1. GRP PIPES AS PER IS:12709:1994</b>					
	450 mm dia	मिटर	१६३७७.००	१६३७७.००	१७०३२.००
	500 mm dia	मिटर	२०११०.००	२०११०.००	२०९१४.००
	600 mm dia	मिटर	२३७६८.००	२३७६८.००	२४७१८.००
	700 mm dia	मिटर	३४५८२.००	३४५८२.००	३५९६५.००
	800 mm dia	मिटर	४५०८७.००	४५०८७.००	४६८९०.००
	900 mm dia	मिटर	४८०६१.००	४८०६१.००	४९९८३.००
	1000 mm dia	मिटर	५७९८४.००	५७९८४.००	५९७२३.००
	1100 mm dia	मिटर	७८४०७.००	७८४०७.००	८०७५९.००
	1200 mm dia	मिटर	९२०८९.००	९२०८९.००	९४८५१.००
	1300 mm dia	मिटर	११३०३६.००	११३०३६.००	११५२९६.००
	1400 mm dia	मिटर	१२१५८८.००	१२१५८८.००	१२४०१९.००
	1500 mm dia	मिटर	१३८१९१.००	१३८१९१.००	१४०९५४.००
	1600 mm dia	मिटर	१४९९५७.००	१४९९५७.००	१५२९५६.००
	1700 mm dia	मिटर	१६९०६२.००	१६९०६२.००	१७२४४३.००
	1800 mm dia	मिटर	१८७९६७.००	१८७९६७.००	१९१७२६.००
	1900 mm dia	मिटर	२०७०७२.००	२०७०७२.००	२११२१३.००
	2000 mm dia	मिटर	२२६१७७.००	२२६१७७.००	२३०७००.००
	2100 mm dia	मिटर	२५२२६३.००	२५२२६३.००	२५७३०८.००
	2200 mm dia	मिटर	२७८३५०.००	२७८३५०.००	२८३९१७.००
	2300 mm dia	मिटर	३०४५५२.००	३०४५५२.००	३१०६४३.००
	2400 mm dia	मिटर	३३०७५४.००	३३०७५४.००	३३७३६९.००
<b>I)</b>	<b>PN-12, SN-5000 (248 Kpa)</b>				
	300 mm dia	मिटर	९६९२.००	९६९२.००	१०१७६.००
	350 mm dia	मिटर	१११६४.००	१११६४.००	११६१०.००
	400 mm dia	मिटर	१५०५९.००	१५०५९.००	१५६६१.००
	450 mm dia	मिटर	१७८५१.००	१७८५१.००	१८५६५.००
	500 mm dia	मिटर	२१९२०.००	२१९२०.००	२२७९६.००
	600 mm dia	मिटर	२५९०७.००	२५९०७.००	२६९४३.००
	700 mm dia	मिटर	३७९९५.००	३७९९५.००	३९२०२.००
	800 mm dia	मिटर	४९१४५.००	४९१४५.००	५१११०.००
	900 mm dia	मिटर	५२३८६.००	५२३८६.००	५३९५७.००
	1000 mm dia	मिटर	६३२०३.००	६३२०३.००	६५०९९.००
	1100 mm dia	मिटर	८५४६४.००	८५४६४.००	८८०२७.००
	1200 mm dia	मिटर	१००३७७.००	१००३७७.००	१०२३८४.००
	1300 mm dia	मिटर	१२३२०९.००	१२३२०९.००	१२५६७३.००
	1400 mm dia	मिटर	१३२५३१.००	१३२५३१.००	१३५१८१.००
	1500 mm dia	मिटर	१५०६२८.००	१५०६२८.००	१५३६४०.००
	1600 mm dia	मिटर	१६३४५४.००	१६३४५४.००	१६६७२३.००
	1700 mm dia	मिटर	१८४२७७.००	१८४२७७.००	१८७९६२.००
	1800 mm dia	मिटर	२०४८८५.००	२०४८८५.००	२०८९८२.००
	1900 mm dia	मिटर	२२५७०८.००	२२५७०८.००	२३०२२२.००
	2000 mm dia	मिटर	२४६५३२.००	२४६५३२.००	२५१४६२.००
	2100 mm dia	मिटर	२७४९६७.००	२७४९६७.००	२८०४६६.००
	2200 mm dia	मिटर	३०३४०२.००	३०३४०२.००	३०९४७०.००




ललितपुर जिल्ला अफिस

### GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व. ०७९/८०
<b>1. GRP PIPES AS PER IS:12709:1994</b>					
	2300 mm dia	मिटर	३३१९६२.००	३३१९६२.००	३३८६०१.००
	2400 mm dia	मिटर	३६०५२२.००	३६०५२२.००	३६७७३२.००
<b>J)</b>	<b>PN-15, SN-5000 (248 Kpa)</b>				
	300 mm dia	मिटर	१०६६१.००	१०६६१.००	११०८७.००
	350 mm dia	मिटर	१२२८१.००	१२२८१.००	१२७७२.००
	400 mm dia	मिटर	१६५६५.००	१६५६५.००	१७२२७.००
	450 mm dia	मिटर	१९६३६.००	१९६३६.००	२०४२१.००
	500 mm dia	मिटर	२४११२.००	२४११२.००	२५०७६.००
	600 mm dia	मिटर	२८४९८.००	२८४९८.००	२९६३७.००
	700 mm dia	मिटर	४१४६४.००	४१४६४.००	४३१२२.००
	800 mm dia	मिटर	५४०६०.००	५४०६०.००	५५६८१.००
	900 mm dia	मिटर	५७६२५.००	५७६२५.००	५९३५३.००
	1000 mm dia	मिटर	६९५२३.००	६९५२३.००	७१६०८.००
	1100 mm dia	मिटर	९४०१०.००	९४०१०.००	९५८९०.००
	1200 mm dia	मिटर	११०४१५.००	११०४१५.००	११२६२३.००
	1300 mm dia	मिटर	१३५५३०.००	१३५५३०.००	१३८२४०.००
	1400 mm dia	मिटर	१४५७८५.००	१४५७८५.००	१४८७००.००
	1500 mm dia	मिटर	१६५६९१.००	१६५६९१.००	१६९००४.००
	1600 mm dia	मिटर	१७९७९९.००	१७९७९९.००	१८३३९४.००
	1700 mm dia	मिटर	२०२७०५.००	२०२७०५.००	२०६७५९.००
	1800 mm dia	मिटर	२२५३७३.००	२२५३७३.००	२२९८८०.००
	1900 mm dia	मिटर	२४८२७९.००	२४८२७९.००	२५३२४४.००
	2000 mm dia	मिटर	२७११८६.००	२७११८६.००	२७६६०९.००
	2100 mm dia	मिटर	३०२४६४.००	३०२४६४.००	३०८५१३.००
	2200 mm dia	मिटर	३३३७४२.००	३३३७४२.००	३४०४१६.००
	2300 mm dia	मिटर	३६५१५८.००	३६५१५८.००	३७२४६१.००
	2400 mm dia	मिटर	३९६५७४.००	३९६५७४.००	४०४५०५.००
<b>HDPE DOUBLE -WALL CORRUGATED PIPE</b>					
	100mm dia.	मिटर	५००.००	५००.००	५५६.००
	150mm dia.	मिटर	१०००.००	१०००.००	१११२.००
	200mm dia.	मिटर	१५००.००	१५००.००	१६६८.००
	250mm dia.	मिटर	१९००.००	१९००.००	२११३.००
	300mm dia.	मिटर	३१६०.००	३१६०.००	३५१५.००
	400mm dia.	मिटर	४०७०.००	४०७०.००	४५२७.००
	500mm dia.	मिटर	४८६०.००	४८६०.००	५४०६.००
	600mm dia.	मिटर	८३७०.००	८३७०.००	९३१०.००
	800mm dia.	मिटर	१२३७५.००	१२३७५.००	१४२३१.२५
	1000mm dia.	मिटर	१९४००.००	१७२००.००	१९७८०.००

प्रमुख जिल्ला अधिकारी



## किचन र बाथरूममा प्रयोग हुने सामानहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब. ०७७७७	आ.ब. ०७८०७	आ.ब. ०७९१८०
	<b>Porcelain Clay Sanitaryware</b>				
१	<b>White glazed porcelain pan</b>				
	530mm size white glazed without siphon	सेट	२५२४.००	२५२४.००	२५२४.००
	500 mm size white glazed without siphon	सेट	२४००.००	२४००.००	२७४९.००
	580 mm size orrisa Pan	सेट	२७००.००	२७००.००	३३७९.००
	580 mm size white glazed Indian pan	सेट	१०४९.००	१०४९.००	१०४९.००
	Siphon 'p' or 's' type	सेट	५९०.००	५९०.००	५९०.००
	Asian Pan 51x40 Rectangular	सेट	२५२४.००	२५२४.००	२५२४.००
२	<b>Porcelain Clay Cistern</b>				
	white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings )	सेट	३५५९.००	३५५९.००	३५५९.००
	White glazed porcelain clay 10 lit. Cistern cover only.	सेट	६६७.००	६६७.००	६६७.००
	White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	सेट	३६९८.००	३६९८.००	३६९८.००
३	<b>Commode</b>				
	White glaze porcelain clay regular commode with 'p' trap	सेट	१५८७.००	१५८७.००	१५८७.००
	White glazed porcelain clay EWC regular commode with 's' \ p trap	सेट	१८२५.००	१८२५.००	१८२५.००
	White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.	सेट	१८११९.००	१८११९.००	१८११९.००
	White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.	सेट	२८८७५.००	२८८७५.००	२८८७५.००
	White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.	सेट	२०३८९.००	२०३८९.००	२०३८९.००
	White glazed porcelain clay Ewc wall mounted commode without cistern all complete set.	सेट	५२५२.००	५२५२.००	५२५२.००
	White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	सेट	८६५६.००	८६५६.००	८६५६.००
	600 to 900 mm Grab bar	सेट	६०६२.००	६०६२.००	६०६२.००
	Supplying of white vitreous Flexio Washdown one piece commode with soft closing seat cover , Size: (L715XW360XH710mm) made of sanitary ceramics with connection pipe and angle valve	सेट		२४८००.००	२४८००.००
	Supplying of white vitreous Concept Washdown wall hung commode with soft closing seat cover , Size: (365x560x352mm) with concealed cistern	सेट		२७९००.००	२७९००.००
	Supplying of white vitreous Compact Codie Washdown, rimless wall hung commode with soft closing seat cover , Size: ( 368x540x400mm) made of sanitary ceramics with concealed cistern and Flush Plate	सेट		२६१५०.००	२६१५०.००
४	<b>Bidet set</b>				
	Porcelain clay white glaze Bidet.	सेट	३५८४.००	३५८४.००	३५८४.००
	<b>Urinal set</b>				
	Porcelain clay white glaze large flat back urinal 61x41x38 cm size	सेट	४१७४.००	४१७४.००	४१७४.००
	Porcelain clay small Urinal (46.5x35.5x26.5) cm size )	सेट	१८८०.००	१८८०.००	१८८०.००
	White glazed porcelain clay corner Urinal (35x35x44)cm size with complete set	सेट	१६१९.००	१६१९.००	१६१९.००
	Wall mounted Urinal with sensor complete set.	सेट	१००२९१.००	१००२९१.००	१००२९१.००
	Supplying of white vitreous Mini Washbrook Wall Hung Urinal with back inlet , , Size: (L355xP320xH615mm ) made of sanitary ceramics with Sense Flow Concealed Urinal Sensor (DC)	सेट		३९८६०.००	३९८६०.००
	Supplying of white vitreous Lynbrook Floor Standing Urinal , Size (373X404X940mm) made of sanitary ceramics with Sense Flow Concealed Urinal Sensor (DC)	सेट		६०५३०.००	६०५३०.००
५	<b>Porcelain Clay Urinal Squatting Plate</b>				
	white glaze squatting plate Small Size (45x35)cm	सेट	१२१२.००	१२१२.००	१२१२.००
	Porcelain clay white glaze squatting plate large size	सेट	१४५५.००	१४५५.००	१४५५.००
	Porcelain clay super color squatting plate large size.	सेट	२८२१.००	२८२१.००	२८२१.००

## किचन र बाथरूममा प्रयोग हुने सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब. ०७७/७८	आ.ब. ०७८/७९	आ.ब. ०७९/८०
	Urinal Spreader	सेट	९९५.००	९९५.००	९९५.००
६	<b>Wash basin</b>				
	Porcelain clay white glaze wash basin (500×400) cm size regular.	सेट	१०९५.००	१०९५.००	१०९५.००
	Porcelain clay white glaze wash basin (50×40) cm	सेट	१४८१.००	१४८१.००	१४८१.००
	Do but wash basin (45×32)cm	सेट	१०६५.००	१०६५.००	१०६५.००
	white glazed porcelain clay Corner basin 40x40 complete set	सेट	१२०१.००	१२०१.००	१२०१.००
	white glazed porcelain clay U-counter basin,	सेट	८३४८.००	८३४८.००	८३४८.००
	white glazed porcelain clay O-counter wash basin,(63×50)cm	सेट	१३७७६.००	१३७७६.००	१३७७६.००
	White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	सेट	९७८५.००	९७८५.००	९७८५.००
	White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	सेट	६२३२.००	६२३२.००	६२३२.००
	White glaze porcelain clay Basin for disable with grab bar all complete	सेट	२०५४९.००	२०५४९.००	२०५४९.००
	Supplying of white vitreous Cadet Undercounter Basin, , Size: (380x550x175mm ) made of sanitary ceramics with simplicity square single lever basin mixer , pipe connector, bottle trap, and waste coupling	सेट		१७२७५.००	१७२७५.००
	Supplying of white vitreous Winston Wall hung Basin, , Size: (506x460x194mm ) with full basin pedestal made of sanitary ceramics with with simplicity square single lever basin mixer , pipe connector, bottle trap, and waste coupling	सेट		२०६७५.००	२०६७५.००
	Supplying of white vitreous Flexio Counter Top Basin, , Size: (499x449x181mm ) made of sanitary ceramics with simplicity square single lever basin mixer, pipe connector, bottle trap, and waste coupling	सेट		१९२५५.००	१९२५५.००
	Supplying of white vitreous Acacia E semi recessed Basin, , Size: ( W460xL500xH181mm) made of sanitary ceramics with simplicity square single lever basin mixer, pipe connector, bottle trap, and waste coupling	सेट		२३१५०.००	२३१५०.००
७	<b>Pedestal:</b>				
	Porcelain clay white glaze pedestal	सेट	१३७८.००	१३७८.००	१३७८.००
	White glazed Porcelain clay half pedestal complete set.	सेट	१६७०.००	१६७०.००	१६७०.००
	First color glazed Porcelain clay half pedestal complete set.	सेट	१९७३.००	१९७३.००	१९७३.००
८	<b>Urinal Partition</b>				
	White glaze porcelain clay (68×30)cm division plate	सेट	१६९०.००	१६९०.००	१६९०.००
९	<b>Lab sink</b>				
	Porcelain clay white glaze large size	सेट	२२२२.००	२२२२.००	२२२२.००
	Porcelain clay white glaze small size	सेट	१६५३.००	१६५३.००	१६५३.००
	Porcelain clay janittor sink 58×71×43.5 size	सेट	२७५५३.००	२७५५३.००	२७५५३.००
१०	<b>Super lab sink</b>	गोटा			
	super lab sink large size	गोटा	४३१३.००	४३१३.००	४३१३.००
	super lab sink small size	गोटा	३४०१.००	३४०१.००	३४०१.००
११	<b>Kitchen sink</b>				
	i) Porcelain clay large	सेट	३७६३.००	३७६३.००	३७६३.००
	ii) Porcelain clay small	सेट	३४०९.००	३४०९.००	३४०९.००
	iii) drain board white 53x45	सेट	१३०४.००	१३०४.००	१३०४.००
	iii) Soap dish	सेट	६६१.००	६६१.००	६६१.००
	iv) White glaze foot rest	सेट	४१९.००	४१९.००	४१९.००
	v) White glaze Toilet paper holder	सेट	११५७.००	११५७.००	११५७.००
१२	<b>Super kitchen sink</b>				
	super kitchen sink large size	गोटा	७४६५.००	७४६५.००	७४६५.००
	super kitchen sink small size	गोटा	६७५६.००	६७५६.००	६७५६.००
१३	<b>PVC Cistern Set</b>				

## किचन र बाथरूममा प्रयोग हुने सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व. ०७९/८०
	single flush	सेट	१९७३.००	१९७३.००	१९७३.००
	Deluxe single flush	सेट	२२०४.००	२२०४.००	२२०४.००
	Dual flush 6/3 lit. cistern complete set.	सेट	२९६६.००	२९६६.००	२९६६.००
	concealed cistern with plate complete set.	सेट	१६८६२.००	१६८६२.००	१६८६२.००
	32 mm pvc bottel trap set.	पिस	४७६.००	४७६.००	४७६.००
	1.5x45 cm pvc pipe connector set.	पिस	१४३.००	१४३.००	१४३.००
	Bakelite toilet seat cover set.	पिस	२७६.००	२७६.००	२७६.००
	Providing, fixing, testing & commissioning of concealed cistern-Dual Flush for back to wall floor standing WCs/Wall Hung WCs for standard Height execution ,can be shortened 1070-820 mm Front OR Top flush, Capacity of 7.5 Litres with continuous adjustable short flush vol. of approx 2-4Ltrs or a continuously adjustable full flush volume of 3.5-7.5 Ltrs.-) With immediate reflusing possibility after big flush. inlet connection switchable from left to right.Suitable for mechanical actuation technology ,flushing pipe bow, flushing pipe extension, fixing material,without actuator plate and assembly including fixing frame,fixing set complete, providing protection cover over cistern,cutting and making good the walls wherever required.	सेट		१००००.००	१००००.००
	Providing, fixing, testing & commissioning of concealed cistern-Dual Flush for back to wall floor standing WCs for wet and dry execution Front flush, Capacity of 7.5 Litres with continuous adjustable short flush vol. of approx 2-4Ltrs or a continuously adjustable full flush volume of 3.5-7.5 Ltrs.-)With immediate reflusing possiblitiy after big flush.inlet connection switchable from left to right. Suitable for mechanical actuation technology comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread,Galavinised Steel Frame ,comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread, WC connection elbow DN90 made of PE,eccentric adapter DN90/100,WC connection fittings,reinforcement fabric,EPS-foam revision frameflushing pipe bow, flushing pipe extension, fixing material,without actuator plate and assembly , providing protection cover over cistern.,Cutting and making good the walls wherever required.	सेट		१६०००.००	१६०००.००
	Providing, fixing, testing & commissioning of concealed cistern-Dual Flush for back to wall floor standing WCs for wet and dry execution.Installation hieght 1120 Front flush, Capacity of 7.5 Litres with continuous adjustable short flush vol. of approx 2-4Ltrs or a continuously adjustable full flush volume of 3.5-7.5 Ltrs.-)With immediate reflusing possiblitiy after big flush.inlet connection switchable from left to right. Suitable for mechanical actuation technology comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread,Powder Coated Steel frame,comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread, WC connection elbow DN90 made of PP,eccentric adapter DN90/100,WC connection fittings,reinforcement fabric,EPS-foam revision frame flushing pipe bow, flushing pipe extension, fixing material (for floor) and ceramic, screws (Self - drilling) for fixing metal support profiles, Hole dia 11mm for fixing in wooden fram construction,without actuator plate and assembly , providing protection cover over cistern.,Cutting and making good the walls wherever required.	सेट		१८०००.००	१८०००.००
	Providing, fixing, testing & commissioning of Actuator Plate for top and front actuation (For Dual Flush) made of PlasticChrome Matt Alpine White and Assembly including fixing frame, fixing set complete for concealed type cistern	सेट		२५००.००	२५००.००



### किचन र बाथरुममा प्रयोग हुने सामानहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब. ०७७७	आ.ब. ०७८७	आ.ब. ०७९८
	Providing, fixing, testing & commissioning of Actuator Plate for top and front actuation (For Dual Flush) made of Plastic Chrome Matt Alpine White and Assembly including fixing frame, fixing set complete for concealed type cistern	सेट		२५००.००	२५००.००
१४	<b>Stainless Steel Sink/Pan/Basin and Bathroom fittings etc.</b>				
	Stainless steel Deep sink 45x45x30 size	पिस	१८१८५.००	१८१८५.००	१८१८५.००
	Stainless steel Orissa pan LP 210 size	पिस	८४८६.००	८४८६.००	८४८६.००
	Stainless steel wash basin model 251 12" round size with pedestal	पिस	१३२६२.००	१३२६२.००	१३२६२.००
	Stainless steel wash basin 500 mm model 277 with complete set	पिस	१०२७६.००	१०२७६.००	१०२७६.००
	Stainless steel commode S trap with self closing complete set	पिस	१७५५४.००	१७५५४.००	१७५५४.००
	Wall mixer (single lever) bath faucet with hand shower	पिस	१४६३४.००	१४६३४.००	१४६३४.००
	Bath tub (single lever )with hand shower	पिस	१८४३२.००	१८४३२.००	१८४३२.००
	External Shower Wall mixer (single control) bath faucet with hand shower	पिस	२५७६४.००	२५७६४.००	२५७६४.००
	Wall mixer (single control) bath faucet with hand shower(conceal system)	पिस	१५९५२.००	१५९५२.००	१५९५२.००
	Wall mixer (single control) shower faucet (conceal system)	पिस	४१८२.००	४१८२.००	४१८२.००
	conceal mixer faucet	पिस	६४५५.००	६४५५.००	६४५५.००
	Stainless steel Angle valve	पिस	८२७.००	८२७.००	८२७.००
	Stainless steel two way Angle valve	पिस	११५७.००	११५७.००	११५७.००
	Stainless steel bowl 19"x16" diamond board 37" long	पिस	२६७३.००	२६७३.००	२६७३.००
	Stainless steel bowl with diamond board 37" long	पिस	३६६०.००	३६६०.००	३६६०.००
	Stainless steel bowl with ordinary board 37" long	पिस	२३१४.००	२३१४.००	२३१४.००
	Stainless steel double bowl with double drain board 36" * 18 "size	पिस	१३९१७.००	१३९१७.००	१३९१७.००
	Stainless steel double bowl with single drain board ordinary	पिस	५७८६.००	५७८६.००	५७८६.००
	Stainless steel p trap bottle trap for basin	पिस	२३२४.००	२३२४.००	२३२४.००
	Stainless steel Kitchen sink mixture	पिस	८४०८.००	८४०८.००	८४०८.००
	Stainless steel Kitchen sink faucet	पिस	५५६५.००	५५६५.००	५५६५.००
	Stainless steel Kitchen sink mixture	पिस	८४०८.००	८४०८.००	८४०८.००
	Stainless steel 1500mm flexible hose pipe( connection pipe)	पिस	१४६२.००	१४६२.००	१४६२.००
	Stainless steel Hose ringer 1200 mm	पिस	१२७४.००	१२७४.००	१२७४.००
	Stainless steel commode spray with hose pipe	पिस	१७९८.००	१७९८.००	१७९८.००
	Stainless steel basin mixer( single control)	पिस	६९४३.००	६९४३.००	६९४३.००
	Stainless steel single faucet for basin	पिस	४४२५.००	४४२५.००	४४२५.००
	Stainless steel Sink 700*450*200	पिस	२४२४६.००	२४२४६.००	२४२४६.००
	Stainless steel Sink table top1200*600*300	पिस	३३५०४.००	३३५०४.००	३३५०४.००
	Steel Split clamp with washer all complete	पिस	३३५०४.००	३३५०४.००	३३५०४.००
	75 mm dia	पिस	३३१.००	३३१.००	३३१.००
	110 mm dia	पिस	४४१.००	४४१.००	४४१.००
	160 mm dia	पिस	७७१.००	७७१.००	७७१.००
	Stainless steel telephonic shower	गोटा	१२४०.००	१२४०.००	१२४०.००
	Stainless steel shower with sliding bar	गोटा	२९७६.००	२९७६.००	२९७६.००
	Stainless steel shower with sliding bar	गोटा	९७८५.००	९७८५.००	९७८५.००
	Stainless steel bottle trap	गोटा	६४७.००	६४७.००	६४७.००
	Stainless steel towel bar 450 mm	गोटा	१२४०.००	१२४०.००	१२४०.००
	Supplying of C.P. brass Simplicity Square Concealed Bath & Shower Mixer , with concealed body and Shower Head with arm and Bath Spout	गोटा		१८०५५.००	१८०५५.००
	Supplying of C.P. brass Neo Modern Exposed Bath & Shower Mixer , with iColor Chrome Hand Shower & Hose , complete as required ,	गोटा		२०५३०.००	२०५३०.००
१५	<b>Modern Sanitaryware:</b>				
	Hand dryer Germany	गोटा	१९३९७.००	१९३९७.००	१९३९७.००

*(Handwritten signatures)*

*(Handwritten signature)*

*(Handwritten signature)*





किचन र बाथरूममा प्रयोग हुने सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब. ०७७७	आ.ब. ०७८७	आ.ब. ०७९८
	Hand Dryer Chinese	गोटा	७९६४.००	७९६४.००	७९६४.००
	Indian Mark Brand Flush valve	गोटा	५७३९.००	५७३९.००	५७३९.००
	Auto sensor for basin	गोटा	३५२६७.००	३५२६७.००	३५२६७.००
	European pattern liquid soap container stainless steel	गोटा	६०६२.००	६०६२.००	६०६२.००
	Looking Mirror Modi guard 450x600mm (18"x 24")	गोटा	९४५९.००	९४५९.००	९४५९.००
	Supplying of C.P. brass Angle valve connection 1/2" plastic handle marking , complete as required,with easy clean, eco start, twist free and Water Saving features.	गोटा		७५०.००	७५०.००
	Supplying of Hygiene Spray with hose and flexible pipe , complete as required, with easy clean, eco start, twist free and Water Saving features.	गोटा		२९२५.००	२९२५.००
	Supplying of Winston Wall Bib Tap (Cross Handle), Mcomplete as requiredwith easy clean, eco start, twist free and Water Saving features.	गोटा		२४८०.००	२४८०.००
	Supplying of High Speed automatic Hand Dryer, complete as required,ready for operation.	गोटा		३७९७०.००	३७९७०.००
	Supplying of Chrome plated Seva Toilet Paper Holder with Flap,complete as required, ready for operation.	गोटा		३४००.००	३४००.००
	Supplying of Chrome plated Seva Soap Dish, complete as required, ready for operation.	गोटा		२८३०.००	२८३०.००
	Supplying of Chrome plated Seva Robe Hook, complete as required, ready for operation.	गोटा		२९२५.००	२९२५.००
	Supplying of Chrome plated Seva Towel Rod, complete as required, ready for operation.	गोटा		३७००.००	३७००.००
	Supplying of Chrome plated Seva Glass Holder,complete as required, ready for operation.	गोटा		२६२०.००	२६२०.००
	Supplying of Stainless Steel Grade 304 Foldable Swing type Grab bar , size (580x220mm), OD: 32mm Make	गोटा		८६००.००	८६००.००
	Supplying of Wall Mounted liquid Soap Dispenser with all necessary accessories.	गोटा		३०००.००	३०००.००
	Supplying of Stainless Bucket (Container) 5ltrs with all necessary accessories and complete set.	गोटा		५०००.००	५०००.००
१६	<b>Electric &amp; Solar Geyser</b>				
	i) 10 lit. cap. electric water heater	गोटा	१०९१४.००	१०९१४.००	१०९१४.००
	ii) 25 lit cap. electric water heater	गोटा	१६८२६.००	१६८२६.००	१६८२६.००
	iii) 35 lit cap electric water heater	गोटा	२०९१९.००	२०९१९.००	२०९१९.००
	iv) 50 lit cap electric water heater	गोटा	२५०१९.००	२५०१९.००	२५०१९.००
	iv) Gas water heater with cylinder	गोटा	८२००.००	८२००.००	८२००.००
	v) Supplying of 25lts Electric water heater (Geyser) with built up check valve, pressure relief valve all complete set with testing and ready for operation.	गोटा		१५०००.००	१५०००.००
१७	15.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete American.	सेट	११७७०.००	११७७०.००	११७७०.००


*[Handwritten signatures]*

*[Handwritten signatures]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*



## CP Accessories

सि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व. ०७९/८०
	<b>Chrome plated Accessories</b>				
१	C.P. Toilet Paper Holder	गोटा	९२९.००	९२९.००	९२९.००
२	C.P. Soap Dish(Polyurethane)	गोटा	९००.००	९००.००	९०४२.००
३	Towel rod ½"×18" size	गोटा	५१०.००	५१०.००	५१०.००
४	C.P. Towel Rod 18"	गोटा	१५७८.००	१५७८.००	१५७८.००
५	C.P. Towel Rod 24"	गोटा	१६६३.००	१६६३.००	१६६३.००
६	C.P. Glass Shelf 22"	गोटा	२२६०.००	२२६०.००	२२६०.००
७	Glass shelf	गोटा	६८०.००	६८०.००	६८०.००
८	C.P. bottle trap	गोटा	१२४६.००	१२४६.००	१२४६.००
९	32 mm×60cm long C.P flush pipe	गोटा	५१०.००	५१०.००	५१०.००
१०	15 mm flush cock push type	गोटा	११३३.००	११३३.००	११३३.००
११	15 mm dia. C.P. shower arm	गोटा	९७६.००	९७६.००	९७६.००
१२	15 mm dia. C.P. spreader	गोटा	९४०.००	९४०.००	९४०.००
१३	15 mm dia. C.P. wall mixture	गोटा	५४३५.००	५४३५.००	५४३५.००
१४	3" dia. Shower rose , revolving type	गोटा	९०६.००	९०६.००	९०६.००
१५	4" dia. Shower rose , revolving type	गोटा	१०२०.००	१०२०.००	१०२०.००
१६	Shower rose ordinary	गोटा	५६७.००	५६७.००	५६७.००
१७	Shower rod 12" long	गोटा	२८३.००	२८३.००	२८३.००
१८	C.P. 15 mm dia. Angle Valve	गोटा	१२४४.००	१२४४.००	१२४४.००
१९	C.P. 15 mm dia Concealed Stop Cock	गोटा	१८०७.००	१८०७.००	१८०७.००
२०	C.P. 15mm Bib Cock	गोटा	१३६१.००	१३६१.००	१३६१.००
२१	C.P. 15 mm dia swan neck Pillar Cock	गोटा	१३३१.००	१३३१.००	१३३१.००
२२	C.P. 15 mm dia Stop Cock	गोटा	१३३१.००	१३३१.००	१३३१.००
२३	C.P. 15 mm dia Sink Cock	गोटा	१३०९.००	१३०९.००	१३०९.००
२४	C.P. 15 mm dia Sink Mixture	गोटा	४४७२.००	४४७२.००	४४७२.००
२५	C.P. 32 mm dia Flush Valve	गोटा	५४०४.००	५४०४.००	५४०४.००
२६	C.P. 32 mm dia Waste Coupling for basin	गोटा	४२४.००	४२४.००	४२४.००
२७	C.P. 32 mm dia Waste Coupling for Urinal	गोटा	६८९.००	६८९.००	६८९.००
२८	C.P. Basin Mixture	सेट	४६४०.००	४६४०.००	४६४०.००
२९	15 mm dia Bath Tub Spout with Wall Hinge	सेट	१७३१.००	१७३१.००	१७३१.००
३०	C.P. Exclusive Shower Arm with Hinge	सेट	२०१४.००	२०१४.००	२०१४.००
३१	15 mm bath tub with bottom attachment of telephonic shower	सेट	४१६९.००	४१६९.००	४१६९.००
३२	15 mm wall mixture lever type telephonic shower of flexible type heavy.	सेट	६८४९.००	६८४९.००	६८४९.००
३३	C.P. flexible pipe	गोटा	१८१.००	१८१.००	१८१.००
३४	C.P. Grating - 4" dia.	गोटा	५०.००	५०.००	५०.००
३५	C.P. Grating -5" dia.	गोटा	६२.००	६२.००	६२.००
३६	<b>C.P. Angle Cock</b>				
	15mm C.P. Angle Cock	गोटा	९२७.००	९२७.००	९२७.००
	15 mm C.P. Angle Cock Long Thread	गोटा	९८६.००	९८६.००	९८६.००
३७	<b>C.P. Conceal Stop Cock</b>				
	15 mm Reduced body	गोटा	११३६.००	११३६.००	११३६.००
	15 mm Extra Heavy Body	गोटा	१३९०.००	१३९०.००	१३९०.००
	15mm C.P. Auto Closing Bib Cock With Aerator	गोटा	२६१२.००	२६१२.००	२६१२.००
	15mm C.P. Bib Cock	गोटा	९५२.००	९५२.००	९५२.००
	15mm C.P. Bib Cock with nozzle	गोटा	१०५४.००	१०५४.००	१०५४.००
	15 mm C.P. Pillar Cock With Aerator	गोटा	१२६३.००	१२६३.००	१२६३.००
	15mm Auto Closing Pillar Cock With Aerator	गोटा	२५२७.००	२५२७.००	२५२७.००
	15mm C.P. Sink Cock	गोटा	१६००.००	१६००.००	१६००.००
	C.P. Sink Mixer	गोटा	३९६६.००	३९६६.००	३९६६.००
	15 mm C.P. Sink Mixer With Revolving Spout	गोटा	३४५६.००	३४५६.००	३४५६.००
	C.P. Bottle Trap 32mm	गोटा	१८५२.००	१८५२.००	१८५२.००
	32 mm C.P. Conceal Flush Valve Dual Flow	गोटा	३८७४.००	३८७४.००	३८७४.००
	32 mm C.P. Waste Coupling H/T	गोटा	४४६.००	४४६.००	४४६.००
	32 mm C.P. Waste Coupling F/T	गोटा	४४६.००	४४६.००	४४६.००



### CP Accessories

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब. ०७७/७८	आ.ब. ०७८/७९	आ.ब. ०७९/८०
	15 mm Urinal Auto-Closing Valve with Built-in Control Cock	गोटा	२६९४.००	२६९४.००	२६९४.००
	15 mm C.P. Wall Mixer With Lower Bend Pipe	गोटा	४४६३.००	४४६३.००	४४६३.००
	15 mm C.P. Wall Mixer With Upper Bend Pipe	गोटा	४४६३.००	४४६३.००	४४६३.००
३८	<b>C.P. Basin Mixer</b>				
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	गोटा	३७०६.००	३७०६.००	३७०६.००
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	गोटा	३८९९.००	३८९९.००	३८९९.००
	15mm Bath Tub Spout with wall Flange	गोटा	१२६३.००	१२६३.००	१२६३.००
	15mm Bath Tub Spout with button attachment	गोटा	२०२९.००	२०२९.००	२०२९.००
	15 mm CP Casted Shower Arm Light	गोटा	६७३.००	६७३.००	६७३.००
	15 mm CP Casted Shower Arm Heavy	गोटा	१०९४.००	१०९४.००	१०९४.००
	15 mm Telephonic Hand ShowerWith 1.5 m. PVC Tube	गोटा	१७९९.००	१७९९.००	१७९९.००
	15 mm Telephonic Hand ShowerWith 1.5 Flexible Tube	गोटा	२७७९.००	२७७९.००	२७७९.००
	18"x24" drain and 24"x18"x12" sink without frame and legs	गोटा	३२२४.००	३२२४.००	३२२४.००
	18"x24" drain and 24"x18"x12" sink with s.s. frame and legs				
३९	<b>Deep Scrub Sink</b>	गोटा	४८३४.००	४८३४.००	४८३४.००
	28"x28"x24" deep+ 6" splash with	गोटा	२९८.००	२९८.००	२९८.००
	15 mm Health Faucet (Commode Spray)	गोटा	११४६.००	११४६.००	११४६.००
	15 mm pillar cock with 200 mm extended lever handle	गोटा	१५१५.००	१५१५.००	१५१५.००
	15 mm Bib cock with 200 mm extended lever handle	गोटा	१५९८.००	१५९८.००	१५९८.००
	Single lever surgical purpose elbow action basin mixer with extended operating lever	गोटा	५९५६.००	५९५६.००	५९५६.००
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	गोटा	५७७६.००	५७७६.००	५७७६.००
	Sensor mixer for wash basin (Battery operated)	गोटा	२०४८९.००	२०४८९.००	२०४८९.००
	Wall mounted Sensor mixer for operation theater (Battery operated)	गोटा	२०४८९.००	२०४८९.००	२०४८९.००
	Sensor conceal type flushing valve for Western commode (battery operated)	गोटा	१६२२९.००	१६२२९.००	१६२२९.००
	Sensor valve for Urinal	गोटा	१०६५९.००	१०६५९.००	१०६५९.००
	Basin cock Sensor	गोटा	१४४९८.००	१४४९८.००	१४४९८.००
	15mm U shaped sink cock	गोटा	१७९२.००	१७९२.००	१७९२.००
	Sink Mixture with U shape swinging spout	गोटा	३३५८.००	३३५८.००	३३५८.००
	15mm metallic Health Faucet (Commode Spray)	गोटा	२१७९.००	२१७९.००	२१७९.००
४०	<b>European Pattern C.P. Grab Bar for disable</b>				
	a) 30cm long bend type	गोटा	५३६०.००	५३६०.००	५३६०.००
	b) 45 cm long bend type	गोटा	५६९३.००	५६९३.००	५६९३.००
	c) 60 cm long bend type	गोटा	७९८८.००	७९८८.००	७९८८.००



Handwritten signatures and initials in black ink, including a large signature on the left and several smaller ones in the center and right.

### विभिन्न प्रकारका वाटर टैंक र पम्पहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७७	आ.व. ०७८१	आ.व. ०७९१
<b>1</b>	<b>G.I. Water Tank (17 Gauge)</b>				
	100 gls	गोटा	८०७५.००	८०७५.००	८४७८.००
	200 gls	गोटा	१२६८५.००	१२६८५.००	१३१९२.००
	300 gls	गोटा	१५९५५.००	१५९५५.००	१६५९३.००
	400 gls	गोटा	१९१५५.००	१९१५५.००	१९९२१.००
	500 gls	गोटा	२२३६५.००	२२३६५.००	२३२५९.००
<b>2</b>	<b>Roof Top PVC Water Tank</b>				
	200 lit – 5000 lit cap.	लीटर	१०.३०	१०.३०	१०.००
	5000 lit – 10,000 lit cap	लीटर	१०.६०	१०.६०	११.००
	Horizontal PVC water tank	लीटर	१२.००	१२.००	१२.००
<b>3</b>	<b>Stainless steel water tank with accessories</b>				
	Capacity 500 ltr	गोटा	१२६१०.००	१२६१०.००	१३११४.००
	Capacity 1000 ltr	गोटा	१८५८०.००	१८५८०.००	१९३२३.००
	Capacity 1500 ltr	गोटा	२८५४०.००	२८५४०.००	२९६८१.००
	Capacity 2000 ltr	गोटा	३४५१०.००	३४५१०.००	३५८९०.००
	Capacity 3000 ltr	गोटा	५१७७०.००	५१७७०.००	५३३२३.००
	Capacity 4000 ltr	गोटा	६९०३०.००	६९०३०.००	७११००.००
	Capacity 5000 ltr	गोटा	९०७१०.००	९०७१०.००	९३४३१.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 300 Ltrs (Height: 56.5", Diameter: 25", Manhole Diameter: 16")	गोटा		११३००.००	११७५२.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 500 Ltrs (Height: 65.5", Diameter: 28.5", Manhole Diameter: 16")	गोटा		१४५००.००	१५०८०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 1000 Ltrs (Height: 69", Diameter: 38.5", Manhole Diameter: 16")	गोटा		२२०००.००	२२८८०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 1500 Ltrs (Height: 73", Diameter: 48.5", Manhole Diameter: 16")	गोटा		३३५००.००	३४८४०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 2000 Ltrs (Height: 87", Diameter: 48.5", Manhole Diameter: 16")	गोटा		४१०००.००	४२६४०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 3000 Ltrs (Height: 90.5", Diameter: 63", Manhole Diameter: 22.5")	गोटा		६७०००.००	६९०१०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 5000 Ltrs (Height: 126", Diameter: 63", Manhole Diameter: 22.5")	गोटा		१०४०००.००	१०६०८०.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 1000 Ltrs (Length: 58", Width: 41", Height: 51")	गोटा		२६०००.००	२७०४०.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 1500 Ltrs (Length: 62", Width: 51", Height: 61")	गोटा		३७५००.००	३९०००.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 2000 Ltrs (Length: 77", Width: 51", Height: 61.5")	गोटा		४६०००.००	४७८४०.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 3000 Ltrs (Length: 87", Width: 58", Height: 66")	गोटा		७३०००.००	७५१९०.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 5000 Ltrs (Length: 114", Width: 65.5", Height: 74")	गोटा		११४०००.००	११६२८०.००
	<b>Plastic Water Tank   प्लास्टिक वाटर ट्यांक</b>				



प्रमुख जिल्ला अधिका

### विभिन्न प्रकारका वाटर टैंक र पम्पहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७७८	आ.व. ०७८१९	आ.व. ०७९१८०
	LLDPE Plastic Tank - Extra Heavy - Black (100 Litres)	लीटर		१३.५०	१४.००
	LLDPE Plastic Tank - N.S. Certified - Black (200 Litres)	लीटर		१३.५०	१४.००
	LLDPE Plastic Tank - N.S. Certified - Black (300 Litres)	लीटर		१३.५०	१४.००
	LLDPE Plastic Tank - N.S. Certified - Black (500 Litres)	लीटर		१२.५०	१३.००
	LLDPE Plastic Tank - N.S. Certified - Black (750 Litres)	लीटर		१२.५०	१३.००
	LLDPE Plastic Tank - N.S. Certified - Black (1000 Litres)	लीटर		१२.५०	१३.००
	LLDPE Plastic Tank - Extra Heavy - Black (1500 Litres)	लीटर		११.५०	१२.००
	LLDPE Plastic Tank - Extra Heavy - Black (2000 Litres)	लीटर		११.५०	१२.००
	LLDPE Plastic Tank - Extra Heavy - Black (3000 Litres)	लीटर		११.५०	१२.००
	LLDPE Plastic Tank - Extra Heavy - Black (4000 Litres)	लीटर		११.५०	१२.००
	LLDPE Plastic Tank - Extra Heavy - Black (5000 Litres)	लीटर		११.५०	१२.००
	LLDPE Plastic Tank - Extra Heavy - Black (7500 Litres)	लीटर		१२.५०	१३.००
	LLDPE Plastic Tank - Extra Heavy - Black (10000 Litres)	लीटर		१२.५०	१३.००
	LLDPE Plastic Horizontal Shape Tank - Extra Heavy - Black (1000 Litres)	गोटा		१२५००.००	१३०००.००
	LLDPE Plastic Horizontal Underground Septic Tank - Extra Heavy - Black (1000 Litres). Brand: Hilltake	गोटा		१८५००.००	१९२४०.००
<b>11</b>	<b>Water Pumps/Hand Pumps</b>				
	Indian Mark-III , Deep Well Hand Pump	गोटा	१२३६०.००	१२३६०.००	१२८५४.००
	6 No. hand pump	गोटा	१५८२.००	१५८२.००	१६६१.००
	<b>Water Pump :</b>				
	i) ½ H.P. Water Pump (Multi stage pump)	सेट	१०८८५.००	१०८८५.००	११३२०.००
	ii) ½ H.P. Water Pump mono block type	सेट	६२५.००	६२५.००	६५७०.००
	iii) 1.0 H.P. water pump Multistage	सेट	१४२५.००	१४२५.००	१४८२.००
	iv) 1.0 H.P. water pump (mono block type)	सेट	९४६५.००	९४६५.००	९९३८.००
	v) 2.0 H.P. water pump	सेट	२२५८७.००	२२५८७.००	२३४९०.००
	vi) 2.0 H.P. 3 phase water pump	सेट	२३८४७.००	२३८४७.००	२४८००.००
	vii) 5.0 HP 3 phase water pump	सेट	२८६५६.००	२८६५६.००	२९८०२.००
	<b>Jet Water Pump</b>				
	i) 1.10 H.P.	सेट	२१६३०.००	२१६३०.००	२२४९५.००
	ii) Double Stage jet 1.10 H.P.	सेट	२५९५६.००	२५९५६.००	२६९९४.००
	ii) 1.5 H.P.	सेट	२९२०१.००	२९२०१.००	३०३६९.००
	<b>Super Sunction</b>				
	i) 0.50 H.P	सेट	८९२२.००	८९२२.००	९३६८.००
	ii) 0.75 H.P.	सेट	८३२८.००	८३२८.००	८७४४.००
	iii) 1.0 H.P.	सेट	१४२७६.००	१४२७६.००	१४८४७.००
	<b>Water Pump (Grundfoss, pentair, Pedrello or equiv)</b>				
	1.0 H.P. Single pump set with Booster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	१८२०२.००	१८२०२.००	१८९३०.००



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several initials in the center and right.

### विभिन्न प्रकारका वाटर टैंक र पम्पहरु

सि.नं.	सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७७८	आ.व. ०७८१९	आ.व. ०७९१०
	2 H.P. single pump set single pump set with Boaster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	२९२३३.००	२९२३३.००	३०४०२.००
	<b>Submersible Pump (Italian)</b>				
	i) 1.0 H.P.	सेट	२६०८९.००	२६०८९.००	२७३३२.००
	ii) 2.0 H.P.	सेट	४८३९७.००	४८३९७.००	५०३३२.००
	<b>Electric Water Pump (Chinese)</b>				
	i) ½ H.P	सेट	१७०३.००	१७०३.००	१७८८.००
	ii) ¾ H.P.	सेट	२२१९.००	२२१९.००	२३२९.००
	iii) 1.0 H.P.	सेट	३२७०.००	३२७०.००	३४३३.००
	<b>Submersible Pump Indian</b>				
	i) ½ H.P open well type	सेट	१६६५५.००	१६६५५.००	१७३२१.००
	ii) 1.1 H.P open well type	सेट	२४३८८.००	२४३८८.००	२५३६३.००
	iii) 1.5 H.P open well type	सेट	२९७४१.००	२९७४१.००	३०९३०.००
	<b>Vertical Submersible Pump Sarvo/Bimal or equivalent</b>				
	i) 1.1 H.P	सेट	२७२५४.००	२७२५४.००	२८३४४.००
	iii) 1.5 H.P	सेट	३२९३२.००	३२९३२.००	३४२४९.००

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*



प्रमुख जिल्ला कार्यालय  
ललितपुर

साधारण हाते औजारहरु


सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व.०७७/७८	आ.व.०७८/७९	आ.व.०७९/८०
1	Adjustable spanner				
	10"	गोटा	२५५.००	२५५.००	२६५.००
	12"	गोटा	४८२.००	४८२.००	५०१.००
	15"	गोटा	१३८८.००	१३८८.००	१४४३.००
	18"	गोटा	१६४३.००	१६४३.००	१७०८.००
2	Blow Torch				
	1/2 pint	गोटा	१४३४.००	१४३४.००	१४९१.००
	1 pint	गोटा	१७६७.००	१७६७.००	१८३७.००
3	Building Trowel	गोटा	७९.००	७९.००	८२.००
4	Chain Pipe wrench				
	50mm	गोटा	१६४३.००	१६४३.००	१७०८.००
	75mm	गोटा	१९५५.००	१९५५.००	२०३३.००
	100mm	गोटा	२२९५.००	२२९५.००	२३८६.००
	150mm	गोटा	३२२९.००	३२२९.००	३३५८.००
	200mm	गोटा	५४९५.००	५४९५.००	५७१४.००
5	Chain Pulley in Ton				
	3 ton	गोटा	१७५६२.००	१७५६२.००	१८२६४.००
	5 ton	गोटा	२९००५.००	२९००५.००	३०१६५.००
6	Stone Chisel 1"x12"	गोटा	३६९.००	३६९.००	३८३.००
7	Die teeth oil with cane (250 ml size)	गोटा	२८३.००	२८३.००	२९४.००
8	Smooth steel file half round				
	8"	गोटा	५३९.००	५३९.००	५६०.००
	10"	गोटा	१०३१.००	१०३१.००	१०७२.००
	Flat file 10"	गोटा	५३९.००	५३९.००	५६०.००
9	Hacksaw Blade				
	Single	गोटा	४.००	४.००	४.००
	double	गोटा	९.००	९.००	९.००
10	Hacksaw Frame 6mm	गोटा	१९३.००	१९३.००	२००.००
11	Handle die set				
	25 mm	गोटा	३२०१.००	३२०१.००	३३२९.००
	50 mm	गोटा	३६२६.००	३६२६.००	३७७१.००
	60 mm	गोटा	९६३१.००	९६३१.००	१००१६.००
12	Heating Plate				
	80 mm	गोटा	९६३.००	९६३.००	१००१.००
	100 mm	गोटा	११०५.००	११०५.००	११४९.००
	125 mm	गोटा	१४१६.००	१४१६.००	१४७२.००
	150 mm	गोटा	१६८८.००	१६८८.००	१७५५.००
	200 mm	गोटा	२७३१.००	२७३१.००	२८४०.००
	250 mm	गोटा	३३०८.००	३३०८.००	३४४०.००
	300 mm	गोटा	३८६४.००	३८६४.००	४०१८.००
13	Iron Brush 12"	गोटा	७४.००	७४.००	७६.००
14	Iron Pan (madium)	गोटा	२६१.००	२६१.००	२७१.००
15	Pick Axe 1.7 Kg.	गोटा	४३१.००	४३१.००	४४८.००
16	Pipe Cutter				
	15-50 mm	गोटा	२०३९.००	२०३९.००	२१२०.००
	65-80 mm	गोटा	३१७२.००	३१७२.००	३२९८.००
	100 mm	गोटा	५०९९.००	५०९९.००	५३०२.००
	125 mm	गोटा	५६६५.००	५६६५.००	५८९१.००
	150 mm	गोटा	१००८४.००	१००८४.००	१०४८७.००
17	Pipe Jack Machine (Heavy)	गोटा	३२२९१.००	३२२९१.००	३३५८३.००
18	Pipe Vice				
	2"	गोटा	२४९३.००	२४९३.००	२५९२.००
	3"	गोटा	३६२६.००	३६२६.००	३७७१.००



Handwritten signatures and stamps at the bottom of the page, including the name 'प्रमुख जिल्ला अधिकारी' and 'ललितपुर'.

साधारण हाते औजारहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			
			आ.ब.०७७७	आ.ब.०७८१	आ.ब.०७९८	
		4"	गोटा	५४६७.००	५४६७.००	५६८५.००
		5"	गोटा	१०१४०.००	१०१४०.००	१०५४५.००
19	Pipe Wrench					
		10"	गोटा	३१७.००	३१७.००	३२९.००
		12"	गोटा	५८९.००	५८९.००	६१२.००
		14"	गोटा	७०२.००	७०२.००	७३०.००
		18"	गोटा	१११७.००	१११७.००	११६१.००
		24"	गोटा	१५४१.००	१५४१.००	१६०२.००
		36"	गोटा	५४३८.००	५४३८.००	५६५५.००
		48"	गोटा	९६३१.००	९६३१.००	१००१६.००
20	Plumb Bob Line		गोटा	९१.००	९१.००	९४.००
21	Ratchet Die Set					
		1/2"-1"	गोटा	४३०५.००	४३०५.००	४४७७.००
		1 1/4" -2"	गोटा	८०४४.००	८०४४.००	८३६५.००
		2 1/2" -3"	गोटा	१७५६२.००	१७५६२.००	१८२६४.००
22	Round File 10"		गोटा	३६९.००	३६९.००	३८३.००
23	Screw Driver 12"		गोटा	२०४.००	२०४.००	२१२.००
24	Shovel 1.5 Kg		गोटा	३६९.००	३६९.००	३८३.००
25	Slide wrench					
		10"	गोटा	३६३.००	३६३.००	३७७.००
		12"	गोटा	४८७.००	४८७.००	५०६.००
		15"	गोटा	१४२२.००	१४२२.००	१४७८.००
26	Spade		गोटा	४४२.००	४४२.००	४५९.००
27	Spare Die Teeth					
		15 mm	गोटा	५८९.००	५८९.००	६१२.००
		20 mm	गोटा	५८९.००	५८९.००	६१२.००
		25 mm	गोटा	५८९.००	५८९.००	६१२.००
		32 mm	गोटा	९३५.००	९३५.००	९७२.००
		40 mm	गोटा	१५९८.००	१५९८.००	१६६१.००
		50 mm	गोटा	१६१५.००	१६१५.००	१६७९.००
		65 mm	गोटा	१८६९.००	१८६९.००	१९४३.००
		80 mm	गोटा	२०९६.००	२०९६.००	२१७९.००
28	Telflon Cover					
		5'x5'	गोटा	३१२.००	३१२.००	३२४.००
		7'x7'	गोटा	४२५.००	४२५.००	४४२.००
29	Telflon Cloth		र.मि	३४२८.००	३४२८.००	३५६५.००
30	Telflon Tape 10 mm		रोल	१८.००	१८.००	१८.००
31	Thermochrome Crayon					
		Indian	गोटा	७६५.००	७६५.००	७९५.००
32	Tool Box (14"x8"x22")		गोटा	२१०२.००	२१०२.००	२१८६.००







मेनहोल कभरहरु


सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७७	आ.व. ०७८१	आ.व. ०७९१
	<b>C.I. Manhole Cover including frame.</b>				
१	<b>Square Frame Medium Duty</b>				
	i) 10" x 10" (4 Kg.)	सेट	६२६	६२६	६७५.००
	ii) 12" x 12" (5 Kg.)	सेट	७७४	७७४	८३५.००
	iii) 14" x 14" (7 Kg.)	सेट	११५६	११५६	१२४७.००
	v) 16" x 16" (10 Kg.)	सेट	१५४९	१५४९	१६७१.००
	vi) 18" x 18" (14 Kg.)	सेट	२४०८	२४०८	२५९८.००
	viii) 20" x 20" (16 Kg.)	सेट	२७९६	२७९६	२९३०.००
	ix) 22" x 22" (20 Kg.)	सेट	३१०८	३१०८	३३५३.००
	x) 24" x 24" (24 Kg.)	सेट	४३९८	४३९८	४६५९.००
	xi) 27" x 27" (31 Kg.)	सेट	५४४२	५४४२	५८७१.००
२	<b>Square Frame Heavy Duty</b>				
	iii) 14" x 14" (14 Kg.)	सेट	२३५५	२३५५	२५४१.००
	viii) 20" x 20" (16 Kg.)	सेट	३८४०	३८४०	४१४३.००
	ix) 22" x 22" (22 Kg.)	सेट	५२५१	५२५१	५६६५.००
	xi) 27" x 27" (45 Kg.)	सेट	७५११	७५११	८१०४.००
३	<b>Rounded Manhole Cover</b>				
	Round Manhole cover medium 450mm(22")	सेट	४१५९	४१५९	४४८७.००
	Round Manhole cover Heavy 450mm(22")	सेट	८२०१	८२०१	८८४८.००
	Round Manhole cover medium 500 mm(24")	सेट	६५४६	६५४६	७०६३.००
	Round Manhole cover Heavy 500 mm(24")	सेट	९७९२	९७९२	१०५६५.००
	<b>Rounded Manhole Cover with square frame</b>				
	i) 18" dia. with square frame (60 Kg.)	सेट	९३१५	९३१५	१००५०.००
	ii) 20" dia. with square frame (70 Kg.)	,,	१०८६४	१०८६४	११७२२.००
	iii) 20" dia. with square frame (100 Kg.)	,,	१५५२१	१५५२१	१६७४७.००
	iv) 22" dia. Medium class. (125 Kg.)	,,	१९४९९	१९४९९	२१०३९.००
	v) 22" dia. Heavy class. (208Kg.)	,,	३२३४७	३२३४७	३४९०२.००
	vi) 24" dia. Medium class. (70 Kg.)	,,	१११७१	१११७१	१२०५३.००
	vii) 24" dia. Heavy class (Load Test 8 Ton) (850 Kg.)	,,	१३४८४	१३४८४	१४५४९.००
	viii) 24" with square frame (IS:1726) (70 Kg.)	,,	१०९१७	१०९१७	११७७९.००
	ix) 26"with square frame (IS:1726) (85 Kg.)	,,	१३२६१	१३२६१	१४३०८.००
	xi) 28" with square frame (IS:1726) (116 Kg.)	,,	१८३०१	१८३०१	१९७४६.००
	x) 30" with square frame (IS:1726) (100 Kg.)	,,	१५५९५	१५५९५	१६८२७.००
	xi) 30" with square frame (IS:1726) (116 Kg.)	,,	१८३०१	१८३०१	१९७४६.००
	xi) 32" with square frame (IS:1726) (208Kg.)	,,	३२३४७	३२३४७	३४९०२.००
४	<b>C.I. Tank Cover Locking Types- Round</b>				
	18" (8 Kg.)	सेट	१७९३	१७९३	१९३४.००
	20" (12 Kg.)	,,	२६३०	२६३०	२८३७.००
	22" (14 Kg.)	,,	२९८७	२९८७	३२२२.००
	24" (16 Kg.)	,,	३५८५	३५८५	३८६८.००
	28" (24 Kg.)	,,	५३७८	५३७८	५८०२.००
५	<b>C.I. Tank Cover Locking Types- Rectangular</b>				
	18" x 18" (13 Kg.)	सेट	२९८७	२९८७	३२२२.००
	24" x 24" (50 Kg.)	सेट	१०७५५	१०७५५	११६०४.००



Handwritten signatures and initials at the bottom of the page, including the name 'प्रमुख जिल्ला अधिकारी' (Chief District Officer).

मेनहोल कभरहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब. ०७७७७८	आ.ब. ०७८१७९	आ.ब. ०७९१८०
	18" x 24" (27 Kg.)	सेट	५९७६	५९७६	६४४८.००
६	<b>C.I. Gully Gratings &amp; Jali strip-Medium Duty</b>				
	4"	सेट	१०७	१०७	११५.००
	5"	सेट	१४३	१४३	१५४.००
	6"	सेट	१९१	१९१	२०६.००
	10"	सेट	६५७	६५७	७०८.००
७	<b>C.I. Gully Gratings &amp; Jali Strip- Medium Duty</b>				
	4" x 4"	सेट	९५	९५	१०२.००
	5" x 5"	सेट	१२०	१२०	१२९.००
	6" x 6"	सेट	१४३	१४३	१५४.००
	9" x 9"	सेट	४१८	४१८	४५१.००
	10" x 10"	सेट	५३८	५३८	५८०.००
	12" x 12"	सेट	७७७	७७७	८३८.००
८	<b>C.I. Gully Gratings</b>				
	i) 15"×18" Medium (18 Kg.)	सेट	३९४४	३९४४	४२५५.००
	ii) 15"×18" Heavy (25 Kg.)	सेट	५३७८	५३७८	५८०२.००
९	<b>Grit Cover</b> - फलामे एङ्गलको फ्रेममा फलामे पत्तिको जाली बनाई फेब्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम	के.जी.	१७४	१७४	१८७.००
१०	<b>Aluminum Grating 4" dia.</b>	गोटा	४५	४५	४८.००
११	<b>SMC Manhole Cover</b>				
	Frame Size 880mm (Dia.) *Cover Size 700mm (Dia.)-Round-Yellow and Grey (50 Ton Capacity)	गोटा		३२०५०	२७७४३.००
	Frame Size 725mm (Dia.) *Cover Size 600 mm (Dia.)-Round-Yellow and Grey (40 Ton Capacity)	गोटा		२३६५८	१८९८२.००
	Frame Size 725mm (Dia.) *Cover Size 600mm (Dia.) -Round-Yellow and Grey (10 Ton Capacity)	गोटा		१८३००	१८३००.००
	Frame Size 670mm*670mm *Cover Size 570mm*570mm-Square-Yellow and Grey (15 Ton Capacity)	गोटा		१४१००	१०२२१.००
	Frame Size 670mm*670mm-Cover Size 570mm*570mm-Square-Yellow and Grey (5 Ton Capacity)	गोटा		१२२७०	१३४९७.००
	Frame Size 670mm*670mm-Cover Size*625mm*625mm-Square-Yellow and Grey (Overlapping 50 Ton Capacity)	गोटा		२००००	२००००.००
	Frame Size 570mm*570mm- Cover Size 475mm*475mm-Square-Yellow and Grey (5 Ton Capacity)	गोटा		७८५०	७९००.००
	Frame Size 570mm*570mm- Cover Size 475mm*475mm-Square-Yellow and Grey (2 Ton Capacity)	गोटा		६७३०	६७५०.००
	Frame Size 570mm*570mm- Cover Size 525mm*525mm-Square-Yellow and Grey (Overlapping 15 Ton Capacity)	गोटा		१२०००	१२०००.००
	Frame Size 400mm*400mm-Cover Size 300mm*300mm-Square-Yellow and Grey (7.5 Ton Capacity)	गोटा		७२८०	७२८०.००
	Frame Size 400mm*400mm Cover 300mm*300mm-Square-Yellow and Grey (5 Ton Capacity)	गोटा		३५२०	३५२०.००


 ५-०१-२०८०  
 प्रमुख जिल्ला अधिकारी

मेनहोल कभरहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			आ.व. ०७७७८	आ.व. ०७८१७९	आ.व. ०७९१८०
	Frame Size 400mm*400mm - Cover Size 300mm*300mm-Square-Yellow and Grey (10 Ton Capacity-Jali)	गोटा		२००००	७८००.००
	SMC Manhole Set 600mm (Top Dia.) *1000mm (Height)*800mm (Bottom Dia.) including frame and cover (Complete Set)	सेट		१२२७०	७५००.००
	Frame Size 510mm*610mm - Cover Size 478mm*578mm-Rectangle-Black (Overlapping)	गोटा		७८५०	६७५०.००
	Manhole Cover Lock Set	सेट			२०००.००



*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

प्रमुख जिल्ला अधिकारी

### RCC Ring and Boring Work

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७७	आ.व. ०७८१	आ.व. ०७९१
१	<b>RCC Ring for well and Toilets</b>				
	i) 28" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	६१५.००	६१५.००	६४५.००
	ii) 36" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	७६२.००	७६२.००	८००.००
	iii) 42" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	८८६.००	८८६.००	९३०.००
	iv) 48" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	११७३.००	११७३.००	१२३१.००
२	<b>RCC cover</b>				
	i) 28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	१८५८.००	१८५८.००	१९५०.००
	i) 36" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	२४६०.००	२४६०.००	२५८३.००
	i) 42" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	२६९९.००	२६९९.००	२८३३.००
	i) 48" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	३२२४.००	३२२४.००	३३८५.००
४	<b>Drilling of tube well by DTH Method</b>				
	Drilling of hole in all formation (6 inch)	मी.	५६२३.००	५६२३.००	५९०४.००
	Drilling of hole in all formation (8 inch)	मी.	६५७८.००	६५७८.००	६९०६.००

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*  
 कार्यालय  
 ललितपुर



### Multilayer Composite Pipe

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व. ०७९/८०
१	<b>Cold Water Pipe (White)</b>				
	12-16 mm ½"	र.मि	१०१.००	१०१.००	१०६.००
	14-18 mm ½"	र.मि	१११.००	१११.००	११६.००
	16-20 mm ½"	र.मि	११९.००	११९.००	१२४.००
	20-25 mm ¾"	र.मि	१८०.००	१८०.००	१८९.००
	26-32 mm 1"	र.मि	२८१.००	२८१.००	२९५.००
	32-40 mm 1¼"	र.मि	४४६.००	४४६.००	४६८.००
	41-50 mm 1½"	र.मि	६५३.००	६५३.००	६८५.००
२	<b>Hot Water Pipe (Orange)</b>				
	12-16 mm ½"	र.मि	१११.००	१११.००	११६.००
	14-18 mm ½"	र.मि	१२३.००	१२३.००	१२९.००
	16-20 mm ½"	र.मि	१४१.००	१४१.००	१४८.००
	20-25 mm ¾"	र.मि	२०८.००	२०८.००	२१८.००
	26-32 mm 1"	र.मि	३०२.००	३०२.००	३१७.००
	32-40 mm 1¼"	र.मि	४६५.००	४६५.००	४८८.००
३	<b>Gas Lines Pipe (Yellow)</b>				
	12-16 mm ½"	र.मि	८७.००	८७.००	९१.००
	14-18 mm ½"	र.मि	८७.००	८७.००	९१.००
४	<b>MULTILAYER COMPOSITE Fittings</b>				
	<b>a. Equal Straight Union</b>				
	½"Ø (16mm Ø)	गोटा	१३३.००	१३३.००	१३९.००
	½"Ø (18mm Ø)	गोटा	१४०.००	१४०.००	१४७.००
	½"Ø (20mm Ø)	गोटा	१५४.००	१५४.००	१६१.००
	¾" Ø (25 mm Ø)	गोटा	२२५.००	२२५.००	२३६.००
	1" Ø (32 mm Ø)	गोटा	३५१.००	३५१.००	३६८.००
	1¼" Ø (40 mm Ø)	गोटा	१२९६.००	१२९६.००	१३६०.००
	1½" Ø (50 mm Ø)	गोटा	१९५८.००	१९५८.००	२०५५.००
	<b>b. Unequal Straight Union</b>				
	25 - 16 mm Ø	गोटा	२५२.००	२५२.००	२६४.००
	25 - 18 mm Ø	गोटा	२६१.००	२६१.००	२७४.००
	25 - 20 mm Ø	गोटा	२७५.००	२७५.००	२८८.००
	32 - 16 mm Ø	गोटा	३३८.००	३३८.००	३५४.००
	32 - 18 mm Ø	गोटा	३५६.००	३५६.००	३७३.००
	32 - 20 mm Ø	गोटा	३८३.००	३८३.००	४०२.००
	32 - 25 mm Ø	गोटा	४१०.००	४१०.००	४३०.००
	40 - 32 mm Ø	गोटा	११२१.००	११२१.००	११७७.००
	50 - 20 mm Ø	गोटा	१६३४.००	१६३४.००	१७१५.००
	50 - 32 mm Ø	गोटा	१९५८.००	१९५८.००	२०५५.००
	50 - 40 mm Ø	गोटा	१८४५.००	१८४५.००	१९३७.००
	<b>c. Male Union</b>				
	16mm x ½"M	गोटा	९५.००	९५.००	९९.००
	18mm x ½"M	गोटा	११०.००	११०.००	११५.००
	20mm x ½"M	गोटा	१२६.००	१२६.००	१३२.००
	25mm x ½"M	गोटा	१५३.००	१५३.००	१६०.००
	25mm x ¾"M	गोटा	१९४.००	१९४.००	२०३.००
	25mm x 1"M	गोटा	२४८.००	२४८.००	२६०.००
	32mm x ¾"M	गोटा	२८४.००	२८४.००	२९८.००
	32mm x 1"M	गोटा	३११.००	३११.००	३२६.००



Handwritten signatures and marks at the bottom of the page, including a large checkmark and several names.

### Multilayer Composite Pipe

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७७८	आ.व. ०७८१७९	आ.व. ०७९१८०
	32mm x 1½"M	गोटा	३१५.००	३१५.००	३३०.००
	40mm x 1"M	गोटा	९९५.००	९९५.००	१०४४.००
	40mm x 1½"M	गोटा	१०३०.००	१०३०.००	१०८१.००
	50mm x 1"M	गोटा	१५६३.००	१५६३.००	१६४१.००
	50mm x 1¼"M	गोटा	१५९०.००	१५९०.००	१६६९.००
	50mm x 1½"M	गोटा	२१६०.००	२१६०.००	२२६८.००
	50mm x 2"M	गोटा	१६२३.००	१६२३.००	१७०४.००
<b>d. Female Straight Union</b>					
	16mm x ½"F	गोटा	१०४.००	१०४.००	१०९.००
	18mm x ½"F	गोटा	११३.००	११३.००	११८.००
	20mm x ½"F	गोटा	१२२.००	१२२.००	१२८.००
	25mm x ½"F	गोटा	१६२.००	१६२.००	१७०.००
	25mm x ¾"F	गोटा	१९४.००	१९४.००	२०३.००
	25mm x 1"F	गोटा	१९८.००	१९८.००	२०७.००
	32mm x ½"F	गोटा	२०३.००	२०३.००	२१३.००
	32mm x ¾"F	गोटा	२०७.००	२०७.००	२१७.००
	32mm x 1"F	गोटा	२९३.००	२९३.००	३०७.००
	40mm x 1½"F	गोटा	११६८.००	११६८.००	१२२६.००
	50mm x 1¼"F	गोटा	१५७५.००	१५७५.००	१६५३.००
	50mm x 1½"F	गोटा	२१६०.००	२१६०.००	२२६८.००
	50mm x 2"F	गोटा	१६३८.००	१६३८.००	१७१९.००
<b>e. Equal Elbow</b>					
	½"Ø (16mm Ø)	गोटा	१२६.००	१२६.००	१३२.००
	½"Ø (18mm Ø)	गोटा	१५३.००	१५३.००	१६०.००
	½"Ø (20mm Ø)	गोटा	२०७.००	२०७.००	२१७.००
	¾" Ø (25 mm Ø)	गोटा	३१५.००	३१५.००	३३०.००
	1" Ø (32 mm Ø)	गोटा	५०९.००	५०९.००	५३४.००
	1¼" Ø (40 mm Ø)	गोटा	१६५६.००	१६५६.००	१७३८.००
	1½" Ø (50 mm Ø)	गोटा	२५६५.००	२५६५.००	२६९३.००
<b>f. Unequal Elbow</b>					
	40 - 32 mm Ø	गोटा	१८३६.००	१८३६.००	१९२७.००
	50 - 20 mm Ø	गोटा	२११५.००	२११५.००	२२२०.००
	50 - 40 mm Ø	गोटा	२१५६.००	२१५६.००	२२६३.००
<b>g. Female Elbow</b>					
	16mm x ½"F	गोटा	१६७.००	१६७.००	१७५.००
	18mm x ½"F	गोटा	१८५.००	१८५.००	१९४.००
	20mm x ½"F	गोटा	२०३.००	२०३.००	२१३.००
	25mm x ½"F	गोटा	२२५.००	२२५.००	२३६.००
	25mm x ¾"F	गोटा	२७९.००	२७९.००	२९२.००
	25mm x 1"F	गोटा	३०६.००	३०६.००	३२१.००
	32mm x ¾"F	गोटा	३२९.००	३२९.००	३४५.००
	32mm x 1"F	गोटा	४१०.००	४१०.००	४३०.००
	50mm x 1¼"F	गोटा	२११५.००	२११५.००	२२२०.००
<b>h. Male Elbow</b>					
	25mm x ¾"M	गोटा	२२५.००	२२५.००	२३६.००
	25mm x 1"M	गोटा	२९३.००	२९३.००	३०७.००
	32mm x ¾"M	गोटा	२२१.००	२२१.००	२३२.००
	32mm x 1"M	गोटा	३७४.००	३७४.००	३९२.००
	40mm x 1"M	गोटा	१२१५.००	१२१५.००	१२७५.००



प्रमुख जिल्ला अधिकारी

### Multilayer Composite Pipe

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व. ०७९/८०
	50mm x 1"M	गोटा	१७३२.००	१७३२.००	१८१८.००
	<b>i. Equal Tee</b>				
	½"Ø (16mm Ø)	गोटा	२२५.००	२२५.००	२३६.००
	½"Ø (18mm Ø)	गोटा	२५२.००	२५२.००	२६४.००
	½"Ø (20mm Ø)	गोटा	३१५.००	३१५.००	३३०.००
	¾" Ø (25 mm Ø)	गोटा	४५५.००	४५५.००	४७७.००
	1" Ø (32 mm Ø)	गोटा	७११.००	७११.००	७४६.००
	1¼" Ø (40 mm Ø)	गोटा	२६५८.००	२६५८.००	२७९०.००
	1½" Ø (50 mm Ø)	गोटा	३८८४.००	३८८४.००	४०७८.००
	<b>j. Unequal Tee</b>				
	20 mm x 16 mm x 20 mm	गोटा	२०३.००	२०३.००	२१३.००
	20 mm x 18 mm x 20 mm	गोटा	२२५.००	२२५.००	२३६.००
	25 mm x 16 mm x 25 mm	गोटा	३३८.००	३३८.००	३५४.००
	25 mm x 18 mm x 25 mm	गोटा	३८३.००	३८३.००	४०२.००
	25 mm x 20 mm x 25 mm	गोटा	३९६.००	३९६.००	४१५.००
	32 mm x 16 mm x 32 mm	गोटा	६५३.००	६५३.००	६८५.००
	32 mm x 18 mm x 32 mm	गोटा	६७५.००	६७५.००	७०८.००
	32 mm x 20 mm x 32 mm	गोटा	७०२.००	७०२.००	७३७.००
	32 mm x 25 mm x 32 mm	गोटा	७२०.००	७२०.००	७५६.००
	40 mm x 32 mm x 32 mm	गोटा	१९६७.००	१९६७.००	२०६५.००
	40 mm x 32 mm x 40 mm	गोटा	२२७८.००	२२७८.००	२३९१.००
	50 mm x 20 mm x 50 mm	गोटा	३१०५.००	३१०५.००	३२६०.००
	50 mm x 32 mm x 32 mm	गोटा	२०४७.००	२०४७.००	२१४९.००
	50 mm x 32 mm x 50 mm	गोटा	३१३७.००	३१३७.००	३२९३.००
	50 mm x 40 mm x 40 mm	गोटा	३१४७.००	३१४७.००	३३०४.००
	50 mm x 40 mm x 50 mm	गोटा	३५९५.००	३५९५.००	३७७४.००
	<b>k. Female Tee</b>				
	16mm x ½"F x 16mm	गोटा	२२५.००	२२५.००	२३६.००
	18mm x ½"F x 18mm	गोटा	२३४.००	२३४.००	२४५.००
	20mm x ½"F x 20mm	गोटा	२५२.००	२५२.००	२६४.००
	25mm x ½"F x 25mm	गोटा	२३७.००	२३७.००	२४८.००
	25mm x ¾"F x 25mm	गोटा	२६१.००	२६१.००	२७४.००
	25mm x 1"F x 25mm	गोटा	३३८.००	३३८.००	३५४.००
	32mm x ½"F x 32mm	गोटा	३६५.००	३६५.००	३८३.००
	32mm x ¾"F x 32mm	गोटा	३७४.००	३७४.००	३९२.००
	32mm x 1"F x 32mm	गोटा	५०७.००	५०७.००	५३२.००
	40mm x ¾"F x 32mm	गोटा	१४९६.००	१४९६.००	१५७०.००
	50mm x ¾"F x 40mm	गोटा	२२१९.००	२२१९.००	२३२९.००
	<b>l. Equal Ball Valve Union</b>				
	½"Ø (16mm Ø)	गोटा	२६२.००	२६२.००	२७५.००
	½"Ø (18mm Ø)	गोटा	२९१.००	२९१.००	३०५.००
	½"Ø (20mm Ø)	गोटा	३८३.००	३८३.००	४०२.००
	¾" Ø (25 mm Ø)	गोटा	६३५.००	६३५.००	६६६.००
	1" Ø (32 mm Ø)	गोटा	८८२.००	८८२.००	९२६.००
	1¼" Ø (40 mm Ø)	गोटा	२८८२.००	२८८२.००	३०२६.००
	1½" Ø (50 mm Ø)	गोटा	४१५९.००	४१५९.००	४३६६.००
	<b>m. Female Ball Valve Union</b>				
	16mm x ½"F	गोटा	२४४.००	२४४.००	२५६.००



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and another on the right.

### Multilayer Composite Pipe

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९/७८	आ.व. ०७८/७९	आ.व. ०७९/८०
	18mm x ½"F	गोटा	२८०.००	२८०.००	२९४.००
	20mm x ½"F	गोटा	३१३.००	३१३.००	३२८.००
	20mm x ¾"F	गोटा	३५१.००	३५१.००	३६८.००
	25mm x ¾"F	गोटा	६५३.००	६५३.००	६८५.००
	25mm x 1"F	गोटा	६६६.००	६६६.००	६९९.००
	32mm x 1"F	गोटा	७०२.००	७०२.००	७३७.००
	<b>n. Plug</b>				
	1¼" Ø (40 mm Ø)	गोटा	१४४०.००	१४४०.००	१५१२.००
	1½" Ø (50 mm Ø)	गोटा	१९८०.००	१९८०.००	२०७९.००
	<b>p. Wall Plated Female Elbow</b>				
	16mm x ½"F	गोटा	१८९.००	१८९.००	१९८.००
	18mm x ½"F	गोटा	२०७.००	२०७.००	२१७.००
	20mm x ½"F	गोटा	२२५.००	२२५.००	२३६.००
	<b>Nipple</b>				
	N 1/2F*1/2F	गोटा	४९.००	४९.००	५१.००
	N 1/2M*1/2M	गोटा	४९.००	४९.००	५१.००
	N 3/4F*1/2F	गोटा	६८.००	६८.००	७१.००
	N 1F*1/2F	गोटा	७७.००	७७.००	८०.००
	N 1F*3/4F	गोटा	८७.००	८७.००	९१.००
	N 3/4M*1/2M	गोटा	६८.००	६८.००	७१.००
	N 1M*1/2M	गोटा	७७.००	७७.००	८०.००
	N 1M*3/4M	गोटा	८७.००	८७.००	९१.००
	N 1/2F*1/2M	गोटा	५९.००	५९.००	६१.००
	N 1/2F*3/4M	गोटा	६८.००	६८.००	७१.००
	N 1/2F*1M	गोटा	१०७.००	१०७.००	११२.००
	N 1/2M*3/4F	गोटा	६८.००	६८.००	७१.००
	N 1/2M*1F	गोटा	११२.००	११२.००	११७.००
	N 3/4F*3/4M	गोटा	८७.००	८७.००	९१.००
	N 3/4F*1M	गोटा	९६.००	९६.००	१००.००
	N 3/4M*1F	गोटा	१२७.००	१२७.००	१३३.००

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

सुदूरपश्चिम जिल्ला शाखा





### Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७७८	आ.व.०७८१७९	आ.व.०७९१८०
१	<b>140 mm Dia.</b>				
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	र.मि	१५९.००	१५९.००	१६६.००
	JOINT BRACKET To connect two lengths of roof water	गोटा	२५७.००	२५७.००	२६९.००
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	गोटा	३५२.००	३५२.००	३६९.००
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	गोटा	४३२.००	४३२.००	४५३.००
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	गोटा	४३२.००	४३२.००	४५३.००
	SHORT STOP END To close the end of roof water pipe line.	गोटा	९५.००	९५.००	९९.००
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	गोटा	३०५.००	३०५.००	३२०.००
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	गोटा	७७.००	७७.००	८०.००
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	गोटा	५०.००	५०.००	५२.००
	CLAMP To ensure perfect fixing between pipe and fittings.	गोटा	३२.००	३२.००	३३.००
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	गोटा	७७.००	७७.००	८०.००
	RUBBER GASKET To provide leak proof joints.	गोटा	३०.००	३०.००	३१.००
२	<b>75 mm dia.</b>		०.००	०.००	
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	गोटा	६३.००	६३.००	६६.००
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	गोटा	३८.००	३८.००	३९.००
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	गोटा	१२६.००	१२६.००	१३२.००
	180 mm dia.		०.००	०.००	
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	गोटा	३०२.००	३०२.००	३१७.००
	JOINT BRACKET To connect two lengths of roof water	गोटा	३५८.००	३५८.००	३७५.००
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	गोटा	५१८.००	५१८.००	५४३.००
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	गोटा	५९२.००	५९२.००	६२९.००
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	गोटा	५९२.००	५९२.००	६२९.००
	SHORT STOP END To close the end of roof water pipe line.	गोटा	१४०.००	१४०.००	१४७.००
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	गोटा	४२४.००	४२४.००	४४५.००

Page 173

### Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७७८	आ.व. ०७८१७९	आ.व. ०७९१८०
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	गोटा	१०८.००	१०८.००	११३.००
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	गोटा	९१.००	९१.००	९५.००
	CLAMP To ensure perfect fixing between pipe and fittings.	गोटा	५१.००	५१.००	५३.००
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	गोटा	११०.००	११०.००	११५.००
	RUBBER GASKET To provide leak proof joints.	गोटा	४१.००	४१.००	४३.००
३	<b>110 mm dia.</b>				
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	गोटा	६८.००	६८.००	७१.००
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	गोटा	४४.००	४४.००	४६.००
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	गोटा	२४३.००	२४३.००	२५५.००
४	<b>250 mm dia.</b>				
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	गोटा	५८५.००	५८५.००	६१४.००
	JOINT BRACKET To connect two lengths of roof water	गोटा	६१४.००	६१४.००	६४४.००
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	गोटा	९६५.००	९६५.००	१०१३.००
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	गोटा	१३८७.००	१३८७.००	१४५६.००
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	गोटा	१३८७.००	१३८७.००	१४५६.००
	SHORT STOP END To close the end of roof water pipe line.	गोटा	३०२.००	३०२.००	३१७.००
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	गोटा	८०२.००	८०२.००	८४२.००
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	गोटा	३००.००	३००.००	३१५.००
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	गोटा	१६४.००	१६४.००	१७२.००
	CLAMP To ensure perfect fixing between pipe and fittings.	गोटा	१२२.००	१२२.००	१२८.००
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	गोटा	३१८.००	३१८.००	३३३.००
	RUBBER GASKET To provide leak proof joints.	गोटा	१६६.००	१६६.००	१७४.००
५	<b>160 mm dia.</b>				
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	गोटा	८२.००	८२.००	८६.००
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	गोटा	१११.००	१११.००	२००.००

प्रमुख जिल्ला अधिकारी

### Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७७८	आ.व.०७८१७९	आ.व.०७९१८०
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	गोटा	४३७.००	४३७.००	४५८.००
	ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM and Ashirvad SWR Systems				
	ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY				
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	र.मि	२४७.००	२४७.००	२५९.००
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	४३८.००	४३८.००	४५९.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	२६२.००	२६२.००	२७५.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	४७०.००	४७०.००	४९३.००
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	र.मि	४४७.००	४४७.००	४६९.००
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	६७३.००	६७३.००	७०६.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	४७३.००	४७३.००	४९६.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	६९६.००	६९६.००	७३०.००
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	र.मि	९५९.००	९५९.००	१००६.००
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	११९६.००	११९६.००	१२५५.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	र.मि	१०२२.००	१०२२.००	१०७३.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	१३५०.००	१३५०.००	१४१७.००
	ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY				
	DWV Bend 45 Degree 75 mm size	गोटा	१४०.००	१४०.००	१४७.००
	DWV Bend 87.5 Degree	गोटा	१७७.००	१७७.००	१८५.००
	DWV Bend 87.5 Degree with Door	गोटा	८१.००	८१.००	८५.००
	DWV Socket Plug	गोटा	१८९.००	१८९.००	१९८.००
	DWV Cleansing Pipe	गोटा	११४.००	११४.००	११९.००
	DWV Coupler	गोटा	२०२.००	२०२.००	२१२.००
	DWV Single Tee	गोटा	२२२.००	२२२.००	२३३.००
	DWV Single Tee with Door	गोटा	३४९.००	३४९.००	३६६.००
	DWV Cross Tee	गोटा	४९१.००	४९१.००	५१५.००
	DWV Cross Tee with Door	गोटा	३६१.००	३६१.००	३७९.००
	DWV Double 'Y'	गोटा	४८१.००	४८१.००	५०५.००
	DWV Double 'Y' with Door	गोटा	२२६.००	२२६.००	२३७.००
	DWV Single 'Y'	गोटा	२८८.००	२८८.००	३०२.००
	DWV Single 'Y' with Door	गोटा	१२.००	१२.००	१२.००
	DWV Pipe Clip	गोटा	२५.००	२५.००	२६.००
	DWV Vent Cowel	गोटा	२३०.००	२३०.००	२४१.००
	DWV Bend 45 Degree 110mm size	गोटा	२८२.००	२८२.००	२९६.००
	DWV Bend 87.5 Degree	गोटा	३२३.००	३२३.००	३३९.००
	DWV Bend 87.5 Degree with Door	गोटा	१०३.००	१०३.००	१०८.००
	DWV Socket Plug	गोटा	३७०.००	३७०.००	३८८.००
	DWV Cleansing Pipe	गोटा	२०६.००	२०६.००	२१६.००
	DWV Coupler	गोटा	६८४.००	६८४.००	७१०.००
	DWV Double 'Y'	गोटा	८०८.००	८०८.००	८४८.००
	DWV Double 'Y' with Door	गोटा	५६६.००	५६६.००	५९४.००

Handwritten signatures and notes at the bottom right of the page.



### Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७७	आ.व. ०७८७	आ.व. ०७९८
	DWV Cross Tee	गोटा	६४२.००	६४२.००	६७४.००
	DWV Cross Tee with Door	गोटा	३७०.००	३७०.००	३८८.००
	DWV Single Tee	गोटा	४३७.००	४३७.००	४५८.००
	DWV Single Tee with Door	गोटा	४५३.००	४५३.००	४७५.००
	DWV Single 'Y'	गोटा	४७५.००	४७५.००	४९८.००
	DWV Single 'Y' with Door	गोटा	४७.००	४७.००	४९.००
	DWV Vent Cowel	गोटा	१६१.००	१६१.००	१६९.००
	DWV Reducer 110*75 mm	गोटा	३६.००	३६.००	३७.००
	DWV Pipe Clip 110mm size	गोटा	४३६.००	४३६.००	४५७.००
	DWV W.C. Connectore (Straight type)	गोटा	३४८.००	३४८.००	३६५.००
	DWV W.C. Connectore (Bend type)	गोटा	१७४.००	१७४.००	१८२.००
	DWV Nahani Trap - 3" Height without Jali 75 mm	गोटा	२४.००	२४.००	२५.००
	DWV Nahani Trap Jali	गोटा	५३९.००	५३९.००	५६५.००
	DWV P-Trap with Leap Ring 10*110 mm	गोटा	७७३.००	७७३.००	८११.००
	DWV P-Trap with Leap Ring 25*110 mm	गोटा	२३२.००	२३२.००	२४३.००
	DWV Multi Floor Trap 4" w/o Jali 75 mm	गोटा	४७०.००	४७०.००	४९३.००
	DWV Reducer 60*110 mm	गोटा	४४९.००	४४९.००	४७१.००
	DWV Coupler 160mm size	गोटा	१०७७.००	१०७७.००	११३०.००
	DWV Single Tee	गोटा	११५७.००	११५७.००	१२१४.००
	DWV Single Tee with Door	गोटा	२०१६.००	२०१६.००	२११६.००
	DWV Single 'Y'	गोटा	२११८.००	२११८.००	२२२३.००
	DWV Single 'Y' with Door	गोटा	७४२.००	७४२.००	७७९.००
	DWV Bend 87.5 Degree	गोटा	९८८.००	९८८.००	१०३७.००
	DWV Bend 87.5 Degree with Door	गोटा	८६४.००	८६४.००	९०७.००
६	<b>FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR</b>				
	FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	र.मि	५८४.००	५८४.००	६१३.००
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	र.मि	६०६.००	६०६.००	६३६.००
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	र.मि	६३०.००	६३०.००	६६१.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	र.मि	५९३.००	५९३.००	६२२.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	र.मि	६०४.००	६०४.००	६३४.००
	FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	र.मि	१०७८.००	१०७८.००	११३१.००
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	र.मि	११२०.००	११२०.००	११७६.००
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	र.मि	११६३.००	११६३.००	१२२१.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	१०९६.००	१०९६.००	११५०.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	१११६.००	१११६.००	११७१.००
	FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	र.मि	१६८८.००	१६८८.००	१७७२.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	१७१८.००	१७१८.००	१८०३.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	१७४६.००	१७४६.००	१८३३.००
	FOAMCORE Plain Both End (3mtrs length) SN-4	र.मि	२८०१.००	२८०१.००	२९४१.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	२८४९.००	२८४९.००	२९९१.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	२८९९.००	२८९९.००	३०४३.००
	FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	र.मि	३७०९.००	३७०९.००	३८९४.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	र.मि	३७७३.००	३७७३.००	३९६१.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	र.मि	३८३८.००	३८३८.००	४०२९.००
	FOAMCORE Plain Both End (3mtrs length) SN-4	र.मि	४५८३.००	४५८३.००	४८१२.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	४६६३.००	४६६३.००	४८९६.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	४७४३.००	४७४३.००	४९८०.००
	FOAMCORE Plain Both End (6mtrs length) SN-8	र.मि	५८३.००	५८३.००	६१२.००
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	र.मि	५९८.००	५९८.००	६२७.००

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*


*[Handwritten signature]*

प्रमुख जिल्ला अधिकारी



### Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब. ०७७७८	आ.ब.०७८१७९	आ.ब.०७९१८०
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	र.मि	६१३.००	६१३.००	६४३.००
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	र.मि	५९४.००	५९४.००	६२३.००
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	र.मि	६०५.००	६०५.००	६३५.००
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	१०७७.००	१०७७.००	११३०.००
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	र.मि	११०९.००	११०९.००	११६४.००
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	र.मि	११३९.००	११३९.००	११९५.००
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	१०९७.००	१०९७.००	११५१.००
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	१११६.००	१११६.००	११७१.००
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	१६८८.००	१६८८.००	१७७२.००
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	१७१८.००	१७१८.००	१८०३.००
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	१७४७.००	१७४७.००	१८३४.००
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	२८०१.००	२८०१.००	२९४१.००
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	२८४९.००	२८४९.००	२९९१.००
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	२८९८.००	२८९८.००	३०४२.००
	FOAMCORE Plain Both End (6mtrs length) SN-2	र.मि	३७०९.००	३७०९.००	३८४९.००
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	र.मि	३७७३.००	३७७३.००	३९६१.००
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	र.मि	३८३८.००	३८३८.००	४०२९.००
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	४५८३.००	४५८३.००	४८१२.००
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	४६६३.००	४६६३.००	४८९६.००
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	४७४३.००	४७४३.००	४९८०.००
	DWV Coupler SN-8 110mm	गोटा	२९४.००	२९४.००	३०८.००
	DWV Coupler SN-4 160 mm	गोटा	७०८.००	७०८.००	७४३.००
	DWV Coupler SN-4 200 mm	गोटा	१४४७.००	१४४७.००	१५१९.००
	DWV Coupler SN-4 250 mm	गोटा	२६९७.००	२६९७.००	२८३१.००
	DWV Coupler SN-2 315mm	गोटा	४३३८.००	४३३८.००	४५५४.००
	DWV Coupler SN-4 315 mm	गोटा	४७३६.००	४७३६.००	४९७२.००
	DWV Long Radius Bend - 90 Degree SN-8 110mm	गोटा	१००१.००	१००१.००	१०५१.००
	DWV Long Radius Bend - 90 Degree SN-4 160 mm	गोटा	२७८७.००	२७८७.००	२९२६.००
	DWV Long Radius Bend - 90 Degree SN-4 200mm	गोटा	५२०५.००	५२०५.००	५४६५.००
	DWV Long Radius Bend - 90 Degree SN-4 250 mm	गोटा	११६६८.००	११६६८.००	१२२५१.००
	DWV Long Radius Bend - 90 Degree SN-4 315 mm	गोटा	२७७०५.००	२७७०५.००	२९०९०.००


 The bottom section of the page contains several handwritten signatures in black ink. To the right, there is a circular official stamp of the Lalitpur District Office, with the text 'ललितपुर जिल्ला कार्यालय' (Lalitpur District Office) visible. The stamp is partially obscured by the signatures.

## सिचाई संबन्धि कार्य

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब. ०७७७८	आ.ब. ०७८७९	आ.ब. ०७९८०
१	Supply flexible,kink resistant pressure compensating inline tubing and resistance to UV damage and algae growth brown in colour with discharge 0.9GPH XF series pressure rating 0.58 to 4.1 bar wall thickness 1.2mm	मिटर	१५०.००	१५०.००	१५७.००
२	Supply of Xeri bug emitter pressure compensating with selfpiercing barbs,flow rates 1.89LPH to7.57LPH UV resistant colour coded with working pressure 1.0to 3.5bar	गोटा	३०.००	३०.००	३१.००
३	<b>SPRINKLERS &amp; ACCESSORIES</b>				
	<b>Unispray</b>	गोटा	६६०.००	६६०.००	६९३.००
	Providing of Pop up spray head having and two piece stem ratchet ( 0 to 360 degrees) nozzle capable of covering 1.2*8.5 Bars with a STRIP NOZZLE discharge rate of 0.075lps.The Spray Head body, stem, nozzle ,ratchet and screen shall be constructed f heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover 15SST	गोटा	१२००.००	१२००.००	१२६०.००
	Providing of Shrub spray head having variable adjustable arc ( 0 to 360 degrees) nozzle capable of covering 4.5-5.4m at 2.0 Bars with a discharge rate of 0.23- 0.33lps.The Spray nozzle and screen shall be constructed heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover PA series	गोटा	१२००.००	१२००.००	१२६०.००
	Gear rotors 5004	गोटा	३१००.००	३१००.००	३२५५.००
	Providing of 1/2" Pop up Connecting Swing joint Assembly. The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43oC and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic.SA Series	गोटा	३९०.००	३९०.००	४०९.००
	Providing of 3/4" Pop up Connecting Swing joint Assembly. The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43oC and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic.SA	गोटा	४८०.००	४८०.००	५०४.००
	Providing and fixing of HDPE service saddle of varying size		८५०.००	८५०.००	८९२.००
४	<b>VALVES &amp; ACCESSORIES</b>				
	Providing and fixing PVC Ball Valve,security pivot to maintain lever in space,double water tight joint,direct injection stem non mechanical ,with a base which permits maximum penetration into the valve of size 63mm.	गोटा	३८००.००	३८००.००	३९९०.००
	Providing & fixing of a double acting Air release valve 3/4" made of high strength aluminium / plastic with fibre glass reinforced . The Air release valve shall be capable of both releasing and admitting air from and into the line. The working pressure shall be 5 bar.	गोटा	२१००.००	२१००.००	२२०५.००
	12" Rectangular Valve Box with greenlid and corrugated structure with unique shovel access slot and bolt hole knockout	गोटा	७५००.००	७५००.००	७८७५.००
	6"Round box.	गोटा	१२५०.००	१२५०.००	१३१३.००
	Quick coupling valve made up of solid brass with locking cover corrosion resistant and stainless steel spring 3RC	गोटा	१३५००.००	१३५००.००	१४०४०.००
	Key threads into top of QCV to provide water access 33DK	गोटा	९७५०.००	९७५०.००	१०२३७.००



प्रमुख जिल्ला अधिकारी

**Plastic Dustbin, Compost-Bin, Planter & Road Divider**

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७७८	आ.व. ०७८१७९	आ.व. ०७९१८०
१	LLDPE PLASTIC DUSTBIN - SMALL SIZE (सानो डस्टबिन) (Capacity: 70 Litre) WITH BASE OF 12.5" * 12.5", TOP LID 17.5" * 17.5", TOTAL HEIGHT 29.5", HEIGHT WITHOUT LID 22.5", AND 4.5 KG PRODUCT WEIGHT, WITH OPENING ON BOTH SIDE OF TOP LID	गोटा		३०००.००	३१२०.००
२	LLDPE PLASTIC DUSTBIN - MEDIUM SIZE (मझौला डस्टबिन) (Capacity: 125 Litre) WITH BASE OF 14" * 14", TOP LID 20" * 20", HEIGHT (WITHOUT LID) 27.5", TOTAL HEIGHT 36.5", AND 6 KG PRODUCT WEIGHT, WITH OPENING ON BOTH SIDE OF TOP LID	गोटा		४०००.००	४१६०.००
३	LLDPE PLASTIC LARGE WHEEL DUSTBIN (पाँचावाला चारो डस्टबिन) (Capacity: 140 Litre) WITH BASE OF 21" * 18", TOP LID 29" * 28", HEIGHT 42", AND 16 KG PRODUCT WEIGHT; WITH HANDLE AND WHEEL INSTALLED.	गोटा		७०००.००	७२८०.००
४	LLDPE PLASTIC EXTRA LARGE WHEEL DUSTBIN (पाँचावाला एकट्टा चारो डस्टबिन) (Capacity: 300 Litre) WITH BASE OF 21" * 18", TOP LID 29" * 28", HEIGHT 42", AND 16 KG PRODUCT WEIGHT; WITH HANDLE AND WHEEL INSTALLED	गोटा		८०००.००	८३२०.००
५	M.S. STAND, HOLDING CAPACITY: TWO SMALL DUSTBINS SIZE: TOTAL HEIGHT: 62", TOTAL LENGTH: 41", TOTAL BASE WIDTH: 24", TOTAL WEIGHT: 19 KG	गोटा		६०००.००	६२४०.००
६	M.S. STAND, HOLDING CAPACITY: TWO MEDIUM DUSTBINS SIZE: TOTAL HEIGHT: 63", TOTAL LENGTH: 46", TOTAL BASE WIDTH: 24" TOTAL WEIGHT: 20 KG	गोटा		८०००.००	८३२०.००
७	LLDPE ROTO MOLDED COMPOST-BIN WITH ACCESSORIES (कम्पोस्ट बिन फिटिङ सहित) BIN DIMENSIONS: TOTAL HEIGHT: 665MM, HEXAGON SHAPED BASE WITH SIDE LENGTH: 250MM AND HEXAGON LENGTH ACROSS THE CORNERS 16.5", FLAP OPENING: 245MM*125MM, LID/COVER DIAMETER: 355MM, BIN WEIGHT: 4.2 KGS; WITH COMPLETE SET OF ACCESSORIES IN PACKAGING INCLUDING SQUARE SCREENER/MESH (10.5" * 10.5"), POWDER COATED FOLDABLE TRAY (DIAMETER 17.25"), POWDER COATED LINE ROD (15" HEIGHT) & POWDER COATED SMALL SCOOP SHOVEL (9.5" HEIGHT).	गोटा		४०००.००	४१६०.००
८	LLDPE ROAD-DIVIDER - SMALL (रोड विभाइडर, सानो साइज) WITH HEXAGON SHAPED BASE WITH SIDE LENGTH: 8.5", AND HEXAGON LENGTH ACROSS THE CORNERS 16.5", AND TOP LENGTH 13.5", TOP STICKER AREA HEIGHT 6.75", BASE HEXAGON HEIGHT 2", OVERALL TOTAL PRODUCT HEIGHT 32". ORANGE IN COLOUR AND TOTAL PRODUCT WEIGHT OF 2.5 KG	गोटा		३०००.००	३१२०.००
९	LLDPE ROAD-DIVIDER - LARGE (रोड विभाइडर, ठूलो साइज) WITH BASE WIDTH 495MM, TOP WIDTH 215MM, LENGTH 1210MM AND HEIGHT 1060MM. ORANGE IN COLOUR AND MINIMUM 20 KG WEIGHT; ; WITH INLET & OUTLET FITTING, AND EMBOSSED 'WATER LEVEL' MARK.	गोटा		१६५००.००	१७१६०.००
१०	LLDPE LARGE PLANTER (ठूलो प्लास्टिक गमला) WITH BASE DIAMETER OF 23", TOP DIAMETER OF 30", TOTAL HEIGHT 27", WITH FULL OPENING ON TOP, WITH HOLES FOR DRAINAGE AT BASE.	गोटा		४५००.००	४७२०.००

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*


*[Handwritten signature]*



नेपाल सरकार  
गृह मन्त्रालय  
ललितपुर जिल्ला प्रशासन कार्यालय  
ललितपुर

## Sewage Treatment Plant

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७७८	आ.व. ०७८१७९	आ.व. ०७९१८०
१	Sewage Treatment Plant PWTS Series (1300 mm Dia X 1500 mm Height) inlet /outlet pipe 100 mm X Vent 50 mm ,with BOD reduction upto 70%. ISO Certified.	गोटा		१२०७३६.००	१२०७३६.०
२	Sewage Treatment Plant PWTS Series (1440 mm Dia X 1550 mm Height ) inlet /outlet pipe 100 mm X Vent 50 mm ,with BOD reduction upto 70%. ISO certified.	गोटा		१६१३९२.००	१६१३९२.०
३	Sewage Treatment Plant PWTS Series (1490 mm Dia X 1615 mm Height ) inlet /outlet pipe 100mm X Vent 50mm ,with BOD reduction upto 70%. ISO Certified,	गोटा		२१५६००.००	२१५६००.०
४	Sewage Treatment Plant PWTS Series (1540 mm Dia X 1640 mm Height ) inlet/outlet pipe 100mm X Vent 50 mm ,with BOD reduction upto 70%. ISO Certified.	गोटा		२७२२७२.००	२७२२७२.०
५	Sewage Treatment Plant PWTS Series (1830 mm Dia X 1880 mm Height ) inlet /outlet pipe 100mm X Vent 50 mm ,with BOD reduction upto 70%. ISO certified,	गोटा		३२१५५२.००	३२१५५२.०
६	Sewage Treatment Plant PWTS series (1900 mm Dia X 2020 mm Height ) inlet /outlet pipe 100mm X Vent 50 mm ,with BOD reduction upto 70%. ISO certified.,	गोटा		३७५७६०.००	३७५७६०.०
७	Sewage Treatment Plant PWTS Series (1970 mm Dia X 2280 mm Height ) inlet/ outlet pipe 100mm X vent 50 mm ,with BOD reduction upto 70%. ISO Certified,	गोटा		४४९६८०.००	४४९६८०.०
८	Sewage Treatment Plant PWTS series (2070 mm Dia X 2510 mm Height ) inlet/outlet pipe 100mm X Vent 50 mm ,with BOD reduction upto 70%. ISO Certified,	गोटा		४८६६४०.००	४८६६४०.०



प्रमुख जिल्ला अधिकारी



विद्युतीय सामग्रीहरू

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	SWITCH SOCKET- Noreth West/ANCHOR / CPL /NG/Flux/Dyna/Platia/ABB/Nova/NG OR EQUIVALENT				
	One Gang one way switch	सेट	५८	५८	५८
	One Gang two way switch	सेट	६७	६७	६९
	One way bell switch	सेट	७०	७०	७२
	Two gang one way switch	सेट	९६	९६	९६
	Two gang one way switch with one bell push	सेट	१०५	१०५	१०५
	Two gang Full two way switch	सेट	१०५	१०५	१०७
	Three Gang one way switch	सेट	१२७	१२७	१२७
	Four gang one way switch	सेट	१५८	१५८	१६१
	Six gang one way switch ( 3x5 )	सेट	२५३	२५३	२५३
	Eight gang one way switch	सेट	३०४	३०४	३०४
	Dimmer single 300 watt	सेट	२९६	२९६	३०९
	Dimmer single 750 watt	सेट	४४३	४४३	४५९
	5 Step humming free dimmer	सेट	४०७	४०७	४०७
	16Amp 3 Pin Plug Top	सेट	८९	८९	१२१
	1 switch with dimmer	सेट	३६८	३६८	३६८
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	सेट	१२७	१२७	१४६
	6/16 Amp , Power sockets with switch , indicator & safety shutter	सेट	१२७	१२७	१४६
	20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket	सेट	३७१	३७१	३७१
	32A D.P. switch with fuse & indicator Surface Mounting	सेट	१६१	१६१	१८५
	6 Gang ( 86 mm x 220 mm ) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	सेट	६११	६११	६११
	Blanking plate single	सेट	४०	४०	४०
	Telephone socket single	सेट	११८	११८	११८
	Telephone socket Double	सेट	१६९	१६९	१६९
	Angle / bottom holder	सेट	३५	३५	३५
	Ceiling Rose	सेट	३५	३५	३५
	Buzzer	सेट	९७	९७	९७
	Musical bell	सेट	२२२	२२२	२२२
	T.V.antena single Socket	सेट	८०	८०	८२
	6A 2/3 Pin unshuttered multi switch socket	सेट	१२८	१२८	१२८
	RJ 45 Computer Socket for modem	सेट	१७८	१७८	२०५
	Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm)	सेट	३५	३५	३५
	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	सेट	६३	६३	६३
	Flush Mounting metallic Box for Plate Series switch / socket 78 x205 x 50	सेट	९८	९८	९८
२	Switch / socket outlet, Plate series having round switch buttons & white surrounding plate, suitable to fix on box size 3"x3" . ORANGE/NOVA/PLATIA/ABB, or Equivalent				
	10A 1gang 1way Switch	सेट	८३	८३	८३
	10A 2gang 1way Switch	सेट	१६३	१६३	१६३
	10A 3gang 1way Switch	सेट	२१६	२१६	२१६
	10A 4gang 1way Switch	सेट	३५०	३५०	३५०
	10A 5gang 1way Switch	सेट	३७१	३७१	३७१
	10A 6gang 1way Switch	सेट	६१७	६१७	६१७
	10A 1gang 2way Switch	सेट	१४४	१४४	१४४
	10A 2gang 2way Switch	सेट	२७८	२७८	२७८
	10A 3gang 2way Switch	सेट	४०७	४०७	४०७

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	10A 4gang 2way Switch	सेट	६१३	६१३	६१३
	T V Socket outlet	सेट	२९९	२९९	२९९
	Telephone Socket	सेट	२६८	२६८	२६८
	13A Universal socket outlet	सेट	४६४	४६४	४६४
	13A Socket	सेट	२७३	२७३	२७३
	15A switched Socket outlet	सेट	४४३	४४३	४४३
	5A Socket	सेट	३४०	३४०	३४०
	RJ 45 8way Computer Socket	सेट	८२४	८२४	८२४
	TV and Telephone Socket	सेट	५९२	५९२	५९२
	7+2 PIN SOCKET OUTLET	सेट	९२७	९२७	९२७
	3+2 PIN SOCKET OUTLET	सेट	५७७	५७७	५७७
	X5 2+2 - 2 PIN SOCKET OUTLET	सेट	७८३	७८३	७८३
	SCHUKO SOCKET WITH ONE SWITCH	सेट	५०५	५०५	५०५
	Bell Press	सेट	२३७	२३७	२३७
	Blank Plate	सेट	९३	९३	९३
	400W Light Dimmer W/ Switch	सेट	९०६	९०६	९०६
	400W Fan Controller / Multi Step Dimmer	सेट	९१७	९१७	९१७
	5 Step Fan Controller	सेट	८९६	८९६	८९६
	2 Pin Socket W/ Switch	सेट	४५३	४५३	४५३
	13A Twin Socket	सेट	६८०	६८०	६८०
	<b>MODULAR SWITCH PLATES -संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	<b>WHITE PLATE</b>				
	1 MODULAR PLATE	सेट		१४८.००	१४८
	2 MODULAR PLATE	सेट		१४८.००	१४८
	3 MODULAR PLATE	सेट		१९२.००	१९२
	4 MODULAR PLATE	सेट		२२९.००	२२९
	6 MODULAR PLATE	सेट		३०९.००	३०९
	8 MODULAR PLATE	सेट		३५४.००	३५४
	12 MODULAR PLATE	सेट		४८२.००	४८२
	16 MODULAR PLATE	सेट		५६२.००	५६२
	18 MODULAR PLATE	सेट		५९३.००	५९३
	<b>GREY PLATE</b>				
	1 MODULAR PLATE	सेट		२६५.००	२६५
	2 MODULAR PLATE	सेट		२६५.००	२६५
	3 MODULAR PLATE	सेट		३४२.००	३४२
	4 MODULAR PLATE	सेट		३९४.००	३९४
	6 MODULAR PLATE	सेट		५३५.००	५३५
	8 MODULAR PLATE	सेट		६२४.००	६२४
	12 MODULAR PLATE	सेट		८५४.००	८५४
	16 MODULAR PLATE	सेट		१०००.००	१०००
	18 MODULAR PLATE	सेट		१०५८.००	१०५८
	<b>SWITCHES (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	<b>WHITE</b>				
	10A 1 WAY SWITCH	सेट		१३०.००	१३०
	10A 2 WAY SWITCH	सेट		२३९.००	२३९
	16A 1 WAY SWITCH WITH INDICATOR	सेट		२८३.००	२८३
	16A 1 WAY SWITCH	सेट		२५२.००	२५२
	20A DP SWITCH WITH INDICATOR	सेट		५४६.००	५४६

*(Handwritten signatures)*

*(Handwritten signatures and stamps)*  
 नेपाल सरकार  
 गृह मन्त्रालय  
 प्रशासन कक्षा  
 ललितपुर

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	32A DP SWITCH WITH INDICATOR	सेट		६५५.००	६५५
	10A BELL PUSH	सेट		२५२.००	२५२
	10A 2 MODULAR BELL PUSH	सेट		३७२.००	३७२
	25A MOTOR STATER	सेट		११६२.००	११६२
	400W 1 MODULAR DIMMER	सेट		६७३.००	६७३
	100W 2 MODULAR DIMMER	सेट		१३१३.००	१३१३
	STEP REGULATOR 4 STEP DIMMER	सेट		६९०.००	६९०
	20A 2 WAY SWITCH 1M	सेट		३९६.००	३९६
	20A 1 WAY SWITCH WITH IND 1M	सेट		४८०.००	४८०
	<b>GREY</b>				
	10A 1 WAY SWITCH	सेट		१५९.००	१५९
	10A 2 WAY SWITCH	सेट		३२३.००	३२३
	16A 1 WAY SWITCH WITH INDICATOR	सेट		४५६.००	४५६
	16A 1 WAY SWITCH	सेट		३७६.००	३७६
	20A DP SWITCH WITH INDICATOR	सेट		७३०.००	७३०
	32A DP SWITCH WITH INDICATOR	सेट		८७६.००	८७६
	10A BELL PUSH	सेट		३३६.००	३३६
	10A 2 MODULAR BELL PUSH	सेट		५००.००	५००
	25A MOTOR STATER	सेट		१५५३.००	१५५३
	400W 1 MODULAR DIMMER	सेट		१०९३.००	१०९३
	100W 2 MODULAR DIMMER	सेट		१७५७.००	१७५७
	STEP REGULATOR 4 STEP DIMMER	सेट		९८४.००	९८४
	<b>SOCKETS (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	<b>WHITE</b>				
	6A 2 PIN SOCKET	सेट		२१२.००	२१२
	13A UNIVERSAL SOCKET	सेट		२७९.००	२७९
	6/16A 3 PIN SOCKET	सेट		४२९.००	४२९
	RJ11 SOCKET	सेट		२८२.००	२८२
	TV SOCKET	सेट		२२६.००	२२६
	USB CHARGER	सेट		२१५५.००	२१५५
	BUZZER OFF	सेट		५३६.००	५३६
	BLANK OFF	सेट		५०.००	५०
	LED FOOT LIGHT 2M	सेट		१०८५.००	१०८५
	LED PHASE INDICATOR	सेट		२८५.००	२८५
	RJ 45 SOCKET	सेट		८१९.००	८१९
	CALL BELL INDICATOR	सेट		२०३१.००	२०३१
	MOVEMENT SENSOR	सेट		७२३०.००	७२३०
	<b>GREY</b>				
	6A 2 PIN SOCKET	सेट		२९६.००	२९६
	13A UNIVERSAL SOCKET	सेट		५८४.००	५८४
	6/16A 3 PIN SOCKET	सेट		५९३.००	५९३
	RJ11 SOCKET	सेट		३४५.००	३४५
	TV SOCKET	सेट		३३२.००	३३२
	USB CHARGER	सेट		३०६६.००	३०६६
	BUZZER OFF	सेट		८०१.००	८०१
	BLANK OFF	सेट		७१.००	७१
	LED FOOT LIGHT 2M	सेट		१६१५.००	१६१५
	RJ 45 SOCKET	सेट		१२२१.००	१२२१
	CALL BELL INDICATOR	सेट		२५४०.००	२५४०

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]* **GR**



## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	MOVEMENT SENSOR	सेट		९०३५.००	९०३५
	<b>HOSPITALITY</b>				
	<b>WHITE</b>				
	SAVER SOCKET 4M	सेट		६२९६.००	६२९६
	MECHANICAL KEY/TAG 32A + KEY FOB	सेट		१५००.००	१५००
	DND MMR INSIDE ROOM UNIT	सेट		१३०१.००	१३०१
	DND MMR OUTSIDE ROOM UNIT	सेट		९२५.००	९२५
	<b>GREY</b>				
	SAVER SOCKET 4M	सेट		७८६७.००	७८६७
	MECHANICAL KEY/TAG 32A + KEY FOB	सेट		१९०३.००	१९०३
	DND MMR INSIDE ROOM UNIT	सेट		१३१०.००	१३१०
	DND MMR OUTSIDE ROOM UNIT	सेट		९२९.००	९२९
	<b>MODULAR SWITCH IN GANG MODULE WHITE</b>				
	1 GANG ONE WAY SWITCH	सेट		२७८.००	२७८
	2 GANG ONE WAY SWITCH	सेट		४०८.००	४०८
	3 GANG ONE WAY SWITCH	सेट		५८२.००	५८२
	4 GANG ONE WAY SWITCH	सेट		७४१.००	७४१
	6 GANG ONE WAY SWITCH	सेट		१०८१.००	१०८१
	8 GANG ONE WAY SWITCH	सेट		१३९४.००	१३९४
	12 GANG ONE WAY SWITCH	सेट		२०४२.००	२०४२
	16 GANG ONE WAY SWITCH	सेट		२६४२.००	२६४२
	18 GANG ONE WAY SWITCH	सेट		२९३३.००	२९३३
	1 GANG TWO WAY SWITCH	सेट		३८७.००	३८७
	16A POWER SOCKET SET	सेट		८७३.००	८७३
	13A UNIVERSAL SOCKET SET	सेट		७२३.००	७२३
	400W DIMMER SET	सेट		८२१.००	८२१
	1000W DIMMER SET	सेट		१४६४.००	१४६४
	RJ45 SOCKET SET	सेट		९६७.००	९६७
	RJ11 SOCKET SET	सेट		४३०.००	४३०
	BLANK PLATE	सेट		५०.००	५०
	TV SOCKET SET	सेट		३७४.००	३७४
	BELL PUSH SET	सेट		४००.००	४००
	20A DP SWITCH WITH INDICATOR SET	सेट		६९४.००	६९४
	32A D.P SWITCH WITH INDICATOR SET	सेट		८०३.००	८०३
	<b>GI METAL BOX RATES</b>				
	GI METAL BOX 1/2 MODULE 3*3	सेट		१०३.००	१०३
	GI METAL BOX 3 MODULE 3*4	सेट		१२८.००	१२८
	GI METAL BOX 4 MODULE 3*5	सेट		१४१.००	१४१
	GI METAL BOX 6 MODULE 3*8	सेट		२१०.००	२१०
	GI METAL BOX 8 MODULE HORIZONTAL 3*9	सेट		२६७.००	२६७
	GI METAL BOX 8 MODULE SQUARE 5*5	सेट		२६७.००	२६७
	GI METAL BOX 12/16 MODULE 6*8	सेट		४०५.००	४०५
	GI METAL BOX 18 MODULE 8*8	सेट		४६२.००	४६२
	<b>NON MODULAR SWITCHES LOCAL BRAND</b>				
	16A MULTI POWER SOCKET	सेट		३२५.००	३२५
	16A POWER MULTI SOCKET + USB	सेट		८००.००	८००
	16A DOUBLE MULTI POWER SOCKET	सेट		६६५.००	६६५
	2 GANG + SOCKET SWITCH	सेट		३२०.००	३२०
	4 GANG + SOCKET SWITCH	सेट		५२५.००	५२५

## विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	6 GANG + SOCKET SWITCH	सेट		६४०.००	६४०
	1 GANG SWITCH	सेट		१३५.००	१३५
	2 GANG SWITCH	सेट		२००.००	२००
	3 GANG SWITCH	सेट		२६७.००	२६७
	4 GANG SWITCH	सेट		३५०.००	३५०
	6 GANG SWITCH	सेट		५२५.००	५२५
	8 GANG SWITCH	सेट		६५५.००	६५५
	10 GANG SWITCH	सेट		८००.००	८००
	DIMMER KNOB	सेट		४४५.००	४४५
	2 PIN SOCKET KNOB	सेट		१००.००	१००
	2 WAY SWITCH KNOB	सेट		९४.००	९४
	DOOR BELL KNOB	सेट		९४.००	९४
	1 GANG WATER PROOF BELL PUSH SWITCH	सेट		१७५.००	१७५
	20A D.P SWITCH	सेट		४४५.००	४४५
	45A D.P SWITCH	सेट		६६०.००	६६०
	TV SOCKET	सेट		२०६.००	२०६
	TELEPHONE SOCKET	सेट		२०६.००	२०६
	RJ45 SOCKET KNOB	सेट		२९०.००	२९०
	TV+ TELEPHONE SOCKET	सेट		२७५.००	२७५
	1 GANG PLATE	सेट		९४.००	९४
	2 GANG PLATE	सेट		९४.००	९४
	3X3 WOODEN PLATE	सेट		१२५.००	१२५
	3X5 WOODEN PLATE	सेट		१६५.००	१६५
	<b>LOCAL BRAND LIGHTS</b>				
	3W CONCEAL PANEL LIGHT RD WHITE	गोटा		२८०.००	२८०
	3W CONCEAL PANEL LIGHT RD WW	गोटा		२८०.००	२८०
	6W CONCEAL PANEL LIGHT RD WHITE	गोटा		३७५.००	३७५
	6W CONCEAL PANEL LIGHT RD WW	गोटा		३७५.००	३७५
	12W CONCEAL PANEL LIGHT RD WHITE	गोटा		५५५.००	५५५
	9W CONCEAL PANEL LIGHT RD WHITE	गोटा		५३०.००	५३०
	6W CONCEAL PANEL LIGHT RD RGB+ WH	गोटा		७२०.००	७२०
	6W SURFACE PANEL LIGHT ROUND WHITE	गोटा		४५५.००	४५५
	12W SURFACE PANEL LIGHT ROUND WHITE	गोटा		६९०.००	६९०
	6+3W SURFACE PANEL LIGHT RD RGB+ WH	गोटा		८५५.००	८५५
	12W SURFACE PANEL LIGHT RD RGB+WH	गोटा		११४५.००	११४५
	48W 600*600 LED PANEL LIGHT	गोटा		४६३०.००	४६३०
	5W COB SURFACE	गोटा		८९०.००	८९०
	<b>LOCAL BRAND BULBS</b>				
	3W B22 WHITE	गोटा		१२०.००	१२०
	3W B22 WARM	गोटा		१३०.००	१३०
	5W B22 WHITE	गोटा		१४०.००	१४०
	5W B22 WARM	गोटा		१५०.००	१५०
	7W B22 WHITE	गोटा		१७०.००	१७०
	7W B22 WARM	गोटा		१८०.००	१८०
	9W B22 WHITE	गोटा		२०५.००	२०५
	12W B22 WHITE	गोटा		२४०.००	२४०
	12W B22 WARM	गोटा		२५०.००	२५०
	15W B22 WHITE	गोटा		३२०.००	३२०
	3W E27 WHITE	गोटा		१२०.००	१२०

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	3W E27 WARM	गोटा		१३०.००	१३०
	5W E27 WHITE	गोटा		१४०.००	१४०
	5W E27 WARM	गोटा		१५०.००	१५०
	7W E27 WHITE	गोटा		१७०.००	१७०
	7W E27 WARM	गोटा		१८०.००	१८०
	9W E27 WHITE	गोटा		२०५.००	२०५
	12W E27 WARM	गोटा		२४०.००	२४०
	12W E27 WHITE	गोटा		२५०.००	२५०
	15W E27 WHITE	गोटा		३२०.००	३२०
	18W B22 WHITE	गोटा		३६५.००	३६५
	24W B22 WHITE	गोटा		८५०.००	८५०
	40 W B22 WHITE	गोटा		११०५.००	११०५
	18W E27 WHITE	गोटा		३६५.००	३६५
	24W E27 WHITE	गोटा		८५०.००	८५०
	40 W E27 WHITE	गोटा		११०५.००	११०५
	5W E14 WHITE	गोटा		१७५.००	१७५
	5W E14 WARM	गोटा		१८५.००	१८५
	24W B22 WARM	गोटा		८७०.००	८७०
	4W E14 TAIL WARM	गोटा		२५०.००	२५०
	4W E14 NON TAIL WARM	गोटा		२३०.००	२३०
	<b>WATER HEATER RATES</b>				
	15 LTRS ABS WATER HEATER	सेट		२०१००.००	२०१००
	25 LTRS ABS WATER HEATER	सेट		२२३००.००	२२३००
	15 LTRS METAL WATER HEATER	सेट		१७९००.००	१७९००
	25 LTRS METAL WATER HEATER	सेट		१९७००.००	१९७००
	3 LTR ABS INSTANT	सेट		७५२५.००	७५२५
	6 LTR GAS	सेट		११७२५.००	११७२५
३	<b>White Plate series modular type(polycarbonate) SWITCH SOCKET</b>				
	One Gang one way switch	सेट	५९	५९	६७
	One Gang two way switch	सेट	६७	६७	७७
	One way bell switch	सेट	७०	७०	८०
	Two gang one way switch	सेट	१०१	१०१	११६
	Two gang one way switch with one bell push	सेट	१०५	१०५	१२०
	Two gang Full two way switch	सेट	१०५	१०५	१२०
	Three Gang one way switch	सेट	१२९	१२९	१४८
	Four gang one way switch	सेट	१५८	१५८	१८१
	Six gang one way switch	सेट	२५९	२५९	२९७
	Eight gang one way switch	सेट	३९०	३९०	३५६
	Dimmer single 300 watt	सेट	२९६	२९६	३४०
	1 switch with dimmer	सेट	४९६	४९६	४७८
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	सेट	१२७	१२७	१४६
	6/13 Amp , Power sockets with switch , indicator	सेट	१२७	१२७	१४६
	20 A D.P. switch with fuse & indicator Surface Mounting	सेट	१६१	१६१	१८५
	4 Gang ( 86 mm x 220 mm ) switch 2/3 pin switch socket with indicator	सेट	३९१	३९१	३९१
	6 Gang ( 86 mm x 220 mm ) switch 2/3 pin switch socket with indicator	सेट	४७४	४७४	४७४
	Blanking plate single	सेट	४२	४२	४८
	Telephone socket single	सेट	११८	११८	१३५

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*



## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Telephone socket Double	सेट	१६६	१६६	१९०
	T.V. antenna single Socket	सेट	८०	८०	९२
	RJ 45 Computer Socket for modem	सेट	१७८	१७८	२०४
	CAT-6 Computer Socket for modem	सेट	३२१	३२१	३२१
४	<b>Modular Type Switch Socket set</b> NORTH-WEST' NORYSIS' ABB 'SCHNIEDER, ABB, Platia, Legrand or Equivalent				
	1P – 6A/10A 1 way switch	गोटा	१३९	१३९	१३९
	1P – 16A/20A 1 way switch	गोटा	२२३	२२३	२२३
	1P – 25A 1 way switch	गोटा	३२६	३२६	३२६
	1P – 6A/10A 2 way switch	गोटा	१६७	१६७	१६७
	1P – 16A/20A 2 way switch	गोटा	२५३	२५३	२५३
	1P – 6A push button	गोटा	१८४	१८४	१८४
	1 gang blanking module	गोटा	४३	४३	४३
	2 gang blanking module	गोटा	८६	८६	८६
५	<b>FAN REGULATOR / DIMMER</b>	गोटा			
	Step type fan regulator	गोटा	६३८	६३८	६३८
	60 – 500 W dimmer	गोटा	७९७	७९७	७९७
	1000 W dimmer	गोटा	१३१८	१३१८	१५२४
६	<b>SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS</b>				
	6A – multi socket 5 pin	गोटा	२०७	२०७	२४०
	6/16A twin socket 3 pin (flushed)	गोटा	२८२	२८२	३२४
	6/16A twin socket 3 pin (projected)	गोटा	२८२	२८२	३२४
	25A 3 pin socket	गोटा	३९५	३९५	४०९
	13A 3 pin socket	गोटा	२७०	२७०	२७०
	RJ 11 telephone jack	गोटा	१५०	१५०	१५९
	RJ 45 cat.6e computer socket	गोटा	५५७	५५७	५५७
	TV socket	गोटा	१५०	१५०	१६९
	<b>HOSPITALITY RANGE</b>				
	250V/110V shaver socket	गोटा	११६७	११६७	१३४२
	Indicator (DO NOT DISTUURB)	गोटा	१८०	१८०	१८०
	LED yellow night lamp	गोटा	५६०	५६०	५६०
	LED Blue night lamp	गोटा	५६०	५६०	५६०
७	<b>FRONT PLATE (COMPATIBLE TO MARKET BOXES)</b>				
	1 module front plate	गोटा	६५	६५	७२
	2 module front plate	गोटा	६५	६५	७५
	3 module front plate	गोटा	८४	८४	८४
	4 module front plate	गोटा	८९	८९	८९
	6 module front plate	गोटा	१२२	१२२	१४०
	8 module front plate(4+4)	गोटा	१३१	१३१	१५१
	8 module front plate (Horizontal)	गोटा	१३१	१३१	१५१
	12 module front plate	गोटा	१६९	१६९	१९४
	18 module front plate	गोटा	३५०	३५०	३५०
८	<b>Modular Type Switch Socket</b> KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE or Equivalent				
	<b>Seperate Module for Modular Switch &amp; Socket</b>				
	1P – 6A/10A 1 way switch	गोटा	८७	८७	९०
	1P – 16A/20A 1 way switch	गोटा	१४४	१४४	१४०

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*



## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	1P – 6A/10A 2 way switch	गोटा	१३४	१३४	१३९
	1P – 16A/20A 2 way switch	गोटा	१७५	१७५	१८२
	1P – 6A push button	गोटा	१३४	१३४	१३९
	1 gang blanking module	गोटा	४१	४१	४२
	2 gang blanking module	गोटा	७८	७८	८१
	<b>Modular Switch, Sockets, Plates</b>				
	White series				
	6A SWITCH 1W 1 MODULE	गोटा		१५७.००	१३८
	6A SWITCH 2W 1 MODULE	गोटा		२७२.००	२६६
	6A SWITCH 1W 1 MODULE WITH INDICATOR	गोटा		२७८.००	२६६
	10A SWITCH 1W 2 MODULE	गोटा		३३६.००	३२३
	10A SWITCH 2W 2 MODULE	गोटा		३९४.००	३८१
	10A INTERMEDIATE SWITCH 2 MODULE	गोटा		२२२७.००	२१५४
	10A SWITCH 1W WITH INDICATOR 2 MODULE	गोटा		४३२.००	४१३
	16A SWITCH 1W 1 MODULE	गोटा		३०४.००	३०१
	16A SWITCH 2W 1 MODULE	गोटा		३८७.००	३७८
	16A SWITCH 1W WITH INDICATOR 1 MODULE	गोटा		४०३.००	३९०
	20A SWITCH 1W 1 MODULE	गोटा		४६४.००	४४२
	20A DP SWITCH 1W 2 MODULE	गोटा		६७५.००	६५०
	20A DP SWITCH 1W WITH INDICATOR 2 MODULE	गोटा		६८५.००	६६२
	20A SWITCH 2W 2 MODULE	गोटा		७६८.००	७४२
	25 A SP 1W SWITCH WITH INDICATOR 1 MODULE	गोटा		४८०.००	४६१
	32A DP SWITCH WITH INDICATOR 2 MODULE	गोटा		९१८.००	८९६
	6/16 A 2 PIN EURO US SOCKET 1 MODULE	गोटा		५०२.००	४८३
	16A 3 PIN SWITCHED SOCKET 3 MODULE	गोटा			९५०
	MULTISTANDARD SOCKET 6/10/13 A 2/3 PIN FOR 250 VAC 15A 2PIN 2 M	गोटा		५१८.००	५०६
	6A 5 PIN UNIVERSAL SOCKET 2 MODULE	गोटा		३९७.००	३९०
	6/16 A SOCKET 3 MODULE	गोटा		६१८.००	५९८
	6/16 A SOCKET 2 MODULE	गोटा		५२५.००	५०६
	6/16A EURO SOCKET 2 MODULE	गोटा		५३४.००	५२५
	25A SOCKET 2 MODULE	गोटा		५२५.००	५०६
	6A 3 PIN ISI SOCKET 2M	गोटा			२५३
	ROTARY LIGHT DIMMER 400W 1 MODULE	गोटा		९२८.००	८९९
	ROTARY LIGHT DIMMER 500W 2 MODULE	गोटा		११९४.००	११४९
	REMOVABLE LED LAMP 2 MODULE	गोटा			३६९६
	LED SKIRTING LIGHT 3 MODULE	गोटा		७७४.००	७७१
	INDICATOR UNIT 1 MODULE WITH TRANSPARENT LED AND COLORED LABELS	गोटा			८१६
	BELL CALL INDICATOR 240V 1 MODULE	गोटा			१५३०
	BUZZER 230 V 1 MODULE	गोटा		१०२७.००	१०२७
	INFRARED SENSOR 400W 2 MODULE	गोटा			२४४५
	REMOTE CONTROL UNIT FOR LIGHT & FAN 4 MODULE	गोटा		५६१९.००	५८६९
	REMOTE CONTROL HAND UNIT	गोटा		८७०.००	९०८
	16A KEY CARD SWITCH 2 MODULE	गोटा		४९७९.००	४९५०
	CREDIT CARD SIZE KEY FOB	गोटा			१६६
	DND & MMR INDICATOR WITH BELL PUSH 1+1 MODULE	गोटा		५४४.००	५४४
	INTERNAL CONTROL UNIT FOR DND & MMR 1+1 MODULE	गोटा		४५१.००	४४२
	SHAVER SOCKET 120/240 V MONOBLOCK WITH PLATE 2 MODULE	गोटा		३७८६.००	३८०५
	RJ45 UTP CAT 5 TOOLESS WITH SHUTTER 1 M GREY	गोटा		७३९.००	७६२



## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	RJ45 UTP CAT 6 TOOLESS WITH SHUTTER 1 M GREY	गोटा		१०३४.००	१०६९
	PRETERMINATED AUDIO VIDEO CONNECTOR 1 MODULE	गोटा		२११२.००	२०५८
	PRETERMINATED HDMI SOCKET1 MODULE	गोटा		२५८२.००	२५२८
	PRETERMINATED PROJECTOR CONNECTOR 1 MODULE	गोटा		२५८२.००	२५२८
	VOLUME CONTROLLER 2 MODULE	गोटा		१६६४.००	१६२६
	16A MOTOR STARTER 2 MODULE	गोटा			९७६
	25A MOTOR STARTER 2 MODULE	गोटा			९७६
	VOLTAGE SURGE PROTECTOR 230V 1 MODULE	गोटा			३०८५
	16A SP MCB 1 C CURVE 1 M	गोटा			६४६
	20A SP MCB 1 C CURVE 1 M	गोटा			६४६
	32A SP MCB 1 C CURVE 1 M	गोटा			६४६
	USB CHARGER 1000 mA 1 MODULAR TYPE A	गोटा			१६१६
	USB CHARGER 1500 mA 1 MODULAR TYPE A	गोटा		१४८५.००	१५५१
	DOUBLE USB CHARGER 3000 Ma 2 MODULE	गोटा		३८६६.००	३७४४
	USB CHARGER 1500 mA 1 MODULAR C TYPE	गोटा		१८६२.००	१७९८
	COMBI TWIN USB 2400 m A MULTISTANDARD SOCKET TYPE A	गोटा		४४५८.००	४३१७
	COMBI TWIN USB 2400 m A MULTISTANDARD SOCKET TYPE A & TYPE C	गोटा		४९१२.००	४७५२
	COMBI TWIN USB 3.1A EURO SOCKET TYPE A -2 MODULE	गोटा			२८२६
	COMBI TWIN USB 3.1A EURO SOCKET TYPE A & TYPE C -2 MODULE	गोटा			३७६३
	WIRELESS CHARGER +TYPE-A USB 1A-5V/5W CHARGER WITH ONE 2.4A/12W	गोटा			१०२५६
	LOUDSPEAKER FOR FALSE CEILING & PLASTER BOARD 8 OHMS 10W	गोटा			३२६१
	BLUETOOTH SOUND DIFFUSION 2 MODULE	गोटा		७३६०.००	७१९०
	ROTARY LED DIMMER 50 W	गोटा		३७८६.००	३३२५
	6A TOUCH SWITCH 1W 2 MODULE	गोटा			४९५७
	6A TOUCH SWITCH 2W 2 MODULE	गोटा			५७२८
	16A TOUCH SWITCH 1W 2 MODULE	गोटा			५७२८
	6A TOUCH BELL PUSH 2 MODULE	गोटा			४९५७
	TOUCH FAN REGULATOR 100W 2 MODULE	गोटा			५७२८
	300 W UNIVERSAL LED TOUCH LIGHT SCROLL DIMMING 2 MODULE	गोटा			५७२८
	READING LIGHT RED	गोटा			२८७४
	CABLE OUTLET 8 mm 1 MODULE	गोटा		२५९.००	२४६
	BLANKING PLATE 1 MODULE	गोटा		६१.००	६३
	BLANKING PLATE 2 MODULE	गोटा			८६
	CLASSIC WHITE PLATE+ FRAME 1 M	गोटा			२०२
	CLASSIC WHITE PLATE+ FRAME 2 M	गोटा			२०२
	CLASSIC WHITE PLATE+ FRAME 3 M	गोटा			२५९
	CLASSIC WHITE PLATE+ FRAME 4 M	गोटा			२९१
	CLASSIC WHITE PLATE + FRAME 6M	गोटा			३६२
	CLASSIC WHITE PLATE+ FRAME 8 M (H)	गोटा			४६४
	CLASSIC WHITE PLATE + FRAME 2 X 4M	गोटा			४९०
	CLASSIC WHITE PLATE+ FRAME 9M	गोटा			५१८
	CLASSIC WHITE PLATE+ FRAME 12 M	गोटा			६७५
	CLASSIC WHITE PLATE+ FRAME 16M	गोटा			७८४
	CLASSIC WHITE PLATE+ FRAME 18 M	गोटा			१०६२
	BRUSHED SILVER PLATE+ FRAME 1M	गोटा			२६६
	BRUSHED SILVER PLATE+ FRAME 2M	गोटा			२६६
	BRUSHED SILVER PLATE+ FRAME 3M	गोटा			३७१
	BRUSHED SILVER PLATE+ FRAME 4M	गोटा			३८४

*(Handwritten signatures)*

*(Handwritten signature)*

*(Handwritten signature and text)*



ललितपुर नगरपालिका  
मुख्य निर्वाह अधिकारी

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	BRUSHED SILVER PLATE+ FRAME 6M	गोटा			४९६
	BRUSHED SILVER PLATE+ FRAME 8M(H)	गोटा			६४६
	BRUSHED SILVER PLATE+ FRAME 2X 4M	गोटा			६४६
	BRUSHED SILVER PLATE+ FRAME 9M	गोटा			७०१
	BRUSHED SILVER PLATE+ FRAME 12M	गोटा			९२८
	BRUSHED SILVER PLATE+ FRAME 16M	गोटा			१०६९
	BRUSHED SILVER PLATE+ FRAME 18M	गोटा			१४४६
	ALU SUN SET PLATE + FRAME 1M	गोटा			२५९
	ALU SUN SET PLATE + FRAME 2M	गोटा			२५९
	ALU SUN SET PLATE + FRAME 3M	गोटा			३५५
	ALU SUN SET PLATE + FRAME 4M	गोटा			३८१
	ALU SUN SET PLATE + FRAME 6M	गोटा			४९०
	ALU SUN SET PLATE + FRAME 8M(H)	गोटा			६२७
	ALU SUN SET PLATE + FRAME 2 X 4 M	गोटा			६३०
	ALU SUN SET PLATE + FRAME 9M	गोटा			६७८
	ALU SUN SET PLATE + FRAME 12M	गोटा			८९६
	ALU SUN SET PLATE + FRAME 16M	गोटा			१०२७
	ALU SUN SET PLATE + FRAME 18M	गोटा			१४२१
	CHAMPAGNE PLATE + FRAME 1M	गोटा			२५९
	CHAMPAGNE PLATE +FRAME 2M	गोटा			२५९
	CHAMPAGNE PLATE + FRAME 3M	गोटा			३५५
	CHAMPAGNE PLATE + FRAME 4M	गोटा			३८१
	CHAMPAGNE PLATE + FRAME 6M	गोटा			४९०
	CHAMPAGNE PLATE + FRAME 8M(H)	गोटा			६२७
	CHAMPAGNE PLATE + FRAME 2 X 4 M	गोटा			६३०
	CHAMPAGNE PLATE + FRAME 9M	गोटा			६७८
	CHAMPAGNE PLATE + FRAME 12M	गोटा			८९६
	CHAMPAGNE PLATE + FRAME 16M	गोटा			१०२७
	CHAMPAGNE PLATE + FRAME 18M	गोटा			१४२१
	MATT SILVER PLATE + FRAME 1M	गोटा			२५९
	MATT SILVER PLATE + FRAME 2M	गोटा			२५९
	MATT SILVER PLATE + FRAME 3M	गोटा			३५५
	MATT SILVER PLATE + FRAME 4M	गोटा			३८१
	MATT SILVER PLATE + FRAME 6M	गोटा			४९०
	MATT SILVER PLATE + FRAME 8M(H)	गोटा			६२७
	MATT SILVER PLATE + FRAME 2 X 4 M	गोटा			६३०
	MATT SILVER PLATE + FRAME 9M	गोटा			६७८
	MATT SILVER PLATE + FRAME 12M	गोटा			८९६
	MATT SILVER PLATE + FRAME 16M	गोटा			१०२७
	MATT SILVER PLATE + FRAME 18M	गोटा			१४२१
	BLACK SERIES				
	6A SWITCH 1W 1 MODULE	सेट			१६६
	6A SWITCH 2W 1 MODULE	सेट			३०४
	6A SWITCH 1W 1 MODULE WITH INDICATOR	सेट			३१०
	6A SWITCH 1W 1MODULE WITH LIGHT MARKING	सेट			२९८
	6W SWITCH 1W 1 MODULE WITH FAN MARKING	सेट			२९८
	10A SWITCH 1W 2 MODULE	सेट			३७८
	10A SWITCH 2W 2 MODULE	सेट			४२९
	10A INTERMEDIATE SWITCH 2 MODULE	सेट			२४७७



प्रमुख जिल्ला अधिकारी

## विद्युतिय सामाग्रीहरु

सि.न	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	10A SWITCH 1W WITH INDICATOR 2 MODULE	सेट			४७७
	16A SWITCH 1W 1 MODULE	सेट			३३६
	16A SWITCH 2W 1 MODULE	सेट			४२६
	16A SWITCH 1W WITH INDICATOR 1 MODULE	सेट			४४२
	20A SWITCH 1W 1 MODULE	सेट			५२२
	20A DP SWITCH 1W 2 MODULE	सेट			७४९
	20A DP SWITCH 1W WITH INDICATOR 2 MODULE	सेट			७६२
	20A SWITCH 2W 2 MODULE	सेट			८५८
	25 A SP 1W SWITCH WITH INDICATOR 1 MODULE	सेट			५३४
	32A DP SWITCH WITH INDICATOR 2 MODULE	सेट			१०२१
	6/16 A 2 PIN EURO US SOCKET 1 MODULE	सेट			५६३
	MULTISTANDARD SOCKET6/10/13 A 2/3 PIN FOR 250 VAC 15A 2 M	सेट			५७९
	6A 5 PIN UNIVERSAL SOCKET 2 MODULE	सेट			४३८
	6/16 A SOCKET 3 MODULE	सेट			६९१
	6/16 A SOCKET 2 MODULE	सेट			५८२
	6/16A EURO SOCKET 2 MODULE	सेट			६०२
	25A SOCKET 2 MODULE	सेट			५८२
	6A 3 PIN ISI SOCKET 2M	सेट			२९४
	ROTARY LIGHT DIMMER 400W 1 MODULE	सेट			१०३०
	ROTARY LIGHT DIMMER 500W 2 MODULE	सेट			१३२८
	FAN STEP REGULATOR 100W 1 MODULE	सेट			९५७
	FAN STEP REGULATOR 100W 360 DEGREE 2 MODULE	सेट			११७१
	FAN STEP REGULATOR 120W360 DEGREE 2 MODULE	सेट			१३३४
	FAN STEP REGULATOR 70W 2 MODULE	सेट			१२८६
	FAN REGULATOR 100W 8 STEP 2M	सेट			१०५०
	LED SKIRTING LIGHT 3 MODULE	सेट			८७४
	BELL CALL INDICATOR 240V 1 MODULE	सेट			१७१८
	BUZZER 230 V 1 MODULE	सेट			११५८
	REMOTE CONTROL UNIT FOR LIGHT & FAN 4 MODULE	सेट			६३७१
	REMOTE CONTROL HAND UNIT	सेट			९७९
	16A KEY CARD SWITCH 2 MODULE	सेट			५५९७
	DND & MMR INDICATOR WITH BELL PUSH 1+1 MODULE	सेट			६३०
	INTERNAL CONTROL UNIT FOR DND & MMR 1+1 MODULE	सेट			५०६
	SHAVER SOCKET 120/240 V MONOBLOCK WITH PLATE 2 MODULE	सेट			४२५३
	TV COAXIAL SOCKET 1 MODULE	सेट			३१४
	TELEPHONE SOCKET RJ11 1 MODULE	सेट			२९८
	TELEPHONE SOCKET DOUBLE RJ11 1MODULE	सेट			५०९
	RJ45 UTP CAT 5 TOOLESS WITH SHUTTER 1 M GREY	सेट			८३८
	RJ45 UTP CAT 6 TOOLESS WITH SHUTTER 1 M GREY	सेट			११७१
	PRETERMINATED AUDIO VIDEO CONNECTOR 1 MODULE	सेट			२३७८
	PRETERMINATED HDMI SOCKET1 MODULE	सेट			२९०२
	PRETERMINATED PROJECTOR CONNECTOR 1 MODULE	सेट			२९०२
	VOLUME CONTROLLER 2 MODULE	सेट			१८७२
	USB CHARGER 1000 mA 1 MODULAR TYPE A	सेट			१८३७
	DOUBLE USB CHARGER 3000 mA 2 MODULE	सेट			४३०१
	USB CHARGER 1500 mA 1 MODULAR C TYPE	सेट			२०७०
	COMBI TWIN USB 2400 mA MULTISTANDARD SOCKET TYPE A	सेट			४९६३
	COMBI TWIN USB 2400 mA MULTISTANDARD SOCKET TYPE A & TYPE C	सेट			५४६९
	COMBI TWIN USB 3.1A EURO SOCKET TYPE A -2 MODULE	सेट			३२४८

नयाँ सरकार  
गृह मन्त्रालय  
प्रशासनिक  
ललितपुर

## विद्युतिय सामाग्रीहरु


सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	COMBI TWIN USB 3.1A EURO SOCKET TYPE A & TYPE C -2 MODULE	सेट			४३३०
	BLUETOOTH SOUND DIFFUSION 2 MODULE	सेट			८२६९
	ROTARY LED DIMMER 50 W 1 MODULE	सेट			४२११
	CABLE OUTLET 8 mm 1 MODULE	सेट			२९१
	BLANKING PLATE 1 MODULE	सेट			६७
	PLATE + FRAME 1M	गोटा		२१८.००	२२७
	PLATE + FRAME 2M	गोटा		२१८.००	२२७
	PLATE + FRAME 3M	गोटा		२९४.००	३०७
	PLATE + FRAME 4M	गोटा		३०७.००	३२०
	PLATE + FRAME 6M	गोटा		३९०.००	४०७
	PLATE + FRAME 8M(H)	गोटा		४२४.००	४४८
	PLATE + FRAME 2 X 4 M	गोटा		४२४.००	४४८
	PLATE + FRAME 12M	गोटा		७३६.००	७६८
	PLATE + FRAME 16M	गोटा		८४४.००	८८२
	PLATE + FRAME 18M	गोटा		११५८.००	१२०९
९	<b>FAN REGULATOR / DIMMER</b>				
	Step type fan regulator	गोटा	७००		७३१
	60 – 500 W dimmer	गोटा	५९७		६२३
	FAN STEP REGULATOR 100W 1 MODULE	गोटा		८५८.००	८२२.४०
	FAN STEP REGULATOR 100W 360 DEGREE 2 MODULE	गोटा		१०५०.००	१०१७.६०
	FAN STEP REGULATOR 120W360 DEGREE 2 MODULE	गोटा		१२००.००	११६४.८०
	FAN STEP REGULATOR 70W 2 MODULE	गोटा		११५८.००	१११३.६०
	FAN REGULATOR 100W 8 STEP 2M	गोटा			९१५.२०
	<b>Black series</b>				
	FAN STEP REGULATOR 100W 1 MODULE	गोटा			९५६.८०
	FAN STEP REGULATOR 100W 360 DEGREE 2 MODULE	गोटा			११७१.२०
	FAN STEP REGULATOR 120W360 DEGREE 2 MODULE	गोटा			१३३४.४०
	FAN STEP REGULATOR 70W 2 MODULE	गोटा			१२८६.४०
	FAN REGULATOR 100W 8 STEP 2M	गोटा			१०४९.६०
१०	<b>SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS</b>	गोटा			
	6A – multi socket 5 pin	गोटा	१८५	१८५	१९३
	6/16A twin socket 3 pin (flushed)	गोटा	२८८	२८८	३००
	6/16A twin socket 3 pin (projected)	गोटा	२८८	२८८	३००
	13A 3 pin socket	गोटा	१८५	१८५	१९३
	RJ 11 telephone jack	गोटा	१४४	१४४	१५०
	RJ 45 cat.6e computer socket	गोटा	२३७	२३७	२४७
	TELEPHONE SOCKET RJ 11 1 MODULE	गोटा		२६६.००	२७७
	TELEPHONE SOCKET DOUBLE RJ 11 1MODULE	गोटा		४५४.००	४७४
	<b>Black Series</b>				
	TV COAXIAL SOCKET 1 MODULE	गोटा			३१३.६०
	TELEPHONE SOCKET RJ 11 1 MODULE	गोटा			२९७.६
	TELEPHONE SOCKET DOUBLE RJ 11 1MODULE	गोटा			५०८.६
११	<b>TV socket</b>	गोटा	१४४	१४४	१५०
	1 module front plate	गोटा	६५	६५	६७
	2 module front plate	गोटा	६५	६५	६७
	3 module front plate	गोटा	८४	८४	८७
	4 module front plate	गोटा	९४	९४	९८

Handwritten signatures and initials at the bottom left of the page.

Handwritten signature and official stamp of the District Office, Lalitpur. The stamp includes the text: नेपाल सरकार, गृह मन्त्रालय, प्रशासन कक्षा, ललितपुर.


## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	6 module front plate	गोटा	१२२	१२२	१२७
	8 module front plate(4+4)	गोटा	१३१	१३१	१३६
	8 module front plate (Horizontal)	गोटा	१३१	१३१	१३६
	12 module front plate	गोटा	१६९	१६९	१७६
	18 module front plate	गोटा	४५३	४५३	४७३
१२	<b>Flush mounting galvanized Metal box for modular type switch &amp; socket-North west, Platia,ABB or equivalent</b>				
	1module metal box having L x B x Depth =(78x78x45)mm	सेट	५२	५२	५४
	2 module " " =(78x78x45)mm	सेट	५२	५२	५४
	3 gang " " " =(78x100x45)mm	सेट	५६	५६	५८
	4 gang " " " =(78x140x50)mm	सेट	६८	६८	७१
	5 gang " " " =(78x205x50)mm	सेट	१३४	१३४	१३९
	6 gang " " " =(78x205x50)mm	सेट	१३६	१३६	१४२
	8 module metal box (4+4) =(78x230x60)mm	सेट	१८१	१८१	१८९
	8 module metal box (Horizontal) =(135x120x60)mm	सेट	१८१	१८१	१८९
	12 module metal box =(135x120x60)mm	सेट	२३१	२३१	२४१
	TV socket metal box	सेट	५२	५२	५४
	Telephone socket metal box	सेट	५२	५२	५४
१३	<b>METAL Junction BOX</b>				
	4"x4"	सेट	१००	१००	१०४
	4"x6"	सेट	१५०	१५०	१५६
	6"x8"	सेट	२३७	२३७	२४७
	8"x10"	सेट	३४९	३४९	३६४
	8"x12"	सेट	३४९	३४९	३६४
१४	<b>PVC Junction Box</b>	सेट	३४	३४	३५
	4"x4"	सेट			
	4"x6"	सेट	३१	३१	३२
	6"x8"	सेट	४६	४६	४८
	8"x10"	सेट	६७	६७	६९
	8" x12"	सेट	१२९	१२९	१३४
	PVC Junction box cover	सेट	१४४	१४४	१५०
	<b>Junction Box</b>				
	The Junction Box shall be insulated and made out of Polypropylene or polycarbonate. JB shall be environment friendly, recyclable, weatherproof (UV due to solar radiation, protected against rain water, temperature resistant) , halogen & silicon free, anti-acid & anti corrosive. The JB shall be rated for Degree of Ingress Protection IP 66 in accordance with IEC 60529. The gasket material shall be Polyurethane and the gasket shall be internally embedded. The JB's are certified in accordance with the new international standard IEC 60670-22. Burning behavior: glow wire test in accordance with IEC 60695-2-11: 750 deg. Cent. Flame retardant and self-extinguishing. The JB should have rear side cable entry possibility, quarter turn polycarbonate screws for quick opening and closing, multi-level metric knockouts for cable glands in different sizes, external brackets for wall fixing. Degree of Protection against Mechanical load shall be in accordance with EN 50298-98 for IK 07 ( 2 Joule).				
	Dimensions (mm)				
	93 x 93 x 62	गोटा		९७४.४०	१०१७
	104 x 104 x 70	गोटा		१०१९.२०	१०६४
	104 x 104 x 70	गोटा		११०८.८०	११५८
	130 x 130 x 77	गोटा		१८१४.४०	१८९५
	130 x 130 x 77	गोटा		२१९५.२०	२२९२
	130 x 180 x 77	गोटा		२५४२.४०	२६५५




## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	130 x 180 x 77	गोटा		२८६७.२०	२९९४
	155 x 210 x 92	गोटा		४४९२.८०	४६०९
	155 x 210 x 92	गोटा		५४८८.००	५७३२
	205 x 255 x 112	गोटा		२८७०५.६०	२९९८२
	225 x 295 x 122	गोटा		२५५५८.४०	२६६९५
	255 x 355 x 122	गोटा		८४६७.२०	८८४३
	255 x 355 x 122	गोटा		२९८८९.६०	३१२९१
	The Junction Box shall be insulated and made out of PC-GFS Polycarbonate. JB shall be environment friendly, recyclable, weatherproof (UV due to solar radiation, protected against rain water, temperature resistant) , halogen & silicon free, anti-acid & anti corrosive. The JB shall be rated for Degree of Ingress Protection IP 66/IP67/IP69 in accordance with IEC 60529. The gasket material shall be Polyurethane and the gasket shall be internally embedded. The JB's are VDE approved, DNV GL-certificate No-TAE00000EE, and certified in accordance with the new international standard IEC 60670-22. The Polycarbonate enclosures shall be fire retardant & self-extinguishing in accordance with IEC 60 695-2-11, DIN VDE 0304 Part 3, UL Subject 94 for Flammability V-0. It should be tested at Glow Wire test for 960 deg. Cent. The impact strength of polycarbonate enclosures i.e. the Degree of Protection against Mechanical load shall be in accordance with EN 50298-98 for IK 09(10Joule).				
	Dimensions(mm)				
	93 x 93 x 62	गोटा		१३६६.४०	१४२७
	104 x 104 x 70	गोटा		१६९२.८०	१६८४
	104 x 104 x 70	गोटा		१६८०.००	१७५४
	130 x 130 x 77	गोटा		२९९५.२०	२२९२
	130 x 130 x 77	गोटा		३०५७.६०	३१९३
	130 x 180 x 77	गोटा		३५७२.८०	३७३९
	130 x 180 x 77	गोटा		३९२०.००	४०९४
	155 x 210 x 92	गोटा		४५५८.४०	४७६९
	155 x 210 x 92	गोटा		५१०७.२०	५३३४
	205 x 255 x 112	गोटा		२७४२८.८०	२८६४९
	225 x 295 x 122	गोटा		२८८९७.६०	३००९९
	255 x 355 x 122	गोटा		८०९९.२०	८३७६
	Thermoplastics PS Polystyrene MCB DB in accordance with IEC 60670-24, should be IP65 protected in accordance with IEC 60529, corrosion proof, suitable for 1-54 MCB modules with new FIXCONNECT plug-in terminal technology for PE/N ,captive lid screws made of stainless steel V2A, internally embedded polyurethane gasket for lid and enclosures, metric knockouts/elastic membranes for cable entry from top and bottom and possibility to attach similar DB on either side. DB should be able to adapt any make of MCB or din mountable equipment and tested as per as IEC 60439-3 , fit for the new standard IEC 60 364-4-41; it is tested at 750C glow wire test according to IEC 60 695-2-11, flame retardant, self-extinguishing. Colour grey,RAL 7035. The impact strength of polycarbonate enclosures i.e. the Degree of Protection against Mechanical load shall be in accordance with EN 50298-98 for IK 08(5Joule).				
	No. of Modules ( 1 Module= 1 SP MCB)				
	3 Modules	गोटा		३७९६.८०	३९६५
	4 Modules	गोटा		४७९३.६०	५००६
	6 Modules	गोटा		५४८८.००	५७३२
	9 Modules	गोटा		६८५४.४०	७१५९
	12 Modules	गोटा		९१३५६.८०	९९८६२
	18 Modules	गोटा		१३५६३.२०	१४९६६
	24 Modules	गोटा		१६९२८.००	१६८४३
	2 row 36 Modules	गोटा		२०८३२.००	२१७५९
	3 row 36 Modules	गोटा		२०२३८.४०	२११३९
	4 row 48 Modules	गोटा		२६३४२.४०	२७५१४
	3 row 54 Modules	गोटा		२९९९८.४०	३०४९७


 प्रमुख जिल्ला अधिकारी

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Thermoplastics polycarbonate hinged door meter box in accordance with IEC 60670-24, should be IP66 protected in accordance with IEC 60529, corrosion proof, suitable for single phase energy meter, internally embedded polyurethane gasket for lid , metric size knock outs for cable entry from top and bottom . Meter box should be able to adapt any make of Meter or din mountable equipment and tested as per as IEC 60439-3 , fit for the new standard IEC 60 364-4-41; It is tested at 750C glow wire test according to IEC 60 695-2-11, flame retardant, self-extinguishing. Colour grey,RAL 7035.				
	Dimensions(mm)				
	136 x 253 x 115	गोटा		४०३२.००	४२११
	168 x 253 x 115	गोटा		४२३३.६०	४४२१
	217 x 253 x 115	गोटा		४५४७.२०	४७४९
	300 x 150 x 170	गोटा		५५७७.६०	५८२५
	300 x 300 x 170	गोटा		८८३६.८०	९२३०
	300 x 450 x 170	गोटा		१०४७२.००	१०९३८
	300 x 600 x 170	गोटा		१२८५७.६०	१३४२९
	The board/panel shall be made of modular POLYCARBONATE THERMOPLASTIC ENCLOSURES which should be UV resistance in accordance with IEC 61439-1, clause 10.2.4:The panel should be anti-acid & anti corrosive. Degree of protection against mechanical load should be IK08 ( 5 Joule) in accordance with IEC 62262. The manufacturer of board/panel shall submit a copy of CPRI TEST REPORT OF DEGREE OF INGRESS PROTECTION IP 65/ IP54 IN ACCORDANCE WITH IEC 60529. The gasket should be internally embedded made of polyurethane. The manufacturer of board / panel SHALL submit a copy of TYPE TEST REPORT of a board made out of Polycarbonate thermoplastic panel in				
	Dimensions(mm)				
	300 x 150 x 170	गोटा		६६७५.२०	६९७२
	300 x 300 x 170	गोटा		९६३२.००	१००६०
	300 x 450 x 170	गोटा		१२६७८.४०	१३२४२
	300 x 600 x 170	गोटा		१५७२४.८०	१६४२४
	450 x 600 x 170	गोटा		२७५९६.८०	२८८२४
	600 x 600 x 170	गोटा		३४८०९.६०	३६३५८
	300 x 300 x 214	गोटा		१०३४८.८०	१०८०९
	300 x 450 x 214	गोटा		१३७७९.००	१४३८९
	300 x 600 x 214	गोटा		१७९९२.००	१७९५७
	300 x 300 x 180	गोटा		१११७७.६०	११६७५
	IP 68 Cable Glands Made from Polyamide Material				
	Metric Thread				
	M 12 x 1.5	गोटा		७३.९२	७७
	M 16 x 1.5	गोटा		७६.१६	७९
	M 20 x 1.5	गोटा		१०३.०४	१०७
	M 25 x 1.5	गोटा		१७९.२०	१८७
	M 32 x 1.5	गोटा		२४४.१६	२५५
	M 40 x 1.5	गोटा		५०८.४८	५३१
	M 50 x 1.5	गोटा		७८८.४८	८२३
	M 63 x 1.5	गोटा		१२३४.२४	१२८९
	Locknuts for IP 68 Cable Glands Made from Polyamide Material				
	Metric Thread				
	M 12 x 1.5	गोटा		१७.९२	१८
	M 16 x 1.5	गोटा		१७.९२	१८
	M 20 x 1.5	गोटा		२२.४०	२३
	M 25 x 1.5	गोटा		३५.८४	३७
	M 32 x 1.5	गोटा		४७.०४	४९
	M 40 x 1.5	गोटा		७८.४०	८१
	M 50 x 1.5	गोटा		१७६.९६	१८४



प्रमुख जिल्ला अधिकारी

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	M 63 x 1.5	गोटा		२४४.९६	२५५
	IP67 CEE Type Insulated Plug & Socket, made of high quality Polyamide P-6 body (shock proof, rust free, corrosion free, acid and chemical resistant, fire retardant, having high impact, made of halogen and silica free recyclable material) & terminals Contact Solid high-quality turned contacts made of copper alloy (Brass). All steel components (screws, springs etc) are Zinc plated & blue-chromed or nickel plated. For each contact double screws should available to give better cable strain relief.				
	Amp and No.of Pin				
	16/20 Amp 3 Pin Socket	गोटा		३६८४.८०	३८४८
	16/20 Amp 4 Pin Socket	गोटा		४०४३.२०	४२२३
	16/20 Amp 5 Pin Socket	गोटा		४०४३.२०	४२२३
	32 Amp 3 Pin Socket	गोटा		४९८८.८०	४३७५
	32 Amp 4 Pin Socket	गोटा		४७०४.००	४९९३
	32 Amp 5 Pin Socket	गोटा		४७०४.००	४९९३
	63 Amp 3 Pin Socket	गोटा		९०७५.२००	९९२३०
	63 Amp 4 Pin Socket	गोटा		९८००.००	१०२३६
	63 Amp 5 Pin Socket	गोटा		९८००.००	१०२३६
	Amp and No.of Pin				
	16/20 Amp 3 Pin Plug	गोटा		९८५९.२०	९९४९
	16/20 Amp 4 Pin Plug	गोटा		२५९८.४०	२७९४
	16/20 Amp 5 Pin Plug	गोटा		२९७२.८०	२२६९
	32 Amp 3 Pin Plug	गोटा		३२०३.२०	३३४५
	32 Amp 4 Pin Plug	गोटा		३२७०.४०	३४९५
	32 Amp 5 Pin Plug	गोटा		२६७६.८०	२७९५
	63 Amp 3 Pin Plug	गोटा		९६६५.६०	९००९५
	63 Amp 4 Pin Plug	गोटा		७७५०.४०	८०९५
	63 Amp 5 Pin Plug	गोटा		६७८७.२०	७०८९
	IP 66 Degree of Protection, Waterproof Wall Sockets with Din Channels made of Thermoplastic Polycarbonate body (shock proof, rust free, corrosion free, acid and chemical resistant, fire retardant, having high impact, made of halogen and silica free recyclable material) & terminals Contact Solid high-quality turned contacts made of copper alloy (Brass). All steel components (screws, springs etc) are Zinc plated & blue-chromed or nickel plated. For each contact double screws should available to give better cable strain relief.				
	Amp and No.of Pin				
	16/20 Amp 3 Pin	गोटा		६६९९.२०	६९९३
	16/20 Amp 4 Pin	गोटा		६९४४.००	७२५३
	16/20 Amp 5 Pin	गोटा		६८७६.८०	७९८२
	32 Amp 3 Pin	गोटा		७८४०.००	८९८८
	32 Amp 4 Pin	गोटा		७७२८.००	८०७९
	32 Amp 5 Pin	गोटा		७७२८.००	८०७९
	IP 44 made of special hard synthetic rubber,UV & Chemical resistant, insulated & sock proof, suitable for cable assemblies upto 6 sqmm, suitable to accommodate upto 32A 5pin CEE Sockets and having sturdy and lightweight handle, handle for easy rotation,can be equipped with RCCB/MCBs and tined transparent cover easy access to breakers,trolley arrangement for easy transportation The cable drum shall be used for construction sites / shut down / maintenance and therefore shall be intended for use in both indoors and outdoors, i.e. temporary places of work to which the public do not generally have access and where building construction, installation, repairs, alteration or demolition of property (buildings) or civil engineering (public works) or excavation or any other similar operations are carried out. The complete unit shall be portable / transportable (semi-fixed) or mobile assemblies with enclosure. The assembly shall conform to IEC 604139 – 4; while the sockets shall conform to IEC 60309 – 1 for general requirements & IEC 60309 -2 for requirements of Earth Pin Position. IEC 60309-2 connectors shall be so designed that a plug of one type can only be inserted into a socket of the same type.				
	Dimension ( mm dia )				
	Empty Cable Drum 235 mm dia	गोटा		९०६५९.२०	९९९२५





## विद्युतिय सामाग्रीहरु


सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Empty Cable Drum 310 mm dia	गोटा		१६५२०.००	१७२५५
	Empty Cable Drum 380 mm dia	गोटा		३६७८०.८०	३८४९७
	Empty Cable Drum 450 mm dia	गोटा		४२७९६.८०	४४६९७
	IP 65 Panel Boards In accordance with IEC 60 439-1 (IS8623) at ASTA ( CPRI Bhopal Laboratory ) and IEC 60 439-2 for power switchgear and controlgear assembly. The party must be submitted routine test certificate from manufacturer/principal company in accordance with IEC 60 439-1. The panel boards must have high flexibility of the modular enclosure system allows an easy upgrading of the assembly including bus bar system at any time even after many years, made of high quality Polycarbonate PC-GFS (Shock Proof, rust free, corrosion free, acid and chemical resistant, fire retardant, self- extinguishing, having high impact against mechanical load, made of halogen and silicon free recyclable material conform to ROHS directive 2002/95/EC, UV resistant according to IEC 61439-1, having high grade internally embedded gasket made of Polyurethane (PUR). All left or right side enclosures should have pre moulded knockouts for side cable entry or for future extension. Each enclosure should have multi no of self threaded holes to mount mounting plate or Din Channel or any equipment. The panel boards must include TPNE copper bus bar including necessary accessories for internal wiring at the board excluding cost of MCCB/MCB & measuring instrument.				
	<b>Incomer Rating</b>				
	60/75/100 Amp, 9"x36"x48" size	सेट			163836.00
	60/75/100 AMP, 12"x36"x48" size	सेट			163836.00
	60/75/100 AMP, 9"x48"x60" size	सेट			274932.00
	60/75/100 AMP, 15"x49"x60" size	सेट			274932.00
	150/200 AMP, 9"x38"x52" size	सेट			174468.00
	150/200 AMP, 12"x38"x52" size	सेट			174468.00
	150/200 AMP, 9"x42"x56" size	सेट			210120.00
	150/200 AMP, 12"x42"x56" size	सेट			210120.00
	250/300 AMP, 12"x48"x60" size	सेट			274932.00
	250/300 AMP, 12"x52"x62" size	सेट			296004.00
	400 AMP, 12"x52"x66" size	सेट			317124.00
१५	PVC Listy Double Lock { 6'length =1 no.(गोटा)}				
	½" breadth	सेट	३१	३१	३२
	¾"	सेट	४६	४६	४८
	1"	सेट	६७	६७	६९
	1½"	सेट	१२९	१२९	१३४
	2"	सेट	१४४	१४४	१५०
	<b>PVC Conduit Pipe</b>				
	1) ½" diameter	र.मी	३१	३१	३२
	2) ¾"	र.मी	४६	४६	४८
	3) 1"	र.मी	६७	६७	६९
	<b>Listy Pipe Accessories</b>				
	½"-2" size Saddle	र.मी	८	८	८
	Grips (Denmark)	गोटा	६	६	६
	Steel screws	गोटा	२	२	२
	PVC Tape	गोटा	१५	१५	१५
१६	<b>Distribution board (DB) - With busbar Neutral link Earth bar and Din Rail Conforming IS13032 , IS8632, Powder coated 14SWG CRCA sheet steel housing complete.siemens;abb 'hager</b>				
	4 way SPN DB Double Cover	सेट	१०८२	१०८२	११३०
	6 way SPN DB " "	सेट	११३५	११३५	११८३
	8 way SPN DB " "	सेट	१४१६	१४१६	१४७९
	12 way SPN DB " "	सेट	१६७९	१६७९	१७५३
	16 way SPN DB " "	सेट	१७९५	१७९५	१८७४




प्रमुख जिल्ला अधिकारी

## विद्युतिय सामाग्रीहरु


सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	3-4 way TPN DB Double Cover	सेट	२६६८	२६६८	२७८६
	6 way TPN " " "	सेट	२९९८	२९९८	३१३१
	8 way TPN " " " Vertical	सेट	५७९९	५७९९	६०५७
	12 way TPN " " " Vertical	सेट	७७२७	७७२७	८०७०
	50 Pair Telephone D.B.with crown tag	सेट	५४४६	५४४६	५६८८
	<b>PVC Box for MCB</b>				
	1-pole PVC box GPS	सेट	८१	८१	८४
	2- pole PVC " "	सेट	८१	८१	८४
	3 and 4-pole PVC " "	सेट	१३०	१३०	१३५
	4 WAY SPN DB BOX (DOUBLE DOOR)	सेट		३००२.००	३१३५
	8 WAY SPN DB BOX (DOUBLE DOOR)	सेट		३७०६.००	३८७०
	12 WAY SPN DB BOX (DOUBLE DOOR)	सेट		४४५४.००	४६५२
	16 WAY SPN DB BOX (DOUBLE DOOR)	सेट		५६५१.००	५९०२
	18 WAY SPN DB BOX (DOUBLE DOOR)	सेट		५७७९.००	६०३६
	20 WAY SPN DB BOX (DOUBLE DOOR)	सेट		७०११.००	७३२२
	4 WAY SPN DB BOX (SINGLE DOOR)	सेट		२२५६.००	२३५६
	8 WAY SPN DB BOX(SINGLE DOOR)	सेट		२७५२.००	२८७४
	12 WAY SPN DB BOX(SINGLE DOOR)	सेट		३२५४.००	३३९८
	16 WAY SPN DB BOX(SINGLE DOOR)	सेट		३९७४.००	४१५०
	4 WAY TPN DB BOX (DOUBLE DOOR)	सेट		७३३४.००	७६६०
	6 WAY TPN DB BOX (DOUBLE DOOR)	सेट		९१३३.००	९५३९
	8 WAY TPN DB BOX (DOUBLE DOOR)	सेट		१०९५४.००	११४४१
	12 WAY TPN DB BOX (DOUBLE DOOR)	सेट		१६४०६.००	१७१३६
	16 WAY TPN DB BOX (DOUBLE DOOR)	सेट		२०३३९.००	२१२४४
	20 WAY TPN DB BOX (DOUBLE DOOR)	सेट		२८४७४.००	२९७४१
	2 ROW OF 14M FLEXY DB (DOUBLE DOOR)	सेट		९३९८.००	९८१६
	3 ROW OF 14M FLEXY DB (DOUBLE DOOR)	सेट		११२८६.००	११७८८
	4 ROW OF 14M FLEXY DB (DOUBLE DOOR)	सेट		१२२९४.००	१२८४१
	3 ROW OF 14M FLEXY DB +MCCB (DOUBLE DOOR)	सेट		१२२९१.००	१२८३७
	4WAY DPX3 160+12 VTPN DB'S (DOUBLE DOOR)	सेट		२२००३.००	२२९८२
	6WAY DPX3 160+18 VTPN DB'S (DOUBLE DOOR)	सेट		२४९९८.००	२६११०
	8WAY DPX3 160+24 VTPN DB'S (DOUBLE DOOR)	सेट		२७५१४.००	२८७३८
	12WAY DPX3 160+36 VTPN DB'S (DOUBLE DOOR)	सेट		३७५१०.००	३९१७९
	4WAY DPX3 160+12 +12 7 SEGMENT DB'S (DOUBLE DOOR)	सेट		२६४१३.००	२७५८८
	4WAY DPX3 160+12 +18 7 SEGMENT DB'S (DOUBLE DOOR)	सेट		३०२३४.००	३१५७९
	4WAY DPX3 160+12 +24 7 SEGMENT DB'S (DOUBLE DOOR)	सेट		३४९५७.००	३६५१२
	4WAY DPX3 160+12 +36 7 SEGMENT DB'S (DOUBLE DOOR)	सेट		३९४२७.००	४११८१
	DPX3 160 MCCB BOX 3&4P ENCLOUSER (DOUBLE DOOR)	सेट		६५२८.००	६८१८
	DPX3 250 MCCB BOX 3&4P ENCLOUSER (DOUBLE DOOR)	सेट		११५९४.००	१२१०९
	DRX100 MCCB -TP 3&4P ENCLOUSER (DOUBLE DOOR)	सेट		३४८८.००	३६४३
	DP/TP ENCLOUSER FOR MCB(SINGLE DOOR)	सेट		११६२.००	१२१३
	FP ENCLOUSER FOR MCB(SINGLE DOOR)	सेट		११६२.००	१२१३
	<b>SPN DB WITH METAL DOOR- IP43 &amp; IK 09 / IEC 61439-3</b>				
	SPN 4W IP43				३६००.००
	SPN 8W IP43				४४४१.६०
	SPN 12W IP43				५३३७.६०



  
 नेपाल सरकार  
 मूढ मन्त्रालय  
 ललितपुर  
 प्रशासन  
 ललितपुर


## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	SPN 16W IP43				६७४२.४०
	SPN 18W IP43				७०२७.२०
	SPN 20W IP43				८५२९.६०
	<b>ETPN DB With Metal Door - IP43 &amp; IK 09 / IEC 61439-3</b>				
	ETPN 4W IP43 ACRYLIC DOOR				१२०९२.८०
	ETPN 6W IP43 ACRYLIC DOOR				१४६४६.४०
	ETPN 8W IP43 ACRYLIC DOOR				१७४०९.६०
	ETPN 12W IP43 ACRYLIC DOOR				२६६९४.४०
	ETPN 16W IP43 ACRYLIC DOOR				३१९००.८०
	ETPN 20W IP43 ACRYLIC DOOR				४४३९३.६०
	<b>Locking</b>				
	KEY LOCK OPEN - RONIS	सेट			२२२९४.४०
	RONIS KEY LOCK IN OPEN-SET O5	सेट			३५४२.४०
	KEY LOCK OPEN POS. - PROFALUX	सेट			२२९०५.६०
	KEY LOCK OPEN WITH 2 HOLE	सेट			५१२०.००
	KEY LOCK ITDO POSITN - RONIS	सेट			३०२४०.००
	KEY LOCK ITDO POSITN - PROFALU	सेट			२९५९६.८०
	DOOR KEYLOCK - R&L HANDLE	सेट			३३२८९.६०
	PADLOCK IN OPEN POSITION	सेट			१२३८७.२०
	PADLOCK FOR BUTTON	सेट			२०१०५.६०
	PADLK - Open shutter postn.	सेट			९८९४.४०
	<b>Cable Interlock</b>				
	CABLE INTERLOCK TYPE 1	सेट			२०३९०.४०
	CABLE INTERLOCK TYPE 2	सेट			२०५७२.८०
	CABLE INTERLOCK TYPE 3	सेट			२०३९०.४०
	CABLE INTERLOCK 4600MM	सेट			२३०९७.६०
	CABLE INTERLOCK 5600MM	सेट			२४६९९.२०
	<b>Accessories</b>	सेट			
	RATING MIS-INSERTION DEVICE	सेट			१२२९४.४०
	OPERATION COUNTER	सेट			१७४८४.८०
	INSERTED/TEST/DRAW-OUT CONTACT	सेट			१९८०४.८०
	CONT READY TO CLOSE W/CHR SPRI	सेट			१७६५४.४०
	ADDITIONAL SIGNALLING CONTACTS	सेट			४५२८.००
	SIGNAL CONTACT FOR AUXILIARIES	सेट			४२८९.६०
	DOOR SEALING FRAME IP40	सेट			८५९८.४०
	LIFTING PLATE	सेट			१४०७६.८०
१७	<b>Miniature Circuits Breaker (MCB) , LEGRAND/Siemens , ABB, schnieder or equivalent</b>				
	<b>Single Pole</b>				
	6-32 amp MCB SP (single pole)	गोटा	२०६.००	२०६.००	२१५
	40A SP 10 KA MCB	गोटा		७४९.००	७८२
	63A SP 10 KA MCB	गोटा		८१७.००	८५३
	<b>Double Pole</b>				
	6-32 amp MCB DP (Double pole)	गोटा	१०३०.००	१०२०.००	१०६५
	40A DP 10 KA MCB	गोटा		१६००.००	१६७१
	63A DP 10 KA MCB	गोटा		१८००.००	१८८०




## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	<b>Three Pole</b>				
	6-32 amp MCB TP (Triple pole)	गोटा	१७१०.००	१६७०.००	१७४४
	40A TP 10 KA MCB	गोटा		२४५०.००	२५५९
	63A TP 10 KA MCB	गोटा		२५९०.००	२७०५
	<b>Four Pole</b>				
	10-32 amp MCB FP (Four pole)	गोटा		२१४०.००	२२३५
	40A FP 10 KA MCB	गोटा		३१३०.००	३२६९
	63A FP 10 KA MCB	गोटा		३२००.००	३३४२
१८	<b>Miniature Circuits Breaker (MCB) KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE, North-west equivalent</b>				
	0.5-5 amp MCB SP (single pole)	गोटा	२५८	२५८	२६९
	6-32 amp MCB SP (single pole)	गोटा	१६५	१६५	१७२
	6-32 amp MCB DP (Double pole)	गोटा	६१८	६१८	६४५
	6-32 amp MCB TP (Triple pole)	गोटा	११७७	११७७	१२९१
	32 amp MCB TPN	गोटा	१४९४	१४९४	१५६०
	40-63 amp MCB DP	गोटा	९७९	९७९	१०२२
	40-63 amp MCB TP	गोटा	१३९१	१३९१	१४५२
	40-63 amp MCB TPN	गोटा	१८५४	१८५४	१९३६
१९	<b>Residual Current Circuit Breaker (RCCB) ABB, siemens, hager, legrend, north-west lawson or equivalent</b>				
	<b>Two Pole</b>				
	25A 30mA 2 POLE RCCB	गोटा	२७५१.००	२७५१.००	२८७३
	25A 100mA 2 POLE RCCB	गोटा		३७२५.००	३८९०
	25A 300mA DP RCCB	गोटा		३७२५.००	३८९०
	40A30mA DP RCCB	गोटा		४०२५.००	४२०४
	40A 100mA DP RCCB	गोटा		४२६०.००	४४४९
	40A 300mA DP RCCB	गोटा		४२६०.००	४४४९
	63A 30mA DP RCCB	गोटा		५०१५.००	५२३८
	63A 300mA DP RCCB	गोटा		५१४०.००	५३६८
	<b>Four Pole</b>				
	25A30mA Four Pole RCCB	गोटा		४७१०.००	४९१९
	25A 100mAFour Pole RCCB	गोटा		४८८०.००	५०९७
	25A 300mA Four Pole RCCB	गोटा		४८८०.००	५०९७
	40A 30mA Four Pole RCCB	गोटा		४७३०.००	४९४०
	40A 100mAFour Pole RCCB	गोटा		४९५५.००	५१७५
	40A 300mA Four Pole RCCB	गोटा		४९५५.००	५१७५
	63A 30mA Four Pole RCCB	गोटा		५४२५.००	५६६६
	63A 100mAFour Pole RCCB	गोटा		५६९५.००	५९४८
	63A 300mA Four Pole RCCB	गोटा		५६९५.००	५९४८
	100A 300mA Four Pole RCCB	गोटा		९५५०.००	९९७४
२०	<b>Moulded Case Circuit Breaker ABB, siemens, hager, legrend, north-west lawson or equivalent</b>				
	15 A-100 A 3 POLE, 10 KA	गोटा			४१३२.००
	15 A-100 A 4 POLE, 19 KA	गोटा			६०६७.००
	16A-63A 3P MCCB 10 KA FTFM	गोटा		३३८५.००	३७२३.००
	80A 3P MCCB 10 KA FTFM + SPRD	गोटा		३९४०.००	४३३४.००



२००



## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	100A 3P MCCB 10 KA FTFM + SPRD	गोटा		३९४०.००	४३३४.००
	125A 3P MCCB 10 KA FTFM + SPRD	गोटा		४४८५.००	६९४३.००
	15 A-100 A 3 POLE, 10 KA	गोटा			८५००.००
	125 A 3 POLE, 16 KA	गोटा			९९९६.००
	160 A 3 POLE, 16 KA	गोटा			९९८५.००
	15 A-100 A 4 POLE, 19 KA	गोटा			९९३३०.००
	125 A 4 POLE, 16 KA	गोटा			९९४०२.००
	160 A 4 POLE, 16 KA	गोटा			९४९२८.००
	125A 3P MCCB 18 KA TM 9 PIN	गोटा		९२२००.००	९३४२०.००
	16A 3P MCCB 25 KA	गोटा			९९३६.००
	20A-63A 3P MCCB 25 KA	गोटा		९२३०.००	९०९५३.००
	80A 3P MCCB 25 KA	गोटा		९६८०.००	९०६४८.००
	100A 3P MCCB 25 KA	गोटा		९६८०.००	९०६४८.००
	125A 3P MCCB 25 KA	गोटा		९३९४०.००	९४४५४.००
	160A 3P MCCB 25 KA	गोटा		२०२००.००	२२२२०.००
	200A 3P MCCB 25 KA	गोटा		२७५००.००	३०२५०.००
	250A 3P MCCB 25 KA	गोटा		२९३८०.००	३२३९८.००
	16A - 100 A 4P MCCB 25 KA	गोटा			९२५९२.००
	125A 4P MCCB 25 KA	गोटा			९९९८९.००
	160A 4P MCCB 25 KA	गोटा			२६५५९.००
	200A 4P MCCB 25 KA	गोटा			३९५८९.००
	250A 4P MCCB 25 KA	गोटा			३५५४९.००
	16A - 100 A 3P MCCB 36 KA	गोटा			९६७९०.४०
	125A 3P MCCB 36 KA	गोटा		९८९६५.००	९८८७०.४०
	160A 3P MCCB 36 KA	गोटा		२४९४५.००	२५९९०.८०
	200A 3P MCCB 36 KA	गोटा		२८७९०.००	२९८५८.४०
	250A 3P MCCB 36 KA	गोटा		३२३९०.००	३३६०२.४०
	320A 3P MCCB 36 KA	गोटा		३७४७५.००	३८९७४.००
	400A 3P MCCB 36 KA	गोटा		३७५०८.००	३९००८.३२
	500A 3P MCCB 36 KA	गोटा		४३३९०.००	४५०४२.४०
	630A 3P MCCB 36 KA	गोटा		४९९००.००	५९०६४.००
	800A 3P MCCB 36 KA	गोटा			९०६२०४.८०
	1000A 3P MCCB 36 KA	गोटा			९३८६२४.००
	1250A 3P MCCB 36 KA	गोटा			९९८०७३.६०
	125A 3P MCCB 50 KA	गोटा		२३५७०.००	२४५९२.८०
	160A 3P MCCB 50 KA	गोटा		२९६७५.००	३०८६२.००
	200A 3P MCCB 50 KA	गोटा		२७९३०.००	२९०४७.२०
	250A 3P MCCB 50 KA	गोटा		३०७३२.००	३९९६९.२८
	320A 3P MCCB 50 KA	गोटा		३५९६९.००	३७५९९.४४
	400A 3P MCCB 50 KA	गोटा		३६०८०.००	३७५२३.२०
	500A 3P MCCB 50 KA	गोटा		४२८६०.००	४४५७४.४०
	630A 3P MCCB 50 KA	गोटा		५५५००.००	५७७२०.००
	800A 3P MCCB 50 KA	गोटा		८६९३०.००	८९५७५.२०
	1000A 3P MCCB 50 KA	गोटा		९३६६३७.००	९४२९०२.४८
	1250A 3P MCCB 50 KA	गोटा		९६७९८५.००	९७३८७२.४०
	800 A 3 POLE, 70 KA	गोटा			९३२७५३.६०
	1000 A 3 POLE, 70 KA	गोटा			२०९०३९.०४
	1250A 3 POLE, 70 KA	गोटा			२०५९४५.६०
	16A 4P MCCB 25 KA	गोटा			९२८९९.२०
	20A 4P MCCB 25 KA	गोटा		९२९०५.००	९३४२९.२०
	25A 4P MCCB 25 KA	गोटा		९२९०५.००	९३४२९.२०



नेपाल सरकार  
विद्युत मन्त्रालय  
प्रशासन कार्यालय  
ललितपुर

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	32A 4P MCCB 25 KA	गोटा		१२९०५.००	१३४२१.२०
	40A 4P MCCB 25 KA	गोटा		१२९०५.००	१३४२१.२०
	50A 4P MCCB 25 KA	गोटा		१५४३५.००	१६०५२.४०
	63A 3P MCCB 25 KA	गोटा			१२८९१.२०
	80A 4P MCCB 25 KA	गोटा		१५४३५.००	१६०५२.४०
	100A 4P MCCB 25 KA	गोटा		१५७३५.००	१६३६४.४०
	125A 4P MCCB 25 KA	गोटा		१९५२०.००	२०३००.८०
	160A 4P MCCB 25 KA	गोटा		२५०५०.००	२६०५२.००
	200A 4P MCCB 25 KA	गोटा		३४९५०.००	३६३४८.००
	250A 4P MCCB 25 KA	गोटा		३६८४५.००	३८३९८.८०
	16A - 100 A 4P MCCB 36 KA	गोटा			१४६६५.२८
	125A 4P MCCB 36 KA	गोटा		२२५५५.००	२३४५७.२०
	160A 4P MCCB 36 KA	गोटा		२८६८०.००	२९८२७.२०
	200A 4P MCCB 36 KA	गोटा		३५३२०.००	३६७३२.८०
	250A 4P MCCB 36 KA	गोटा		३९४७०.००	४१०४८.८०
	320A 4P MCCB 36 KA	गोटा		४६८००.००	४८६७२.००
	400A 4P MCCB 36 KA	गोटा		४७५७५.००	४९४७८.००
	500A 4P MCCB 36 KA	गोटा		५९०१५.००	६१३७५.६०
	630A 4P MCCB 36 KA	गोटा		६५४००.००	६८०१६.००
	800A 4P MCCB 36 KA	गोटा			८३६४१.६०
	1000A 4P MCCB 36 KA	गोटा			१२२६७३.६०
	1250A 4P MCCB 36 KA	गोटा			१४७५७७.९२
	125A 4P MCCB 50 KA	गोटा		२६४३०.००	२७४८७.२०
	200A 4P MCCB 50 KA	गोटा		३४९१५.००	३६३११.६०
	250A 4P MCCB 50 KA	गोटा		३७७०४.००	३९२१२.१६
	320A 4P MCCB 50 KA	गोटा		४४४४२.००	४६२१९.६८
	400A 4P MCCB 50 KA	गोटा		४५०५७.००	४६८५९.२८
	500A 4P MCCB 50 KA	गोटा		५४१२४.००	५६२८८.९६
	630A 4P MCCB 50 KA	गोटा		५७६९८.००	६०००५.९२
	800A 4P MCCB 50 KA	गोटा		९८२००.००	१०२१२.००
	1000A 4P MCCB 50 KA	गोटा		१९०४१५.००	१९८०३९.६०
	1250A 4P MCCB 50 KA	गोटा		२४०५००.००	२५०१२०.००
	800 A 4 POLE, 70 KA	गोटा			१५३९०३.६८
	1000 A 4 POLE, 70 KA	गोटा			२८४६३६.८०
	1250A 4 POLE, 70 KA	गोटा			३२८२१८.२४
२१	<b>Manual Change over Panel Type - (संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	<b>OPEN EXECUTION</b>				
	CHANGEOVER SD FRI 63A WITH EXTENDED HANDLE	गोटा		९६००.००	९९८४.००
	CHANGEOVER SD FRI 100A WITH EXTENDED HANDLE	गोटा		१२६५५.००	१३१६१.२०
	CHANGEOVER SD CO FR1 125A OPEN EXECUTION	गोटा		१९२४५.००	२००१४.८०
	CHANGEOVER SD CO FR1 160A OPEN EXECUTION	गोटा		२०८००.००	२१६३२.००
	CHANGEOVER SD CO FR1 200A OPEN EXECUTION	गोटा		२५२६०.००	२६२७०.४०
	CHANGEOVER SD CO FR1 250A OPEN EXECUTION	गोटा		३७९६५.००	३८६५९.६०
	CHANGEOVER SD CO FR1 315A OPEN EXECUTION	गोटा		३९१४०.००	४०७०५.६०
	CHANGEOVER SD CO FR1 400A OPEN EXECUTION	गोटा		५७६९०.००	५९९९७.६०
	CHANGEOVER SD CO FR1 630A OPEN EXECUTION	गोटा		६८०००.००	७०७२०.००
	CHANGEOVER SD CO FR1 800A OPEN EXECUTION	गोटा		९८५००.००	१०२४४०.००
	CHANGEOVER SD CO FR1 1000A OPEN EXECUTION	गोटा		१७६५००.००	१८३५६०.००
	CHANGEOVER SD WITH CENTER OPERATION 1250A	गोटा		२३४५००.००	२४३८८०.००
	CHANGEOVER SD WITH CENTER OPERATION 1600A	गोटा		२७७५००.००	२८६६००.००
	CHANGEOVER SD WITH CENTER OPERATION 2000A	गोटा		३७७९००.००	३९३०१६.००
	<b>Sheet Steel Enclosure</b>				
	CHANGEOVER SD FRI 63A IN SS ENCL ENT HANDLE	गोटा		१३९३५.००	१४४९२.४०
	CHANGEOVER SD FRI 100A IN SS ENCL ENT HANDLE	गोटा		१७७७५.००	१८४८६.००
	CHANGEOVER SD CO FR2 125A IN SS ENCL	गोटा		२५९००.००	२६९३६.००
	CHANGEOVER SD CO FR2 160A IN SS ENCL	गोटा		२८९१०.००	३००६६.४०
	CHANGEOVER SD CO FR2 200A IN SS ENCL	गोटा		३३४३०.००	३४७६७.२०



२०२

प्रमुख जिल्ला अधिकारी

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	CHANGEOVER SD CO FR2 250A IN SS ENCL	गोटा		४७२५५.००	४९१४५.२०
	CHANGEOVER SD CO FR2 315A IN SS ENCL	गोटा		४९५३०.००	५१५११.२०
	CHANGEOVER SD CO FR2 400A IN SS ENCL	गोटा		७२१८०.००	७५०६७.२०
	CHANGEOVER SD CO FR2 630A IN SS ENCL	गोटा		८६०००.००	८९४४०.००
	CHANGEOVER SD FR2 800A IN SS ENCL	गोटा		१२९९९०.००	१३५१८९.६०
	CHANGEOVER SD FR2 1000A IN SS ENCL	गोटा		२२८५००.००	२३७६४०.००
	<b>DOOM LIGHT</b>				
	12W DOOM LIGHT WITH SENSOR 6500K	गोटा		२८५०.००	२९६४.००
	12W DOOM LIGHT WITH SENSOR 2700K	गोटा		२८५०.००	२९६४.००
	20W DOOM LIGHT LIPER RD 2700K	गोटा		१७५०.००	१८२०.००
	20W DOOM LIGHT LIPER RD 6500K	गोटा		१७५०.००	१८२०.००
	30W DOOM LIGHT LIPER RD 2700K	गोटा		२२००.००	२२८८.००
	30W DOOM LIGHT LIPER RD 6500K	गोटा		२२००.००	२२८८.००
	20W BALLKIT 6500K	गोटा		१८५०.००	१९२४.००
२२	<b>Dome light Make Homedec, Decon, Fumagalli OR equivalent</b>				
	6" Milky type decorative dome light	सेट	१८०.००	१८०.००	१८७.२०
	6 " Brass base decorative dome light	सेट	७३६.००	७३६.००	७६५.४४
	8"Milky type decorative dome light	सेट	२२७.००	२२७.००	२३६.०८
	8 " Brass base decorative dome light	सेट	८७६.००	८७६.००	९११.०४
	8" Silver cast Milky base Decorative Dome Light	सेट	११०७.००	११०७.००	११५१.२८
	6) 8" Silver cast Black Base base Decorative Dome Light	सेट	५६७.००	५६७.००	५८९.६८
	Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL (Surface Mounting Dome light)	सेट	१२१३.००	१२१३.००	१२६९.५२
२३	<b>Wall bracket/spout light/mirror light bulk head ordinary .Make Homedec,Decon,Fumagalli or equivalent</b>	सेट	२३२.००	२३२.००	२४१.२८
	Wall bracket/spot light/mirror light /bulk head medium decorative.	सेट	३६१.००	३६१.००	३७५.४४
	Wall bracket/spout light/mirror light / bulk head best quality with 11/13W CFL	सेट	८२४.००	८२४.००	८५६.९६
	1 x 11/13 watt CFL <b>DOWN LIGHT</b> with reflector & diffuser (conceal light) Complete Set	सेट	९६८.००	९६८.००	१००६.७२
	1 x 18 watt CFL <b>Down light</b> with reflector & diffuser (conceal light) Complete Set	सेट	१५१४.००	१५१४.००	१५७४.५६
	Dining lamp.	सेट	१७००.००	१७००.००	१७६८.००
	<b>Chandlers</b> 6-8 lamp Medium	सेट	१५०९०.००	१५०९०.००	१५६९३.६०
	Chandlers 3-5 lamp Medium	सेट	१०७६४.००	१०७६४.००	१११९४.५६
	Mirror Light Euro Light	सेट	४६४.००	४६४.००	४८२.५६
	Picture light Euro Light POO2	सेट	६७०.००	६७०.००	६९६.८०
	Wall spot Light E27 60W Euro or eqv.	सेट	३६१.००	३६१.००	३७५.४४
	Exit Light safety sign(8.24)W	सेट	८२४.००	८२४.००	८५६.९६
२४	<b>Post top Lanterns</b>				
	Bollard Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block	सेट	२५७५.००	२५७५.००	२६७८.००
	Bollard Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	सेट	३०९०.००	३०९०.००	३२१३.६०
	Bollard Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	सेट	३४७६.००	३४७६.००	३६१५.०४
	8" Globe type Post top Lamp complete set	सेट	१४१६.००	१४१६.००	१४७२.६४
	10" Globe type Post top Lamp complete set	सेट	२७०४.००	२७०४.००	२८१२.९६
२५	<b>Roadway light luminaires Wipro,Philips , Legerd or Equivalent</b>				
	30W STREET LIGHT SENSOR	सेट		५५००.००	५७२०.००
	50W STREET LIGHT SENSOR	सेट		६५००.००	६७६०.००
	1 x 36 W FTL <b>street light</b> fixture with acrylic diffuser complete set	सेट	२६३७.००	२६३७.००	२७४२.४८



नेपाल सरकार  
मह. मन्त्रालय  
प्रशासन ब.म.  
ललितपुर

प्रमुख जिल्ला अधिकारी

## विद्युतिय सामाग्रीहरु


सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	2 x 36 W FTL street light fixture with acrylic diffuser complet set	सेट	३८६८.००	३८६८.००	४०२२.७२
	300/500 watt halogen weather proof <b>FLOOD LIGHT</b> with glass cover Complete set	सेट	१५४५.००	१५४५.००	१६०६.८०
	1000 watt halogen weather proof flood light with glass cover Complete set	सेट	३०९०.००	३०९०.००	३२९३.६०
	150 watt HPSV weather proof flood light with glass cover lamp Complete Set	सेट	९२७०.००	९२७०.००	९६४०.८०
	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	सेट	१०८१.५०	१०८१.५०	११२४.७६
	Single Piece deep drawn aluminum POT optics <b>road light luminaries</b> with clear acrylic cover 70W HPSV lamp etc. complete with all accessories,	सेट	५२५३.००	५२५३.००	५४६३.१२
	2X18W CFL-4 Pin street light fixture with acrylic diffuser	सेट	२२७१.००	२२७१.००	२३६१.८४
	1X125W HPSV <b>street light</b> fixture with acrylic diffuser	सेट	५११९.००	५११९.००	५३२३.७६
	2X60/100W GLS <b>aviation light</b> fixture all complete set	सेट	५६८६.००	५६८६.००	५९१३.४४
२६	<b>CEILING FANS &amp; EXHAUST Fans,</b> BAJAJ/KHAITAN/ORIENT/CROMPTON/POWERPACK C/G Almonard or equivalent				
	36" size ceiling Fan	गोटा	२१६३.००	२१६३.००	२२४९.५२
	42" size " "	गोटा	२२६६.००	२२६६.००	२३५६.६४
	48" size " "	गोटा	२३१८.००	२३१८.००	२४१०.७२
	56" size " "	गोटा	२५७५.००	२५७५.००	२६७८.००
	6" Exhaust Fan	गोटा	१४९४.००	१४९४.००	१५५३.७६
	8" EXHAUST FAN PLASTIC WHITE	गोटा		१९००.००	१९७६.००
	9" Exhaust Fan	गोटा	१८०३	१८०३	१८७५.१२
	10" EXHAUST FAN PLASTIC WHITE	गोटा		२०६०.००	२१४२.४०
	16" size wall fan	गोटा	२८३३	२८३३	२९४६.३२
	12" size exhaust fan	गोटा	२५७५	२५७५	२६७८.००
	16" TABLE FAN	गोटा		२६३०.००	२७३५.२०
	18" TABLE FAN GOLD	गोटा		२८८५.००	३०००.४०
	16" WALL FAN	गोटा		२२३५.००	२३२४.४०
	18" STAND FAN GOLD	गोटा		३३००.००	३४३२.००
	16" STAND FAN	गोटा		२६६०.००	२७६६.४०
	16" STAND FAN 3 BLADES	गोटा		२२७५.००	२३६६.००
	18" WALL FAN REMOTE	गोटा		३१६०.००	३२८६.४०
	<b>Decorative Fans</b>				
	48"Ceiling Fan -Zypher	गोटा		५२००.००	५२००
	48" Ceiling Fan - Clover	गोटा		४२५०.००	४२५०
	48"Ceiling Fan -Max Air Deco	गोटा		३४२५.००	३४२५
	48"Ceiling Fan -Max Air Deco	गोटा		३४२५.००	३४२५
	48" Ceiling Fan - Max Air Deco -Metallic	गोटा		३७५०.००	३७५०
	48" Ceiling Fan - Eirwen	गोटा		३९००.००	३९००
	48" Underlight Ceiling Fan -Arty	गोटा		७३५०.००	७३५०
	48" Decorative Fan - Airfurl	गोटा		५३७५.००	५३७५
	48" Decorative Fan - Cool Whizz	गोटा		४७५०.००	४७५०
	48" Decorative Fan - Wind Stellar	गोटा		४९००.००	४९००
	48" Decorative Fan - Apus	गोटा		४२२५.००	४२२५
	48" Decorative Fan - Ruppel	गोटा		५१००.००	५१००
	48" Decorative Fan - Voyage	गोटा		४०००.००	४०००
	48" Decorative Fan - Skyward	गोटा		५४२५.००	५४२५
	48" Decorative Fan -Aviah	गोटा		४२७५.००	४२७५

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*





## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	48" Decorative Fan -Wind Acer	गोटा		५४००.००	५४००
	48" Decorative Fan -Aeon	गोटा		५१५०.००	५१५०
	48" Decorative Fan -Aeon Prime	गोटा		५१५०.००	५१५०
	48" Decorative Fan -Dasher	गोटा		५०७५.००	५०७५
	48" Decorative Fan -Fiesta	गोटा		४९००.००	४९००
	48" BLDC Fan - Vyana	गोटा		७४५०.००	७४५०
	56" Ceiling Fan - Max Air Deco	गोटा		३९७५.००	३९७५
	<b>Economy Plain Fans</b>				
	56" Ceiling Fan - Max Air	गोटा		३७००.००	३७००
	48" Power Saver Ceiling Fan -Eco -50 W	गोटा		३८००.००	३८००
	48" Power Saver Ceiling Fan -Fisaga- 50W	गोटा		४४००.००	४४००
	48" Ceiling Fan- Max Air	गोटा		२६००.००	२६००
	48" Ceiling Fan- Max Air-Antidust	गोटा		२७५०.००	२७५०
	48" Ceiling Fan- Max Air	गोटा		२६००.००	२६००
	48" Ceiling Fan- Max Air	गोटा		२६००.००	२६००
	48" Ceiling Fan - Halito	गोटा		२६००.००	२६००
	36" Ceiling Fan - Max Air	गोटा		२९००.००	२९००
	24" Ceiling Fan - Max Air (High Speed)	गोटा		२८००.००	२८००
	24" Ceiling Fan-Wintry (High Speed)	गोटा		२८००.००	२८००
	24" Ceiling Fan-Wintry (High Speed)	गोटा		२८००.००	२८००
	<b>Table / Pedestal / Wall Fans</b>				
	16" Farata Fan - Whirlmax	गोटा		५८००.००	५८००
	18" Farata Fan - Whirlmax Plus	गोटा		६९००.००	६९००
	20"Farata Fan -Whirl Max Pro	गोटा		७४८०.००	७४८०
	16" High Speed Pedestal Fan -Impello Supreme	गोटा		५५००.००	५५००
	16" Pedestal Fan -Impello	गोटा		५१५०.००	५१५०
	16" High Speed Table Fan- Brisa Max	गोटा		४५००.००	४५००
	16" Table Fan-Brisa	गोटा		४०००.००	४०००
	16" High Speed Wall Fan-Kaizen Plus	गोटा		४५००.००	४५००
	16" Wall Fan -Kaizen	गोटा		४२००.००	४२००
	16" Pedestal Fan -Ordain	गोटा		५४००.००	५४००
	16" High Speed Pedestal Fan -Ordain Supreme	गोटा		५८००.००	५८००
	16" Table Fan-Twirl Pro	गोटा		३९००.००	३९००
	16" High Speed Table Fan- Swift Pro	गोटा		४५००.००	४५००
	16" Wall Fan -Aerodome	गोटा		४२००.००	४२००
	16" High Speed Wall Fan-Aerodome +	गोटा		४७००.००	४७००
	<b>Ventilation / Exhaust Fans</b>				
	6" Ventilation Exhaust Fan-Aerospin	गोटा		२०००.००	२०००
	8" Ventilation Exhaust Fan-Aerobrisk	गोटा		२०९०.००	२०९०
	10" Ventilation Exhaust Fan-Aerocrisp	गोटा		२४७५.००	२४७५
	4" Moduler Ventilation Exhaust - Aerospin	गोटा		२२००.००	२२००
	6" Moduler Ventilation Exhaust - Aerospin	गोटा		२४७५.००	२४७५
	4" Moduler Ventilation Exhaust - Aerofresh	गोटा		२५२५.००	२५२५
	6" Moduler Ventilation Exhaust - Aerofresh	गोटा		२९५०.००	२९५०
	9"Open Metal Exhaust - Aeroplus	गोटा		२९७५.००	२९७५
	12"Open Metal Exhaust - Aeromax	गोटा		३४७५.००	३४७५

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	<b>Exclusive &amp; Underlight Fans</b>				
	ESC-304	गोटा		२७०००.००	२७०००
	ESC-305	गोटा		२००००.००	२००००
	ESC-314YY - Umber	गोटा		३०५००.००	३०५००
	ESC-C193 - Breeze	गोटा		२८४००.००	२८४००
	ESC-322-Y - Sparkle	गोटा		२७२००.००	२७२००
	ESC-339	गोटा		४६४००.००	४६४००
	ESC-001-D -Allure	गोटा		२९६००.००	२९६००
	ESC-001-E -Aerial	गोटा		२२७००.००	२२७००
	ESC-400	गोटा		२५८००.००	२५८००
	ESC-402YY - Tiara	गोटा		२२६००.००	२२६००
२७	<b>BELL INDICATOR</b>				
	4 way bell indicator with plate	सेट	१२५५	१२५५	१२५५
	6 way " " " "	सेट	२०४९	२०४९	२०४९
	8 way " " " "	सेट	२८५९	२८५९	२८५९
	12 way " " " "	सेट	४३९५	४३९५	४३९५
	6A PUSH BUTTON SP 1 MODULE	सेट		२२९.००	२२९
	6A PUSH BUTTON SP WITH INDICATOR 1 MODULE	सेट		३९४.००	३९४
	6A BELL PUSH 1 MODULE	सेट		२८५.००	२८५
	6A BELL PUSH WITH INDICATOR 1 MODULE	सेट		३४२.००	३४२
	6A BELL PUSH 2 MODULE	सेट		३८४.००	३८४
	6A BELL PUSH WITH INDICATOR 2 MODULE	सेट		५७०.००	५७०
	BELL CALL INDICATOR 240V 1 MODULE	सेट		१५३०.००	१५३०
२८	<b>Materials For Earthing &amp; Lightening Protection (sp.gr. copper =8930kg/m<sup>3</sup>)</b>				
	Copper plate	के.जी	९९७.००	९९७.००	९९७
	Copper Strip (25 x 3)mm (Approx 60"=1kg)	के.जी	१०८२.००	१०८२.००	१०८२
	Copper Strip (20mm breadth x 3mm thick)	के.जी	१०८२.००	१०८२.००	१०८२
	Copper Strip (12 x 3)mm	के.जी	१०८२.००	१०८२.००	१०८२
	Lightening rod copper conductor Air termination set	गोटा	२७३०.००	२७३०.००	२७३०
	8 SWG bare copper wire	र. मी	१४४.००	१४४.००	१४४
	29 mm Diameter GI Pipe of 1m length	र. मी	२५२.००	२५२.००	२५२
	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	६९८.००	६९८.००	६९८
	5/16 nuts & bolt with spring washer cadmium maker	गोटा	१५.००	१५.००	१५
	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	१९६.००	१९६.००	१९६
	Funnel with wire mesh	गोटा	३६९.००	३६९.००	३६९
	Charcoal	ब्याग	३०९.००	३०९.००	३०९
	Salt	के.जी	१२.००	१२.००	१२
	<b>Range of PVD150 Electrode(s)</b>				
	ASEEL - 19 PVD150 (48mm dia) - 2 meters				25948.00
	ASEEL - 19 PVD150 (48mm dia) - 3 meters				38302.00
	ASEEL - 39 PVD150 (76mm dia) - 2 meters				37106.00
	ASEEL - 39 PVD150 (76mm dia) - 3 meters				53844.00
	<b>Range of Zinc Coated Electrode(s)</b>				
	ASEEL - 19 Z (48mm dia) - 2 meters				24354.00



## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	ASEEL - 19 Z (48mm dia) - 3 meters				35911.00
	ASEEL - 39 Z (76mm dia) - 2 meters				35114.00
	ASEEL - 39 Z (76mm dia) - 3 meters				49859.00
	<b>Range of Alloy Coated Electrode(s)</b>				
	ASEEL - 19 A (48mm dia) - 2 meters				29136.00
	ASEEL - 19 A (48mm dia) - 3 meters				43482.00
	ASEEL - 39 A (76mm dia) - 2 meters				41091.00
	ASEEL - 39 A (76mm dia) - 3 meters				59822.00
	<b>Smart Poles With Luminaries:</b>				
	10 Meter Smart Poles with decorative lights and smart sensors with 40 inch outdoor display unit	गोटा		३९४४०००.००	३९४४०००.००
	10 Meter Smart Poles with decorative lights and smart sensors with 40 inch outdoor display unit	गोटा		३४०००००.००	३४०००००.००
	7 Meter Smart Poles with Decorative Lights and Smart Sensors	गोटा		२८५६०००.००	२८५६०००.००
	Gobo Projector	गोटा		१९९६४८०.००	१९९६४८०.००
	<b>Decorative Poles With Luminaries:</b>				०.००
	16 Arm Smart Decorative Butterfly Poles	गोटा		२४३४४००.००	२४३४४००.००
	12 Arm Smart Decorative Butterfly Poles	गोटा		२०५३६००.००	२०५३६००.००
	<b>Smart Automation and Control System:</b>				
	Smart PIR Sensor Ceiling Mount Type	गोटा		२०४००.००	२०४००.००
	Smart PIR Sensor Surface Mount Type	गोटा		२१४८८.००	२१४८८.००
	Smart PIR Sensors Recessed Mount Type	गोटा		४२९६.००	४२९६.००
	6 Button Keypad	गोटा		६९२००.००	६९२००.००
	4 Button Keypad	गोटा		५०३२०.००	५०३२०.००
	3 Channel Relay Dali Controller	गोटा		१७५९८.००	१७५९८.००
	4 Channel Relay Controller	गोटा		८१०५६.००	८१०५६.००
	15 V DC 1.5 Amps regulated power supply	गोटा		५९८४०.००	५९८४०.००
	TCP/IP Protocol network gateway	गोटा		१२९२००.००	१२९२००.००
	PDS Networked Touch Screen intelligent control	गोटा		५३६६५६.००	५३६६५६.००
	server for Software with specification Windows 10 Pro / Education / Enterprise 64 Bit, Windows Server 2008 R2 64 Bit, Windows Server 2012 R2 64 Bit Windows Server 2016, Windows Server 2019 Intel i5, i7, Xeon ≥2.7 GHz, 4-8 cores, Xeon ≥2.5 GHz 8-16+ cores, RAM ≥ 4 GB, HDD ≥ 5 GB available, Video Intel i5 or later integrated graphics, or > 500 MB PCIe video card with latest drivers	गोटा		१७५४४००.००	१७५४४००.००
३०	<b>Fluorescent Tube light (FTL) set including Tube, condenser, starter, lamp holder, channel/batten made with pre-phosphated &amp; powder coated CRCA steel all complete accessories pre wired upto a terminal block. PHILIPS, WIPRO, BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA, ORIENT, PREMIER, OHMS, LEGERD or equivalent</b>				
	1×20 watt FTL (Patti fittings)	सेट	४६४	४६४	४६४.००
	1×40 watt FTL, Energy saving electronic striplite with electronic choke(ballast) Surface mounting (Patti Fitting)	सेट	७७५	७७५	७७५.००
	1×20 watt FTL (Mirrolta) WRF 20120	सेट	८७६	८७६	८७६.००
	1×40 watt FTL with attractive & functional decorative battens WRF20140	सेट	१०२०	१०२०	१०२०.००
	1×40 watt FTL box fittings	सेट	११५९	११५९	११५९.००
	2×40 watt FTL box fittings	सेट	१७५१	१७५१	१७५१.००
	1×40 watt FTL Industrial channel	सेट	१७८२	१७८२	१७८२.००
	2×40 watt FTL Industrial channel	सेट	२२८७	२२८७	२२८७.००
	1×40 watt FTL, opalite with opal Arcylic dissuser	सेट	१८५४	१८५४	१८५४.००
	2×40 watt FTL, oplite with opal Arcylic dissuser	सेट	३०९०	३०९०	३०९०.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	4×20 watt FTL, oplite	सेट	५४१०	५४१०	५४१०.००
	4×20 watt FTL <b>mirror optic</b> , surface/recessed mounting	सेट	५४१०	५४१०	५४१०.००
	1×40 watt FTL mirror optic with electronic choke. Surface / recessed mounting	सेट	३५५४	३५५४	३५५४.००
	2×40 watt FTL <b>mirror optic</b> , surface/recessed mounting with electronic choke	सेट	४३२६	४३२६	४३२६.००
	4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 luvor Complete set	सेट	९३८३	९३८३	९३८३.००
	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling	सेट	८२४५	८२४५	८२४५.००
	<b>LED WEATHER PROOF INDUSTRIAL BATTEN</b>				
	18W/36W @100lm/watt IP65 AC90-300v,50/60Hz Thermo-plastic+Polycarbonate cover 3000k-6500k LED weatherproof batten	गोटा		५०००.००	५०००.००
	<b>LED UFO HIGH-BAY LIGHT</b>				
	100W/150W @150lm/watt IP66 with 60°/90°/120° beam angle,Pressure Die-cast Aluminium/Bracket/Pendant Mount,suspended s-hook PMMA spiral lens Highbay light	गोटा		३२०००.००	३२०००.००
	200W/240W @150lm/watt IP66 with 60°/90°/120° beam angle,Pressure Die-cast Aluminium/Bracket/Pendant Mount,suspended s-hook PMMA spiral lens Highbay light	गोटा		४५०००.००	४५०००.००
	<b>HIGHBAY LIGHT</b>				
	<b>GreenPerform Prime:</b> GreenPerform Prime is a new age highbay range that offers an industry leading efficacy of 150lm/W specially designed to deliver unmatched performance in adverse industrial environments with its robust housing design and cater to diverse applications with multiple options of beam angles.CCT Options of 5700K and 4000K at the same MRP. Beam Angles Available: NB 60° - 10000 lm, 15000 lm,20000 lm & 25000 lm   WB 110° - 10000 lm & 15000 lm   ENB 30° - 25000 lm				
	100W	गोटा		२०८००.००	२०८००.००
	150w	गोटा		२४०००.००	२४०००.००
	200w	गोटा		२७२००.००	२७२००.००
	250w	गोटा		३५२००.००	३५२००.००
	<b>DuraLED Highbay:</b> IP66 & IK08 protected LED Highbay solution with PDC housing, toughened & shattered proof glass available in both Narrow & Wide beam optics.				
	100W	गोटा		१९२००.००	१९२००.००
	130W	गोटा		२३२००.००	२३२००.००
	160w	गोटा		२७२००.००	२७२००.००
	195w	गोटा		३५२००.००	३५२००.००
	<b>COB</b>				
	3W, >240lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60° swivel	गोटा		१३००.००	१३००.००
	6W, >420lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60° swivel	गोटा		१६००.००	१६००.००
	9W, >720lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60° swivel	गोटा		२१६०.००	२१६०.००
	12W, >960lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60° swivel	गोटा		२६७०.००	२६७०.००
	16W, >1280lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60° swivel	गोटा		३०७०.००	३०७०.००
	24W, >1920lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60° swivel	गोटा		४०७०.००	४०७०.००
	30W, >2400lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60° swivel	गोटा		४७००.००	४७००.००



Handwritten signatures and stamps at the bottom of the page, including the name 'प्रमुख जिल्ला अधिकारी' (Chief District Officer) and the location 'नलितपुर' (Nalapar).


## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	<b>Astraspot COB,Long Life LED light source up to 25000 hours,Low glare, reduced flicker and no blue light hazard,Wide voltage protection 160-360V, Surge protection 2.5kV,Even and uniform light. No dark spots,Slim construction for easy installation,Round/Square with CCT 3000k/4000k/6500k</b>				
	2W LED RGB/WW/CDL/NW	गोटा		७२५.००	७५४.००
	3W	गोटा		१६७०.००	१७३६.००
	7W	गोटा		२२८५.००	२३७६.००
	12W	गोटा		२९६०.००	३०७८.००
	18W	गोटा		५३६५.००	५५७९.००
	20W	गोटा		६३४५.००	६५९८.००
३१	<b>Compact Fluorescent Lamp (CFL) based Luminaries set all complete . PHILIPS, WIPRO BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA ,LEGERD or ISI equivalent) .</b>				
	2 x 18 W CFL recessed/surface mounting mirror Optic Complete Set	सेट	२६७८	२६७८	२७८५.००
	1 x11 W CFL mirror Optic surface/recessed mounting complete set	सेट	१८३३	१८३३	१९०६.००
	2 x11 W CFL mirror Optic Surface mounting complete set	सेट	२२६६	२२६६	२३५६.००
	2 x 36 watt CFL 4pin with electronic ballast direct / indirect , surface / recessed with luvre Complete set	सेट	६०६७	६०६७	६३०९.००
	3x36 W CFL -4 pin low glare fixture with P 5 louvres & electronic ballast complete set	सेट	६८२४	६८२४	७०९६.००
	Recess mounting Direct Indirect LED luninare	सेट	१०८१५	१०८१५	११२४७.००
	Recess mounting Direct Indirect LED luninare	सेट	१४०६०	१४०६०	१४६२२.००
	Recess Surface mounted LED luminate	सेट	१३३३९	१३३३९	१३८७२.००
	Hight efficiency circular LED Down Lighter	सेट	३२४५	३२४५	३३७४.००
	Designer LED Streetlight with pressure die cast housing suitable for secondary roads	सेट	१४६००	१४६००	१५१८४.००
	IP20 and IP 65 non intregal flexible LED Strip Light	सेट	१०८२	१०८२	११२५.००
	Circular LED wall/Dome Light suitable for true ceiling	सेट	३२४५	३२४५	३३७४.००
	Square LED Wall/Dome light suitable for true ceiling	सेट	३२४५	३२४५	३३७४.००
	Recess mounted indirect and direct luminaires	सेट	६१२९	६१२९	६३७४.००
	2x36 Watt CFL Surface Mirror Optic	सेट	६१२९	६१२९	६३७४.००
३२.०	<b>Down Light Fiam Make</b>				०.००
	FDL004 SMD7W-WWH Taiwan chip (120*90)	सेट	१२९८	१२९८	१३४९.००
	FDL004 SMD7W-CW Taiwan chip	सेट	१२९८	१२९८	१३४९.००
	FDL004 SMD9W-WWH Taiwan chip (145*90)	सेट	१८५७	१८५७	१९३१.००
	FDL004 SMD9W-CW Taiwan chip	सेट	१८५७	१८५७	१९३१.००
	FDL004 SMD15W-WWH Taiwan chip (175*90)	सेट	२८२८	२८२८	२९४९.००
	FDL004 SMD15W-CW Taiwan chip	सेट	२८२८	२८२८	२९४९.००
	FDL004 SMD30W-WWH Taiwan chip (200MM)	सेट	४०९१	४०९१	४२९४.००
	FDL004 SMD30W-CW Taiwan chip	सेट	४०९१	४०९१	४२९४.००
	FDLO12 COB5W-WWH (90MM)	सेट	१३०१	१३०१	१३५३.००
	FDLO12 COB5W-CW	सेट	१३०१	१३०१	१३५३.००
	FDLO12 COB10W-WWH (120MM)	सेट	१९७९	१९७९	२०५८.००
	FDLO12 COB10W-CW	सेट	१९७९	१९७९	२०५८.००
	FDLO12 COB15W-WWH Taiwan chip (140MM)	सेट	४०९१	४०९१	४२९४.००
	FDLO12 COB15W-CW Taiwan chip	सेट	४०९१	४०९१	४२९४.००
	FDLO12 COB25W-WWH Taiwan chip (175MM)	सेट	६७८७	६७८७	७०५८.००



## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	FDLO12 COB25W-CW Taiwan chip	सेट	६७८७	६७८७	७०५८.००
	FDLO12 COB30W-WWH Taiwan chip (200MM)	सेट	८४८३	८४८३	८८२२.००
	FDLO12 COB30W-CW Taiwan chip	सेट	८४८३	८४८३	८८२२.००
	FDLOO7 SMD12W-WWH Taiwan chip (130*110)	सेट	४१८४	४१८४	४३५१.००
	FDLOO7 SMD12W-CW Taiwan chip	सेट	४१८४	४१८४	४३५१.००
	FDLOO7 SMD18W-WWH Taiwan chip (165*145)	सेट	६१०८	६१०८	६३५२.००
	FDLOO7 SMD18W-CW Taiwan chip	सेट	६१०८	६१०८	६३५२.००
	FDLOO7 SMD24W-WWH Taiwan chip (195*175)	सेट	७६३५	७६३५	७९४०.००
	FDLOO7 SMD24W-CW Taiwan chip	सेट	७६३५	७६३५	७९४०.००
	FDLOO1 HP5W FBK-WWH Taiwan chip (95*110)	सेट	३१६७	३१६७	३२९३.००
	FDLOO1 HP5W FBK-CW Taiwan chip	सेट	३१६७	३१६७	३२९३.००
	FDLOO1 HP5W FWH-WWH Taiwan chip (80*120)	सेट	३१६७	३१६७	३२९३.००
	FDLOO1 HP5W FWH-CW Taiwan chip	सेट	३१६७	३१६७	३२९३.००
	FDLLOO5 SMD7W-WWH Taiwan chip (123MM)	सेट	१३०१	१३०१	१३५३.००
	FDLLOO5 SMD7W-CW Taiwan chip	सेट	१३०१	१३०१	१३५३.००
	FDLOO5 SMD12W-WWH Taiwan chip (165MM)	सेट	१६९६	१६९६	१७६३.००
	FDLOO5 SMD12W-CW Taiwan chip	सेट	१६९६	१६९६	१७६३.००
	FDLOO5 SMD20W-WWH Taiwan chip (200MM)	सेट	३१११	३१११	३२३५.००
	FDLOO5 SMD20W-CW Taiwan chip	सेट	३१११	३१११	३२३५.००
	FM3161 HP 18W-WWH Cree Led	सेट	६७८७	६७८७	७०५८.००
	FM3161 HP 18W-CW Cree Led	सेट	६७८७	६७८७	७०५८.००
	HD-5010-13-WWH Osram chip (86*75)	सेट	२०९४	२०९४	२१७७.००
	HD-5010-13-CW Osram chip	सेट	२०९४	२०९४	२१७७.००
	HD-5010-14-WWH Osram chip (115*105)	सेट	३१६७	३१६७	३२९३.००
	HD-5010-14-CW Osram chip	सेट	३१६७	३१६७	३२९३.००
	HD-5010-14-WWH Osram chip (140*125)	सेट	३९५९	३९५९	४११७.००
	HD-5010-14-CW Osram chip	सेट	३९५९	३९५९	४११७.००
	HD-5010-18-WWH Osram chip (215*200)	सेट	७८६०	७८६०	८१७४.००
	HD-5010-18-CW Osram chip	सेट	७८६०	७८६०	८१७४.००
	LETI 100 ROUND BLACK OPAL GX53 LED LAMP 3W	सेट	२४५१	२४५१	२५४९.००
	LETI 100 SQUARE BLACK OPAL GX53 LED LAMP3W 3C1.000.000	सेट	२४५१	२४५१	२५४९.००
	LUCIA WHITE OPAL	सेट	१८०३	१८०३	१८७५.००
	LUCIA BLACK OPAL	सेट	१८०३	१८०३	१८७५.००
	LUCIA-GD WHITE OPAL	सेट	१८०३	१८०३	१८७५.००
	LUCIA-GD BLACK OPAL	सेट	१८०३	१८०३	१८७५.००
	REMI/LUCIA WHITE OPAL	सेट	२१६३	२१६३	२२४९.००
	REMI/LUCIA BLACK OPAL	सेट	२१६३	२१६३	२२४९.००
	REMI/LUCIA-EL WHITE OPAL	सेट	२१६३	२१६३	२२४९.००
	REMI/LUCIA-EL BLACK OPAL	सेट	२१६३	२१६३	२२४९.००
	REMI/LUCIA-GD WHITE OPAL	सेट	२१६३	२१६३	२२४९.००
	REMI/LUCIA-GD BLACK OPAL	सेट	२१६३	२१६३	२२४९.००
	MADDI BULKHEAD WHITE OPAL	सेट	१८०३	१८०३	१८७५.००
	MADDI BULKHEAD BLACK OPAL	सेट	१८०३	१८०३	१८७५.००
	MADDI-VE BULKHEAD WHITE OPAL	सेट	२५२४	२५२४	२६२४.००
	MADDI-VE BULKHEAD BLACK OPAL	सेट	१८०३	१८०३	१८७५.००
	MADDI-HL BULKHEAD WHITE OPAL	सेट	१८०३	१८०३	१८७५.००
	MADDI-HL BULKHEAD BLACK OPAL	सेट	१८०३	१८०३	१८७५.००



प्रमुख जिल्ला अधिकारी  
 ललितपुर

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	REMI/MADDI WHITE OPAL	सेट	२१६३	२१६३	२२४९.००
	REMI/MADDI BLACK OPAL	सेट	२१६३	२१६३	२२४९.००
	REMI/MADDI-VE WHITE OPAL	सेट	२१६३	२१६३	२२४९.००
	REMI/MADDI-VE BLACK OPAL	सेट	२१६३	२१६३	२२४९.००
	REMI/MADDI-HL WHITE OPAL	सेट	२१६३	२१६३	२२४९.००
	REMI/MADDI-HL BLACK OPAL	सेट	२१६३	२१६३	२२४९.००
	GABRI/MADDI 1L BLACK OPAL	सेट	७२१०	७२१०	७४९८.००
	MINIGABRI/MADDI 1L BLACK OPAL	सेट	६४८९	६४८९	६७४८.००
	MINIGABRI REMI/MADDI-VE 1L WHITE OPAL	सेट	६४८९	६४८९	६७४८.००
	GELMI WHITE OPAL E27	सेट	२८८४	२८८४	२९९९.००
	GELMI BLACK OPAL E27	सेट	२८८४	२८८४	२९९९.००
	GELMI-EL WHITE OPAL E27	सेट	२८८४	२८८४	२९९९.००
	GELMI-EL BLACK OPAL E27	सेट	२८८४	२८८४	२९९९.००
	DANZI WHITE OPAL E27	सेट	२८८४	२८८४	२९९९.००
	DANZI BLACK OPAL E27	सेट	२८८४	२८८४	२९९९.००
	STUCCHI WHITE OPAL E27	सेट	३२४५	३२४५	३३७४.००
	STUCCHI BLACK OPAL E27	सेट	३२४५	३२४५	३३७४.००
	CECCHI WHITE OPAL E27	सेट	३२४५	३२४५	३३७४.००
	CECCHI BLACK OPAL E27	सेट	३२४५	३२४५	३३७४.००
	BISSO ANNA BLACK WITH OPAL DIFFUSER	सेट	३६०५	३६०५	३७४९.००
	MIKROLOT ANNA BLACK W/OPAL DIFFUSER	सेट	३६०५	३६०५	३७४९.००
	IESSE LANTERN BLACK W/OPAL DIFFUSER	सेट	३२४५	३२४५	३३७४.००
	MIZAR/ANNA BLACK OPAL GX53 LED LAMP 3W	सेट	७२१०	७२१०	७४९८.००
	<b>Deep Recessed Downlight Luminaires:</b>				
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Non Dimmable: DN590B M LED6S-6500 PSU WH Wide / Medium Angle Beam	गोटा		१०८८०.००	११३१५.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Non Dimmable: DN590B M LED10S-6500 PSU WH Wide / Medium Angle Beam	गोटा		१०८८०.००	११३१५.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Non Dimmable: DN590B M LED15S-6500 PSU WH-Wide / Medium Angle Beam	गोटा		१०८८०.००	११३१५.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Non Dimmable: DN590B M LED20S-6500 PSU WH-Wide / Medium Angle Beam	गोटा		१०८८०.००	११३१५.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Dimmable: DN590B M LED6S-6500 PSD WH Wide / Medium Angle Beam	गोटा		२०४००.००	२१२१६.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Dimmable: DN590B M LED10S-6500 PSD WH Wide / Medium Angle Beam	गोटा		२०४००.००	२१२१६.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Dimmable: DN590B M LED15S-6500 PSD WH-Wide / Medium Angle Beam	गोटा		२०४००.००	२१२१६.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Dimmable: DN590B M LED20S-6500 PSD WH-Wide / Medium Angle Beam	गोटा		२०४००.००	२१२१६.००
	<b>Cylindrical Downlight Luminaires:</b>				
	Cylindrical Downlight Luminaires: SP320P LED6S-6500 PSU	गोटा		१११५२.००	११५९८.००
	Cylindrical Downlight Luminaires: SP320P LED10S-6500 PSU	गोटा		११६९६.००	१२१६३.००
	Cylindrical Downlight Luminaires: SP320P LED15S-6500 PSU	गोटा		१२५१२.००	१३०१२.००
	Cylindrical Downlight Luminaires: SP320P LED20S-6500 PSU	गोटा		१३०५६.००	१३५७८.००
	<b>Smart Light:</b>				

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Exterior Rated RGB Linear Lights - 4Ft	गोटा		२६६५६०.००	२७७२२२.००
	Exterior Rated RGB Linear Lights - 2Ft	गोटा		१७५४४०.००	१८२४५७.००
	DMX Controller	सेट		६८००००.००	७०७२००.००
	DMX Amplifier	सेट		२०४०००.००	२१२१६०.००
	Testing and commissioning of ultra-compact commissioning	सेट		१२२४०००.००	१२७२९६०.००
	<b>prime plus</b> recessed downlight with 100lm/watt, Long Life LED light source up to 25000 hours, Low glare, reduced flicker and no blue light hazard, Wide voltage protection 160-360V, Surge protection 2.5kV, Even and uniform light. No dark spots, Slim construction for easy installation, Round/Square with CCT 3000k/4000k/6500k				
	3W	गोटा		९२५.००	९६२.००
	5W	गोटा		१०३५.००	१०७६.००
	10W	गोटा		१४२०.००	१४७६.००
	15W	गोटा		१७२०.००	१७८८.००
	22W	गोटा		३८७०.००	४०२४.००
	<b>star surface</b> downlight, Long Life LED light source up to 25000 hours, Low glare, reduced flicker and no blue light hazard, Wide voltage protection 160-360V, Surge protection 2.5kV, Even and uniform light. No dark spots, Slim construction for easy installation, Round/Square with CCT 3000k/4000k/6500k				
	7W	गोटा		१८५५.००	१९२९.००
	12W	गोटा		२३९५.००	२४९०.००
	18W	गोटा		३३६०.००	३४९४.००
	22W	गोटा		५९१५.००	६१५१.००
	<b>Smart Light:</b>				
	Exterior Rated RGB Linear Lights - 4Ft	गोटा		२६६५६०.००	२७७२२२.००
	Exterior Rated RGB Linear Lights - 2Ft	गोटा		१७५४४०.००	१८२४५७.००
	DMX Controller	सेट		६८००००.००	७०७२००.००
	DMX Amplifier	सेट		२०४०००.००	२१२१६०.००
	Testing and commissioning of ultra-compact commissioning	सेट		१२२४०००.००	१२७२९६०.००
	<b>Outdoor Street Luminaries:</b>				
	Outdoor Street Luminaries 10-12 Watt	गोटा		६२५६.००	६५०६.००
	Outdoor Street Luminaries 23-25 Watt	गोटा		१२२४०.००	१२७२९.००
	Outdoor Street Luminaries 28-30 Watt	गोटा		१३६००.००	१४१४४.००
	Outdoor Street Luminaries 36 Watt	गोटा		१४४१६.००	१४९९२.००
	Outdoor Street Luminaries 40 Watt	गोटा		१४९६०.००	१५५५८.००
	Outdoor Street Luminaries 45 Watt	गोटा		१५३६८.००	१५९८२.००
	Outdoor Street Luminaries 48 Watt	गोटा		१५७७६.००	१६४०७.००
	Outdoor Street Luminaries 60 Watt	गोटा		१६३२०.००	१६९७२.००
	Outdoor Street Luminaries 70 Watt	गोटा		२१७६०.००	२२६३०.००
	Outdoor Street Luminaries 90 Watt	गोटा		२५५६८.००	२६५९०.००
	Outdoor Street Luminaries 105 Watt	गोटा		२७७४४.००	२८६३३.००
	Outdoor Street Luminaries 120 Watt	गोटा		३००८०.००	३११०३.००
	Outdoor Street Luminaries 140 Watt	गोटा		४३५२०.००	४५२६०.००
	Outdoor Street Luminaries 160 Watt	गोटा		४८९६०.००	५०९१८.००
	<b>Batten Lights -</b>				



## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Almunium Excruded 4 Feet Linear Batten	गोटा		२३१२.००	२४०४.००
	Almunium Excruded 4 Feet Linear Batten	गोटा		४०७७.२८	४२४०.००
	Almunium Excruded 2 Feet Linear Batten	गोटा		१५५०.४०	१६१२.००
	source up to 25000 hours,Low glare, reduced flicker and no blue light hazard,Wide voltage protection 160-360V, Surge protection 2.5kV,Even and uniform light. No dark spots,Slim construction for easy installation,Round/Square with CCT 3000k/4000k/6500k				
	1Feet size batten	गोटा		६४५.००	६७०.००
	2 feet size batten	गोटा		८९५.००	९३०.००
	4 feet size batten	गोटा		११७५.००	१२२२.००
	<b>Batten Lights - Industrial Application:</b>				
	Industrial Batten 4 Ft IP65 Dust and Waterproof LED luminaire	गोटा		२३१२.००	२४०४.००
	Industrial Batten 4 Ft IP65 Dust and Waterproof LED luminaire	गोटा		१०३३६.००	१०७४९.००
	Batten 4 fLED luminaire- 18 Watt	गोटा		५३०४.००	५५१६.००
	Batten 4 fLED luminaire-34 Watt	गोटा		८७०४.००	९०५२.००
	Batten 4 fLED luminaire-47Watt	गोटा		११९६८.००	१२४४६.००
	Batten 4 fLED luminaire- 18 Watt with PIR Sensors	गोटा		८०२४.००	८३४४.००
	Batten 4 fLED luminaire-34 Watt with PIR Sensors	गोटा		११४२४.००	११८८०.००
	Batten 4 fLED luminaire-47Watt with PIR Sensors	गोटा		१४६८८.००	१५२७५.००
	<b>INDUSTRIAL T-LED BOX TYPE PATTI</b>				
	1X4 box type patti T-Led 1x20w	गोटा		१७२०.००	१७८८.००
	1X4 box type patti T-Led 2x20w	गोटा		१८८०.००	१९५५.००
	Industrial Reflector	गोटा		२१५०.००	२२३६.००
	20W T-Led Stellar bright 4Ft	गोटा		८८०.००	९१५.००
	<b>Linear Suspended Luminaries:</b>				
	Suspended 4 Feet Linear Luminaires- Non Dimmable	गोटा		१६३२०.००	१६९७२.००
	Suspended -4 Feet Linear Luminaires- Non Dimmable	गोटा		१७६८०.००	१८३८७.००
	Recessed- 4 Feet Linear Luminaires- Non Dimmable	गोटा		१४९६०.००	१५५५८.००
	Recessed- 4 Feet Linear Luminaires- Non Dimmable	गोटा		१६३२०.००	१६९७२.००
	Surface- 4 Feet Linear Luminaires- Non Dimmable	गोटा		१४९६०.००	१५५५८.००
	Suspended- 4 Feet Linear Luminaires- Non Dimmable	गोटा		१८४७५.५२	१९२१०.००
	Suspended- 8 Feet Continous Linear Luminaires- Non Dimmable	गोटा		३७४८७.०४	३८९८६.००
	Suspended- 8 Feet Continous Linear Luminaires- Non Dimmable	गोटा		३७४८७.०४	३८९८६.००
	Suspended- 2 Feet Continous Linear Luminaires- Non Dimmable	गोटा		१२३७३.२८	१२८६८.००
	<b>2 * 2 Square Luminaries:</b>				
	Recessed 2x2 Non Dimmable Luminaires: RC380B LED36S-6500-PSU	गोटा		१३०५६.००	१३५७८.००
	Recessed 2x2 Non Dimmable Luminaires: RC380B LED25S-6500-PSU	गोटा		१०८८०.००	११३१५.००
	Recessed 2x2 Non Dimmable Luminaires: RC380B LED42S-6500-PSU	गोटा		१४१४४.००	१४७०९.००
	Recessed 2x2 Dimmable Luminaires: RC380B LED36S-6500-PSD	गोटा		२८५६०.००	२९७०२.००
	Recessed 2x2 Non Dimmable Luminaires: RC380B LED25S-6500-PSD	गोटा		२७२००.००	२८२८८.००
	Recessed 2x2 Non Dimmable Luminaires: RC380B LED42S-6500-PSD	गोटा		३२६४०.००	३३९४५.००



## विद्युतिय सामाग्रीहरु


सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Recessed 2x2 Non Dimmable Luminaires: RC360B LED36S-6500-PSU	गोटा		८७०४.००	९०५२.००
	Recessed 2x2 Non Dimmable Luminaires: RC360B LED30S-6500-PSU	गोटा		८१६०.००	८४८६.००
	<b>2 X 2 Luminaires - Indirect Lights:</b>				
	Indirect Lighting Recessed 2x2 Non Dimmable Luminaires: RC 420B M LED 30S 6500 PSU	गोटा		१६३२०.००	१६९७२.००
	Indirect Lighting Recessed 2x2 Non Dimmable Luminaires: RC 420B M LED 34S 6500 PSU	गोटा		१७६८०.००	१८३८७.००
	Indirect Lighting Recessed 2x2 Dimmable Luminaires: RC 420B M LED 30S 6500 PSD	गोटा		१९०४०.००	१९८०१.००
	Indirect Lighting Recessed 2x2 Non Dimmable Luminaires: RC 420B M LED 34S 6500 PSD			२०४००.००	२१२१६.००
	<b>2 X 2 Luminaries - Smart Decorative Lights (Suspended, Recessed):</b>				
	Decorative Suspended - Recessed- Surface Type 2x2, Non Dimmable Luminaires: SP740B LED30S-PSU	गोटा		३६७२०.००	३८१८८.००
	Decorative Suspended - Recessed- Surface Type 2x2, Non Dimmable Luminaires: SP740B LED25S-PSU	गोटा		३९४४०.००	४१०१७.००
	Decorative Suspended - Recessed- Surface Type 2x2, Non Dimmable Luminaires: SP740B LED36S-PSU	गोटा		४२१६०.००	४३८४६.००
	Decorative Suspended - Recessed- Surface Type 2x2 Dimmable Luminaires: SP740B LED25S-PSD	गोटा		५१६८०.००	५३७४७.००
	Decorative Suspended - Recessed- Surface Type 2x2 Dimmable Luminaires: SP740B LED30S-PSD			५४४००.००	५६५७६.००
	Decorative Suspended - Recessed- Surface Type 2x2 Dimmable Luminaires: SP740B LED36S-PSD			५७१२०.००	५९४०४.००
३३	<b>System Sensor Product (Honeywell)</b>				
	Photo Electric Smoke Detector	सेट	१८७५	१८७५.००	१९५०.००
	Rate of Rise Heat Detector	सेट	१८७५	१८७५.००	१९५०.००
	Fixed temperature Detector	सेट	२२८७	२२८७.००	२३७८.००
	Base	सेट	३७१	३७१.००	३८५.००
	Conv. MCP, Red, with LED, 470 Ohm, with BB, India	सेट	१४८३	१४८३.००	१५४२.००
	Wall mount Horn+Strobe	सेट	४१२०	४१२०.००	४२८४.००
	Ceiling mount Horn+Strobe	सेट	४१२०	४१२०.००	४२८४.००
३४	<b>Exit Light Samcon make</b>				
	MODEL SLM 18	सेट	१२३६०	१२३६०.००	१२८५४.००
	MODEL ELS 28	सेट	१२३६०	१२३६०.००	१२८५४.००
	MODEL ETL 210H-4LA	सेट	१२३६०	१२३६०.००	१२८५४.००
३५	<b>LUMINARIES Accessories-( PHILIPS, HIMSTAR, BAJAJ, HAVELLS, OSRAM, GE, CROMPTION, MIDEA, ORIENT, RATHI, PREMIER, WIPRO, OHMS or ISI/CE Equivalent.)</b>				
	500 watt halogen rod	गोटा	२३२	२३२.००	२४१.००
	1000 watt halogen rod	गोटा	२७८	२७८.००	२८९.००
	70Watt SON Lamp (Sodium Vapour)	गोटा	८३४	८३४.००	८६७.००
	150 watt sodium vapour bulb	गोटा	१२९८	१२९८.००	१३४९.००
	250 watt sodium vapour bulb	गोटा	१७००	१७००.००	१७६८.००
	20-40 watt FTL rod	गोटा	८०	८०.००	८३.००
	20-40 watt FTL Copper chowk.	गोटा	२५८	२५८.००	२६८.००
	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	गोटा	४१२	४१२.००	४२८.०६
	Acryle cover for 4x20 FTL	गोटा	९८९	९८९.००	१०२८.००
	FTL starter	गोटा	१९	१९.००	१९.००



## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	8 W to11W, C.F.L.Direct fit	गोटा	२३२	२३२.००	२४१.००
	13 to 22W , C.F.L.Direct fit	गोटा	२९९	२९९.००	३१०.००
	15-100 watt bulb.( ISI )	गोटा	२६	२६.००	२७.००
	PL-S 9W/86 (CFL)	गोटा	१६५	१६५.००	१७१.००
	PL-S 11W/86 (CFL)	गोटा	१७५	१७५.००	१८२.००
	PL-L 36W/86 (CFL)	गोटा	४१७	४१७.००	४३३.००
	125W HPL-N (Mercury Vapour)	गोटा	३७१	३७१.००	३८५.००
	250W HPL-N	गोटा	८७६	८७६.००	९११.००
	Solar LED bulb	गोटा			
	12V/2W LED bulb	गोटा	३६१	३६१.००	३७५.००
	12V/3W LED bulb	गोटा	४१२	४१२.००	४२८.००
	12V/4W LED bulb	गोटा	४६४	४६४.००	४८२.००
३६	<b>COPPER CONDUCTOR /WIRE /CABLE (PER COIL=(90 RM) NS marked</b>				
	1/18 size p.v.c. insulated copper wire/ cable	क्वायल	९४८	९४८.००	९८५.००
	3/22 " " "	क्वायल	११३३	११३३.००	११७८.००
	3/20 " " "	क्वायल	१८०३	१८०३.००	१८७५.००
	7/22 " " "	क्वायल	२५२४	२५२४.००	२६२४.००
	7/20 " " "	क्वायल	४१२०	४१२०.००	४२८४.००
	7/18 " " "	क्वायल	६४८९	६४८९.००	६७४८.००
	7/16 " " "	क्वायल	१३३९०	१३३९०.००	१३९२५.००
	19/18 " " "	क्वायल	१८०२५	१८०२५.००	१८७४६.००
	19/16 " " "	क्वायल	३६०५०	३६०५०.००	३७४९२.००
	2/20 " " "	क्वायल	१३७०	१३७०.००	१४२४.००
	2/22 " " "	क्वायल	९२७	९२७.००	९६४.००
३७	<b>Multistrand Flexible wire for house wiring (90meter per coil ) NS marked Eqv.</b>				
	1.0 mm PVC insulated Copper wire	क्वायल	१०३०	१०३०.००	१०७१.००
	1.5 mm PVC insulated Copper wire	क्वायल	१६४८	१६४८.००	१७१३.००
	2.5 mm PVC insulated Copper wire	क्वायल	२४२१	२४२१.००	२५१७.००
	4.0 mm PVC insulated Copper wire	क्वायल	३९१४	३९१४.००	४०७०.००
	6.0 mm PVC insulated Copper wire	क्वायल	६१८०	६१८०.००	६४२७.००
	10.0mm PVC insulated Copper wire	क्वायल	१०३००	१०३००.००	१०७१२.००
३८	<b>Concentric cable NS marked Eqv.</b>				
	4mm size concentric cable	र.मी	२३	२३.००	२३.००
	6mm size " "	र.मी	२६	२६.००	२७.००
	10mm size concentric cable	र.मी	३९	३९.००	४०.००
	16mm size " "	र.मी	६७	६७.००	६९.००
	25mm size " "	र.मी	८९	८९.००	९२.००
	RG6 Coaxial cable	र.मी	२३	२३.००	२३.००
	RG59 Coaxial cable	र.मी	२६	२६.००	२७.००
	UTP cat -5 networking cable	र.मी	२६	२६.००	२७.००
३९	<b>Telephone Drop wire/pair cable NS marked Eqv.</b>				
	<sup>2</sup> / <sub>20</sub> Telephone drop wire	क्वायल	९८९	९८९.००	१०२८.००
	<sup>2</sup> / <sub>22</sub> - -	क्वायल	६७०	६७०.००	६९०.००
	2- pair cable wire (2×2×0.45) mm Heavy	र.मी	१४	१४.००	१४.००
	3- pair cable wire (3×2×0.45) mm Heavy	र.मी	२०	२०.००	२०.००




  
 प्रमुख जिल्ला अधिकारी

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	5- pair cable wire (5×2×0.45) mm Heavy	र.मी	३२	३२.००	३३.००
	10- pair cable wire (10×2×0.45) mm Heavy	र.मी	६२	६२.००	६४.००
	15- pair cable wire (15×2×0.45) mm Heavy	र.मी	९१	९१.००	९४.००
	20- pair cable wire (20×2×0.45) mm Heavy	र.मी	११९	११९.००	१२३.००
	1mm drop wire	र.मी	१०	१०.००	१०.००
४०	1-4 Line EPABX,with 1set programmable master telephone set of corresponding brand Pansonic, Creative, Matrix Or Eqv.	सेट	७६४८	७६४८.००	७९५३.००
	2-6 Line EPABX	" सेट	१८४११	१८४११.००	१९१४७.००
	3-8 Line EPABX	" सेट	२०५३८	२०५३८.००	२१३५९.००
	4-12 Line EPABX	" सेट	३६८२३	३६८२३.००	३८२९५.००
	6-16 Line EPABX	" सेट	४९५६९	४९५६९.००	५१५५१.००
	8-24 Line EPABX	" सेट	८४९७५	८४९७५.००	८८३७४.००
	8-48 Line EPABX	" सेट	९०९२३	९०९२३.००	९४५५९.००
	8-72 Line EPABX	" सेट	९७२८८	९७२८८.००	१०११७९.००
४१	<b>Other Accessories</b>				
	6" size Dome light glass	गोटा	६५	६५.००	६७.००
	8" size " " "	गोटा	७६	७६.००	७९.००
	wall bracket glass	गोटा	६५	६५.००	६७.००
	Fan regulator	गोटा	२७	२७.००	२८.००
४२	<b>Panel board-double door type with locking arrangement with 2 coat of red oxide metal prime &amp; 3 stage quality paint before final coat of enamel paint (Three phase, Neutral link, earth link ) TPNE copper busbar including necessary accessories for internal wiring at the board excluding cost of of MCCB / MCB &amp; measuring instrument</b>				
	60/75/100 AMP, 9"×36"×48" size	सेट	२१४१४	२१४१४.००	२२२७०.००
	60/75/100 AMP "12×36"×48" size	सेट	२५४९३	२५४९३.००	२६५१२.००
	60/75/100 AMP 9"×48"×60" size	सेट	३५६९०	३५६९०.००	३७११७.००
	60/75/100 AMP 12"×49"×60" size	सेट	४२४८८	४२४८८.००	४४१८७.००
	150/200 AMP 9"×38"×52" size	सेट	२३७९३	२३७९३.००	२४७४४.००
	150/200 AMP 12"×38"×52" size	सेट	२३७९३	२३७९३.००	२४७४४.००
	150/200 AMP 9"×42"×56" size	सेट	२६४९६	२६४९६.००	२७५५५.००
	150/200 AMP 12"×42"×56" size	सेट	२८१७९	२८१७९.००	२९३०६.००
	250/300AMP 12"×48"×60"size	सेट	३४५०५	३४५०५.००	३५८८५.००
	250/300AMP 12"×52"×62" size	सेट	३८६२६	३८६२६.००	४०१७१.००
	400 AMP 12"×52"×66" size	सेट	४१११८	४१११८.००	४२७६२.००
४३	<b>Panel Board measurement instrument</b>				
	0-500 volt meter	पिस	१०२३	१०२३.००	१०६३.००
	60/100 Amp meter .	पिस	९७९	९७९.००	१०१८.००
	Panel Indicator	पिस	२३७	२३७.००	२४६.००
	2 Amp glass fuse with holder 12 mm size	पिस	१३४	१३४.००	१३९.००
	AMP meter selector switch	पिस	६४९	६४९.००	६७४.००
	volt meter selector switch	पिस	७१	७१.००	७३.००
	60/100 Amp C.T. coil per set 3 Pcs	पिस	१४३२	१४३२.००	१४८९.००
	150-200AMP C.T coil. 3 PC / Set	गोटा	१७८२	१७८२.००	१८५३.००
	250-300 AMP .. ..	गोटा	२४२१	२४२१.००	२४९७.००
	400/500/600AMP .. ..	गोटा	३५५४	३५५४.००	३६९६.००




Handwritten signatures and initials at the bottom of the page.


## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Kilo watt hour energy meter single phase	पिस	२२७	२२७.००	२३६१.००
	Kilo watt hour energy meter 3 phase direct	पिस	१०२२८	१०२२८.००	१०६३७.००
४४	<b>Trailing Protected Industrial Plug IP44</b>				
	16A 3P+E 400V Industrial plug	सेट	५४१	५४१.००	५६२.००
	32 A 3p +N+E " Plug	सेट	८०३	८०३.००	८३५.००
	32 A 3P+N+E water tight Plug IP67	सेट	१५४५	१५४५.००	१६०६.००
४५	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door	सेट	२०६००	२०६००.००	२१४२४.००
४६	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door (Chinese)	सेट	१३९०५	१३९०५.००	१४४६१.००
४७	<b>CABLE SHOE</b>				
	16 sq.mm cable shoe	गोटा	६४	६४.००	६६.००
	25 sq.mm " "	गोटा	८३	८३.००	८६.००
	35 sq.mm " "	गोटा	६४	६४.००	६६.००
	50 sq.mm " "	गोटा	७५	७५.००	७८.००
	70 sq.mm " "	गोटा	९२	९२.००	९५.००
	95 sq.mm " "	गोटा	१४३	१४३.००	१४८.००
	150 sq.mm " "	गोटा	२१५	२१५.००	२२३.००
	195 sq.mm " "	गोटा	३०५	३०५.००	३१७.००
	250 sq.mm " "	गोटा	४८५	४८५.००	५०४.००
४८	<b>Copper Conductor Armoured Power Cables NS marked or equivalent</b>				
	<b>a) 2 Core</b>				
	1.5 mm2	र.मी	१०३	१०३.००	१०७.००
	2.5 mm2	र.मी	१३९	१३९.००	१४४.००
	4.0 mm2	र.मी	१९१	१९१.००	१९८.००
	6.0 mm2	र.मी	२४७	२४७.००	२५६.००
	10.0 mm2	र.मी	३७१	३७१.००	३८५.००
	16.0 mm2	र.मी	४९४	४९४.००	५१३.००
	25.0 mm2	र.मी	७२१	७२१.००	७४९.००
	35.0 mm2	र.मी	९५८	९५८.००	९९६.००
	50.0 mm2	र.मी	१३३९	१३३९.००	१३९२.००
	<b>b) 3 Core</b>				
	1.5 mm2	र.मी	१२९	१२९.००	१३४.००
	2.5 mm2	र.मी	१८०	१८०.००	१८७.००
	4.0 mm2	र.मी	२५८	२५८.००	२६८.००
	6.0 mm2	र.मी	३३०	३३०.००	३४३.००
	10.0 mm2	र.मी	४९४	४९४.००	५१३.००
	16.0 mm2	र.मी	६९०	६९०.००	७१७.००
	25.0 mm2	र.मी	१०५१	१०५१.००	१०९३.००
	35.0 mm2	र.मी	१३९१	१३९१.००	१४४६.००
	50.0 mm2 Copper Conductor Armoured	र.मी	१९०६	१९०६.००	१९८२.००
	70.0 mm2	र.मी	२६७८	२६७८.००	२७८५.००
	95.0 mm2	र.मी	३६०५	३६०५.००	३७४९.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	120.0 mm <sup>2</sup>	र.मी	४५३२	४५३२.००	४७३३.००
	150.0 mm <sup>2</sup>	र.मी	५५६२	५५६२.००	५७८४.००
	<b>c) 3.5 Core</b>				
	25.0 mm <sup>2</sup>	र.मी	१२५७	१२५७.००	१३०७.००
	35.0 mm <sup>2</sup>	र.मी	१५९७	१५९७.००	१६६०.००
	50.0 mm <sup>2</sup>	र.मी	२२४५	२२४५.००	२३३४.००
	70.0 mm <sup>2</sup>	र.मी	३०९०	३०९०.००	३२१३.००
	95.0 mm <sup>2</sup>	र.मी	४१२०	४१२०.००	४२८४.००
	120.0 mm <sup>2</sup>	र.मी	५४०८	५४०८.००	५६२४.००
	150.0 mm <sup>2</sup>	र.मी	६३८६	६३८६.००	६६४१.००
	185.0 mm <sup>2</sup>	र.मी	७९३१	७९३१.००	८२४८.००
	240.0 mm <sup>2</sup>	र.मी	१०४०३	१०४०३.००	१०८१९.००
	300.0 mm <sup>2</sup>	र.मी	१३१८४	१३१८४.००	१३७११.००
	400.0 mm <sup>2</sup>	र.मी	१७३०४	१७३०४.००	१७९९६.००
	<b>d) 4 Core</b>				
	1.5 mm <sup>2</sup>	र.मी	१५५	१५५.००	१६१.००
	2.5 mm <sup>2</sup>	र.मी	२२१	२२१.००	२२९.००
	4.0 mm <sup>2</sup>	र.मी	३१९	३१९.००	३३१.००
	6.0 mm <sup>2</sup>	र.मी	४१२	४१२.००	४२८.००
	10.0 mm <sup>2</sup>	र.मी	६१८	६१८.००	६४२.००
	16.0 mm <sup>2</sup>	र.मी	९०१	९०१.००	९३७.००
	25.0 mm <sup>2</sup>	र.मी	१३३९	१३३९.००	१३९२.००
	35.0 mm <sup>2</sup>	र.मी	१८०३	१८०३.००	१८७५.००
	50.0 mm <sup>2</sup>	र.मी	२५७५	२५७५.००	२६७८.००
	70.0 mm <sup>2</sup>	र.मी	३५०२	३५०२.००	३६४२.००
	95.0 mm <sup>2</sup> Copper Conductor Armoured	र.मी	४७३८	४७३८.००	४९२७.००
	120.0 mm <sup>2</sup>	र.मी	५९७४	५९७४.००	६२१२.००
	150.0 mm <sup>2</sup>	र.मी	७४१६	७४१६.००	७७१२.००
	185.0 mm <sup>2</sup>	र.मी	९०६४	९०६४.००	९४२६.००
	240.0 mm <sup>2</sup>	र.मी	१२३६०	१२३६०.००	१२८५४.००
	300.0 mm <sup>2</sup>	र.मी	१४८३२	१४८३२.००	१५४२५.००
	400.0 mm <sup>2</sup>	र.मी	२००८५	२००८५.००	२०८८८.००
४९	<b>Copper Conductor Unarmoured Power Cables NS marked or equivalent</b>				
	<b>a) 1-core</b>				
	10 sq. mm.	र.मी	४३	४३.००	४४.००
	16 sq. mm.	र.मी	६५	६५.००	६७.००
	25 sq. mm.	र.मी	७६	७६.००	७९.००
	35 sq. mm.	र.मी	९१	९१.००	९४.००
	50 sq. mm.	र.मी	१२१	१२१.००	१२५.००
	70 sq. mm.	र.मी	१५८	१५८.००	१६४.००
	95 sq. mm.	र.मी	२१४	२१४.००	२२२.००
	120 sq. mm.	र.मी	२६०	२६०.००	२७०.००
	150 sq. mm.	र.मी	३०८	३०८.००	३२०.००
	<b>b) 2-core</b>				
	1.5 sq.mm Copper Conductor Unarmoured	र.मी	७२	७२.००	७४.००
	2.5 sq.mm	र.मी	१०३	१०३.००	१०७.००





## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	4 sq.mm	र.मी	१४४	१४४.००	१४९.००
	6 sq.mm	र.मी	१९६	१९६.००	२०३.००
	10 sq.mm	र.मी	३०९	३०९.००	३२१.००
	16 sq.mm	र.मी	४२७	४२७.००	४४४.००
	25 sq.mm	र.मी	६५९	६५९.००	६८५.००
	35 sq.mm	र.मी	८९६	८९६.००	९३१.००
	50 sq.mm	र.मी	१२३६	१२३६.००	१२८५.००
	70 sq.mm	र.मी	१७००	१७००.००	१७६८.००
	95 sq.mm	र.मी	२३१८	२३१८.००	२४१०.००
	120 sq.mm	र.मी	३०३९	३०३९.००	३१६०.००
	150 sq.mm	र.मी	३८११	३८११.००	३९६३.००
<b>c) 3-core</b>					
	1.5 sq.mm. 3- core copper conductor	र.मी	९३	९३.००	९६.००
	2.5 sq.mm	र.मी	१३४	१३४.००	१३९.००
	4 sq.mm	र.मी	१९६	१९६.००	२०३.००
	6 sq.mm	र.मी	२७८	२७८.००	२८९.००
	10 sq.mm	र.मी	४३८	४३८.००	४५५.००
	16 sq.mm	र.मी	६३९	६३९.००	६६४.००
	25 sq.mm	र.मी	९७९	९७९.००	१०१८.००
	35 sq.mm	र.मी	१३१८	१३१८.००	१३७०.००
	50 sq.mm	र.मी	१८५४	१८५४.००	१९२८.००
	70 sq.mm	र.मी	२५७५	२५७५.००	२६७८.००
	95 sq.mm	र.मी	३५०२	३५०२.००	३६४२.००
	120 sq.mm	र.मी	४४२९	४४२९.००	४६०६.००
	150 sq.mm	र.मी	५४५९	५४५९.००	५६७७.००
<b>d) 3.5 core</b>					
	25 sq.mm	र.मी	१२०५	१२०५.००	१२५३.००
	35 sq.mm Copper Conductor Unarmoured	र.मी	१५४५	१५४५.००	१६०६.००
	50 sq.mm	र.मी	२१६३	२१६३.००	२२४९.००
	70 sq.mm	र.मी	३०१३	३०१३.००	३१३३.००
	95 sq.mm	र.मी	४०६९	४०६९.००	४२३१.००
	120 sq.mm	र.मी	५३५६	५३५६.००	५५७०.००
	150 sq.mm	र.मी	६३३५	६३३५.००	६५८८.००
<b>e) 4-core Copper Conductor Unarmoured</b>					
	1.5 sq.mm	र.मी	११३	११३.००	११७.००
	2.5 sq.mm	र.मी	१७०	१७०.००	१७६.००
	4 sq.mm	र.मी	२५२	२५२.००	२६२.००
	6 sq.mm	र.मी	३५०	३५०.००	३६४.००
	10 sq.mm	र.मी	५५६	५५६.००	५७८.००
	16 sq.mm	र.मी	८४५	८४५.००	८७८.००
	25 sq.mm	र.मी	१३१८	१३१८.००	१३७०.००
	35 sq.mm	र.मी	१७७२	१७७२.००	१८४२.००
	50 sq.mm	र.मी	२४७२	२४७२.००	२५७०.००
	70 sq.mm	र.मी	३४५१	३४५१.००	३५८९.००
	95 sq.mm	र.मी	४६८७	४६८७.००	४८७४.००

प्रमुख जिल्ला अधिकारी

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	120 sq.mm	र.मी	५९२३	५९२३.००	६१५९.००
	150 sq.mm	र.मी	७३६५	७३६५.००	७६५९.००
	185 sq.mm	र.मी	९०६४	९०६४.००	९४२६.००
	240 Sq. mm	र.मी	१२२५७	१२२५७.००	१२७४७.००
	300 Sq. mm	र.मी	१४८३२	१४८३२.००	१५४२५.००
	400 Sq. mm	र.मी	२००८५	२००८५.००	२०८८८.००
५०	<b>Aluminum conductor Armoured (Power) cable NS marked or eqv.</b>				
	<b>a) 2-core</b>				
	1.5 sq.mm	र.मी			
	2.5 sq.mm	र.मी	९३	९३.००	९६.००
	4 sq.mm	र.मी	११८	११८.००	१२२.००
	6 sq.mm	र.मी	१३४	१३४.००	१३९.००
	10 sq.mm	र.मी	१६०	१६०.००	१६६.००
	16 sq.mm	र.मी	१८०	१८०.००	१८७.००
	25 sq.mm	र.मी	२१६	२१६.००	२२४.००
	35 sq.mm	र.मी	२४७	२४७.००	२५६.००
	50 sq.mm	र.मी	३१९	३१९.००	३३१.००
	70 sq.mm	र.मी	३९७	३९७.००	४१२.००
	95 sq.mm	र.मी	५०५	५०५.००	५२५.००
	<b>b) 3-core</b>				
	2.5 sq.mm. Aluminum conductor Armoured	र.मी	१०८	१०८.००	११२.००
	4 sq.mm	र.मी	१३४	१३४.००	१३९.००
	6 sq.mm	र.मी	१४९	१४९.००	१५४.००
	10 sq.mm	र.मी	१८०	१८०.००	१८७.००
	16 sq.mm	र.मी	२०६	२०६.००	२१४.००
	25 sq.mm Aluminum conductor Armoured	र.मी	२७८	२७८.००	२८९.००
	35 sq.mm	र.मी	३३५	३३५.००	३४८.००
	50 sq.mm	र.मी	४२७	४२७.००	४४४.००
	70 sq.mm	र.मी	५४१	५४१.००	५६२.००
	95 sq.mm	र.मी	४९४	४९४.००	५१३.००
	120 sq.mm	र.मी	८३४	८३४.००	८६७.००
	150 sq.mm	र.मी	१००४	१००४.००	१०४४.००
	185 sq.mm	र.मी	१२३६	१२३६.००	१२८५.००
	240 sq.mm	र.मी	१५१४	१५१४.००	१५७४.००
	300 sq.mm	र.मी	१८५४	१८५४.००	१९२८.००
	400 sq.mm	र.मी	२३१८	२३१८.००	२४१०.००
	<b>c) 3.5 core</b>				
	25 sq.mm.	र.मी	३१९	३१९.००	३३१.००
	35 sq.mm	र.मी	३७१	३७१.००	३८५.००
	50 sq.mm	र.मी	४८९	४८९.००	५०८.००
	70 sq.mm	र.मी	६२८	६२८.००	६५३.००
	95 sq.mm	र.मी	८०३	८०३.००	८३५.००
	120 sq.mm Aluminum conductor Armoured	र.मी	९७९	९७९.००	१०१८.००
	150 sq.mm	र.मी	११७४	११७४.००	१२२०.००
	185 sq.mm	र.मी	१४२१	१४२१.००	१४७७.००
	240 sq.mm	र.मी	१७७२	१७७२.००	१८४२.००





## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	300 sq.mm	र.मी	२२१५	२२१५.००	२३०३.००
	400 sq.mm	र.मी	२७८१	२७८१.००	२८९२.००
	<b>d) 4-core</b>				
	2.5 sq.mm	र.मी	१२४	१२४.००	१२८.००
	4 sq.mm	र.मी	१५५	१५५.००	१६१.००
	6 sq.mm	र.मी	१८०	१८०.००	१८७.००
	10 sq.mm	र.मी	१९६	१९६.००	२०३.००
	16 sq.mm	र.मी	२५२	२५२.००	२६२.००
	25 sq.mm	र.मी	३४०	३४०.००	३५३.००
	35 sq.mm	र.मी	४०२	४०२.००	४१८.००
	50 sq.mm	र.मी	५४८	५४८.००	५६९.००
	70 sq.mm	र.मी	७००	७००.००	७२८.००
	95 sq.mm	र.मी	९०१	९०१.००	९३७.००
	120 sq.mm	र.मी	१०८२	१०८२.००	११२५.००
	150 sq.mm	र.मी	१३७०	१३७०.००	१४२४.००
	185 sq.mm	र.मी	१६२७	१६२७.००	१६९२.००
	240sq.mm	र.मी	२०३९	२०३९.००	२१२०.००
	300 sq.mm Aluminum conductor Armoured	र.मी	२५२४	२५२४.००	२६२४.००
	400sq.mm	र.मी	३१९३	३१९३.००	३३२०.००
५१	<b>Aluminium conductor unarmoured (power) cable NS marked or eqv.</b>				
	<b>a) 1-core</b>				
	16 sq.mm	र.मी	५२	५२.००	५४.००
	25 sq.mm	र.मी	७२	७२.००	७४.००
	35 sq.mm	र.मी	८८	८८.००	९१.००
	50 sq.mm	र.मी	११३	११३.००	११७.००
	70 sq.mm	र.मी	१४४	१४४.००	१४९.००
	95 sq.mm	र.मी	१९६	१९६.००	२०३.००
	120 sq.mm	र.मी	२३७	२३७.००	२४६.००
	150 sq.mm	र.मी	३११	३११.००	३२६.००
	185 sq.mm	र.मी	३६१	३६१.००	३७५.००
	240 sq.mm	र.मी	४४३	४४३.००	४६०.००
	300 sq.mm	र.मी	५३६	५३६.००	५५७.००
	<b>b) 2-core Aluminium conductor unarmoured</b>				
	2.5 sq.mm	र.मी	४७	४७.००	४८.००
	4 sq.mm	र.मी	५८	५८.००	६०.००
	6 sq.mm	र.मी	७०	७०.००	७२.००
	10 sq.mm	र.मी	९४	९४.००	९७.००
	16 sq.mm	र.मी	१०३	१०३.००	१०७.००
	25 sq.mm	र.मी	१४४	१४४.००	१४९.००
	35 sq.mm	र.मी	१८५	१८५.००	१९२.००
	50 sq.mm	र.मी	२३७	२३७.००	२४६.००
	70 sq.mm	र.मी	२९९	२९९.००	३१०.००
	95 sq.mm 2 core	र.मी	४०२	४०२.००	४१८.००
	<b>c) 3-core</b>				
	2.5 sq.mm	र.मी	५२	५२.००	५४.००
	4 sq.mm	र.मी	७०	७०.००	७२.००


## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	6 sq.mm	र.मी	८८	८८.००	९१.००
	10 sq.mm	र.मी	१११	१११.००	११५.००
	16 sq.mm	र.मी	१४४	१४४.००	१४९.००
	25 sq.mm	र.मी	२०६	२०६.००	२१४.००
	35 sq.mm	र.मी	२५८	२५८.००	२६८.००
	50 sq.mm	र.मी	३४०	३४०.००	३५३.००
	70 sq.mm	र.मी	४५३	४५३.००	४७१.००
	95 sq.mm	र.मी	५९७	५९७.००	६२०.००
	120 sq.mm	र.मी	७४२	७४२.००	७७१.००
	150 sq.mm	र.मी	८८६	८८६.००	९२१.००
	185 sq.mm	र.मी	१११२	१११२.००	११५६.००
	240 sq.mm	र.मी	१३८०	१३८०.००	१४३५.००
	300 sq.mm Aluminium conductor unarmoured	र.मी	१७५१	१७५१.००	१८२१.००
<b>d) 3.5-core</b>					
	25 sq.mm	र.मी	२५८	२५८.००	२६८.००
	35 sq.mm	र.मी	३०९	३०९.००	३२१.००
	50 sq.mm	र.मी	४१२	४१२.००	४२८.००
	70 sq.mm	र.मी	५६७	५६७.००	५८९.००
	95 sq.mm	र.मी	७४२	७४२.००	७७१.००
	120 sq.mm	र.मी	९२७	९२७.००	९६४.००
	150 sq.mm	र.मी	१११२	१११२.००	११५६.००
	185 sq.mm	र.मी	१३९१	१३९१.००	१४४६.००
	240 sq.mm	र.मी	१७५१	१७५१.००	१८२१.००
	300 sq.mm	र.मी	२१६३	२१६३.००	२२४९.००
<b>e) 4-core core aluminium unarmoured</b>					
	2.5 sq.mm	र.मी	७२	७२.००	७४.००
	4 sq.mm	र.मी	८२	८२.००	८५.००
	6 sq.mm	र.मी	९८	९८.००	१०१.००
	10 sq.mm	र.मी	१३४	१३४.००	१३९.००
	16 sq.mm	र.मी	१९६	१९६.००	२०३.००
	25 sq.mm	र.मी	२८८	२८८.००	२९९.००
	35 sq.mm	र.मी	३५०	३५०.००	३६४.००
	50 sq.mm	र.मी	४८४	४८४.००	५०३.००
	70 sq.mm 4	र.मी	६३९	६३९.००	६६४.००
	95 sq.mm	र.मी	८४५	८४५.००	८७८.००
	120 sq.mm	र.मी	१०३०	१०३०.००	१०७१.००
	150 sq.mm	र.मी	१२८८	१२८८.००	१३३९.००
	185 sq.mm	र.मी	१५९७	१५९७.००	१६६०.००
	240 sq.mm	र.मी	२००९	२००९.००	२०८९.००
	300 sq.mm	र.मी	२४७२	२४७२.००	२५७०.००
<b>५२ General Lightig ANCHOR, C/G, Eqv.</b>					
	1 x 40 W FTL Patti fitting	सेट	२५२	२५२.००	२६२.००
	1 x 20 W FTL Patti fitting	सेट	२३२	२३२.००	२४१.००
	1 x 40 W FTL Box Fitting	सेट	४२७	४२७.००	४४४.००
	1 x 20 W FTL Box fitting	सेट	४१७	४१७.००	४३३.००
	9/11W Mini mirror light with electronic Blast		३५५	३५५.००	३६९.००
<b>५३ GEWISS /BEC PVC Conduit product of Italy</b>					

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*



## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	<b>RK Range</b>				
	16 mm medium rigid conduit DX 25 316	र.मी	८८	८८.००	९१.००
	20 mm medium rigid conduit DX 25 320	र.मी	१२४	१२४.००	१२८.००
	25 mm medium rigid conduit DX 25 325	र.मी	१७५	१७५.००	१८२.००
	32 mm medium rigid conduit DX 25 332	र.मी	२५२	२५२.००	२६२.००
	40 mm medium rigid conduit DX 25 340	र.मी	३४५	३४५.००	३५८.००
	50 mm medium rigid conduit DX 25 350	र.मी	५३०	५३०.००	५५१.००
	63 mm medium rigid conduit DX 25 363	र.मी	९९९	९९९.००	१०३८.००
	16 mm heavy rigid conduit DX 25 716	र.मी	१६५	१६५.००	१७१.००
	20 mm heavy rigid conduit DX 25 720	र.मी	२१६	२१६.००	२२४.००
	25 mm heavy rigid conduit DX 25 725	र.मी	२८८	२८८.००	२९९.००
	32 mm heavy rigid conduit DX 25 732	र.मी	४३३	४३३.००	४५०.००
	40 mm heavy rigid conduit DX 25 740	र.मी	५८७	५८७.००	६१०.००
	50 mm heavy rigid conduit DX 25 750	र.मी	७९३	७९३.००	८२४.००
	63 mm heavy rigid conduit DX 25 763	र.मी	१४८८	१४८८.००	१५४७.००
	16 mm polymer cable gland GW 52 043 with fixing nut and screws	र.मी	१९६	१९६.००	२०३.००
	20 mm polymer cable gland GW 52 044 with fixing nut and screws	र.मी	२४७	२४७.००	२५६.००
	25 mm polymer cable gland GW 52 045 with fixing nut and screws	र.मी	३७६	३७६.००	३९१.००
	32 mm polymer cable gland GW 52 046 with fixing nut and screws	र.मी	६२३	६२३.००	६४७.००
	40 mm polymer cable gland GW 52 047 with fixing nut and screws	र.मी	७४७	७४७.००	७७६.००
	50 mm polymer cable gland GW 52 048 with fixing nut and screws	र.मी	९६३	९६३.००	१००१.००
	63 mm polymer cable gland GW 52 049 with fixing nut and screws	र.मी	१२००	१२००.००	१२४८.००
	16 mm shockproof polymer saddle collar clip GW 50 605	र.मी	३१	३१.००	३२.००
	20 mm shockproof polymer saddle collar clip GW 50 606	र.मी	३६	३६.००	३७.००
	25 mm shockproof polymer saddle collar clip GW 50 607	र.मी	४१	४१.००	४२.००
	32 mm shockproof polymer saddle collar clip GW 50 608	र.मी	६२	६२.००	६४.००
	40 mm shockproof polymer saddle collar clip GW 50 630	र.मी	९८	९८.००	१०१.००
	50 mm shockproof polymer saddle collar clip GW 50 631	र.मी	११८	११८.००	१२२.००
	16 mm conduit coupler DX 40 016	र.मी	३६	३६.००	३७.००
	20 mm conduit coupler DX 40 020	र.मी	४६	४६.००	४७.००
	25 mm conduit coupler DX 40 025	र.मी	५७	५७.००	५९.००
	32 mm conduit coupler DX 40 032	र.मी	१०३	१०३.००	१०७.००
	40 mm conduit coupler DX 40 040	र.मी	१३९	१३९.००	१४४.००
	50 mm conduit coupler DX 40 050	र.मी	२४२	२४२.००	२५१.००
	63 mm conduit coupler DX 40 063	र.मी	४५८	४५८.००	४७६.००
	16 mm tight bend DX 40 116	र.मी	५७	५७.००	५९.००
	20 mm tight bend DX 40 120	र.मी	८२	८२.००	८५.००
	25 mm tight bend DX 40 125	र.मी	१२९	१२९.००	१३४.००
	32 mm tight bend DX 40 132	र.मी	२३७	२३७.००	२४६.००
	40 mm tight bend DX 40 140	र.मी	३३५	३३५.००	३४८.००
	50 mm tight bend DX 40 150	र.मी	६०३	६०३.००	६२७.००
	63 mm tight bend DX 40 163	र.मी	२३५९	२३५९.००	२४५३.००
	4 way junction box DX 45 004	र.मी	६७०	६७०.००	६९६.००
	7 way junction box DX 45 007	र.मी	८०३	८०३.००	८३५.००
	10 way junction box DX 45 010	र.मी	१०२०	१०२०.००	१०६०.००
	Closing cap for junction box DX 47 000	र.मी	११८	११८.००	१२२.००



## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	16 mm inspectionable T bend DX 40216	र.मी	११८	११८.००	१२२.००
	20 mm inspectionable T bend DX 40220	र.मी	१४९	१४९.००	१५४.००
	25 mm inspectionable T bend DX 40225	र.मी	१९६	१९६.००	२०३.००
	32 mm inspectionable T bend DX 40232	र.मी	२३७	२३७.००	२४६.००
	16 mm inspectionable bend DX 40 316	र.मी	९८	९८.००	१०१.००
	20 mm inspectionable bend DX 40 320	र.मी	११८	११८.००	१२२.००
	25 mm inspectionable bend DX 40 325	र.मी	१५५	१५५.००	१६१.००
	32 mm inspectionable bend DX 40 332	र.मी	१८५	१८५.००	१९२.००
५५	GEWISS/BEC Cable Tray with Cover and Accessories BRN Range				०.००
	65X35 mm2 hot deep galvanised steel cable tray MV 40 100	र.मी	८१९	८१९.००	८५१.००
	95X35 mm2 hot deep galvanised steel cable tray MV 40 101	र.मी	९७३	९७३.००	१०११.००
	125X35 mm2 hot deep galvanised steel cable tray MV 40 102	र.मी	११७४	११७४.००	१२२०.००
	155X35 mm2 hot deep galvanised steel cable tray MV 40 103	र.मी	१३१८	१३१८.००	१३७०.००

*(Handwritten signatures and marks)*

*(Handwritten signatures and stamps)*  
 प्रमुख जिल्ला अधिकारी  
 ललितपुर

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	185X35 mm2 hot deep galvanised steel cable tray MV 40 104	र.मी	१५४०	१५४०.००	१६०१.००
	215X35 mm2 hot deep galvanised steel cable tray MV 40 105	र.मी	१७१०	१७१०.००	१७७८.००
	245X35 mm2 hot deep galvanised steel cable tray MV 40 106	र.मी	२१३७	२१३७.००	२२२२.००
	305X35 mm2 hot deep galvanised steel cable tray MV 40 108	र.मी	२५१३	२५१३.००	२६१३.००
	365X35 mm2 hot deep galvanised steel cable tray MV 40 110	र.मी	३०९०	३०९०.००	३२१३.००
	395X35 mm2 hot deep galvanised steel cable tray MV 40 111	र.मी	३२८१	३२८१.००	३४१२.००
	65X50 mm2 hot deep galvanised steel cable tray MV 40 120	र.मी	९८४	९८४.००	१०२३.००
	95X50 mm2 hot deep galvanised steel cable tray MV 40 121	र.मी	११७९	११७९.००	१२२६.००
	125X50 mm2 hot deep galvanised steel cable tray MV 40 122	र.मी	१२९८	१२९८.००	१३४९.००
	155X50 mm2 hot deep galvanised steel cable tray MV 40 123	र.मी	१४६८	१४६८.००	१५२६.००
	185X50 mm2 hot deep galvanised steel cable tray MV 40 124	र.मी	१६६३	१६६३.००	१७२९.००
	215X50 mm2 hot deep galvanised steel cable tray MV 40 125	र.मी	१८५९	१८५९.००	१९३३.००
	245X50 mm2 hot deep galvanised steel cable tray MV 40 126	र.मी	२२७६	२२७६.००	२३६७.००
	305X50 mm2 hot deep galvanised steel cable tray MV 40 128	र.मी	२६५७	२६५७.००	२७६३.००
	365X50 mm2 hot deep galvanised steel cable tray MV 40 130	र.मी	३४५६	३४५६.००	३५९४.००
	395X50 mm2 hot deep galvanised steel cable tray MV 40 131	र.मी	३७४९	३७४९.००	३८९८.००
	515X50 mm2 hot deep galvanised steel cable tray MV 40 135	र.मी	४५८४	४५८४.००	४७६७.००
	95X65 mm2 hot deep galvanised steel cable tray MV 40 141	र.मी	१३१३	१३१३.००	१३६५.००
	215X65 mm2 hot deep galvanised steel cable tray MV 40 145	र.मी	२१२२	२१२२.००	२२०६.००
	305X65 mm2 hot deep galvanised steel cable tray MV 40 148	र.मी	२७८१	२७८१.००	२८९२.००
	395X65 mm2 hot deep galvanised steel cable tray MV 40 151	र.मी	३८५२	३८५२.००	४००६.००
	515X65 mm2 hot deep galvanised steel cable tray MV 40 155	र.मी	४८३६	४८३६.००	५०२९.००
	605X65 mm2 hot deep galvanised steel cable tray MV 40 157	र.मी	५४४९	५४४९.००	५६६६.००
	125X80 mm2 hot deep galvanised steel cable tray MV 40 162	र.मी	१४९४	१४९४.००	१५५३.००
	215X80 mm2 hot deep galvanised steel cable tray MV 40 165	र.मी	२२७१	२२७१.००	२३६१.००
	305X80 mm2 hot deep galvanised steel cable tray MV 40 168	र.मी	२८८४	२८८४.००	२९९९.००
	395X80 mm2 hot deep galvanised steel cable tray MV 40 171	र.मी	४१५१	४१५१.००	४३१७.००
	515X80 mm2 hot deep galvanised steel cable tray MV 40 175	र.मी	५०१६	५०१६.००	५२१६.००
५५	<b>Intrusion Detection System Make Honeywell or equivalent</b>				
	<b>Main Controller-CONTROL,FIRE/BURG COMMERCIAL VISTA-128FBP</b>	सेट	३८८५१	३८८५१.००	४०४०५.००
	<b>Smoke &amp; Heat Detector-Wireless Smoke and Head Detector</b>	सेट	१०५४५	१०५४५.००	१०९६६.००
	<b>Door Contact-Wireless Door Contact with transmitter</b>	सेट	२६७८	२६७८.००	२७८५.००
	<b>Motion Detector-Wireless Passive Infrared, Pet Immune Motion Detector</b>	सेट	४१७८	४१७८.००	४३४५.००
	<b>Panic Switch-Wireless Panic Transmitter</b>	सेट	४९२१	४९२१.००	५११७.००
	<b>Key -Wireless Key to Arm and Disarm the System</b>	सेट	४७८०	४७८०.००	४९७१.००
	<b>Window Contact- Wired door Contact with transmitter slim</b>	सेट	२८१२	२८१२.००	२९२४.००
	<b>Earth Quake Detector( JDS Inc, USA)-Quake Alarm</b>	पिस	३६०१	३६०१.००	३७४५.००
५६	<b>Automatic Motor Operator for water motor</b>				
	Upto 1/2 HP single phase motor	सेट	४१२०	४१२०.००	४२८४.००
	Upto 1 HP single phase motor	सेट	५६६५	५६६५.००	५८९१.००
	Upto 5 HP three phase motor	सेट	९२७०	९२७०.००	९६४०.००
५७	<b>Earthing Materials (ISI or other International Standard)</b>				

*(Handwritten signatures and marks)*

*(Handwritten signatures and official stamp)*  
 प्रमुख जिल्ला अधिकारी

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	6 mm thick 600mm× 600 mm G.I. Plate	गोटा	२८२९	२८२९.००	२९४२.००
	Funneling Mechanism with cover (mild steel)	सेट	६९८	६९८.००	६४२.००
	3.2 mm thick 600mm× 600 mm Copper Plate	गोटा	९५९७	९५९७.००	९८९७.००
	Copper wire (10 SWG)	र.मी.	१५५	१५५.००	१६९.००
	<b>Service wire (Al)</b>				
	2.5 mm <sup>2</sup>	र.मी.	१८	१८.००	१८.००
	4.0 mm <sup>2</sup>	र.मी.	२२	२२.००	२२.००
	6.0 mm <sup>2</sup>	र.मी.	२८	२८.००	२९.००
६२	<b>Alternator 3 Phase Brush less with compounded Excitation.</b>				
	<b>AMF with ATS palel for DG Ankur metal or Equivalent</b>				
	5KVA AMF with ATS palel	सेट	२२६६०	२२६६०.००	२३५६६.००
	7.5KVA AMF with ATS palel	सेट	२८८४०	२८८४०.००	२९९९३.००
६३	<b>10KVA AMF with ATS palel</b>	सेट	३६०५०	३६०५०.००	३७४९२.००
	15KVA AMF with ATS palel	सेट	४६३५०	४६३५०.००	४८२०४.००
	20KVA AMF with ATS palel	सेट	६६९५०	६६९५०.००	६९६२८.००
	25KVA AMF with ATS palel	सेट	७७२५०	७७२५०.००	८०३४०.००
	30KVA AMF with ATS palel	सेट	९२७००	९२७००.००	९६४०८.००
६४	<b>MCB/ISOLATOR ORIENT or equivalent</b>				०.००
	B CURVE MCB SP 6A-32A	पोल	२३९	२३९.००	२४८.००
	B CURVE MCB SP 40A	पोल	२८१	२८१.००	२९२.००
	B CURVE MCB SP 50A-63A	पोल	२८१	२८१.००	२९२.००
	C CURVE MCB SP 0.5-4A	पोल	२८१	२८१.००	२९२.००
	C CURVE MCB SP 6-32A	पोल	२३९	२३९.००	२४८.००
	C CURVE MCB SP 40A	पोल	४४६	४४६.००	४६३.००
	C CURVE MCB SP 50-63A	पोल	४४६	४४६.००	४६३.००
	C CURVE MCB SPN 0.5-4A	पोल	४७९	४७९.००	४९८.००
	C CURVE MCB SPN 6-32A	पोल	५१३	५१३.००	५३३.००
	C CURVE MCB SPN 40A	पोल	५६१	५६१.००	५८३.००
	C CURVE MCB SPN 50-63A	पोल	५६१	५६१.००	५८३.००
	C CURVE MCB DP 0.5-4A	पोल	६१७	६१७.००	६४१.००
	C CURVE MCB DP 6-32A	पोल	५६४	५६४.००	५८६.००
	C CURVE MCB DP 40A	पोल	६१७	६१७.००	६४१.००
	C CURVE MCB DP 50-63A	पोल	६१७	६१७.००	६४१.००
	C CURVE MCB TP 0.5-4A	पोल	९२५	९२५.००	९६२.००
	C CURVE MCB TP 6-32A	पोल	८४७	८४७.००	८८०.००
	C CURVE MCB TP 40A	पोल	९२५	९२५.००	९६२.००
	C CURVE MCB TP 50-63A	पोल	९२५	९२५.००	९६२.००
	C CURVE MCB TPN 0.5-4A	पोल	१२०६	१२०६.००	१२५४.००
	C CURVE MCB TPN 6-32A	पोल	११०३	११०३.००	११४७.००
	C CURVE MCB TPN 40A	पोल	१२०६	१२०६.००	१२५४.००
	C CURVE MCB TPN 50-63A	पोल	१२०६	१२०६.००	१२५४.००
	C CURVE MCB FP 0.5-4A	पोल	१२९०	१२९०.००	१३४१.००
	C CURVE MCB FP 6-32A	पोल	११८०	११८०.००	१२२७.००
	C CURVE MCB FP 40A	पोल	१२९०	१२९०.००	१३४१.००
	C CURVE MCB FP 50-63A	पोल	१२९०	१२९०.००	१३४१.००
	ISOLATOR DP 40A	पोल	५५१	५५१.००	५७३.००
	ISOLATOR DP 63A	पोल	५५१	५५१.००	५७३.००
	ISOLATOR DP 80-100A	पोल	५७६	५७६.००	५९९.००
	ISOLATOR DP 125A	पोल	६११	६११.००	६३५.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	ISOLATOR FP 40A	पोल	९०२	९०२.००	९३८.००
	ISOLATOR FP 63A	पोल	९०२	९०२.००	९३८.००
	ISOLATOR FP 80-100A	पोल	९९८	९९८.००	१०३७.००
	ISOLATOR FP 125A	पोल	९९८	९९८.००	१०३७.००
	RCCB DP 25A 30mA	पोल	३५४७	३५४७.००	३६८८.००
	RCCB DP 40A 30mA	पोल	३५४७	३५४७.००	३६८८.००
	RCCB DP 63A 30mA	पोल	३५४७	३५४७.००	३६८८.००
	RCCB DP 25A 100mA	पोल	३३४५	३३४५.००	३४७८.००
	RCCB DP 40A 100mA	पोल	३३४५	३३४५.००	३४७८.००
	RCCB DP 63A 100mA	पोल	३३४५	३३४५.००	३४७८.००
	RCCB DP 25A 300mA	पोल	३३४५	३३४५.००	३४७८.००
	RCCB DP 40A 300mA	पोल	३३४५	३३४५.००	३४७८.००
	RCCB DP 63A 300mA	पोल	३३४५	३३४५.००	३४७८.००
	RCCB FP 25A 30mA	पोल	४१५५	४१५५.००	४३२१.००
	RCCB FP 40A 30mA	पोल	४१५५	४१५५.००	४३२१.००
	RCCB FP 63A 30mA	पोल	४१५५	४१५५.००	४३२१.००
	RCCB FP 25A 100mA	पोल	४००४	४००४.००	४१६४.००
	RCCB FP 40A 100mA	पोल	४००४	४००४.००	४१६४.००
	RCCB FP 63A 100mA	पोल	४००४	४००४.००	४१६४.००
	RCCB FP 25A 300mA	पोल	४००४	४००४.००	४१६४.००
	RCCB FP 40A 300mA	पोल	४००४	४००४.००	४१६४.००
	RCCB FP 63A 300mA	पोल	४००४	४००४.००	४१६४.००
	MCB RX3(C) 6-32A (SINGLE POLE)	सेट		३१०.००	३२२.००
	MCB DX3 6-32A (SINGLE POLE)	सेट		५१५.००	५३५.००
	MCB DX3 40A (SINGLE POLE)	सेट		११३९.००	११८४.००
	MCB DX3 63A (SINGLE POLE)	सेट		११३९.००	११८४.००
	MCB DX3 6-32A (DOUBLE POLE)	सेट		१५८४.००	१६४७.००
	MCB DX3 40A(DOUBLE POLE)	सेट		२५५०.००	२६५२.००
	MCB DX3 63A(DOUBLE POLE)	सेट		२५५०.००	२६५२.००
	MCB DX3 6-32A(TRIPPLE POLE)	सेट		२५८६.००	२६८९.००
	MCB DX3 40A(TRIPPLE POLE)	सेट		३९४९.००	४१०६.००
	MCB DX3 63A(TRIPPLE POLE)	सेट		३९४९.००	४१०६.००
	MCB DX3 6-32A(FOUR POLE)	सेट		३४९१.००	३६३०.००
	MCB DX3 40A (FOUR POLE)	सेट		५०३४.००	५२३५.००
	MCB DX3 63A (FOUR POLE)	सेट		५०३४.००	५२३५.००
	ISOLATOR DX3 32A 240V(DOUBLE POLE)	सेट		८६१.००	८९५.००
	ISOLATOR DX3 40A 240v(DOUBLE POLE)	सेट		९५०.००	९८८.००
	ISOLATOR DX3 63A 240v(DOUBLE POLE)	सेट		१२५४.००	१३०४.००
	ISOLATOR DX3 32A 415v(TRIPPLE POLE)	सेट		१५४२.००	१६०३.००
	ISOLATOR DX3 40A 415v(TRIPPLE POLE)	सेट		१६५१.००	१७१७.००
	ISOLATOR DX3 63A 415v(TRIPPLE POLE)	सेट		१९५५.००	२०३३.००
	ISOLATOR DX3 32A 415v (FOUR POLE)	सेट		१६९३.००	१७६०.००
	ISOLATOR DX3 40A 415v (FOUR POLE)	सेट		२१०२.००	२१८६.००
	ISOLATOR DX3 63A 415v (FOUR POLE)	सेट		२३०४.००	२३९६.००
	RCBO 10A 30MA-2M SPN(DOUBLE POLE)	सेट		७९८४.००	८३०३.००
	RCBO 16A 30MA-2M SPN(DOUBLE POLE)	सेट		७९८४.००	८३०३.००
	RCBO 20A 30MA-2M SPN(DOUBLE POLE)	सेट		७९८४.००	८३०३.००
	RCBO 25A 30MA-2M SPN(DOUBLE POLE)	सेट		७९८४.००	८३०३.००
	RCBO 32A 30MA-2M SPN(DOUBLE POLE)	सेट		८३८४.००	८७१९.००
	RCBO 16A 30MA 4M(DOUBLE POLE)	सेट		६५७६.००	६८३९.००



Handwritten signatures and initials at the bottom of the page.

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	RCBO 25A 30mA 4M(DOUBLE POLE)	सेट		६५७६.००	६८३९.००
	RCBO 32A 30MA 4M(DOUBLE POLE)	सेट		७२००.००	७४८८.००
	RCBO 40A 30MA 4M(DOUBLE POLE)	सेट		८५६३.००	८९०५.००
	RCBO 16A 30mA 7M (FOUR POLE)	सेट		९२७०.००	९६४०.००
	RCBO 25A 30mA 7M (FOUR POLE)	सेट		९२७०.००	९६४०.००
	RCBO 32A 30MA 7M (FOUR POLE)	सेट		९५६२.००	९९४४.००
	RCBO 40A 30MA 7M (FOUR POLE)	सेट		९७०६.००	१००९४.००
	RCBO 63A 30MA 7M (FOUR POLE)	सेट		११४९४.००	११९५३.००
	RCCB 25A 30MA 2M (DOUBLE POLE)	सेट		५६०३.००	५८२७.००
	RCCB 40A 30MA 2M (DOUBLE POLE)	सेट		६५६०.००	६८२२.००
	RCCB 63A 30MA 2M (DOUBLE POLE)	सेट		७८४०.००	८१५३.००
	RCCB 25A 30MA 240v 4M (FOUR POLE)	सेट		७७१८.००	८०२६.००
	RCCB 40A 30MA 240v 4M (FOUR POLE)	सेट		७६२२.००	७९२६.००
	RCCB 63A 30MA 240v 4M (FOUR POLE)	सेट		८८४५.००	९१९८.००
	<b>LED AC Street light (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	20W 2000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा		३७००.००	३७००.००
	30W 3000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा		४५५०.००	४५५०.००
	40W 4000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा		५३५०.००	५३५०.००
	50W 5000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा		६८५०.००	६८५०.००
	100W 10000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा		९३००.००	९३००.००
	smartbright LED street light Up-to 70% energy saving,Polycarbonate cover with high impact resistance,Robust PDC housing LM6 alloy with IP66 protection,Long life of as compared to MH/SON streetlights,System power consumption / Light output 50W/5500lm,1 to 1 replacement for 1x150W SON streetlights				
	15W	गोटा		४०००.००	४०००.००
	25W	गोटा		१०१००.००	१०१००.००
	35W	गोटा		१२१००.००	१२१००.००
	70W	गोटा		२१५००.००	२१५००.००
	<b>LED BULBS (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	1W 30lm AC 90-300v,50/60Hz 270° Beam angle,IP44 B22 white/yellow/Red/Blue/Green/Orange/Pink LED Bulb	गोटा		८५.००	८५.००
	3W/5W/7W/9W @100lm/watt with 220° Beam Angle 3000k-6500k, IP44 B22/E27 Aluminium+ ThermoPlastic LED Bulb	गोटा		२४०.००	२४०.००
	12W/15W/18W/20W @100lm/watt with 220° Beam Angle 3000k-6500k, IP44 B22/E27Aluminium+ ThermoPlastic LED Bulb	गोटा		७८५.००	७८५.००
	25W/35W/40W @120lm/Watt with 180° Beam Angle 3000k-6500k,IP44 B22/E27 Aluminium+Thermoplastic+Polycarbonate LED Bulb	गोटा		२२७५.००	२२७५.००
	40W/60W @95lm/Watt with 120° beam angle E27 6500k eco friendly,long life span 50,000 hrs Aluminium+thermoplastic LED High Bulb	गोटा		७७००.००	७७००.००
	3W/5W @100lm/watt dimmable with 220° Beam Angle 2700k-6500k, IP44 E14 Aluminium+ ThermoPlastic LED Candle Bulb	गोटा		४५५.००	४५५.००
	<b>LED BULKHEAD</b>				
	9W/15W IP65 With Milky glass diffuser Die-cast Aluminum Powder coated 3000k-6500k eco friendly LED Bulkhead			२८५०.००	२८५०.००

*[Signature]*

*[Signature]*

*[Signature]*

*[Signature]*

*[Signature]*


*[Signature]*

प्रमुख जिल्ला अधिकारी



## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	EnduraLED Bulkhead luminaire is a sustainable and reliable offering for indoor or semi-outdoor public area with IP66 ingress protection. The product offers two lumen packs with two different CCT's and suitable for versatile applications such as staircases, industrial areas, circulation areas, lift wells etc. Pressure die cast housing and high impact resistance polycarbonate cover make this bulkhead maintenance free solution for heavy duty industries.High ingress protection-IP66,Impact resistant-IK09,Color temperature - 4000K / 6500K and Lumen packs - 700 lm /1100 lm,Pressure diecast housing with robust polycarbonate cover,Long lifetime: 50000 Hrs.				
	6W	गोटा		४०९०.००	४०९०.००
	10W	गोटा		५५००.००	५५००.००
	<b>WALL LIGHT</b>				
	UNO wall light	गोटा		१०६०.००	१०६०.००
	NOVA wall light	गोटा		१३१०.००	१३१०.००
	COMET wall light	गोटा		१३१०.००	१३१०.००
	OMEGA wall light	गोटा		१६७०.००	१६७०.००
	<b>LED STEP/FOOT LIGHT</b>				
	5W IP65 Moisture proof pressure Die-cast Aluminium 3000k-6500k eco friendly LED step/Foot Light			१५००.००	१५००.००
	<b>FOOT LIGHT/STEP LIGHT</b>				
	LED step/foot light with long life LED driver ,No harmful UV/IR radiation,Durable aluminium housing, with IP20/IP44 protection from dust and water,3000k/6500k				
	2W Step/Foot light Indoor	गोटा		२२००.००	२२००.००
	3W Step/Foot light Indoor	गोटा		२८५०.००	२८५०.००
	2W Step/Foot light Outdoor	गोटा		२४२०.००	२४२०.००
	3W Step/Foot light Outdoor	गोटा		३२२५.००	३२२५.००
	<b>LED STRIP LIGHTS</b>				
	24W/36W IP20/IP65/IP67 Waterproof WW/CW/R/G/B,60 LED/Meter 12v,2A long life,Eco-friendly,Energy saving LED strip light	गोटा		५७०.००	५७०.००
	Power adaptor 2A/5A	गोटा		२१००.००	२१००.००
	<b>STRIP/COVE/ROPE LIGHT</b>				
	LED cove lighting with 6W/mtr with high efficient led chips,warm white(3000k)/natural white(4000k)/Cool day light(6500k) for wider options,with good colour rendering(CRI-80),No harmful UV/IR radiation, 24W/28W LED strip light(5Mtr roll) IP20	र.मी.		५३८.००	५३८.००
	2A LED driver for strip light	गोटा		१२७५.००	१२७५.००
	Marathon Rope light IP 66 400lm/watt LED Rope light	र.मी.		४८०.००	४८०.००
	IP 66 driver for marathon rope light	गोटा		६७५.००	६७५.००
	<b>GARDEN SPIKE LIGHT</b>				
	Philips Anthracite COB garden spike light with Aluminium Housing,Outdoor Ambient Lighting,omnidirectional protection from dust and water IP65				
	7W	गोटा		३७९०.००	३७९०.००
	12W	गोटा		५७८०.००	५७८०.००
	<b>LED TRACK LIGHTS</b>				
	3W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा		१४५०.००	१४५०.००
	6W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा		१९५०.००	१९५०.००
	9W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा		२६५०.००	२६५०.००
	16W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा		४४००.००	४४००.००


  
 प्रमुख जिल्ला अधिकारी

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	24W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा		५३५०.००	५३५०.००
	30W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा		६३५०.००	६३५०.००
	40W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा		८६५०.००	८६५०.००
	50W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा		९३००.००	९३००.००
	Stick IMTR for Track light	गोटा		१५००.००	१५००.००
	<b>SURFACE MOUNTING DOWNLIGHT</b>				
	<b>Surface Mount Sownlight Luminaries:</b>				
	Surface Mount Circular / Sqaure Downlights-Non Dimmable: SM250C LED7S- 6500 PSU	गोटा		२९९२.००	२९९२.००
	Surface Mount Circular / Sqaure Downlights-Non Dimmable: SM250C LED12S- 6500 PSU WH	गोटा		३२६४.००	३२६४.००
	Surface Mount Circular / Sqaure Downlights-Non Dimmable: SM251C LED16S- 6500 PSU WH	गोटा		४७६०.००	४७६०.००
	Surface Mount Circular / Sqaure Downlights-Non Dimmable: SM251C LED20S- 6500 PSU WH	गोटा		५३०४.००	५३०४.००
	<b>RECESS MOUNTING DOWNLIGHT</b>				
	<b>Recessed Circular Downlight Luminaries:</b>				
	Circular Downlight Non Dimmable - DN295B LED6S-6500 PSU	गोटा		३८०८.००	३८०८.००
	Circular Downlight Non Dimmable - DN295B LED8S-6500 PSU	गोटा		४२९६.००	४२९६.००
	Circular Downlight Non Dimmable - DN295B LED10S-6500 PSU	गोटा		४६२४.००	४६२४.००
	Circular Downlight Non Dimmable - DN296B LED12S-6500 PSU	गोटा		५७९२.००	५७९२.००
	Circular Downlight Non Dimmable - DN296B LED15S-6500 PSU	गोटा		६८००.००	६८००.००
	Circular Downlight Non Dimmable - DN296B LED20S-6500 PSU	गोटा		८९६०.००	८९६०.००
	Circular Downlight Dimmable - DN296B LED12S-6500 PSd	गोटा		९५२०.००	९५२०.००
	Circular Downlight Dimmable - DN296B LED15S-6500 PSd	गोटा		१०८८०.००	१०८८०.००
	Circular Downlight Dimmable - DN296B LED20S-6500 PSd	गोटा		१३०५६.००	१३०५६.००
	<b>LED TUBELIGHTS</b>				
	8W T5 TUBE SET 2700K FIX	गोटा		७५०.००	७५०.००
	16W T5 TUBE SET 2700K FIX	गोटा		९५०.००	९५०.००
	20W LED TUBE SET FIX	गोटा		१२५०.००	१२५०.००
	10W LED TUBE ONLY T8	गोटा		९५०.००	९५०.००
	10W LED TUBE PATTI T8	गोटा		५५०.००	५५०.००
	20W LED TUBE ONLY T8	गोटा		१०००.००	१०००.००
	20W LED TUBE PATTI T8	गोटा		६५०.००	६५०.००
	40W DOUBLE LED TUBE PATTI T8	गोटा		१७५०.००	१७५०.००
	16W LED TGUBE SET FIX 6500K	गोटा		१२५०.००	१२५०.००
	32W DOUBLE LED TUBE SET FIX 6500K	गोटा		२५००.००	२५००.००
	4W/8W/20W LED Tubelight batten Square body 3000k/4000k/6500k 1ft/2ft/4ft LED batten light	गोटा		७६०.००	७६०.००
	<b>FLOODLIGHTS</b>				
	20W 6500 LED + MULTIPLUG	गोटा		९६९०.००	९६९०.००
	30W FLOOD LIGHT + CHARGEABLE	गोटा		१२२४५.००	१२२४५.००
	10W FLOOD LIGHT 6500K	गोटा		१७८०.००	१७८०.००
	20W FLOOD LIGHT 6500K	गोटा		३१७०.००	३१७०.००
	30W FLOOD LIGHT 6500K	गोटा		३७२०.००	३७२०.००
	50W FLOOD LIGHT 6500K	गोटा		६०३०.००	६०३०.००
	30W FLOOD LIGHT 2700K	गोटा		३९५०.००	३९५०.००
	50W FLOOD LIGHT 2700K	गोटा		६२५०.००	६२५०.००
	150W FLOOD LIGHT 6500K	गोटा		१६२३०.००	१६२३०.००

## विद्युतिय सामाग्रीहरु


सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	100W FLOOD LIGHT 6500K	गोटा		१०६४०.००	१०६४०.००
	200W FLOOD LIGHT 6500K	गोटा		२७३३५.००	२७३३५.००
	400W FLOOD LIGHT 6500K	गोटा		४०५००.००	४०५००.००
	10W FLOOD LIGHT SENSOR 6500K	गोटा		२३५०.००	२३५०.००
	20W FLOOD LIGHT SENSOR 6500K	गोटा		३८५०.००	३८५०.००
	30W FLOOD LIGHT SENSOR 6500K	गोटा		४२५०.००	४२५०.००
	50W FLOOD LIGHT SENSOR 6500K	गोटा		४९००.००	४९००.००
	50W POLE LIGHT 6500K	गोटा		८९४५.००	८९४५.००
	100W POLE LIGHT 6500K	गोटा		१४७५०.००	१४७५०.००
	50W HIGH BAY LIGHT	गोटा		८५००.००	८५००.००
	100W HIGH BAY LIGHT	गोटा		१०५००.००	१०५००.००
	20W TRACK LIGHT 6500/2700 K	गोटा		४६२०.००	४६२०.००
	1 METER TRACK STICK	गोटा		१०२०.००	१०२०.००
	<b>LED FLOOD LIGHT</b>				
	10W 1000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा		१५५०.००	१५५०.००
	20W 2000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा		२६००.००	२६००.००
	40W 4000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा		४९००.००	४९००.००
	60W 6000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा		५७००.००	५७००.००
	90W 9000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा		९६५०.००	९६५०.००
	120W 12000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा		११०००.००	११०००.००
	150W 15000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा		१५०००.००	१५०००.००
	200W 20000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा		१९७००.००	१९७००.००
	Smartbright LED flood light having 30000 burning hours,Polycarbonate cover enhances impact strength (IK07 rated),Pressure die-cast housing offers excellent corrosion resistance,4KV surge protection, IP65 certified,Overheating protection,Pressure die-cast housing				
	10w	गोटा		३३५०.००	३३५०.००
	20W	गोटा		४४००.००	४४००.००
	30W	गोटा		६२५०.००	६२५०.००
	50W	गोटा		१४५००.००	१४५००.००
	70W	गोटा		१९०००.००	१९०००.००
	105W Tempo Flood light	गोटा		८५०००.००	८५०००.००
	300w Tango Flood Light	गोटा		१२००००.००	१२००००.००
	<b>PANEL LIGHT</b>				
	3W RD CONCEAL PANEL LIGHT (WW/WH)	गोटा		६७५.००	६७५.००
	6W RD CONCEAL PANEL LIGHT (WW/WH)	गोटा		८२५.००	८२५.००
	8W RD CONCEAL PANEL LIGHT (WW/WH)	गोटा		११००.००	११००.००
	12W RD CONCEAL PANEL LIGHT (WW/WH)	गोटा		१४००.००	१४००.००
	18W RD CONCEAL PANEL LIGHT (WW/WH)	गोटा		१८७५.००	१८७५.००
	20W RD CONCEAL PANEL LIGHT WH	गोटा		२२७५.००	२२७५.००
	26W RD CONCEAL PANEL LIGHT WH	गोटा		२९२५.००	२९२५.००
	26W RD CONCEAL PANEL LIGHT WH	गोटा		३०००.००	३०००.००
	3W SQ CONCEAL PANEL LIGHT (WW/WH)	गोटा		६७५.००	६७५.००
	6W SQ CONCEAL PANEL LIGHT (WW/WH)	गोटा		८२५.००	८२५.००
	12W SQ CONCEAL PANEL LIGHT (WW/WH)	गोटा		१४००.००	१४००.००
	24W SQ CONCEAL PANEL LIGHT (WW/WH)	गोटा		३६००.००	३६००.००

  
 नेपाल सरकार  
 ललितपुर महानगरपालिका  
 प्रशासन कार्यालय  
 ललितपुर


231

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	6W RD SURFACE PANEL LIGHT (WW/WH)	गोटा		११७५.००	११७५.००
	12W RD SURFACE PANEL LIGHT (WW/WH)	गोटा		१७७५.००	१७७५.००
	12W SQ SURFACE PANEL LIGHT (WW/WH) PC + AL	गोटा		१५५०.००	१५५०.००
	18W SQ SURFACE PANEL LIGHT (WW/WH) PC + AL	गोटा		२५९०.००	२५९०.००
	18W SQ SURFACE PANEL LIGHT	गोटा		१६५०.००	१६५०.००
	24W SQ SURFACE PANEL LIGHT	गोटा		३८५०.००	३८५०.००
	3W COB CONCEAL LIGHT (WW/WH)	गोटा		८७०.००	८७०.००
	5W COB CONCEAL LIGHT (WW/WH)	गोटा		९९०.००	९९०.००
	7W COB CONCEAL LIGHT (WW/WH)	गोटा		९७५.००	९७५.००
	8W COB CONCEAL LIGHT WH	गोटा		९७५.००	९७५.००
	10W COB CONCEAL LIGHT WH	गोटा		१०५०.००	१०५०.००
	12W COB CONCEAL LIGHT WH	गोटा		१६९०.००	१६९०.००
	15W COB CONCEAL LIGHT WH	गोटा		१३७५.००	१३७५.००
	30W COB CONCEAL LIGHT WH	गोटा		२६५०.००	२६५०.००
	2X2 40W SQ CONCEAL PANEL LIGHT WH	गोटा		६७८०.००	६७८०.००
	2X2 36W SQ SURFACE PANEL LIGHT WH	गोटा		५५००.००	५५००.००
	1X2 20W SQ CONCEAL PANEL LIGHT WH	गोटा		५५००.००	५५००.००
	1X4 40W SQ CONCEAL PANEL LIGHT WH	गोटा		९५००.००	९५००.००
	2X4 80W SQ CONCEAL PANEL LIGHT WH	गोटा		१८५००.००	१८५००.००
	<b>LED SURFACE/RECESSED PANEL LIGHT</b>				
	5W 500lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा		७२०.००	७२०.००
	8W 800lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा		१०२०.००	१०२०.००
	12W 1200lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा		१२३५.००	१२३५.००
	15W 1500lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा		१४०५.००	१४०५.००
	18W 1800lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा		१७५०.००	१७५०.००
	20W 2000lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा		१९००.००	१९००.००
	<b>LED PANEL LIGHTS</b>				
	2 x 2 ,24W ,@120lm/watt with long life,CRCA housing,Low glare, reduced flicker and no blue light hazard,Wide voltage protection 160-360V, Surge protection 2.5kV,Even and uniform light. No dark spots with CCT 3000k/4000k/6500k(RC370B TROFER 24W LED 30S RECESS)	गोटा		८९६०.००	८९६०.००
	1 x 1, 15W ,@120lm/watt with long life,CRCA housing,Low glare, reduced flicker and no blue light hazard,Wide voltage protection 160-360V, Surge protection 2.5kV,Even and uniform light. No dark spots with CCT 3000k/4000k/6500k(RC375B CORELINE 15W LED 30S RECESS)	गोटा		५९९५.००	५९९५.००
	1x1, 24W 2160lm AC 90-300v,50Hz,Pressure Die-Cast Aluminium Eco friendly slim design Panel light	गोटा		४७००.००	४७००.००
	2x2, 36W 3600lm AC 90-300v,50Hz, Armstrong,surface,Recessed,suspended MS sheet Panel light	गोटा		५७००.००	५७००.००
	1x4, 36W 3600lm AC 90-300v,50Hz, Armstrong, ,Recessed,suspended sheet Aluminium Panel light	गोटा		१०७००.००	१०७००.००
	<b>Stellar Bright/Ace saver energy saving bulbs IP44 withlow glare,reduced flicker,no blue light hazard,wide voltage protection</b>	गोटा			
	2.7W/4W/7W	गोटा		३९०.००	३२२.००
	10.5W/12W/14W	गोटा		६८०.००	७०७.००



२३२



## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	17W/20W	गोटा		९३५.००	९७२.००
	40W/50W	गोटा		२९६०.००	३०७८.००
	<b>Smart Lighting Fixtures:</b>				
	Recessed Downlight: RCI, Ceiling Recessed LED Adjustable Downlight. Power: 12w, COB, 3000K, 100 lm/W, CRI>90, Dimension: L100*W100*H108MM Cutout: Dia 80 mm, Beam Angle:36 Degree, Cable: 300 mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	गोटा		४४८०	४६५९.००
	Recessed Downlight: RC2/RC3/RC4/RC6/RC7, Ceiling Recessed LED Adjustable Downlight, Power: 12W, COB, 3000K, 100 lm/w, CRI>90, Dimension: Dia 90*H113mm Cutout: Dia 78 mm, Beam Angle: 40/15 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	गोटा		३९२०	४०७६.००
	Recessed Downlight: RC5, Ceiling Recessed LED Adjustable Downlight, Power: 12w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90* H113 MM Cutout: Dia 78MM, Beam Angle: 40 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With Non Dimmable Driver	गोटा		२०३०	२१११.००
	Recessed Downlight: RC2a, Ceiling Recessed LED Adjustable Downlight, Power: 18w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90MM, Beam Angle: 36 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	गोटा		४९००	५०९६.००
	Recessed Downlight: RC8, Ceiling Recessed LED Adjustable Downlight, Power: 10w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90* H113 MM Cutout: Dia 78MM, Beam Angle: 24 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With Non Dimmable Driver	गोटा		२१००	२१८४.००
	Recessed Underground LED Light: RG1, Dia 100*H100 mm, cutout: Dia 95 mm, 3W, 3000K, IP67, CRI> 85, Beam Angle: 15 degree	गोटा		२४५०	२५४८.००
	IP67 Non Dimmable Driver: IP67, Outdoor Driver, DC12V, 35W Capacity	गोटा		१९६०	२०३८.००
	LED Strip Light : SL1/SL2/SL3a, Flexible Led Strip Light Wattage: 9.6 W/Meter Colour Temp: 3000 k Input Voltage: 24 V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll	र.मि.		७७०	८००.००
	0-10 Dimmable Driver: Power: 50 W, 0-10V dimmable	गोटा		४१३०	४२९५.००
	Aluminium Channel Option 2: Channel With Cover, 3m/Pc	र.मि.		५३२	५५३.००
	LED Strip Light : SL1a, Flexible Led Strip Light Wattage: 4.8 W/Meter Colour Temp: 3000K Input Voltage: 24V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll	र.मि.		४०६	४२२.००
	Non Dimmable Driver: 150w IP20 Non Dimmable Driver	गोटा		१७५०	१८२०.००
	LED Strip Light : SL3, Flexible Led Strip Light Wattage: 14.4 W/Meter Colour Temp: 3000K Input Voltage: 24V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll	र.मि.		१०८५	११२८.००
	0-10 Dimmable Driver: Power: 150 W, 0-10V dimmable	गोटा		९७०६	१००९४.००
	Aluminium Channel: Channel With Cover, 3m/Pc	र.मि.		६६५	६९१.००
	Gateway: DIN-Rail Mounted Intelligent Gateway, as per the confirmed technical details	गोटा		१३३०००	१३८३२०.००
	Power Supply: DIN System Power Supply, as per the confirmed technical details	गोटा		१८२००	१८९२८.००
	Central Distribution Box: Suitable with modules	सेट		३५०००	३६४००.००
	Central Control Panel: Touch screen, Adroid System Control Computer, 18.5 inches	सेट		२५२०००	२६२०८०.००
	Software: PPS Programming software, we can also program and customize as per client request	सेट		३९२०००	४०७६८०.००
	Leading Edge Dimmer Module: 4 Channels Leading Edge Dimmer Module, as per the confirmed technical details	गोटा		९८०००	१०१९३००.००
	0-10V Dimmer Module: 4 Channels of 0-10 V Dimmer Module with 4*16A Switch, as per the confirmed technical details	गोटा		८६८००	९०२७२.००
	Switch Module: 4 Channel 16A, as per the confirmed technical details	गोटा		७९४००	७४२५६.००
	8-Key Intelligent Wallplate: 8 Keys, as per the confirmed technical details	गोटा		५८८००	६११५२.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Bus Cascade Module with power supply: AC110-220V wide voltage power supply, as per the confirmed technical details	गोटा		३२२००	३३४८८.००
	DIN System Power Supply: Supplies 24 V, 2.5 A DC Power, as per the confirmed technical details	गोटा		२५२००	२६२०८.००
	Distribution Box 1: Suitable with modules	सेट		६३०००	६५५२०.००
	Ceiling Light: Suitable with modules	गोटा		११९०००	१२३७६०.००
	<b>275 gsm Pregalvanized Cable Tray &amp; Raceways</b>				
	<b>CABLE SUPPORT SYSTEM - FINISH - (275GSM)</b>				
	Slotted Z Section - (2500MM LONG) Pre Galvanized (PG 275)	र.मी		८००	८३२.००
	Rung slotted "C CHANEL" - Pre Galvanized (PG 275)	र.मी		५२५	५४६.००
	Punched Plate 30x5mm THK,HDG 65 Micron (PG 275GSM)	र.मी		७५०	७८०.००
	Splice plate 35x200x2.00 (PG 120)/ Coupler plate 38x110mm	र.मी		५५०	५७२.००
	Splice plate 62x90x2.00 (PG 120)/Coupler plate 62x110mm	र.मी		५७५	५९८.००
	M8-Threaded rod Electroplated,1000 mm long	र.मी		१९०	१९७.००
	M10-Threaded rod Electroplated,1000 mm long	र.मी		२९०	३०१.००
	Rod coupler, M-8,Electroplated	र.मी		९५	९८.००
	Rod coupler, M-10,Electroplated	र.मी		१०५	१०९.००
	WDJ Coupler 100,150 & 200 mm	र.मी		५७५	५९८.००
	275 gsm Pregalvanized Junction Box	र.मी		२५००	२६००.००
	Coupler for BRT 900,750,450,300 & 150MM	र.मी		२५०	२६०.००
	Coupler for PCT 600,450,300,200,150 & 100MM	र.मी		२७५	२८६.००
	Bottle Bracket for BRT 100 X50MM	र.मी		२५०	२६०.००
	Bottle Bracket for BRT 150 X50MM	र.मी		४००	४१६.००
	Bottle Bracket for PCT 200 X50MM	र.मी		५५०	५७२.००
	METAL GRIP/FASTNER	र.मी		९०	९३.००
	BRT Reducer Bend 450-150, 50 mm Height ,PG275GSM	र.मी		५०००	५२००.००
	BRT Hardware/PCT Hardware	र.मी		३०	३१.००
	<b>LADDER CABLE TRAY (15X30X15) Pre Galvanized (275 Gsm)</b>				
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मी		३२२५	३३५४.००
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मी		२५००	२६००.००
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मी		१८५०	१९२४.००
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मी		१६५०	१७१६.००
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मी		१४५०	१५०८.००
	<b>Raceways Pre Galvanized (275 Gsm) Joggled Wire Ducts --2500MM Long</b>				
	Raceways 2mm Thk WDJ [PG275GSM] Base With Cover & Strap-100mm	र.मी		२५७५	२६७८.००
	Raceways 2mm Thk WDJ [PG275GSM] Base With Cover & Strap-150mm	र.मी		३२५०	३३८०.००
	Raceways 2mm Thk WDJ [PG275GSM] Base With Cover & Strap-200mm	र.मी		३५००	३६४०.००
	<b>Perforated Cable Tray 1.6mm Thick--2500mm Long,Pre Galvanized</b>				
	Perforated Cable Tray PCT 100MM Pre-Galvanized (275GSM)				११७५
	Perforated Cable Tray PCT 150MM Pre-Galvanized (275GSM)				१४३२
	Perforated Cable Tray PCT 200MM Pre-Galvanized (275GSM)				१७७५



## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Perforated Cable Tray PCT 300MM Pre-Galvanized (275GSM)				२०८८
	Perforated Cable Tray PCT 450MM Pre-Galvanized (275GSM)				३१८४
	Perforated Cable Tray PCT 600MM Pre-Galvanized (275GSM)				४०७२
	<b>Perforated Cable Tray 2mm Thick--2500mm Long,Pre Galvanized (275 Gsm)</b>				
	Perforated Cable Tray PCT 100MM Pre-Galvanized (275GSM)	र.मी		११७५	१२२७
	Perforated Cable Tray PCT 150MM Pre-Galvanized (275GSM)	र.मी		१४५०	१५१४
	Perforated Cable Tray PCT 200MM Pre-Galvanized (275GSM)	र.मी		१७७५	१८५३
	Perforated Cable Tray PCT 300MM Pre-Galvanized (275GSM)	र.मी		२०५०	२१४१
	Perforated Cable Tray PCT 450MM Pre-Galvanized (275GSM)	र.मी		३१६०	३३००
	Perforated Cable Tray PCT 600MM Pre-Galvanized (275GSM)	र.मी		४०३०	४२०९
	<b>Perforated Cable Tray With 2 mm Thick PRE GALVANIZED (275GSM) With COVER -2500mm Long</b>				
	Perforated Cable Tray with 2mm Thk Cover PCT 100MM Pre-Galvanized	र.मी		१९७६	२०६३
	Perforated Cable Tray with 2mm Thk Cover PCT 300MM Pre-Galvanized	र.मी		४०५०	४२३०
	Perforated Cable Tray with 2mm Thk Cover PCT 450MM Pre-Galvanized	र.मी		६२५०	६५२८
		र.मी			
	Rigid round conduit Unplasticised Polyvinyl Chloride(uPVC) pipes,laser engraved,Fire retardant corrosion free FRLS with thermal resistance from -5°C to +60°C ,durable and impact resistant				
	<b>MEDIUM/HEAVY MECHANICAL STRESS(MMS)</b>				
	20MM MMS/HMS Ivory/Black/Grey/White/Red/Yellow/Blue/Green	र.मी		१११	१११
	25MM MMS/HMS Ivory/Black/Grey/White/Red/Yellow/Blue/Green	र.मी		१३९	१३९
	32MM MMS/HMS Ivory/Black/Grey/White/Red/Yellow/Blue/Green	र.मी		२६१	२६१
	Precision Circular Boxes and Adapter boxes are provided with M4 brass insert with a load suspension capacity of 3Kgs at 60°C Unplasticised Polyvinyl Chloride(uPVC) pipes,laser engraved,Fire retardant corrosion free FRLS with thermal resistance from -5°C to +60°C ,durable and impact resistant				
	20mm 1 way/2way/3way/4way with cover/without cover	गोटा		९०	९०
	25mm 1 way/2way/3way/4way with cover/without cover	गोटा		१००	१००
	32mm 1 way/2way/3way/4way with cover/without cover	गोटा		२१४	२१४
	<b>DEEP TYPE</b>				
	20mm 1 way/2way/3way/4way with cover/without cover	गोटा		१४५	१४५
	25mm 1 way/2way/3way/4way with cover/without cover	गोटा		१७२	१७२
	32mm 1 way/2way/3way/4way with cover/without cover	गोटा		२२५	२२५
	<b>SADDLE,COUPLER,BEND, ELBOW,TEE,BUSH ADAPTOR</b>				
	20/25MM Round U Clip/Space Bar saddle	गोटा		४२	४२
	20/25MM Coupler	गोटा		२५	२५
	20/25 mm slip type Bend	गोटा		८९	८९
	20/25mm Round Elbow	गोटा		४४	४४
	20/25mm Round Tee	गोटा		६१	६१
	20/25mm Male/female Bush Adaptor	गोटा		४०	४०
	<b>POLY PROPLENE CORRUGATED FLEXIBLE CONDUITS PIPE</b>				
	16/20/25 MM Flexiable conduits pipe	र.मी		९१	९१
	32/40mm flexiable conduits pipe	र.मी		१७६	१७६
	<b>FRPP(FIRE RETARDANT POLY PROPLENE CORRUGATED FLEXIBLE CONDUITS</b>				
	16/20/25 MM FLEXIABLE CONDUITS PIPE	र.मी		१२०	१२०
	32/40 MM FLEXIABLE CONDUITS PIPE	र.मी		२०५	२०५
	<b>FLEXIBLE PIPE GLAND</b>				

*[Signature]*

*[Signature]*

*[Signature]*

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	16/20/25MM PVC GLAND	गोटा		७५	७५
	32/40MM PVC GLAND	गोटा		१०७	१०७
	<b>uPVC MINI/MAXI TRUNKING PROFILE(LISTY)</b> made with unplastidices polyvinyl chloride with fast installation,easy maintenance,secure and elegant look,durable and impact resistance,fire retardant,corrosion free,thermal resistance from -5°C to +60°C.				
	16x16mm	र.मी		४५	४५
	25x15mm	र.मी		५८	५८
	50x50mm	र.मी		४८०	४८०
	50x100mm	र.मी		१८६०	१८६०
	<b>Suspended-Surface Mounted Luminaires</b>				
	PureLine Slim Surface & Suspended 60mm/75mm Width Suspended 60mm/75mm width aluminium extruded linear lighting luminaires with superior white powder coated finish. Multiple options of light distribution, run lengths and lumen packages for different application to choose from. Type				
	SP780 P LED52S-6500 PSU W6L224 OD SI	गोटा		४५१७६	४५१७६
	SP780 P LED26S-6500 PSU W6L112 OD S	गोटा		२२५८८	२२५८८
	SP781X LED46S-6500 PSU W7L224 OD SI	गोटा		५६४७०	५६४७०
	SP781 X LED22S-6500 PSU W6L112 OD SI	गोटा		२६३५२	२६३५२
	End Plate SP780 EP60 GREY	गोटा		५२५	५२५
	ZPH780 N2000	गोटा		९५०	९५०
	ZPH780 1MTR 5C 0.75sq mm Transparent cable	गोटा		९००	९००
	<b>Pureline Slim Connector 60mm</b>				
	Pureline Slim Connector 60mm Pureline Slim Family can be conjoined in multiple way like L,+T, Y etc. Type	गोटा			
	SP781X LED44S-6K PSU W6 SI L CONN 22X2	गोटा		९५००	९५००
	CCT options: 4000K, 5700K, 6500K. Available in DALI also at NPR 3200/- additional on fixed output (PSU) MRP	गोटा		६९००	६९००
	<b>Pureline Taper</b>				
	Pureline Taper PureLine Taper is an elegant suspended lighting solution with taper end (bottom width of 60mm & top width of 50mm), it also has option of designer end caps which provide design inspiration through geometric patterns. Multiple option of light distribution, run lengths, color options & lumen pack for different application available. Type				
	SP811P LED33S-6500 PSU W6L120 OD SI	गोटा		२८२३५	२८२३५
	SP810P LED26S-6500 PSU W6L120 OD SI	गोटा		२३५३०	२३५३०
	SP811P LED66S-6500 PSU W6L240 OD SI	गोटा		५६४७०	५६४७०
	SP810P LED52S-6500 PSU W6L240 OD S	गोटा		४६९९७	४६९९७
	<b>PureLine Slim Connectors &amp; Decorative Shapes 50mm</b>				
	PureLine Slim Connectors & Decorative Shapes 50mm Recessed Mounted 50mm aluminium extruded linear fixtures to align the linear lighting layout with the office architecture or create playful environments with shapes like square, hexagon, etc. Multiple options of light distribution, run lengths and lumen packages for different application to choose from				
	SP780P LED66S-6500 PSU W5 OD WH HX CONN	गोटा		५०८२३	५०८२३
	SP780P LED48S-6500 PSU W5 OD WH X CONN	गोटा		३६२३५	३६२३५
	SP780P LED44S-6500 PSU W5 OD WH SQ CONN	गोटा		३०९९७	३०९९७
	SP780X LED48S-6500 PSU W5 OD WH + CONN	गोटा		४६९९७	४६९९७
	SP780P LED36S-6500 PSU W5 OD WH Y CONN	गोटा		२७८५८	२७८५८
	SP780X LED36S-6500 PSU W5 OD WH T CONN	गोटा		१७३९७	१७३९७



*[Signature]*

*[Signature]*

*[Signature]*

*[Signature]*

*[Signature]*



## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	SP780X LED24S-6500 PSU W5 OD WH L CONN	गोटा		१८८२३	१८८२३
	<b>PureLine</b>				
	PureLine Extruded Aluminium Suspended Diffused Office Lighting Solutions with up-down light distribution, available in standalone and continuous mounting versions in 4ft & 8ft run lengths				
	SP680P LED39S 6500 PSU WH L120 S1	गोटा		१६३७६	१६३७६
	SP680P LED78S 6500 PSU WH L240 S1	गोटा		३२०००	३२०००
	SP680X1 LED34S 6500 PSU WH L120 S1	गोटा		३२०००	३२०००
	SP680P LED68S 6500 PSU WH L240 S1	गोटा		३०११७	३०११७
	<b>SmartBrite Linear</b>				
	SmartBrite Linear SmartBright Linear provides an extremely durable and high efficacy yet cost effective linear solution surface mounted and suspended applications like offices, retail stores, metro stations, etc				
	SP095V LED40S 865 W7L120 PSU WH	गोटा		११२९५	११२९५
	SP095V LED26S 865 W7L120 PSU WH	गोटा		१०३५३	१०३५३
	<b>SmartBrite Surface</b>				
	SmartBrite Surface Low height general purpose suspended/surface mounted LED luminaire with diffused optics offering perfect illumination for indoor space.				
	SM270C LED 30S 6500 PSU WH	गोटा		१०३५२	१०३५२
	<b>Cirrus Surface</b>				
	Cirrus Surface Surface Mounted general purpose square shaped luminaire with low height CRCA housing and high transmittivity diffuser suitable for office application. Available in options of white & grey housing with profiled & flat diffuser. Type				
	SM365C LED32-6500 PSU OD GR	गोटा		१०३५२	१०३५२
	<b>Cirrus Mini Pro</b>				
	Cirrus Mini Pro Cirrus Mini Pro is a general lighting application luminaire (with a dimension of 312mm X 312mm), a perfect solution for all surface mount indoor general lighting application. Type				
	SM200C LED16S 6500 PSU OD WH	गोटा		५८३५	५८३५
	<b>DaySpace Suspended</b>				
	DaySpace Suspended DaySpace is a unique 2'X2' LED luminaire suitable for grid ceiling. With options of using the false ceiling tile or back plate of users choice the fixture seamlessly blends into the office environment/architecture and also declutters the ceiling with it unique design				
	SP740B LED25S/865 W60L60 PSU WH	गोटा		३२०००	३२०००
	SP740B LED30S/865 W60L60 PSU WH	गोटा		३५७६५	३५७६५
	SP740B LED36S/865 W60L60 PSU WH	गोटा		४१४११	४१४११
	SP740B LED25S/865 W60L60 PSD WH	गोटा		४३२९५	४३२९५
	SP740B LED30S/865 W60L60 PSD WH	गोटा		४५१७६	४५१७६
	SP740B LED36S/865 W60L60 PSD WH	गोटा		४७६०	४७६०
	<b>DaSpace Recessed Mounted</b>				
	DaySpace Recessed DaySpace is a unique 2'X2' LED luminaire suitable for grid ceiling. With options of using the false ceiling tile or back plate of users choice the fixture seamlessly blends into the office environment/architecture and also declutters the ceiling with it unique design.				
	RC740B LED25S/865 W60L60 PSU WH	गोटा		२५४११	२५४११
	RC740B LED36S/865 W60L60 PSD WH	गोटा		३९५३०	३९५३०
	<b>PowerBalance</b>				
	PowerBalance Aluminium extruded recessed luminaire with 135mm diffused compartment available both in standalone & continuous options suitable for armstrong techzone ceiling				

नेपाल सरकार  
 मन्त्रालय  
 प्रशासन क  
 ललितपुर

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	RC600B M LED30S-6500 PSU W30L120 WH	गोटा		२२५८८	२२५८८
	RC600B M LED30S-6500 PSD W60L60 WH	गोटा		२९९७६	२९९७६
	<b>WingLine</b>				
	WingLine Recessed mounted general purpose square shaped luminaire with high transmittivity diffuser suitable for office application. Available in options of white & grey housing with profiled & flat diffuser				
	RC480B LED25S/865 W60L60 PSU WH	गोटा		९४९९	९४९९
	<b>CoreView</b>				
	CoreView A unique recessed mounted 2'X2' LED luminaire suitable for grid ceiling with 100% indirect lighting, delivering soft and uniform light for excellent visual comfort				
	RC 420B M LED 30S 6500 PSU WH	गोटा		९९२९४	९९२९४
	RC 420B M LED 30S 6500 PSD WH	गोटा		९४९९७	९४९९७
	<b>PureLine TechZone G2</b>				
	PureLine TechZone G2 Pureline Techzone is offered in two versions suitable for 150mm & 100mm technical zones. Sturdy extruded Aluminum housing with Sliding PC diffuser offering uniform lighting distribution. CRCA end Caps and external gear for ease of maintenance				
	RC810B LED26S 6500 PSU W10L120 OD WH	गोटा		९४८७०	९४८७०
	RC810B LED52S 6500 PSU W10L240 OD WH	गोटा		२९७४९	२९७४९
	RC810B LED26S 6500 PSU W15L120 OD WH	गोटा		९७२९	९७२९
	RC810X LED40S 6500 PSU W15L240 OD WH	गोटा		३४८२३	३४८२३
	RC810 W10 ENDPLATE	गोटा		६६०	६६०
	RC810 W10L120 ACCESSORY DIFFUSER	गोटा		९५०	९५०
	RC810 W15L240 ACCESSORY DIFFUSER	गोटा		९०३५	९०३५
	<b>PureLine Slim Recessed 60mm/ 75mm</b>				
	PureLine Slim Recessed 60mm/ 75mm Recessed 60mm/75mm width aluminium extruded linear lighting luminaires with superior anodised aluminium finish. Multiple options of light distribution, run lengths and lumen packages for different application to choose from				
	RC780B LED52S-6500 PSU W7L240 OD SI	गोटा		४३२९४	४३२९४
	RC780B LED26S-6500 PSU W7L120 OD SI	गोटा		२२०२३	२२०२३
	<b>PureLine Slim Recessed 50mm</b>				
	PureLine Slim Recessed 50mm Recessed Mounted 50mm aluminium extruded linear lighting luminaires with superior white powder coated finish. Multiple options of light distribution, run lengths and lumen packages for different application to choose from.				
	RC780B LED52S-6500 PSU W5L226 OD WH	गोटा		२८२३५	२८२३५
	RC780X LED12S-6500 PSU W5L56 OD WH	गोटा		९०३६	९०३६
	RC780X LED52S-6500 PSU W5L226 OD WH	गोटा		२७६७०	२७६७०
	<b>PureLine TechZone</b>				
	PureLine TechZone Aluminium extruded recessed luminaire with 135mm diffused compartment available both in standalone & continuous options suitable for armstrong techzone ceiling. Type				
	RC820B LED 26S 6500 PSU W15L120 OD SI	गोटा		९५०५९	९५०५९
	RC820B LED 52S 4000 PSU W15L240 OD SI	गोटा		३०९९७	३०९९७
	<b>FullGlow 1'x4'</b>				
	FullGlow 1'x4' Fully diffused recessed mounted 1'X4' LED luminaire with high transmittivity diffuser suitable for indoor spaces				
	RC380B LED30S-6500 G5 L3W12 PSU OD	गोटा		९२२३५	९२२३५
	RC380B LED43S-6500 G5 L3W12 PSU OD	गोटा		९६०००	९६०००
	RC380B LED36S-6500 G5 L3W12 PSU OD	गोटा		९४९९७	९४९९७
	<b>GreenSquare</b>				

*[Handwritten signature]*


*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*



## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु. अ. क. बाहेकको दररेट		
			आ. व. २०७७/७८	आ. व. २०७८/७९	आ. व. २०७९/८०
	GreenSquare General purpose recessed mounted 2'X2' LED luminaire with central light exit and profiled CRCA housing for better and soothing light distribution.				
	RC140B LED30S-6500 PSU WH OD	गोटा		८२८२	८२८२
	RC140B LED30S-4000 PSD WH OD	गोटा		१०१६४	१०१६४
	<b>Cirrus</b>				
	Cirrus Recessed mounted general purpose square shaped luminaire with high transmittivity diffuser suitable for office application. Available in options of white & grey housing with profiled & flat diffuser				
	LED33-6500 PSU OD WH	गोटा		९०३५	९०३५
	RC366B LED33-6500 PSU OD WH	गोटा		९०३५	९०३५
	<b>SmartBright</b>				
	SmartBright Extruded Aluminium batten available in 2ft & 4ft run length with multiple lumen packages and suitable for Surface, Wall & Conduit mounting (with accessories)				
	BN 021 LED40S- 6500 PSU GR (4 ft)	गोटा		२८२१	२८२१
	<b>Downlighters &amp; Spot Lights</b>				
	GreenSpace Flex GreenSpace Flex is a modular range of downlighters, with extremely low glare (UGR)The range is available in Narrow (15°), Medium (24°) & Wide Beam (38°) optics, suitable for different applications & ceiling heights				
	RS378Z M102 D150 R-R AJU	गोटा		८४७०	८४७०
	RS378Z M87 D130 R-R AJ	गोटा		६७७६	६७७६
	RS378Z M55 D75 R-U AJ	गोटा		२८२३	२८२३
	RS378Z M55 D75 R-R AJ Trim	गोटा		३२००	३२००
	RS378Z M55 D75 R-R FX PH WP	गोटा		२८२३	२८२३
	RS378B P6 927 PSU-E MB M55	गोटा		५६४७	५६४७
	RS378B P6 927 PSU-E WB M55	गोटा		९०३५	९०३५
	RS378B P6 930 PSU-E WB M55	गोटा		१६९४१	१६९४१
	<b>LuxSpace Pro</b>				
	LuxSpace Pro LuxSpace Pro is a deep recessed downlighter range with extremely low glare (UGR) & high quality faceted reflector for superior lighting and aesthetics. The range is available in Medium (32°) & Wide Beam (65°) optics for both standard and high ceiling applications				
	DN590B M LED6S-6500 PSU WH WB	गोटा		९०३५	९०३५
	DN590B M LED10S-6500 PSU WH MB	गोटा		९०३५	९०३५
	DN590B M LED20S-6500 PSU WH MB	गोटा		९०३५	९०३५
	<b>GreenPerform Sleek</b>				
	GreenPerform Sleek GreenPerform Sleek is a high performance low-height LED downlighter suited for requirements of any modern professional workspace. Robust PDC housing ensures long system. Narrow rim renders a pleasing aesthetic look				
	DN295B LED6S-6500 PSU WH	गोटा		२६३५	२६३५
	DN295B LED10S-6500 PSU WH	गोटा		३२००	३२००
	DN296B LED12S-6500 PSU WH	गोटा		३९५२	३९५२
	DN296B LED15S-6500 PSU WH	गोटा		४७०५	४७०५
	DN296B LED20S-6500 PSU WH	गोटा		५६४७	५६४७
	<b>Sleek Surface Downlight</b>				
	Sleek Surface Downlight Slim profile surface mounted downlight with options of 700 to 2000 lumen				
	SM250C LED7S- 6500 PSU WH	गोटा		२०७०	२०७०
	SM250C LED12S- 6500 PSU WH	गोटा		२२५९	२२५९
	SM251C LED16S- 6500 PSU WH	गोटा		३२००	३२००

प्रमुख जिल्ला अधिकारी

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	SM250C LED12S- 6500 PSU WH	गोटा		२२५८	२२५८
	SM251C LED20S- 6500 PSU WH	गोटा		३६७०	३६७०
	<b>ArchSpace</b>				
	ArchSpace ArchSpace is the perfect choice when it comes to surface and suspended cylindrical downlighting applications such as those in Retail, Offices, Hotels, Lobbies and School/ Universities etc. With its differentiated aesthetics with extruded aluminium housing and a superior powder coated finish, multiple choices of lumen packs, two diameters, flexible height*, uniform lighting distribution and superior features of Driver make ArchSpace an undisputed winner when it comes to the surface/ cylindrical downlight category.				
	SP320P LED6S-6500 PSU DIA100 WH	गोटा		७७७७	७७७७
	SP320P LED6S-6500 PSU DIA80 WH	गोटा		८६५८	८६५८
	<b>GreenLED Ultima Square</b>				
	GreenLED Ultima Square Ultra sleek recessed downlight for low height false ceiling in square profile				
	DN096B LED6S-6500 PSU WH	गोटा		२९७४	२९७४
	DN097B LED10S-6500 PSU WH	गोटा		३७२७	३७२७
	<b>GreenLED Ultima Round</b>				
	GreenLED Ultima Round Ultra sleek recessed downlight for low height false ceiling in round profile				
	DN091B LED6S-6500 PSU WH	गोटा		२९७४	२९७४
	DN092B LED10S-6500 PSU WH	गोटा		३७२७	३७२७
	<b>SkySpot COB</b>				
	SkySpot COB • New series of LED Spot fixtures specially designed for commercial use • Ideal for retail showrooms, hospitality, offices • Elegant fixed spot with a focused 36 degree beam angle • Long life with 30,000 burning hours with CRI>80 • Wide choice: Available in 7/12/18/22W, Round, 3000K & 6500				
	7W Sky Spot COB (WW)	गोटा		२६६३	२६६३
	12W Sky Spot COB (CW)	गोटा		३३२२	३३२२
	18W Sky Spot COB (CW)	गोटा		४९४९	४९४९
	22W Sky Spot COB (CW)	गोटा		४९४९	४९४९
	<b>Green LED I</b>				
	Green LED I • High performance LED Downlights for commercial applications • 100 lumen / watt efficacy • Efficient heat sink (die cast) with Steel clips • Integrated driver control (for easy installation				
	DN191B LED6S-6500 PSU WH S2	गोटा		२६६३	२६६३
	DN192B LED10S-6500 PSU WH S2	गोटा		३३२२	३३२२
	DN193B LED12S-6500 PSU WH S2	गोटा		४९४९	४९४९
	DN194B LED16S-6500 PSU WH S2	गोटा		५९७६	५९७६
	DN195B LED20S-6500 PSU WH S2	गोटा		६२९९	६२९९
	<b>Essential Smart Bright Track Lights</b>				
	Essential Smart Bright Track Lights Essential SmartBright Track Light range is a high performance, hassle free solution for up to 5 years of use. Range has high efficacy of up to 100 lm/W, and Aluminum housing for better thermal management. Available in black & white color housing.				
	ST030T LED8/830 8W 220-240V I MB WH	गोटा		४०००	४०००
	ST030T LED12/830 14W 220-240V I NB W	गोटा		४५००	४५००
	ST030T LED20/830 23W 220-240V I NB WH	गोटा		५५००	५५००
	ST030T LED30/830 35W 220-240V I NB WH	गोटा		६५००	६५००
	TRACK LIGHT STICK BK I-MTR	गोटा		२८००	२८००
	<b>EcoAccent</b>				




## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	EcoAccent Recessed mounted Accent Lighting luminaire with diecast aluminum heat sink and sand grain finishing reflector, available in two lumen packs with option of DALI dimmable driver				
	RS271B LED20/830 PSU-E NB WH	गोटा		११२९४	११२९४
	RS271B LED20/850 PSD MB WH	गोटा		१४११७	१४११७
	RS271B LED40/850 PSD MB WH	गोटा		१५०५८	१५०५८
	<b>Optimus LED Trunking</b>				
	Optimus LED Trunking Trunking based solution for large open areas with high ceiling requiring continuous linear installation. Luminaire is snap fit mount on trunking system, available in two lumen packs. Accessories need to be additionally ordered.				
	LL199X 1XDLED40-6500 PSE OD WH S1	गोटा		८४७०	८४७०
	LL199X 1XDLED57-6500 PSE OD WH	गोटा		११६७०	११६७०
	TTX199/01 LED HANGING KIT	गोटा		१८८२	१८८२
	<b>Waterproof LED Luminaires</b>				
	Smartbright Waterproof IP65, Dust and Waterproof LED luminaire with Polycarbonate Housing suitable for wall & ceiling mount applications				
	WT201C LED44S-6500 PSU L120	गोटा		७५२९	७५२९
	WT201C LED24S-6500 PSU L120	गोटा		५६४७	५६४७
	<b>Waterproof LED Luminaire</b>				
	Waterproof LED Luminaire Surface/Suspended Mounted waterproof (IP65) luminaire suitable for single and twin T8 TLED lamps				
	TCW450 P 1XTLED 19W P3397	गोटा		४१४१	४१४१
	TCW450 P 2XTLED 19W P3397	गोटा		४७०५	४७०५
	<b>PureSpace Clean Room Range</b>				
	PureSpace Clean Room Range PureSpace is a comprehensive Cleanroom luminaires range with options for bottom opening, top opening, 2'x2' as well 1'x4'				
	CR652B LED60S-6500 PSU CA TO W30L120 WH	गोटा		३३८८२	३३८८२
	CR652B LED36S-6500 PSU CA TO W60L60 WH	गोटा		२४४७०	२४४७०
	CR652B LED80S-6500 PSU CA TO W60L60 WH	गोटा		३३८८२	३३८८२
	<b>Skyline Street Light</b>				
	Skyline Skyline Family is an IP66 road lighting luminaire with Single Die ceramic base high power LED light source, PDC housing with top openable access to drivers for ease of maintenance. Integrated optics ensure uniform distribution and higher efficacy thus offering higher spacing between poles and maintenance free system. Ideal for road width up to 8-12 mts. Pole Dia: 48-60mm Type HSN Code				
	BRP 340 LED 150 CW HO SLC S2 PSU GR	गोटा		२६३५२	२६३५२
	BRP 340 LED 175 CW HO SLC S2 PSU GR	गोटा		३०११७	३०११७
	BRP 340 LED 200 CW HO SLC S2 PSU GR	गोटा		३३८८२	३३८८२
	<b>Skyline Xtra Street Light</b>				
	Skyline Xtra Skyline Xtra family is an IP66 road lighting luminaire with high power LED light source, PDC housing with top openable access to drivers for ease of maintenance. Integrated optics ensure uniform distribution and higher efficacy thus offering higher spacing between poles and maintenance free system ideal for road width up to 8-15 mts. (170W - 235W). Pole Dia: 48-60mm				
	BRP360 LED 213 CW HO SLC S1 PSU GR	गोटा		४५१७६	४५१७६
	BRP360 LED 240 CW HO SLC S1 PSU GR	गोटा		५०८२३	५०८२३
	BRP360 LED 265 CW HO SLC S1 PSU GR	गोटा		५४५८८	५४५८८
	BRP360 LED 295 CW HO SLC S1 PSU GR	गोटा		६२११७	६२११७
	<b>GreenLine V2 Street Light</b>				


 नेपाल सरकार  
 मूढ मन्त्रालय  
 ललितपुर  
 प्रमुख जिल्ला अधिकारी

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	GreenLine V2 GreenLine V2 is an IP66 road lighting luminaire with Single Die ceramic base high power LED light source, PDC housing, Toughtened Glass cover and unique peanut lens to ensure uniform light distribution, higher spacing between poles and maintenance free system. Suitable for A1 and A2 category roads. Pole Dia : 48-60mm Type				
	BRP409 LED115 CW SLC FG PSU GR V2	गोटा		१७६९४	१७६९४
	BRP409 LED130 CW SLA FG PSU GR V2	गोटा		१९२००	१९२००
	<b>SmartBright Essential</b>				
	SmartBright Essential SmartBright Essential is a street lighting luminaire with PDC housing and street light optics to ensure uniform distribution.				
	BRP042 P LED25 CW SLE PSU GR DX	गोटा		५६४७	५६४७
	BRP030 LED35 CW MR PSU GR DX	गोटा		६५८८	६५८८
	BRP031 LED45 CW MR PSU GR DX	गोटा		९४११	९४११
	BRP032 LED70 CW MR PSU GR DX	गोटा		१३१७६	१३१७६
	BRP046 LED 30 CW MR S1 PSU GR	गोटा		८४७०	८४७०
	BRP046 LED 36 CW MR S1 PSU GR	गोटा		९४५०	९४५०
	BRP046 LED 39 CW MR S1 PSU GR	गोटा		९९७५	९९७५
	<b>Tango XL LED</b>				
	Tango XL LED Tango XL LED - with "Best in class Lens Design & Optical intgration" is a Flood lighting luminaire with Single Die ceramic base high power LED, PDC Housing with integrated flood optics (AWB,FLNB,NB) to ensure uniform distribution and maintenance free system, ideal for Reacreation sports lighting, area lighting and high mast lighting.				
	BVP485 LED370 CW AWB PSU SPD GR	गोटा		१०७६७०	१०७६७०
	BVP485 LED427 CW NB PSU SPD GR	गोटा		११७४५८	११७४५८
	BVP485 LED540 CW AWB PSU SPD GR	गोटा		१४६८३२	१४६८३२
	BVP485 LED560 CW AWB PSU SPD GR	गोटा		१५६२३५	१५६२३५
	<b>Tempo Mini</b>				
	Tempo Mini Tempo Mini is a flood lighting luminaire with PDC Housing and unique flood optics( NB) to ensure uniform distribution				
	BVP180 LED50 CW PC WB 50W 120-270 PSU	गोटा		९५००	९५००
	BVP181 LED62 CW PC WB 70W 120-270 PSU	गोटा		१३५००	१३५००
	BVP182 LED100 CW FG WB 100W 120-270 PSU	गोटा		१९०००	१९०००
	<b>SmartBright Essential</b>				
	SmartBright Essential SmartBright essential flood light is aesthetically designed flood lighting luminaire for superior performance. Type				
	BVP183 LED140 CW FG WB 150W PSU	गोटा		२६३५२	२६३५२
	BVP184 LED196 CW FG WB 200W PSU	गोटा		३३८८२	३३८८२
	<b>Landscape Lighting</b>				
	Town Glow Post Top Town Glow is a contemporary designer IP66/IK10 Post Top lantern with symmetric Light distribution				
	BGP300 LED28 757 PSU PC IN S1	गोटा		३३८८२	३३८८२
	BGP300 LED40 757 PSU PC IN S1	गोटा		३५७६४	३५७६४
	BGP300 LED50 757 PSU PC IN S1	गोटा		३७६४७	३७६४७
	LED Post Top Reliable and aesthetic designed IP65 post top lantern with symmetric light distribution and limited upward light component. Type H				
	BGP161 LED2500/NW PSU 220-240V 7043 IN	गोटा		३७६४७	३७६४७
	<b>CityCube Bollard P</b>				
	CityCube Bollard is a robustly designed IP65/IK10 bollard and is easy to install with base plate.	गोटा			
	<b>CityCube Bollard T</b>				



242

नेपाल सरकार  
 माटो मन्त्रालय  
 ललितपुर

जिल्ला अधिकारी

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	BCP400 LED09 T CW PSU GR S1	गोटा		३२०००	३२०००
	<b>CityCube Bollard D</b>				
	BCP400 LED09 D CW PSU GR S1	गोटा		२९६४७	२९६४७
	<b>LED Bollard</b>				
	BCP151 LED150/WW PSU 220-240V 7043	गोटा		२२५८८	२२५८८
	<b>LED Step Light</b>				
	BWG150 LED50/WW PSU 220-240V IP67 7043	गोटा		१३१७६	१३१७६
	<b>UNIIn-ground: LED Marker</b>				
	UNIIn-ground Range UniIn Ground LED ground burial range is compact, robust design IP67/IK10 with aluminum diecast housing and stainless trim, IP67 waterproof connectors ensure easy installation & maintenance free				
	BBP210 LED50/WW 1W 12V 30D	गोटा		२२५८	२२५८
	BBP211 LED90/WW 2W 12V 30D	गोटा		३०९१	३०९१
	Driver & accessories price extra for 12 V.	गोटा		२२५८	२२५८
	<b>UNIIn-ground: LED Ground Guide</b>				
	Multiple lighting emission windows to make space out.	गोटा			
	BBP212 LED45/WW 3W 100-240V	गोटा		४९४९	४९४९
	BBP213 LED110/WW 6W 100-240V	गोटा		६०२३	६०२३
	<b>UNIIn-ground: Ground Burial</b>				
	UNIIn-ground: Ground Burial Compact and robust design with diecast aluminum housing and stainless trim, IP68 waterproof connectors				
	BBP340 LED220/WW 3W 20D 100-240V	गोटा		९४९९	९४९९
	BBP341 LED540/WW 6W 20D 100-240V	गोटा		१३५५२	१३५५२
	BBP342 LED1200/WW 12W 20D 100-240V	गोटा		२५४९९	२५४९९
	BBP343 LED1800/WW 18W 20D 100-240V	गोटा		२७२९४	२७२९४
	BBP344 LED3600/WW 36W 20D 100-240V	गोटा		२८२३५	२८२३५
	BBP343 LED RGB 18W 20D 24V	गोटा		३०९१७	३०९१७
	BBP343 LED R 18W 20D 100-240V	गोटा		२९६४७	२९६४७
	<b>UNIIn-ground: Linelite</b>				
	UNIIn-ground: Linelite UniInground Linear makes space distinctive with more safety and convenience of installation				
	BBP403 LED50/WW 2W 24V L300	गोटा		१३१७६	१३१७६
	BBP403 LED RGB 9W 24V L300 GM	गोटा		१७८८२	१७८८२
	BBP412 LED200/WW 7W 24V L1200	गोटा		२५४९९	२५४९९
	BBP412 LED RGB 36W 24V L1200 GM	गोटा		३२९४९	३२९४९
	<b>Tunnel Lights</b>				
	Flow Base Flowbase is High performance IP66 Tunnel light with High Power LED light source, PDC housing with high impact resistance (IK08) . It comes with four sizes of configuration with mounting angle of 60 to - 60 Degrees.Flowbase optics ensure uniform distribution and savings up to 50%* w.r.t conventional system and maintenance free system.				
	BWP352 LED69/NW 60W 220-240V DM2 MP1	गोटा		७५९५	७५९५
	BWP352 LED137/NW 120W 220-240V DM2 MP1	गोटा		१३१७६५	१३१७६५
	BWP352 LED206/NW 180W 220-240V DM2 MP1	गोटा		१६९४९९	१६९४९९
	BWP352 LED274/NW 240W 220-240V DM2 MP1	गोटा		२३५२९५	२३५२९५
	<b>UNI Urban</b>				
	BDP461 LED33 WW 110-277V TS	गोटा		७५२९४	७५२९४
	BDP461 LED65 WW 110-277V TS	गोटा		९४९१७	९४९१७
	BDP461 LED100 WW 110-277V TS	गोटा		१३१७६५	१३१७६५
	<b>Jargeua - Post Top</b>				



## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Jargeua - Post Top Jargeau LED combines the heritage look of four-sided street luminaire with the technical performance of high performance optics, Aluminium Die cast housing having IP65/IK08 protection.				
	Jargeua -Post Top	गोटा		७५२९४	७५२९४
	<b>Architectural Lights color kinetics</b>				
	Blast* This high-performance line of exterior luminaires offers an extremely wide range of light output, beam angles, and accessories				
	Intellihue Blast Gen4 Powercore, Clear Lens, White Housing, UI/Ce	गोटा		१६९४११	१६९४११
	Graze* This high-performance linear exterior wall grazing family of luminaires offers high-quality light in a wide range of luminaire lengths, beam angles, output levels, and power consumption levels				
	ColorGraze Intellihue Powercore, 1ft, 9 Degree	गोटा		१४११७६	१४११७६
	Reach & Reach Compact* Reach Powercore is ideal for illuminating large surfaces. Flood luminaires can throw fully-saturated light to great heights.				
	ColorReach Powercore, GEN2, RGBW, 100-277V, UL/CE	गोटा		२८२३५२	२८२३५२
	Burst* This family of high-output, exterior-rated LED lighting luminaires is designed for accent and site lighting. Most versions feature multiple housing colors and standard architectural and landscape formats.				
	ColorBurst Intellihue Powercore, White Housing, Architectural Mount	गोटा		९४११७	९४११७
	ReachElite* Go farther with powerful, precision-controlled light that reaches new heights. ReachElite delivers exceptional light to bridges, façades, monuments, and skyscrapers—illuminating the tallest structures and highlighting details up to 564 m (1,852 ft) away with the 300 W luminaire. This family of long-throw exterior LED luminaires make it happen with high punch and rock-solid reliability.				
	ReachElite Intellihue Powercore, 200W, 100-277V UL/CE/CQC	गोटा		४७०५८८	४७०५८८
	Accent Compact This family of direct view linear LED luminaires is ideally suited for displaying large-scale video, graphics, and intricately designed effects.				
	iColor Accent Compact, RGBW, Ethernet, 1.2M (4ft), Clear Flat Lens	गोटा		१५०५८८	१५०५८८
	Archipoint ArchiPoint iColor Powercore is a daylight-visible, exterior-rated LED point of light ideally suited for a range of direct-view and beacon applications				
	Archipoint iColor Powercore, Clear Flat Lens, 100-240V, UL/CE	गोटा		३७६४७	३७६४७
	iColor MR Lamp iColor MR Gen3 is an intelligent color-changing lamp that delivers intense, saturated bursts of color and color-changing effects. The stylish housing fits into most standard MR16 luminaires, including tracks, cables, rails, and pendants				
	iColor MR G3, 30 Degree	गोटा		१५०५८८	१५०५८८
	Flex Cover almost any structure with flexible strands of bright LED nodes. Flex means maximum flexibility. Strands of efficient, addressable Flex nodes can be arranged along a nearly limitless array of surfaces and unconventional structures. Our proven Flex family of direct-view LED luminaires can do it all—from display+BIing messages on curved building façades to bringing stunning LED light shows to stadium roofs.				
	iColor Flex LMX GEN2, 12IN OC, white node/cable, clear flat lens, 3ft leader	गोटा		४७०५८८	४७०५८८
	iColor Flex LMX GEN2, 12IN OC, white node/cable, translucent dome lens, 3ft leader	गोटा		४७०५८८	४७०५८८
	<b>Controllers / Power Supplies / Keypads / Softwares</b>				
	Controller, Light System Manager (Gen 5) 15000 Node	गोटा		१४११७६	१४११७६
	Ethernet Switch with POE Ports For Use with Colordial2	गोटा		१६०००	१६०००
	Controller, Activesite Gateway	गोटा		११२९४१	११२९४१

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*


*[Handwritten signature]*

प्रमुख जिल्ला अधिकारी



## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Uniflood C UniFlood C is a circular shaped, exterior-rated architectural LED floodlight that is designed for façade, landscape and outdoor flood lighting applications like; illuminating multi-story exterior facades, bridges, landmarks and monuments. Available in white, monochromatic colors, RGB, RGBW and tunable white and DMX512/RDM control options.				
	Uniflood C Small (27W-36W)	गोटा		१५०५८८	१५०५८८
	Uniflood C large(110W-150W)	गोटा		१७८८२३	१७८८२३
	UniStrip G4 UniStrip G4 (AC) is a surface mounted, exterior-rated LED linear flood light luminaire that is designed for wall washing and grazing architectural lighting applications like; illuminating buildings facades, bridges, overpasses and any application that requires a linear lighting solution. Available in white, monochromatic colors, RGB, RGBW and tunable white with different lengths (300mm,500mm, 520m & 1000mm)				
	UniStrip G4 AC BCP383(15W-50W)	गोटा		२३५२९४	२३५२९४
	UniStrip G4 AC BCP385 (50W-120W)	गोटा		३७६४७०	३७६४७०
	GreenPerform Elite Highbay Awarded with IF Design and Red Dot Design Awards in 2019, GreenPerform Elite Highbay is a power pack of superior performance, best in class efficacy and unmatched product design				
	BY718P LED100/CW PSU NB IN	गोटा		२६३५२	२६३५२
	BY718P LED150/CW PSU NB IN	गोटा		३३८८२	३३८८२
	BY718P LED200/CW PSU NB IN	गोटा		३७६४७	३७६४७
	<b>Industrial Battens</b>				
	EnduraLED Next Flicker free, high efficiency and robust industrial batten family suitable for Surface, Wall and Conduit mounting. The product family offers dimmable and connected batten option				
	BN308C LED20S-6500 L60 PSU WH	गोटा		३५७६	३५७६
	BN308C LED40S-6500 L120 PSU WH	गोटा		८४७०	८४७०
	BN308C LED60S-6500 L120 PIR WH	गोटा		१०१६४	१०१६४
	<b>TMC 501 Mounting rail for TLED lamps.</b>				
	TMC 501 P 1xT-LED 22W P3241	गोटा		१८८२	१८८२
	TMC 501 P 2xT-LED 22W P3242	गोटा		३०११	३०११
	<b>Highbays</b>				
	BY515P LED100S 5700 NB PSU GR	गोटा		२४४७०	२४४७०
	BY515P LED150S 5700 NB PSU GR	गोटा		२८२३५	२८२३५
	BY515P LED250S 5700 NB PSU GR	गोटा		४१४११	४१४११
१८४	<b>Upvc Conduit Pipe</b>				
	Upvc Conduit Pipe (Light Stress)				
	20mm	र.मी		१२८	१२८
	25mm	र.मी		१६५	१६५
	32mm	र.मी		२२५	२२५
	Upvc Conduit Pipe (Medium Stress)				
	20mm	र.मी		१८८	१८८
	25mm	र.मी		२२५	२२५
	32mm	र.मी		२८५	२८५
	Upvc Conduit Pipe (Heavy Stress)				
	20mm	र.मी		३९२	३९२
	25mm	र.मी		४५०	४५०
	32mm	र.मी		५२५	५२५
१८५	<b>Upvc Elec. Conduit Fittings</b>				
	Circular Box - Terminal (1 way)				
	20mm	गोटा		४६	४६


 नेपाल सरकार  
 मूह मन्त्रालय  
 ललितपुर


## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	25mm	गोटा		५७	५७
	Circular Box - Angle (2 way)				
	20mm	गोटा		५५	५५
	25mm	गोटा		६२	६२
	Circular Box - Through (2 way)				
	20mm	गोटा		५७	५७
	25mm	गोटा		६२	६२
	Circular Box - Tee (3 way)				
	20mm	गोटा		६२	६२
	25mm	गोटा		६९	६९
	Circular Box - Intersection (4 way)				
	20mm	गोटा		६९	६९
	25mm	गोटा		७४	७४
	Deep Circular Box - Terminal (1 way)				
	20mm	गोटा		८९	८९
	25mm	गोटा		१०९	१०९
	32mm	गोटा		१२५	१२५
	Deep Circular Box - Angle (2 way)				
	20mm	गोटा		९८	९८
	25mm	गोटा		११४	११४
	32mm	गोटा		१३६	१३६
	Deep Circular Box - Through (2 way)				
	20mm	गोटा		११४	११४
	25mm	गोटा		१२५	१२५
	32mm	गोटा		१२६	१२६
	Deep Circular Box - Tee (3 way)				
	20mm	गोटा		१०३	१०३
	25mm	गोटा		१२०	१२०
	32mm	गोटा		१४७	१४७
	Deep Circular Box - Intersection (4 way)				
	20mm	गोटा		१०९	१०९
	25mm	गोटा		१२५	१२५
	32mm	गोटा		१५८	१५८
	Slip Type Bend - Long				
	20mm	गोटा		४४	४४
	25mm	गोटा		५७	५७
	Slip Type Bend - Normal				
	20mm	गोटा		२६	२६
	25mm	गोटा		३७	३७
	32mm	गोटा		९५	९५
	Coupler				
	20mm	गोटा		१३	१३
	25mm	गोटा		१९	१९
	32mm	गोटा		३६	३६
	Reducer Coupler 25 x 20				
	25mm	गोटा		२२	२२
	Space Bar Saddle				
	20mm	गोटा		२४	२४
	25mm	गोटा		३०	३०

*[Signature]*

*[Signature]*

*[Signature]* प्रमुख जिल्ला उ...



## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०	
		32mm	गोटा		४२	४२
	Elbow					
		20mm	गोटा		२३	२३
		25mm	गोटा		३२	३२
	Tee					
		20mm	गोटा		३६	३६
		25mm	गोटा		४५	४५
	Fan Box without Rod 20mm X					
		25mm	गोटा		१७०	१७०
	Fan Box with Rod 20mm X					
		25mm	गोटा		५७५	५७५
	Inspection Elbow					
		20mm	गोटा		१०५	१०५
		25mm	गोटा		१३५	१३५
	Inspection Tee					
		20mm	गोटा		८०	८०
		25mm	गोटा		११०	११०
	Circular Extension Ring					
		20mm	गोटा		३०	३०
		25mm	गोटा		३७	३७
	Female Bush Adaptor					
		20mm	गोटा		२९	२९
		25mm	गोटा		३७	३७
	Bending Spring					
		20mm	गोटा		११५०	११५०
		25mm	गोटा		१२५०	१२५०

*[Signature]*

*[Signature]*

*[Signature]*

*[Signature]*

*[Signature]*

प्रमुख जिल्ला आ



## Solar Power

सि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	Solar PV Module	प्रति.वाट	९०.००	९०.००	९२.००
२	Solar Tubular Battery ( 200Ah@c20,12v)	गोटा	३१७००.००	३१७००.००	३३०६३.००
३	Solar Tubular Battery ( 150 Ah@c20, 12v)	गोटा	२४३००.००	२४३००.००	२५२३५.००
४	Solar Tubular Battery ( 100 Ah@c20, 12v)	गोटा	१६८००.००	१६८००.००	१७५१०.००
५	Solar Tubular Battery ( 80 Ah@c20, 12v)	गोटा	१६९००.००	१६९००.००	१७४०७.००
६	Solar Tubular Battery ( 60 Ah@c20, 12v)	गोटा	१२२००.००	१२२००.००	१२५६६.००
७	Solar Tubular Battery ( 40 Ah@c20, 12v)	गोटा	८०००.००	८०००.००	८२४०.००
८	Solar Gel Battery ( 200 Ah@c20, 12v)	गोटा	६६७००.००	६६७००.००	६८७०१.००
९	Solar Gel Battery ( 150 Ah@c20, 12v)	गोटा	५०२००.००	५०२००.००	५१७०६.००
१०	Solar Gel Battery ( 100 Ah@c20, 12v)	गोटा	३४०००.००	३४०००.००	३५१८३.००
११	Solar Gel Battery ( 80 Ah@c20, 12v)	गोटा	३११००.००	३११००.००	३२०३३.००
१२	Solar Gel Battery ( 75 Ah@c20, 12v)	गोटा	२६०००.००	२६०००.००	२८४२८.००
१३	Solar Gel Battery ( 40 Ah@c20, 12v)	गोटा	१४९००.००	१४९००.००	१६२७४.००
१४	Solar Lithinium Ion Battery (100AH@c10,12V)	गोटा	३६७००.००	३६७००.००	३७८०१.००
१५	Solar Lithinium Ion Battery (80AH@c10,12V)	गोटा	३२६००.००	३२६००.००	३३५७८.००
१६	Solar Lithinium Ion Battery (50AH@c10,12V)	गोटा	१८७००.००	१८७००.००	१९२६१.००
१७	Charge controller (60A/24-48V)	गोटा	३२५००.००	३२५००.००	३३४७५.००
१८	Charge controller 45A/12-24-48 V	गोटा	२३९००.००	२३९००.००	२४६१७.००
१९	Charge controller 30A/12-24-48 V	गोटा	१९८००.००	१९८००.००	२०३९४.००
२०	Charge controller 25A/12-24-48 V	गोटा	१४८००.००	१४८००.००	१५२४४.००
२१	Charge controller 20a/12-24 V	गोटा	४२००.००	४२००.००	६१८०.००
२२	Charge controller 15a/12-24 V	गोटा	४९००.००	४९००.००	५०४७.००
२३	Charge controller 10a/12-24 V	गोटा	२७००.००	२७००.००	२७८१.००
२४	Charge controller 5a/12-24 V	गोटा	१६००.००	१६००.००	१६४८.००
२५	Solar dusk to down controller 20A/12Vwith driver curcit	गोटा	४५००.००	४५००.००	४६३५.००
२६	Solar street light 40W- 12V DC with autodimming system	गोटा	३१६००.००	३१६००.००	१४००८.००
२७	Solar street light 30W- 12V DC with autodimming system	गोटा	२४३००.००	२४३००.००	२५०२९.००
२८	Solar street light 20W- 12V DC with autodimming system	गोटा	१५३००.००	१५३००.००	१५७५९.००
२९	Solar street light 100W	गोटा	४२३००.००	४२३००.००	४३५६९.००
३०	Solar street light 80W	गोटा	३५८००.००	३५८००.००	३६८७४.००
३१	Solar street light 60W	गोटा	२६८००.००	२६८००.००	२७६०४.००
३२	Solar street light 40W	गोटा	१४९००.००	१४९००.००	१५५५३.००
३३	Solar street light 30W	गोटा	१२०००.००	१२०००.००	१२३६०.००
३४	Solar street light 20W	गोटा	८६००.००	८६००.००	८८५८.००
३५	Solar street light 12W	गोटा	५६००.००	५६००.००	५७६८.००
३६	Ms pole 6 m high with rustproof enamel paint dimension 4" for buttom 3 m 3" for top 3 m	गोटा	१७२००.००	१७२००.००	१७९२२.००
३७	Ms pole 7 m high with rustproof enamel paint dimension 4" for buttom 4m 6" for top 3 m	गोटा	१९२००.००	१९२००.००	१९७७६.००
३८	Ms pole 8 m high with rustproof enamel paint dimension 4" for buttom 5m 6" for top 3 m	गोटा	२१४००.००	२१४००.००	२२०४२.००
३९	Ms pole 9 m high with rustproof enamel paint dimension 4" for buttom 6 m 6" for top 3 m	गोटा	२१७००.००	२१७००.००	२२३५१.००
४०	7 m Hot Deep Galvanized Pole with Diameter of Pole section 4" for buttom 4.5 m and 3" for top 2.5 m	गोटा	२१४००.००	२१४००.००	२२०४२.००
४१	8 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for buttom 4.5 m, 4" for Middle 1.75 m and and 3" for top 1.75 m	गोटा	२४७००.००	२४७००.००	२५४४१.००
४२	9 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for buttom 5 m, 4" for Middle 2m and and 3" for top 2m	गोटा	२६९००.००	२६९००.००	२७७०७.००

प्रमुख जिल्ला जाँच

## Solar Power

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
४३	10 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 5.2 m, 4" for Middle 2.4m and and 3" for top 2.4m	गोटा	२९१००.००	२९१००.००	२९९७३.००
४४	Pure sine wave inverter 250 VA /12 V	गोटा	७२००.००	७२००.००	७४१६.००
४५	Pure sine wave inverter 400 VA /12 V	गोटा	१३५००.००	१३५००.००	१३९०५.००
४६	Pure sine wave inverter 850 VA /12 V	गोटा	१६५००.००	१६५००.००	१६९९५.००
४७	Pure sine wave inverter 1000 VA /12 V	गोटा	२२९००.००	२२९००.००	२३५८७.००
४८	pure sine wave inverter 1400 VA	गोटा	२४३००.००	२४३००.००	२५०२९.००
४९	Pure sine wave Solar Hybrid Inverter 850VA with inbuilt charge controller	गोटा	२०२००.००	२०२००.००	२०८०६.००
५०	Pure sine wave Solar Hybrid Inverter 1000VA with inbuilt charge controller	गोटा	२४२००.००	२४२००.००	२४९२६.००
५१	Pure sine wave Solar Hybrid Inverter 3KVA with 50A inbuilt charge controller	गोटा	७१५००.००	७१५००.००	७३६४५.००
५२	Pure sine wave Solar Hybrid Inverter 5KVA with 50A inbuilt charge controller	गोटा	१४३०००.००	१४३०००.००	१४५८६०.००
५३	Ms light Arms	सेट	२२००.००	२२००.००	२२६६.००
५४	SPV mounting frame	सेट	५८००.००	५८००.००	५९७४.००
५५	Battery box	सेट	४५००.००	४५००.००	४६३५.००
५६	Battery stand	सेट	४५००.००	४५००.००	४६३५.००
५७	12W SENSOR SOLAR POLE LIGHT	सेट		१६५७५.००	१७०७२.००
५८	18W SENSOR SOLAR POLE LIGHT	सेट		१९७३०.००	२०३२१.००
५९	Solar Lights:				
६०	All in one solar street light - 2000 Lumens	सेट		२३१२००.००	२३५८२४.००
६१	All in one solar street light - 3000 Lumens	सेट		२५८४००.००	२६३५६८.००
६२	All in one solar street light - 4500 Lumens	सेट		३१२८००.००	३१९०५६.००
६३	Solar Poles with Post Top Luminaries - 2500 Lumens	सेट		५३०४००.००	५४१००८.००
६४	Solar Poles with street lights luminaries 6000 Lumens	सेट		६३९२००.००	६५१९८४.००
६५	All in One solar Street Light - 5000 Lumens	सेट		२८५६००.००	२९१३१२.००
६६	All in one solar street light - 8500 Lumens	सेट		३४८१६०.००	३५५१२३.००
६७	All in one solar street light - 12000 lumens	सेट		३८६२४०.००	३९३९६४.००

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*  
*[Handwritten signature]*  
*[Handwritten signature]*



नेपाल सरकार  
 गृह मन्त्रालय  
 प्रशासन कार्यालय  
 ललितपुर

प्रमुख जिल्ला अधिकारी