



स्याङ्जा जिल्ला

आ.व. २०७९/८० को जिल्ला

दररेट

निणय नं.१

सार्वजनिक खरिद नियमावली २०६४ को नियम १४८, उपनियम २ बमोजिम मिति २०७९।०३।२८ गते प्रमुख जिल्ला अधिकारी श्री राजु प्रसाद पौडेल ज्युको अध्यक्षतामा जिल्ला दररेट निर्धारण समितिको बैठक बाट स्याङ्जा जिल्लाको आ व ७९।८० को लागी लागु हुने गरि निर्माण सामाग्री र ढुवानीको दररेट,मेसिन तथा उपकरणको भाडा र कामदार को ज्याला देहायबमोजिम निर्धारण गरिएको छ ।



सि.नं.	कामको विवरण	इकाई	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	आ.व. ०७९/८० को दर रेट ने.रु.	कैफियत
क)	कामदारको ज्याला					
१	ज्यामी/भरिया		८००।०	८००।०	८४०	
२	क दक्ष कामदार, डिकर्मी, सिकर्मी, नकर्मी		१०००।०	१०००।०	१०५०	
	ख अर्धदक्ष कामदार		९१५।०	९१५।०	९६१	
३)	सर्भे हेल्पर		७५५।०	७५५।०	७९३	
४)	चेनमेन, स्टाफ मेन, लेन्थमेन		७५५।०	७५५।०	७९३	
५)	माली/गर्सरी नाइके/हेरालु		६१०।०	६१०।०	६४१	
६)	स्वीपर		६१०।०	६१०।०	६४१	
७)	प्लम्बर/रक ड्रिलर/क्लाष्टर/वेल्डर		१०२०।०	१०२०।०	१०७१	
८)	चौकीदार		६१०।०	६१०।०	६४१	
९)	सुपर भाइजर/ मोटीमेटर/ सहजकर्ता/ गेट अपरेटर					
	अ) एस.एल.सी. पास वा सिनियर		८१०।०	८१०।०	८५१	
	आ) एस.एल.सी. पास नभएको वा जुनियर		७५५।०	७५५।०	७९३	
१०)	क्याम्प वर्कर	प्रति दिन	७५५।०	७५५।०	७५९	
११)	स्याम्पलर/खनेल		७५५।०	७५५।०	७५९	
१२)	माइनिङ सर्भे हेल्पर		७५५।०	७५५।०	७५९	
१३)	एस.पि.टी. हेल्पर भूगर्भ सम्बन्धी		७५५।०	७५५।०	७५९	
१४)	अगर ड्रिलर हेल्पर भूगर्भ सम्बन्धी		७५५।०	७५५।०	७५९	
१५)	ल्याव ब्याई		७५५।०	७५५।०	७५९	
१६)	मलाह तथा मत्स्य जलारी		७८०।०	७८०।०	८१९	
१७)	सवारी चालक					
	अ) हलुका सवारी चालक		८३०।०	८३०।०	८७२	
	आ) हेभी सवारी चालक		८९०।०	८९०।०	९३५	
१८)	यसमा ज्याला दररेट नतोकेको पदमा भर्ना गरी ज्यालादारीमा काम गराउघडा जुन पदमा काम लगाईने हो सो पदको नेपाल सरकार/संस्थान को शुरु स्केल तलव र भत्तालाई इट ले भाग गरी हुन आउने रकमलाई दैनिक ज्याला कायम गर्ने ।					
१९)	चौकीदार	प्रति महिना	१५०००।०	१५०००।०	१६०००	
२०)	सेफ्टी टंकी सफा गर्ने कामदार को लागी कामदारको रेटको लागी २ ले गुणा गर्ने					
२१)	सेनीटरी नाली सफा गर्ने कामदार को लागी कामदारको रेटको लागी १.५ले गुणा गर्ने					

यसमा उल्लेखित कामदारको काम गर्नेसमय फिर्दको लागि ८ (आठ) र कार्यालय हाजिर हुनेको लागि कार्यालय समय अवधिभर कायम गरिएको छ ।

(Handwritten signatures and dates)

स्याङ्जा जिल्लाको आ.व. २०७९/८० को जिल्ला दररेट



सि.नं.	कामको विवरण	इकाई	आ.व. ०७७/७८ को दर रेट नै.रु.	आ.व. ०७८/७९ को दर रेट नै.रु.	आ.व. ०७९/८० को दर रेट नै.रु.	कैफियत
--------	-------------	------	------------------------------	------------------------------	------------------------------	--------

निर्णय नं २

दुवानी दर तथा दुवानी भाडा सम्बन्धमा आ.व. ०७९/८० को लागि स्याङ्जा जिल्लाभित्र सामान दुवानी गर्नुपर्दा देहाय अनुसारको दुवानी दर तथा दुवानी भाडा तोकने निर्णय गरियो ।

क)	मानिस (भरिया) द्वारा दुवानी					
१)	सजिलो समान डोको वा बोरामा राखी बोक्न मिल्ने जस्तै : चिनी, नून, चामल आदि ।	प्रति के.जी.	२१४२	२१४२	२१५४	
२)	असजिलो समान जस्तै ग्यावियन जाली, औषधी, सीसा आदि ।	प्रति कोष	२१६४	२१६४	२१७७	
३)	जि.आई.पाईप, एच.डि.पी. पाईप, भोलुङ्गे पूलका लट्टाहरु, इलेक्ट्रीक पोलहरु विभिन्न साइजका (६मी. लम्बाईसम्म)	प्रति के.जी. प्रति कोष	४१९५	४१९५	५१२०	
४)	विजुलीको पोल ६ मी. भन्दा बढी लम्बाई भएको काठ र सिमेन्ट पोल तथा स्टिल पोल समेत	प्रति के.जी.	८१८०	८१८०	९१२४	
५)	ट्रान्सफर्मर दुवानी	प्रति कोष	३३१००	३३१००	३४१६५	
ख)	सवारी साधनबाट दुवानी (१० टन क्षमता)					
१)	अन्य राजमार्गबाट लामो दूरी	प्रति कि.मी.	२१६४	२१६४	२१७७	२० कि.मी.भन्दा माथिको लामो दूरी मानिएको छ ।
२)	पीच सडक छोटो दूरी		३१०८	३१०८	३१२३	
३)	कच्ची बाटोमा	प्रति क्विन्टल	१२१०	१२१०	१२१७	
४)	ग्राभेल बाटोमा		८१२५	८१२५	८१६६	
५)	पोलिथिन पाइप गाडीबाट दुवानी गर्दा तेलको आधारमा ट्रिप पूर्याउने प्रयोजनको लागि माथि उल्लेखित दर रेटलाई २.५ ले गुणा गरी दर कायम गर्ने ।					
ग)	लोड/अन्लोड गर्ने काम					
१)	सजिलो सामान तौल निर्धारण भएको	प्रति क्विन्टल	१८१७०	१८१७०	१९१६४	
२)	तौल निर्धारण नभएको	प्रति ट्रक	१६५०१००	१६५०१००	१७३२१५०	
घ)	दुवानी सम्बन्धी अन्य व्यवस्था :विशेष अवस्थामा कुनै भरियाले ४(चार) कोष टाढा दुवानी नगरी २.० कोष माथिको दूरीमा दुवानी गर्न परेमा त्यस्तो अवस्थामा निजलाई १ दिनको ज्याला दिन सकिने ।					
ड)	सवारी साधन/औजार भाडामा लिँदा (इन्धन, ड्राइभर र हेल्परको भत्ता समेत)					
१)	जीप, ट्याक्स	प्रति दिन	६७००१००	६७००१००	७०३५१००	तेल वाहेक
२)	पावर टेलर (सानो)		२५५०१००	२५५०१००	२६७७५०	
३)	ट्याक्टर (ठूलो)		५५००१००	५५००१००	५७७५१००	
४)	मिनी ट्रक		६९३६१००	६९३६१००	७२८२१८०	
५)	ट्रक (१० टन सम्म)	९९८०१००	९९८०१००	९६३६१००		
६)	ट्रीपर	प्रति दिन	१२२४०१००	१२२४०१००	१२८५२१००	
७)	मिक्स्चर + भाइब्रेटर		८९६०१००	८९६०१००	८५६८१००	
८)	रोलर (६ टनसम्मको क्षमता)		१०२०१००	१०२०१००	१०२०१००	
९)	रोलर (१२ टनसम्मको क्षमता)		१५३०१००	१५३०१००	१५३०१००	
१०)	लोडर (१.७५ देखि २.५ घ.मी. क्षमता भएको)		१३२६१००	१३२६१००	१३२६१००	
११)	डोजर (क) १५० देखि १८० हर्स पावर भएको	प्रति घण्टा	२४४८१००	२४४८१००	२४४८१००	
	ख) १८० देखि २४० हर्स पावर भएको		२८५६१००	२८५६१००	२८५६१००	
१२)	एक्साभेटर (क) १५० देखि १८० हर्स पावर भएको		२४४८१००	२४४८१००	२४४८१००	
	ख) १८० देखि २४० हर्स पावर भएको		२८५६१००	२८५६१००	२८५६१००	
१३)	विट्रुमिन डिस्टिब्यूटर		१५३०१००	१५३०१००	१५३०१००	
१४)	ग्रेडर		१८३६१००	१८३६१००	१८३६१००	
१५)	ब्रेकर (डोजर वाहेक)		१३२६१००	१३२६१००	१३२६१००	
च)	टैंकर बाट पानी दुवानी (४००० लिटर)	टैंकर	७९४१००	७९४१००	७९४१००	

Handwritten signatures and dates at the bottom of the page, including a date '२०७९/०८/०८' and a page number '२'.

स्याङ्जा जिल्लाको आ.व. २०७९/८० को जिल्ला दररेट

सि.नं.	कामको विवरण	इकाई	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	आ.व. ०७९/८० को दर रेट ने.रु.	कैफियत
--------	-------------	------	------------------------------	------------------------------	------------------------------	--------



निर्णय नं. ३

आ.व.०७९/०८० को लागि जिल्लाभित्र सहज रूपले उपलब्ध हुने स्थानीय निर्माण सामग्रीहरूको प्रचलित स्थानिय दररेट तथा बाहिरबाट ल्याउनु पर्ने वा ल्याइएको सामानको स्याङ्जा स्थित बजार मुल्यको आधारमा देहायका सामग्रीहरूको देहाय अनुसार दररेट कायम गर्ने निर्णय गरियो

सि.नं.	कामको विवरण	इकाई	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	आ.व. ०७९/८० को दर रेट ने.रु.	कैफियत	
	सिमेन्ट						
१	नेपाली सिमेन्ट (५०के.जी. ब्याग) हेटौडा, उदयपुर	बोरा	कारखानाको मूल्यमा ठूवानी				
	नेपाली सिमेन्ट (५०के.जी. ब्याग) अन्य पी.पी.सी		७२०१००	७२०१००	६७०१००		
	नेपाली सिमेन्ट(५०के.जी. ब्याग)जगदम्बा,शिवम,मारुती, (Ultra or equivalent OPC)		८२५१००	८२५१००	७७०१००		
२	इण्डियन सिमेन्ट (५० के.जी. ब्याग) ४३ ग्रेड	बोरा	७९०१००	७९०१००	७९०१००		
	५३ ग्रेड		८००१००	८००१००	८००१००		
३	हवाइट सिमेन्ट (५० के.जी. ब्याग)		१३००१००	१३००१००	१३००१००		
क	सिलिका सिमेन्ट एडमिक्सचर	के.जी.	३३०१००	३३०१००	३३०१००		
ख)	Durakrit admixture		५००१००	५००१००	५००१००		
ग)	Durasupasped admixture		१५०१००	१५०१००	१५०१००		
घ)	Duramicro silics admixture		१००१००	१००१००	१००१००		
ड)	Duraepoxy admixture		२५००१००	२५००१००	२५००१००		
	फलामे छड						
४	फलामे छड क) ५ देखि ७ मी.मी.	के.जी.	८४१००	८४१००	९०१००		
	ख) १० देखि २५ मी.मी.		८०१००	८०१००	८५१००		
	ग) ८ र २५ देखि ३२ मी.मी.		८४१००	८४१००	९०१००		
५	वाइण्डिङ तार		१०५१००	१०५१००	११५१००		
६	किला, काटी		१०५१००	१०५१००	११५१००		
७	फलामे पाता : Mild Steel Plate 2.5, 4.0, & 5mm		१२०१००	१२०१००	१३०१००		
८	सिमेन्टको खाली बोरा	गोटा	७५०	७५०	७५०		
९	साधारण प्लाइउड	व.फी.					
	क) ३ मी.मी.		२०१००	२०१००	२२१००		
	ख) ४ मी.मी.		२५१००	२५१००	२७१००		
	ग) ६ मी.मी.		३६१००	३६१००	३८१००		
१०	वाटर प्रूफ प्लाइउड	व.फी.					
	क) ४ मी.मी.		४५११०	४५११०	४७१००		
	ख) ६ मी.मी.		४७३०	४७३०	४९१००		
	ग) ८ मी.मी.		६३१८०	६३१८०	६५१००		
	घ) १२ मी.मी.		६९१३०	६९१३०	७११००		
	ड) १८ मी.मी.	१०४१५०	१०४१५०	१०६१००			
११	सनमाइका		४७३०	४७३०	४९१००		
१२	ईटा	हजार					
	क) चाइनिज इट्टा (तेलिया)		१८९००१००	१८९००१००	२००००१००		
	ख) चिम्नी भट्टाको ईटा जामुनेको लोकल		१४७००१००	१४७००१००	१४७००१००		
	ग) चिम्नी भट्टाको ईटा भैरहवाको		१६८००१००	१६८००१००	१६८००१००		
	घ) ठाडो भट्टाको ईटा		११०००१००	११०००१००	११०००१००		
	ड) स्थानिय स्तरको लोकल ईटा	८०००१००	८०००१००	८०००१००			
	च) ईटा टूक्रा	घ.मी.	६०००१००	६०००१००	६०००१००		
१४	बालूवा (राम्रो)	घ.मी.	२०५०१००	२०५०१००	२०५०१००		
१५	बालूवा साधरण		१५८७००	१५८७००	१५८७००		
१६	बोल्डर ढुंगा		११००१००	११००१००	१२००१००		
१७	क)फोरुवा ढुंगा		१२६०१००	१२६०१००	१३००१००		
	ख)कुदेको ढुंगा		४३००१००	४३००१००	४३००१००		
	ग)खोलाको नचालेको गिट्टी		१३१०१००	१३१०१००	१३१०१००		

Handwritten signatures and notes at the bottom of the page, including a date '२०७९' and a page number '3'.

स्याङ्जा जिल्लाको आ.व. २०७९/८० को जिल्ला दररेट

सि.नं.	कामको विवरण	इकाई	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	आ.व. ०७९/८० को दर रेट ने.रु.	कैफियत
१८	नदीको रिबरबेड मेटेरियल (River bed materials, Browed and filling materials)	घ.मी.	११००१००	११००१००	११००१००	
	खानीवाट निकालिएको ग्रेभल (Grannual materials, Browed and filling materials)	घ.मी.	८००१००	८००१००	८००१००	
	खोलाको चालेको गिट्टी					
	क) ठुलो (२५मी.मी भन्दा ठुलो)	घ.मी.	१६८०१००	१६८०१००	१७१५१००	
	ख) मझौला (१०मी.मी.देखि २५मी.मी.सम्मको)		१७५०१००	१७५०१००	१७८५१००	
	ग) सानो (१०मी.मी. भन्दा सानो)		१८००१००	१८००१००	१८३५१००	
	लोकल चिप्स (० देखी १९ मिमि),वेस डस्ट	घ.मी.	१४००१००	१४००१००	१४३०१००	
	लोकल चिप्स (५ देखी १० मिमि)		१४००१००	१४००१००	१४३०१००	
	लोकल चिप्स (१० देखी १४ मिमि)		२०००१००	२०००१००	२०४०१००	
रोड वेस (० देखी ४० मिमि)	१८००१००		१८००१००	१८३५१००		
१९	गिट्टी					
कूटेको गिट्टी						
क) ठुलो (२५मी.मी भन्दा ठुलो)	घ.मी.	१९५०१००	१९५०१००	१९९०१००		
ख) मझौला (१०मी.मी.देखि २५मी.मी.सम्मको)		२२००१००	२२००१००	२२४५१००		
ग) सानो (१०मी.मी. भन्दा सानो)		२३५०१००	२३५०१००	२४००१००		
गारो लगाउने माटो (ढुवानी समेत)	घ.मी.					
क) साधारण माटो		५५०१००	५५०१००	५५०१००		
ख) रातो माटो		६००१००	६००१००	६००१००		
२०	सिमेन्ट कंक्रीट ब्लक					
क) ब्लक साइज ४"×८"×१६"	गोटा	३७००	३७००	३८१००		
ख) ब्लक साइज ६"×८"×१६"		४२१००	४२१००	४३३००		
ग) ब्लक साइज ८"×८"×१६"		५०१००	५०१००	५११००		
घ) ब्लक साइज ८"×८"×८"	गोटा	३०१००	३०१००	३११००		
ङ) ब्लक साइज ४"×१२"×१२"		५०१००	५०१००	५११००		
च) ब्लक साइज ७"×७"×१९"		५५१००	५५१००	५६१००		
AAC हलुका Blocks						
क) ब्लक साइज २४"×४"×८"	गोटा	१३७००	१३७००	१४०१००		
ख) ब्लक साइज २४"×६"×८"		२०६१००	२०६१००	२१०१००		
ग) ब्लक साइज २४"×८"×८"		२७४१००	२७४१००	२८०१००		
२१	AAC Mortar (४०केजी)	बोग	१७७०१००	१७७०१००	१८०५१००	
२२	बूट्टेदार रिक्कन जाली भ्याल		५५१००	५५१००	५७००	
२३	आर.सि.सि. त्रिकोश ६"×३"	गोटा	१७८५१००	१७८५१००	१८२०१००	
२४	सिमेन्ट कन्क्रीट रोड कर्व (५०*१०*३०) से.मी.		२००१००	२००१००	२०५१००	
२५	सिमेन्ट कन्क्रीट रोड कर्व (५०*१२*३०) से.मी.	गोटा	२२५१००	२२५१००	२३०१००	
२६	खाक्सी (१२"×१०")	सिट	१५१००	१५१००	१६१००	
२७	अलकत्रा (बिटुमीन)					
	क) ८०/१०० ग्रेड	के.जी.	८०१००	८०१००	८४१००	
	ख) बिटुमीन ईमल्सन छिटो जम्ने ६०% बिटुमीन		७११००	७११००	७५१००	
	मध्यम जम्ने ६०% बिटुमीन	के.जी.	७११००	७११००	७५१००	
	ढलो जम्ने ६०% बिटुमीन		७११००	७११००	७५१००	
ग) एन्टि स्टिरिपिड लिक्विड	४००१००		४००१००	४२०१००		

Handwritten signatures and dates at the bottom of the page, including a date '२०७९-०८' and various names.

स्याङ्जा जिल्लाको आ.व. २०७९/८० को जिल्ला दररेट

क्र.नं.	कामको विवरण	इकाई	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	आ.व. ०७९/८० को दर रेट ने.रु.	कैफियत
	रंगरोगन सम्बन्धी		०।००			
२८	क) गम सामान्य	के.जी.	२१०।००	२१०।००	२१०।००	
	ख) गम राम्रो (कोल)		२८०।००	२८०।००	२८०।००	
२९	रेजिन पेन्ट		१५०।००	१५०।००	१५०।००	
३०	अस्तर (Primer) पेन्ट (फ्लामको काम)	लिटर	२८५।००	२८५।००	२८५।००	
	अस्तर (Primer) पेन्ट (काठको काम)		३१०।००	३१०।००	३१०।००	
३१	इनामेल पेन्ट		५५०।००	५५०।००	५५०।००	
३२	स्नोसेम सिमेन्ट पेन्ट	के.जी.	६०।००	६०।००	६०।००	
३३	एल्मूनियम पेन्ट	लिटर	६१०।००	६१०।००	६१०।००	
३४	जिंक रेड अक्साइड		३९०।००	३९०।००	३९०।००	
३५	डिस्पेम्पर पेन्ट		२६०।००	२६०।००	२६०।००	
३६	लिडसिड आयल		२००।००	२००।००	२००।००	
३७	तारपेन्टाइन तेल		१५०।००	१५०।००	१५०।००	
३८	वार्नेस पेन्ट (सिन्थेटिक)		२००।००	२००।००	२००।००	
३९	प्लाष्टिक इमल्सन पेन्ट					
	क) इमल्सन पेन्ट (वेदर कोट एक्सटेरियर)	लिटर	८४०।००	८४०।००	८४०।००	
	ख) इमल्सन पेन्ट (इन्टेरियर कोट)		६००।००	६००।००	६००।००	
४०	सफेदा पेन्ट		१७५।००	१७५।००	१७५।००	
४१	गेरु रेड अक्साइड		२६०।००	२६०।००	२६०।००	
४२	सरेस पेन्ट राम्रो		१६५।००	१६५।००	१६५।००	
४३	अलकत्रा पेन्ट साधारण	के.जी.	१००।००	१००।००	१००।००	
४४	खबर पेन्ट		२००।००	२००।००	२००।००	
४५	चूना नं. १		२५।००	२५।००	२५।००	
४६	चूना नं. २		२२।००	२२।००	२२।००	
	काठ सम्बन्धी					
४७	साल काठ कटानी चिरानी ढूवानी (तराईको राम्रो)	घ.फि.	४८००।००	४८००।००	५०००।००	
४८	साल काठ कटानी चिरानी ढूवानी (स्थानीय)		३२००।००	३२००।००	३२००।००	
४९	सिसौ काठ कटानी चिरानी ढूवानी		३०००।००	३०००।००	३०००।००	
५०	अन्य कू काठ कटानी चिरानी ढूवानी		१३००।००	१३००।००	१३००।००	
५१	सल्ला काठ कटानी चिरानी ढूवानी		१३००।००	१३००।००	१३००।००	
५२	दाउरा	क्विन्टल	९००।००	९००।००	९००।००	
५३	काठको लिस्टी	र.फि.	२०।००	२०।००	२०।००	
५४	साइनबोर्ड लेखाई (साल काठको फेममा)	व.फि.	३००।००	३००।००	३००।००	
५५	कार्भिड स्ट्याण्डर्ड ढोका	व.फि.	२४००।००	२४००।००	२४००।००	
५६	सिसौ काठ (३"×५") रेलिड भन्याड	र.फि.	७५।००	७५।००	७५।००	
५७	सिसौ काठ (२.५") Ballustrade ठाडो काठ फिटिड सहित विद्युत तथा विद्युतिकरण सम्बन्धी	गोटा	८५।००	८५।००	८५।००	
५८	१/२" प्लाष्टिक लिष्टी	र.मी.	३६।७५	३६।७५	३८।००	
५९	३/४" प्लाष्टिक लिष्टी	र.मी.	३७।८०	३७।८०	३९।००	
६०	एकजस्ट फेन फ्रेम सहित ISI फिटिड सहित	गोटा	३२००।००	३२००।००	३३००।००	
६१	५६.१ पानी तान्ने मोटर पम्प (फिटीड सहित)	गोटा				
	क) ईण्डियन ०.५० H.P.		६५००।००	६५००।००	६५००।००	
	ख) ईण्डियन १.०० H.P.		९८००।००	९८००।००	९८००।००	
	ग) चाईनिज ०.५० H.P.		१४००।००	१४००।००	१४००।००	
	५६.२ पानी तान्ने मोटर पम्प SUBMERSIBLE					
	१) ईण्डियन १.० H.P.	गोटा	३०००।००	३०००।००	३०००।००	
	२) ईण्डियन १.५ H.P.	गोटा	३३००।००	३३००।००	३३००।००	
	३) ईण्डियन २.० H.P.	गोटा	४८००।००	४८००।००	४८००।००	
	४) ईण्डियन ३.० H.P.	गोटा	५५००।००	५५००।००	५५००।००	
	५) ईण्डियन ५.० H.P.	गोटा	८०००।००	८०००।००	८०००।००	

Handwritten signatures and dates at the bottom of the page, including a date '२०८०' and a date '२०८०.१.२५'.

स्याङ्जा जिल्लाको आ.व. २०७९/८० को जिल्ला दररेट

सि.नं.	कामको विवरण	इकाई	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	आ.व. ०७९/८० को दर रेट ने.रु.	कैफियत
६२	८ एम.एम. केवल तार N.S. विद्युत पोल	मि.	४३१००	४३१००	४३१००	
६३	बिजुली कंक्रीट पोल ८ मी. लामो PCS मी. लामो PCS	गोटा	८०८५१००	८०८५१००	८१००१००	
	१०.४ मी. लामो PCS	गोटा	१०५००१००	१०५००१००	१०५००१००	
६४	बिजुली स्टील टिबूलर पोल तल्लोभाग गेल्भनाइज गरिएको हेभी ८मी.लामो १०१ के.जी हेभी ९ मी.लामो १४७ के.जी. हेभी १० मी. लामो १६० के.जी हेभी ११ मी. लामो १७५ के.जी. स्टील टिबूलर पोल तल्लो भाग गेल्भनाइज गरेको टेलिस्कोपिक पोल तल्लो भाग गेल्भनाइज गरेको स्टील टिबूलर पोल तल्लो भाग पेन्टीङ गरेको Pole accessories with galvination (Clamp , Nuts, Bolts ,anchorage rod support hook) Pole clamp (MS) Nuts and Bolts for pole	गोटा गोटा के.जी. के.जी. गोटा गोटा	१५९०७५० २३१५२५० २५२००१०० २७५६२५० १५७५० १९४१२५ १४७०० २८०१०० १८५१०० २३०१००	१५९०७५० २३१५२५० २५२००१०० २७५६२५० १५७५० १९४१२५ १४७०० २८०१०० १८५१०० २३०१००	१६५००१०० २३२००१०० २५२००१०० २७६००१०० १६०१०० १९५१०० १५०१०० २८०१०० १८५१०० २३०१००	
६५	Stay Insulator (LT) 11KV Butta type fuse link 1 to 20 Amp.	गोटा गोटा	९२१०० १२७००	९२१०० १२७००	९२१०० १२७००	
६६	11 KV Disc Insulator	सेट	९५०१००	९५०१००	९५०१००	
६७	Pin Insulator set	सेट	४००१००	४००१००	४००१००	
६८	Pin Insulator tie	सेट	५८१००	५८१००	५८१००	
क)	11 KVA Pin Insulator	सेट	४४५१००	४४५१००	४४५१००	
ख)	33 KVA Pin Insulator	सेट	९००१००	९००१००	९००१००	
६९	Support Hook Channel (MS) for pole	के.जी.	१८५१००	१८५१००	१८५१००	
७०	D Iron Shackle set	सेट	१५०१००	१५०१००	१५०१००	
७१	Complete Stay set LT	सेट	१४५०१००	१४५०१००	१४५०१००	
७२	Stay wire	के.जी.	१६०१००	१६०१००	१६०१००	
७४	Stay Insulator HT	गोटा	१७०१००	१७०१००	१७०१००	
७५	Brassing Plate for pole MS	के.जी.	१८५१००	१८५१००	१८५१००	
७६	Drop Out Fuse set 11KVA (3 pcs set)	सेट	१२०००१००	१२०००१००	१२०००१००	
७७	9KVA Lighting Arestor (3 pcs set)	सेट	९०००१००	९०००१००	९०००१००	
७८	Cable shoes (95 or 120)					
क)	Cable shoes (50mm)	गोटा	९०१००	९०१००	९०१००	
ख)	Cable shoes (70mm)	गोटा	१५०१००	१५०१००	९०१००	
ग)	Cable shoes (95mm)	गोटा	१५८१००	१५८१००	१५८१००	
७९	Earthing set					
अ)	Copper coated earthing rod	गोटा	२४००१००	२४००१००	२४००१००	
ब)	Copper earthing plate	के.जी.	१७५०१००	१७५०१००	१७५०१००	
स)	Copper wire (Transformer to plate)	के.जी.	१७५०१००	१७५०१००	१७५०१००	
८०	Dead end clamp	सेट	३८०१००	३८०१००	३८०१००	



Handwritten signatures and dates at the bottom of the page, including a date '२०७९' and various scribbles.

स्याङ्जा जिल्लाको आ.व. २०७९/८० को जिल्ला दररेट

सि.नं.	कामको विवरण	इकाई	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	आ.व. ०७९/८० को दर रेट ने.रु.	कैफियत
८१	11/0.4KV , NEA Standard, Low Loss NEEK or Equivalent Transformer					
क)	25 KVA	गोटा	२६१४००१००	२६१४००१००	२७५०००१००	
ख)	50 KVA	गोटा	३७३०००१००	३७३०००१००	३९००००१००	
ग)	100 KVA	गोटा	५९००००१००	५९००००१००	५९००००१००	
घ)	150 KVA	गोटा	८०००००१००	८०००००१००	८०००००१००	
ङ)	200 KVA	गोटा	१०२३९००१००	१०२३९००१००	९७५०००१००	
८२	4 core Insulation cable(70mm)	मि.	७००१००	७००१००	७००१००	
८३	75 A MCCB LG Korean	गोटा	६९००१००	६९००१००	६९००१००	
क)	MCCB 40 A, 3 Phase (Indian/ Korean)	गोटा				
ख)	MCCB 50 A, 3 Phase (Indian/ Korean)	गोटा	१०८००१००	१०८००१००	१०८००१००	
ग)	MCCB 80 A, 3 Phase (Indian/ Korean)	गोटा	१०९००१००	१०९००१००	१०९००१००	
घ)	MCCB 160 A, 3 Phase (Indian/ Korean)	गोटा	२००००१००	२००००१००	२००००१००	
ङ)	MCCB 300 A, 3 Phase (Indian/ Korean)	गोटा	३५०००१००	३५०००१००	३५०००१००	
८४	11 KVA, Load Disconnecting switch (knife Switch)	सेट	२५४००१००	२५४००१००	२५४००१००	
८५	Copper wire	के.जी.	१६२०१००	१६२०१००	१७००१००	
८६	Aluminium Binding wire	के.जी.	१३५०१००	१३५०१००	१३५०१००	
८७	ABC cable (50 sq mm) 4 core unarmod aluminum	मि.	८००१००	८००१००	६००१००	
८८	ABC cable (25 sq mm) 4 core unarmod aluminum	मि.	५००१००	५००१००	५००१००	
८९	Armoured cable, 95 sq mm, Lt copper	मि.	४८००१००	४८००१००	४८००१००	
९०	Steel Tubular Pole Bottom Switch	के.जी.	१५०१००	१५०१००	१५०१००	
९१	XLPE 11 KV 95 sq mm Cable Galvanish	मि.	४०००१००	४०००१००	४०००१००	
९२	XLPE 11 KV 70sq mm Cable	मि.	२५००१००	२५००१००	२५००१००	
९३	XLPE 11 KV 35 sq mm Cable	मि.	१९००१००	१९००१००	१९००१००	
९४	Pump लगाई Dewatering गर्ने	घण्टा	८१०१००	८१०१००	८१०१००	

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
स्याङ्जा

(Handwritten signatures and notes)

२००८/१


१२/५

स्याङ्जा जिल्लाको आ.व. २०७९/८० को जिल्ला दररेट

सि.नं.	कामको विवरण	इकाई	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	आ.व. ०७९/८० को दर रेट ने.रु.	कैफियत
९५	रेसमी तार (१४/६०)	क्वायल	४६०।००	४६०।००	४६०।००	
९६	कपर तार					
	क) ३/२० साइजको	क्वायल	२१००।००	२१००।००	२१००।००	
	ख) ३/२२ साइजको		१४१।५०	१४१।५०	१४१।५०	
	ग) ७/२० साइजको		५२५।००	५२५।००	५२५।००	
	घ) ७/२२ साइजको		३०६।००	३०६।००	३०६।००	
	ङ) १/१८ साइजको		११८६।५०	११८६।५०	११८६।५०	
९७	कन्सेटिक लाइन तार ४ वर्ग मी.मी.	मि.	२५।००	२५।००	२५।००	
	६ वर्ग मी.मी.		३०।००	३०।००	३०।००	
	१० वर्ग मी.मी.		४५।००	४५।००	४५।००	
	१६ वर्ग मी.मी.		७५।००	७५।००	७५।००	
	२५ वर्ग मी.मी.		१००।००	१००।००	१००।००	
९८	एल.टि.एच.टि. लाईन कन्डक्टर					
क)	0.03 sq inch ACSR Conductor (Weasel)	मिटर	३५।००	३५।००	३५।००	४२०V- ३Phas
ख)	0.05 sq inch ACSR Conductor (Rabit)		५८।००	५८।००	५८।००	११KVA
ग)	0.1 sq inch ACSR Conductor (Dog)		१०४।००	१०४।००	१०४।००	३३KVA
९९	One Way फ्लस ग्याङ् स्वीच	गोटा	३२।००	३२।००	३२।००	
१००	Two Way फ्लस ग्याङ् स्वीच		४४।००	४४।००	४४।००	
१०१	बेल पूस (Bell Push)		४८।००	४८।००	४८।००	
१०२	इन्डिकेटर लेम्प		३२।००	३२।००	३२।००	
१०३	Two एप्ल सकेट		३४।००	३४।००	३४।००	
१०४	Three एप्ल सकेट		३४।००	३४।००	३४।००	
१०५	यूनिभर्सल सकेट		४६।००	४६।००	४६।००	
१०६	कन्भर्सन सकेट १० Amp फिट क्याट फ्युज समेत		७५।००	७५।००	७५।००	
१०७	टेलिफोन सकेट		१०४।००	१०४।००	१०४।००	
	Switch Gears ISI Mark					
१०८	क) ६० AMP मेन स्वीच	गोटा	१५००।००	१५००।००	१५००।००	
	ख) १६ Amp ४१५ Volt मेन स्वीच	सेट	१६५।००	१६५।००	१६५।००	
	ग) ३२ Amp ४१५ Volt मेन स्वीच		२१०।००	२१०।००	२१०।००	
	घ) ६३ Amp ४१५ Volt मेन स्वीच		३७५।००	३७५।००	३७५।००	
	ङ) १०० Amp ४१५ Volt मेन स्वीच		४४५।००	४४५।००	४४५।००	
	च) १६ Amp ४१५ Volt T.P. स्वीच		१०४।००	१०४।००	१०४।००	
	छ) ३२ Amp ४१५ Volt T.P. स्वीच		१५०।००	१५०।००	१५०।००	

Handwritten signatures and dates at the bottom of the page, including a date '२०७९/०८' and several illegible signatures.

स्याङ्जा जिल्लाको आ.व. २०७९/८० को जिल्ला दररेट



सि.नं.	कामको विवरण	इकाई	आ.व. ०७७/७८ को दर रेट नं.रु.	आ.व. ०७८/७९ को दर रेट नं.रु.	आ.व. ०७९/८० को दर रेट नं.रु.	कैफियत
१०९	एम.सि.बी. (MCB)					
	क) D.B. 10 Way	गोटा	११५०१००	११५०१००	११५०१००	
	ख) D.B. 4 Way	सेट	५७५१००	५७५१००	५७५१००	
	ग) D.B. 6 Way		९२५१००	९२५१००	९२५१००	
	घ) D.B. 8 Way		१०४०१००	१०४०१००	१०४०१००	
ङ) D.B. 12 Way		१५२०१००	१५२०१००	१५२०१००		
११०	Main Switch box 60 Amp.		४१००१००	४१००१००	४१००१००	
१११	म्युजिकल कल बेल (ISI)		४५०१००	४५०१००	४५०१००	
११२	६"×८" डोम (DOM) लाइट साधारण	गोटा	१८५१००	१८५१००	१८५१००	
११३	ब्राकेट		३२०१००	३२०१००	३२०१००	
११४	६"राउण्ड ब्लक		५७५१००	५७५१००	५७५१००	
११५	C.P.L कम्प्रीनेसन स्विच सकेट ५/१५ AMP.		२५०१००	२५०१००	२५०१००	
११६	४"र २" लामो ट्युब लाइट सेट		५३०१००	५३०१००	५३०१००	
११७	१०" लामो मिरर लाइट सेट	गोटा	७२०१००	७२०१००	७२०१००	
११८	सिलिङ् (Ceiling) रोज		२०१००	२०१००	२०१००	
११९	बेल्जियम वाल फेन्सी लाइट		४९५१००	४९५१००	४९५१००	
१२०	होल्डर बोर्ड		१७००	१७००	१७००	
१२१	बल्ब (Bulb) सम्पूर्ण वाटका		२३००	२३००	२३००	
१२२	Power सकेट C.P.L.		३००१००	३००१००	३००१००	
१२३	जक्सन बक्स मेटल सेट (४"×१२" सम्मको)		४०१००	४०१००	४०१००	
१२४	८"×१०" सनमाइका		५५१००	५५१००	५५१००	
१२५	One gang one way Switch		८०१००	८०१००	८०१००	
१२६	Two gang Two way Switch		१००१००	१००१००	१००१००	
१२७	One gang बेल पूस	गोटा	८०१००	८०१००	८०१००	
१२८	Two gang बेल पूस		१३५१००	१३५१००	१३५१००	
१२९	Three gang बेल पूस		१८०१००	१८०१००	१८०१००	
१३०	Four gang बेल पूस		२०५१००	२०५१००	२०५१००	
१३१	रिपेयर सकेट ७५ मी.मी.		१४५१००	१४५१००	१४५१००	
	११० मी.मी.		२१०१००	२१०१००	२१०१००	
१३२	इलेक्ट्रिकल फिटिङ् चार्ज	प्याइन्ट	७५१००	७५१००	७५१००	
१३३	बिजुली वाइरिङ् सम्बन्धि	प्याइन्ट				
	क) २ ३/२०, ३/२२, १/१८ कपर तार तथा पि.भि.सी. वा एच.डि.पी. पाइप राखी सामान समेत कन्सीलड वाइरिङ् गर्ने		३८०१००	३८०१००	३८०१००	
	ख) २×७/२०, ७/२२ कपर तार पि.भि.सी. वा एच.डि.पी. पाइप राखी सामान समेत कन्सीलड वायरिङ् गर्ने		४२०१००	४२०१००	४२०१००	
	ग) विभिन्न किसिमको कपर तार प्रयोग गरी पि.भि.सी. लिष्टी राखी सामान समेत सर्भिस वायरिङ् गर्ने		३२०१००	३२०१००	३२०१००	


Handwritten signatures and dates at the bottom of the page, including a date '२०७९/०८/०८' and several illegible signatures.

स्याङ्जा जिल्लाको आ.व. २०७९/८० को जिल्ला दररेट

सि.नं.	कामको विवरण	इकाई	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	आ.व. ०७९/८० को दर रेट ने.रु.	कैफियत
१३४	पंखा सम्बन्धी	गोटा				
	क) पंखा सिलिङ्ग साधारण		१८००१००	१८००१००	१८००१००	
	ख) पंखा सिलिङ्ग राम्रो ३६"/४२"		३२००१००	३२००१००	३२००१००	
१३५	२x७/२०, ७/२२ ३/२२ को मेन लाइन पि.भी.सी., च्यानल लिफ्टी समेत ढमढ्या देखि जक्सन बक्ससम्म)	मि.	११०१००	११०१००	११०१००	
१३६	भूई तथा भित्ता सम्बन्धी					
१३७	काठ (wooden floor) को फ्लोर perqueting					
	8mm thick	व.फि.	१५०१००	१५०१००	१५०१००	
	12mm thick		२५०१००	२५०१००	२५०१००	
	वाल पपेर (wall paper)	गोटा	३०००१००	३०००१००	३०००१००	
१३८	टायल	व.फि.				
	वाल टायल साधारण (नन लूस्टर)		६०१००	६०१००	६०१००	
	वाल टायल राम्रो (लूस्टर)		८२१००	८२१००	८२१००	
	फ्लोर टायल साधारण (नन लूस्टर)		९०१००	९०१००	९०१००	
	फ्लोर टायल राम्रो (लूस्टर)		१००१००	१००१००	१००१००	
१३९	मार्बल	के.जी.				
	साधारण १२ एम.एम. बाक्लो		१७५१००	१७५१००	१७५१००	
	ग्रेनाइट १९ एम.एम. बाक्लो		३५५१००	३५५१००	३५५१००	
१४०	सेतो मार्बल चिप्स	के.जी.	१६५०	१६५०	१६५०	
१४१	रंगीन मार्बल चिप्स		१७५०	१७५०	१७५०	
१४२	अक्जालिक एसिड	के.जी.	२८०१००	२८०१००	२८०१००	
१४३	मैन पालिस		४५०१००	४५०१००	४५०१००	
१४४	कार्बोरेण्डम ढुंगा	गोटा	२५०१००	२५०१००	२५०१००	
१४५	P.V.C. टायल (फिटिङ सहित)	व.फि.	८०१००	८०१००	८०१००	
१४६	Water Proof कम्पाउण्ड पाउडर	के.जी.	८५१००	८५१००	८५१००	
	भोल	लिटर	२६०१००	२६०१००	२६०१००	
१४७	तारजाली सम्बन्धी					
१४८	जि.आई. तार (नेपाल गुणस्तर चिन्ह प्राप्त)	प्रति के.जी.				
	क) हेभी कोटिङ्ग ८ गेज		११०१२१	११०१२१	११०१००	
	१० गेज		११०१२१	११०१२१	११०१००	
	१२ गेज		११११२८	११११२८	११०१००	
	ख) मेडियम कोटिङ्ग ८ गेज		१०७१००	१०७१००	११०१००	
	१० गेज		१०७१००	१०७१००	११०१००	
	१२ गेज		१०८१०७	१०८१०७	११०१००	
	ग) कमर्सियल लाइट कोट ८ गेज		१०९१६५	१०९१६५	१०५१००	
	१० गेज		१०९१६५	१०९१६५	१०५१००	
	१२ गेज		१०२१७२	१०२१७२	१०५१००	

Handwritten signatures and dates at the bottom of the page, including a date '१२/८/२०७९' and various scribbles.

स्याङ्जा जिल्लाको आ.व. २०७९/८० को जिल्ला दररेट



सि.नं.	कामको विवरण	इकाई	आ.व. ०७७/७८ को दर रेट नं.रु.	आ.व. ०७८/७९ को दर रेट नं.रु.	आ.व. ०७९/८० को दर रेट नं.रु.	कैफियत
	वाटर सप्लाई/स्यानीटरी					
१४९	ब्रास सोप केस (साबून दानी)		३७५।००	३७५।००	३७५	
१५०	सि.पी. विवकक धारा १/२" (४०० ग्राम)	गोटा	७८०।००	७८०।००	७८०	
१५१	सि.पी. स्टपकक धारा १/२"		७८०।००	७८०।००	७८०	
१५२	कन्सीलड स्टपकक १/२"		९२०।००	९२०।००	९२०	
१५३	ट्वाइलेट पैपर होल्डर		४७०।००	४७०।००	४७०	
१५४	टावेल रड १/२"x१८" को १/२"x२४" को	गोटा	६५०।०० ६८०।००	६५०।०० ६८०।००	६५० ६८०	
१५५	११०x११० मी.मी. प्लेन ट्याप		६९०।००	६९०।००	६९०	
१५६	११०x११० मी.मी. प्लेन प्लेन/मल्टी फ्लोर		४६०।००	४६०।००	४६०	
१५७	कापि.भि.सी. ओभरहेड पानी टंकी -N.S.चिन्ह प्राप्त Heavy खापि.भि.सी. ओभरहेड पानी टंकी -N.S.चिन्ह प्राप्त Medium ग)Galvanized Steel Tank Heavy	प्रति लिटर	१२।०० ११।०० २२।००	१२।०० ११।०० २२।००	१२ ११ २२	
१५८	सि.पी. फ्लरिड पाइप १ १/४" x २४"	गोटा	६००।००	६००।००	६००	
१५९	पि.भी.सी. पाइप कनेक्टर १/२"x१८"		२४०।००	२४०।००	२४०	
१६०	कमोड कभर सिट	सेट	१६५०।००	१६५०।००	१६५०	
१६१	वास वेसिन बोटल ट्रेप १ १/४"		९४०।००	९४०।००	९४०	
१६२	लेबोरेटरी सिङ्क १८"x१२"x६" २१"x१७"x७"		१७६०।०० २५३०।००	१७६०।०० २५३०।००	१७६० २५३०	
१६३	किचन सिङ्क स्टिल २४"x१८"x८" ३७"x१८"x१०"	गोटा	३०००।०० ३२५०।००	३०००।०० ३२५०।००	३००० ३२५०	
१६४	वेस्ट कप्लीङ्ग १ १/४"		२४०।००	२४०।००	२४०	
१६५	रेगुलर कमोड - "P" Trap सेतो common brand - "S" Trap सेतो common brand		२७००।०० २७००।००	२७००।०० २७००।००	२७०० २७००	
१६६	सिफोनिक कमोड "P" Trap सेतो कैस्केट सेट		१४३००।००	१४३००।००	१४३००	
१६७	भारतीय प्यान - १८" २०" २३" जडिसा प्यान २०" २३" Local Pan	सेट	१६५०।०० १९००।०० २०००।०० २०००।०० २३००।०० ९५०।००	१६५०।०० १९००।०० २०००।०० २०००।०० २३००।०० ९५०।००	१६५० १९०० २००० २००० २३०० ९५०	
१६८	वास वेसिन - १८"x१२" - २०"x१६" - २२"x१६"	सेट	११५५।०० १३६५।०० १७८५।००	११५५।०० १३६५।०० १७८५।००	११५५ १३६५ १७८५	
१६९	प्यानको लागि (P Trap) सिफन		४२०।००	४२०।००	४२०	
१७०	सिस्टर्नको लागि लिड	गोटा	९३०।००	९३०।००	९३०	
१७१	सिस्टर्नको लागि सिफल		६००।००	६००।००	६००	
१७२	सिस्टर्नको लागि प्लङ्गर प्लेट		१७०।००	१७०।००	१७०	
१७३	फ्लेट ब्याक यूरिनल १८"x१४"x१०.५"		१०००।००	१०००।००	१०००	
१७४	एङ्गल ब्याक यूरिनल १७"x१४ १/२"x१३"		११००।००	११००।००	११००	
१७५	स्क्वारिड प्लेट ब्याक यूरिनल २३ १/२"x१३ १/२"		१३००।००	१३००।००	१३००	
१७६	१० लिटर लो लेभल (Low Level) सिस्टर्न		३८००।००	३८००।००	३८००	
१७७	रेगुलर पेडेष्टन		२२००।००	२२००।००	२२००	
१७८	पि.भी.सी. जाली ३" गोलाकार ४" गोलाकार ४" आयातकार ६" आयातकार	गोटा	३५।०० ६०।०० ६५।०० १२०।००	३५।०० ६०।०० ६५।०० १२०।००	३५ ६० ६५ १२०	

Handwritten signatures and dates at the bottom of the page, including a date '११/२/७९' and various names.

स्याङ्जा जिल्लाको आ.व. २०७९/८० को जिल्ला दररेट

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
स्याङ्जा

सि.नं.	कामको विवरण	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	आ.व. ०७९/८० को दर रेट ने.रु.	कैफियत
१७९	फ्लासिड सिस्टन प्लाष्टिक १० लि.सम्मको फ्लासिड पाइप लगायत पुरा सेट साधारण रंगीन	२८००१००	२८००१००	२८००	
१८०	छाना छाउने सम्बन्धी	३३००१००	३३००१००	३३००	
	जस्ता पाता २४ गेजको मेडियम कोटेड ०.५mm	१०३००१००	१०३००१००	१०८१५१००	
	२६ गेजको हेभि कोटेड ०.४१mm	९४५०१००	९४५०१००	९९२२५०	
	२६ गेजको लाइट ०.३८mm	७८७५१००	७८७५१००	८२६८१७५	
	२६ गेजको एक्सटरा लाइट	६३००१००	६३००१००	६६१५१००	
	२८ गेजको हेभि कोटेड ०.३१mm	६७००१००	६७००१००	७०३५१००	
	२८ गेजको मेडियम ०.२८mm	६१००१००	६१००१००	६४०५१००	
	२८ गेजको लाइट ०.२६mm	५८००१००	५८००१००	६०९०१००	
	२६ गेजको हेभि कोटेड रंगीन ०.४१mm	१०७००१००	१०७००१००	११२३५१००	
	२८ गेजको हेभि कोटेड रंगीन ०.३१mm	८५००१००	८५००१००	८९२५१००	
१८१	२८ गेज प्लेन सिट पाता साधा	व.मी. २७०१००	२७०१००	२८३५०	
१८२	२९ गेज प्लेन सिट पाता रंगीन	व.मी. २७०१००	२७०१००	२८३५०	
१८३	छाउने ढुंगा स्लेट	व.मी. ४९०१००	४९०१००	४९०१००	
१८४	खर (१६ मूठा)	भारी २२०१००	२२०१००	२२०१००	
१८५	बिटुमिन वासर	गोटा ११००	११००	११००	
१८६	जे हक/एल हक ८ मी.मी.	गोटा १७००	१७००	१७००	
	भोलूङ्गे पुल सम्बन्धी				
	ब्रिज पार्टस फेब्रिकेसन तथा स्टक्चरल स्टिल				
	रेन्सफोर्ड पार्टस				
१८७	ग्याल्भनाइजिड				
	Thimbles				
१८८	i) Φ 13 mm thimble	पिस ५५१००	५५१००	५५१००	
	ii) Φ 26 mm thimble	२४०१००	२४०१००	२४०१००	
	iii) Φ 32 mm thimble	३३०१००	३३०१००	३३०१००	
	vi) Φ 36 mm thimble	८००१००	८००१००	८००१००	
	v) Φ 40 mm thimble	११५०१००	११५०१००	११५०१००	
१८९	Bolts, Nuts & Washers (Galvanised 4.6 grade)	के.जी. २५०१००	२५०१००	२५०१००	
१९०	Sign Board with Fittings (Size - 30cm X 60cm)	पिस ६६००१००	६६००१००	६६००१००	
१९१	Galvanization				
	Zinc Above 98.5% purity	के.जी. २५०१००	२५०१००	२५०१००	
	Premix of Zinc amonium chloride	के.जी. ६००१००	६००१००	६००१००	
	Hydraucloric acid	लिटर ४०१००	४०१००	४०१००	
भोलूङ्गे पुल सम्बन्धी थप निर्माण सामग्रीको हकमा डोलिडार को Website मा राखिएको दररेट लाई आधार मान्य					
	विविध				
१९२	डोजर लगाई माटो काट्ने नरम माटो				
	कडा माटो (Boulder Mixed soil)	घ.मी. ८०१००	८०१००	८०१००	
	पानी जमेको स्थानमा	९०१००	९०१००	९०१००	
	नरम चट्टान	१००१००	१००१००	१००१००	
	मध्यम चट्टान	२५०१००	२५०१००	२५०१००	
	कडा चट्टान	६००१००	६००१००	६००१००	
	डोजर लगाई पहिरो सफा गर्ने काम	११००१००	११००१००	११००१००	
१९३	धनुवास ढुंगेवास छिपिएको ठुलो	घ.मी. ८०१००	८०१००	८०१००	
१९४	धनुवास ढुंगेवास छिपिएको सानो	२७०१००	२७०१००	२७०१००	
१९५	नियालोको भकारी	२२०१००	२२०१००	२२०१००	
१९६	बासको मान्द्रो	२७०१००	२७०१००	२७०१००	
१९७	डोको	२४०१००	२४०१००	२४०१००	
१९८	नाम्लो	गोटा १३०१००	१३०१००	१३०१००	
१९९	थुन्से	गोटा ६५१००	६५१००	६५१००	
		गोटा ३००१००	३००१००	३००१००	

५/२/७९

०२-८-१

११/५/२०७९

स्याङ्जा जिल्लाको आ.व. २०७९/८० को जिल्ला दररेट

जिल्ला प्रशासन कार्यालय
स्याङ्जा

सि.नं.	कामको विवरण	इकाई	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	आ.व. ०७९/८० को दर रेट ने.रु.	कैफियत
२००	स्टाप कटिङ, न्याकेड रुट ढाँटिक, सिसो, वकाइनो, झपिल, जेटकोफा, जामुना, चिरानी आदी)	प्रति वोट	१०१००	१०१००	१०१००	
२०१	छ्वाली/पराल (धान, गहूँ)	प्रति मूठा	२२१००	२२१००	२२१००	
२०२	सिरिस, वकाईनो, कपोक, मसला, ववूल, कागियो, क्यासिया, कल्ली, झपिल, टाकी, निमारो, वडहर, कोईरालो, कदम, जेटकोफा, निम, खयर, अमला र अन्य २"X ७" साईजको पोलिथिन ब्यागमा	प्रति वोट	१११००	१११००	१११००	
२०३	निलकाँडा, सजिवन, सिउंडी आदि द्वारा २५ से.मी. दूरीमा बार लगाउने काम	र.मी.	६८१००	६८१००	६८१००	
२०४	धानको भूस	के.जी.	३१००	३१००	३१००	
२०५	गोबर	के.जी.	४१००	४१००	४१००	
२०६	कुखुराको सुली भुस सहित	के.जी.	६१००	६१००	६१००	
२०७	गइयोला मल	के.जी.	३०१००	३०१००	३०१००	
२०८	गोबर मल/कम्पोष्ट मल	प्रति डोका	६५१००	६५१००	६५१००	२५ के.जी. प्रति डोको
२०९	पोली ब्याग २०० गेज	के.जी.	३००१००	३००१००	३००१००	
२१०	सूगन्ध कोकिला, सतिसाल, कपूर, वास, ठूलो अमला, हरो, बरो, रअन्य बहुउद्देश्यीयर वहुउपयोगी जातका विरुवाहरु	प्रति वोट	१५१००	१५१००	१५१००	
२११	असोक, धिउकमारी	प्रति वोट	३०१००	३०१००	३०१००	
२१२	डालेघास, बैस, दवदवे लगायतका कटिङ (पोल साइज) ल. १मी. x ५ से.मी. मोटाई)	प्रति कटिङ	१५१००	१५१००	१५१००	
२१३	ट्याक्टरबाट विरुवा लोड/ अनलोड गर्ने काम	प्रति ट्रीप	४००१००	४००१००	४००१००	
२१४	जि.आई. पाईपद्वारा भन्ज्याङ्गको रेलिङ्ग १.५ ईन्च टप ढाडो ब्याक पाईप , १ ईन्च स्ववायर पाईप ६ ईन्च को दूरीमा फिटिङ्ग सहित	व.फि.	२५०१००	२५०१००	२५०१००	
२१५	बाबैड वायर ११x१२x८मी.मी. १४x१४x८मी.मी.	के.जी.	१३०१०० १५०१००	१३०१०० १५०१००	१३०१०० १५०१००	
२१६	काढेतारको हुक आई बोल्ट	गोटा	१११००	१११००	१११००	
२१७	ढोकाको स्पिड् साधारण		१७०१००	१७०१००	१७०१००	
२१७	जि.आई.नट बोल्ट वासर सहित		१५१००	१५१००	१५१००	
२१८	होल्ड फास्ट ९" साधारण		१८१००	१८१००	१८१००	
२१९	कब्जा ३"		२५१००	२५१००	२५१००	
	४"		३६१००	३६१००	३६१००	
२२०	छेस्कीनी ४"		५४१००	५४१००	५४१००	
	६"		७३१००	७३१००	७३१००	
	१२"		१२६१००	१२६१००	१२६१००	
२२१	४" हेण्डल		२८१००	२८१००	२८१००	
२२२	१०"लकिङ्ग सेट	१८०१००	१८०१००	१८०१००		
२२३	मार्टिस लकिङ्ग सेट साधारण	८७०१००	८७०१००	८७०१००		
२२४	टेबल घराको लकिङ्ग सेट	९०१००	९०१००	९०१००		
२२५	पर्दाको रेलिङ्ग पाईप ३/४" १"	र.फि.	३०१०० ३५१००	३०१०० ३५१००	३०१०० ३५१००	
२२६	रेलिङ्ग पाइप ब्राकेट	गोटा	८०१००	८०१००	८०१००	
२२७	ट्रस फेब्रिकेशन इरेक्सन पाईप समेत सबै किसिमको पाइप	के.जी.	१७५१००	१७५१००	१७५१००	
२२८	टारफेल्ट (१x२० मी.) बाक्लो	वण्डल	१५५०१००	१५५०१००	१५५०१००	
	पातलो		११३०१००	११३०१००	११३०१००	
२२९	पूटीन कालो	के.जी.	७७००	७७००	७७००	
२३०	ग्लास पूटीन		८८१००	८८१००	८८१००	
२३०	जूट रेसा खस्रो		७७००	७७००	७७००	
२३१	जूट रेसा मसिनो		८५१००	८५१००	८५१००	


Handwritten signatures and notes at the bottom of the page, including a large signature on the left and another on the right.

स्याङ्जा जिल्लाको आ.व. २०७९/८० को जिल्ला दररेट

सुदूरपश्चिम प्रदेश सरकार
जिल्ला प्रशासन कार्यालय
स्याङ्जा

सि.नं.	कामको विवरण	इकाई	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	आ.व. ०७९/८० को दर रेट ने.रु.	कैफियत
२३२	क) रोलिङ सटर (१८ देखी २० गेज)	के.जी.	१८०१००	१८०१००	१८०१००	
	ख) रोलिङ सटर जि.आई.		२१०१००	२१०१००	२१०१००	
२३३	चेनल गेट/कोलाप्सेवल गेट		१७०१००	१७०१००	१७०१००	
२३४	क)ग्रील ३x२० मी.मी.	के.जी.	१५५१००	१५५१००	१५५१००	
	ख)ग्रील गेट ३x२० मी.मी.		१३५१००	१३५१००	१३५१००	
२३५	रोलिङ १.५x२.५ मी.मी. १ ^१ /२ जि.आई. पाइप	र.फि.	१६५१००	१६५१००	१६५१००	
२३६	गोलो भन्याङ प्रति खूटकिलो	स्टेप	२०००१००	२०००१००	२०००१००	
२३७	सिधा भन्याङ प्रति खूटकिलो २ फिट ६ इन्च चौडाई दुवैतर्फ रेलिङ समेत पुरा काम		१७००१००	१७००१००	१७००१००	
२३८	फलामे डेक्स, बेन्च, फिलर बक्स	के.जी.	१७५१००	१७५१००	१७५१००	
२३९	एङ्गल/पाइप ट्रेस भ्याल ढोका		१५५१००	१५५१००	१५५१००	
२४०	साइनबोर्ड लेखाई एङ्गल फ्रेममा	व.फि.	१०५१००	१०५१००	१०५१००	
२४१	फलामे एङ्गल	के.जी.	१४५१००	१४५१००	१४५१००	
२४२	सिंचाई गेट साधारण किसिमको		१८०१००	१८०१००	१८०१००	
२४३	सिंचाई गेट स्त्याण्डर्ड किसिमको		२७०१००	२७०१००	२७०१००	
२४४	३ मी.मी. को सिसा	व.फि.	५०१००	५०१००	५०१००	
	४ मी.मी. को सिसा		६५१००	६५१००	६५१००	
	५ मी.मी. को सिसा		९०१००	९०१००	९०१००	
२४५	२४ गेजको जि.आई.वायर मेस	व.मी.	२००१००	२००१००	२००१००	
२४६	चिकन वायर मेस		७०१००	७०१००	७०१००	
२४७	मस्किटो पूफ जाली	व.मी.	१४०१००	१४०१००	१४०१००	
२४८	१० गेजको जि.आई. तारबाट ५०x५० मी.मी. वर्ग मेस साइज फेन्सिङ जाली		४५०१००	४५०१००	४५०१००	
२४९	६०x६० मी.मी. १० गेजको वायर मेस		३४५१००	३४५१००	३४५१००	
२५०	३२ मी.मी. फल्स बोर्ड (एकातर्फ वाटर पूफ टीक)	व.फि.	२००१००	२००१००	२००१००	
२५१	३८ मी.मी. फल्स बोर्ड प्लाई लगाई		२३०१००	२३०१००	२३०१००	
२५२	३२ मी.मी. बोर्ड प्लाई सादा		१५०१००	१५०१००	१५०१००	
२५३	३८ मी.मी. बोर्ड प्लाई सादा		१९०१००	१९०१००	१९०१००	
२५४	१५० मी.मी. रबर सिल र १०० मी.मी. गेट सिल		मिटर	५५०१००	५५०१००	५५०१००
२५५	कन्स्ट्रक्सन सर्भेको काम (ग्रामीण सडकको लागि)	प्रति कि.मी.	५५००१००	५५००१००	५५००१००	
२५६	Black Pipe 'Medium'- 3/4" f 1.8MM	मिटर	१२५१००	१२५१००	१२५१००	
	Black Pipe 'Medium'- 1" f 1.8MM		१५०१००	१५०१००	१५०१००	
	Black Pipe 'Medium'- 1 1/2" f 1.8MM		२१५१००	२१५१००	२१५१००	
	- 2" f		२९०१००	२९०१००	२९०१००	
	- 2 1/2" f		४०५१००	४०५१००	४०५१००	
	- 3" f		४९०१००	४९०१००	४९०१००	
२५७	कास्ट आइरन पाइप	गोटा	७८०१००	७८०१००	७८०१००	
	स्वायल कास्ट आइरन पाइप D/S 2" f		११३०१००	११३०१००	११३०१००	
	- D/S 3" f		१३२०१००	१३२०१००	१३२०१००	
	- D/S 4" f		२३५०१००	२३५०१००	२३५०१००	
	- D/S 6" f		८९०१००	८९०१००	८९०१००	
२५८	रेन वाटर कास्ट आइरन पाइप - S/S २" f	R.ft	१२५०१००	१२५०१००	१२५०१००	
	- S/S 3" f		१३७०१००	१३७०१००	१३७०१००	
	- S/S 4" f		२७००१००	२७००१००	२७००१००	
	- S/S 6" f		१०५०१००	१०५०१००	१०५०१००	
२५९	Stainless steel railing on varandah and staircase. Size: 2" x 1" x 1" (Height=90cm)	R.ft			१०५०१००	

Handwritten signatures and dates at the bottom of the page.



सि.नं.	कामको विवरण	इकाई	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	आ.व. ०७९/८० को दर रेट ने.रु.	कैफियत
२६०	थोपा सिंचाई सेट					
	धेरै सानो साइज (१२५ व.मि. भन्दा कम)	सेट	१९४०१००	१९४०१००	१९४०१००	
	सानो साइज (१२५ व.मि.)		२६००१००	२६००१००	२६००१००	
	मझौला साइज (२५० व.मि.)		४३००१००	४३००१००	४३००१००	
	ठूलो साइज (५०० व.मि.)		८२००१००	८२००१००	८२००१००	
मध्यम ठूलो	१६१००१००		१६१००१००	१६१००१००		
२६१	कार्वन फाइबर यू.पि.भि.सि. रुफिड सिट					
क	पोलीकार्बोनेट सिट (६मि.मि.थिक)	प्रति ब.फि.	१७०१००	१७०१००	१७०१००	
ख	कार्वन फाइबर यू.पि.भि.सि. छााना छाउने ३ मि. मि. बाक्लो	प्रति व.मि.	१२००१००	१२००१००	१२००१००	
ग	कार्वन फाइबर यू.पि.भि.सि. धूरी छाउने ३ मि. मि. बाक्लो	प्रति व.मि.	१३६०१००	१३६०१००	१३६०१००	
घ	जू हूक					
ङ	क्लीप	गोटा	५१००	५१००	५१००	
	कृषी सम्बन्धी		९१००	९१००	९१००	
२६२	उन्नतकिट	गोटा	१५०१००	१५०१००	१५०१००	
२६३	धानको विउ	के.जी.	७०१००	७०१००	७०१००	
२६४	मकैको विउ		८०१००	८०१००	८०१००	
२६५	गहुँको विउ		७५१००	७५१००	७५१००	
२६६	मौरीको घर		३०००१००	३०००१००	३०००१००	
२६७	मौरीको गोला घर समेत		७५००१००	७५००१००	७५००१००	
२६८	आल्मोनियम महदानी		८०००१००	८०००१००	८०००१००	
२६९	स्टिल महदानी		१५०००१००	१५०००१००	१५०००१००	
२७०	टोपी	गोटा	६००१००	६००१००	६००१००	
२७१	पञ्जा		३००१००	३००१००	३००१००	
२७२	आधारचाका		१०००१००	१०००१००	१०००१००	
२७३	आधारचाका निर्माण डाइ		५०००१००	५०००१००	५०००१००	
२७४	फूट स्प्रेयर		१३५००१००	१३५००१००	१३५००१००	
२७५	स्प्रेयर (पलास्टीक)		२९००१००	२९००१००	२९००१००	
२७६	च्याउ विउ (कन्ये)		बोतल	६५१००	६५१००	६५१००
२७७	च्याउ विउ (सिताके)	बोतल	१२५१००	१२५१००	१२५१००	
२७८	१२० GSM Silpolin Sheet	Sq.m.	७९१००	७९१००	७९१००	
	भु संरक्षण सम्बन्धी					
२७९	Grass Seeds					
२८०	जई	Kg	८०१००	८०१००	८०१००	
२८१	भेच	Kg	१६०१००	१६०१००	१६०१००	
२८२	वर्सिम	Kg	१८०१००	१८०१००	१८०१००	

Handwritten signature

Handwritten signature

Handwritten signature

Handwritten signature


स्याङ्जा जिल्लाको आ.व. २०७९/८० को जिल्ला दररेट

सि.नं.	कामको विवरण	इकाई	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	आ.व. ०७९/८० को दर रेट ने.रु.	कैफियत
२८३	घाँसको बिउ र औषधि जिल्ला भित्र दुवानी गर्दा	Kg	०१५०	०१५०	०१५०	
२८४	घाँसको बिउ जिल्ला बाहिरबाट दुवानी गर्दा	Kg	११००	११००	११००	
२८५	Vegitation/Shrubs Cuttings/Slip/Plants/etc.					
२८६	रुद्राक्ष, रक्तचन्दन, श्रीखण्ड	गोटा	११०१००	११०१००	११०१००	
२८७	बोधीचिन्त बहुबर्षीय	गोटा	५००१००	५००१००	५००१००	
२८८	अम्रिसो राईजोम	गोटा	६१००	६१००	६१००	
२८९	अलैची गानो	गोटा	१११००	१११००	१११००	
२९०	अलैची विरवा	गोटा	९१००	९१००	९१००	
२९१	आप आमपाली/मल्लोका २-३ वर्षे कलमी विरवा	गोटा	२००१००	२००१००	२००१००	
२९२	आप अन्य जात २-३ वर्षे कलमी विरवा	गोटा	१६०१००	१६०१००	१६०१००	
२९३	हार्डउड कटिङ्गस् (बैस) पेन्सिल साइज	गोटा	६१००	६१००	६१००	
२९४	Teosinte	Kg	१३०१००	१३०१००	१३०१००	
२९५	Joint Vetch	Kg	१००१००	१००१००	१००१००	
२९६	Supper Nepier	set	३०१००	३०१००	३०१००	
२९७	stylo	Kg	१२००१००	१२००१००	१२००१००	
२९८	oat	Kg	७०१००	७०१००	७०१००	
२९९	राई खनियो	प्र. बिरवा	२७००	२७००	२७००	
३००	बदहर, लप्सी, लाकुरी, दुर्मी	प्र. बिरवा	२०१००	२०१००	२०१००	
३०१	ईपिल	प्र. बिरवा	१०१००	१०१००	१०१००	
३०२	बषिम	Kg	४००१००	४००१००	४००१००	
३०३	टाकी	प्र. बिरवा	१५१००	१५१००	१५१००	
३०४	कोइरालो, बैस, दवादवे, खिरो, काभ्रो, सजीवन, सिमली, किम्बु आदि	प्र. बिरवा	१५१००	१५१००	१५१००	
३०५	vetch	Kg	१३०१००	१३०१००	१३०१००	
३०६	अम्रिसा	प्र. सेट	५१००	५१००	५१००	
३०७	नेपियर अयद्ध	गोटा	३५०	३५०	३५०	
३०८	NB ₂₁ घास	गोटा	३१००	३१००	३१००	
३०९	निगालो राईजोम	गोटा	४०१००	४०१००	४०१००	
३१०	बासको वेर्ना (कटीग राईजोम)	गोटा	३३०१००	३३०१००	३३०१००	
३११	बाबियो ताइवानी दूवो	गोटा	३१००	३१००	३१००	
३१२	सिजनल फूल ड इन्च पोली	गोटा	२८१००	२८१००	२८१००	
३१३	गूलाफ फूल ८ इन्च पोली	गोटा	१६५१००	१६५१००	१६५१००	
३१४	हेज ८ इन्च पोली	गोटा	३५१००	३५१००	३५१००	
३१५	कार्पेट दूवो	ब. फी.	३५१००	३५१००	३५१००	
३१६	कापट दूवो को लागि रोप्ने कार्यको ज्याला	ब. फी.	२५१००	२५१००	२५१००	
३१७	निगालो (जरा सहीत)	गोटा	१२१००	१२१००	१२१००	
३१८	स्थानीय स्तरमा उत्पादित विरवा फलफूल बाहेक	गोटा	१०१००	१०१००	१०१००	
३१९	गोठे मल तयारी	कै. जी.	३१००	३१००	३१००	
३२०	डाले घासको विरवा	गोटा	८१००	८१००	८१००	
३२१	मोलाटो विरवा	गोटा	२१००	२१००	२१००	
३२२	नरीवल टोरी	कै. जी.	१००१००	१००१००	१००१००	
३२३	नाइलन टोरी	कै. जी.	२००१००	२००१००	२००१००	
३२४	अगरउड	गोटा	१४०१००	१४०१००	१४०१००	


२०८१

स्याङ्जा जिल्लाको आ.व. २०७९/८० को जिल्ला दररेट

सि.नं.	कामको विवरण	इकाई	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	आ.व. ०७९/८० को दर रेट ने.रु.	कैफियत
३२५	बास	गोटा	२३०।००	२३०।००	२३०।००	
३२६	बर, पिपल, समी	गोटा	४००।००	४००।००	४००।००	
३२७	एभोकाडो	गोटा	१८०।००	१८०।००	१८०।००	
३२८	लिची सीदलेस	गोटा	८५।००	८५।००	८५।००	
३२९	सुनकागती	गोटा	५०।००	५०।००	५०।००	
३३०	टिमुर	गोटा	८५।००	८५।००	८५।००	
३३१	अमला, रिठा, हर्रो, बर्रो	गोटा	७०।००	७०।००	७०।००	
३३२	लप्सी	गोटा	१००।००	१००।००	१००।००	
३३३	मरेको वन्यजन्तुको उद्धार गरी गाड्ने काम					
३३४	चितुवा	वटा	२५००।००	२५००।००	२५००।००	
३३५	मृग प्रजाति को	वटा	१५००।००	१५००।००	१५००।००	
३३६	जिल्ला भित्र पाईने वन्यजन्तु को	वटा	१०००।००	१०००।००	१०००।००	
३३७	घार टुनिको	प्रति घार	५०००।००	५०००।००	५०००।००	
३३८	अन्य काठको घार	प्रति घार	३५००।००	३५००।००	३५००।००	
३३९	मौरी प्रति फ्रेम	प्रति फ्रेम	१२००।००	१२००।००	१२००।००	
३४०	गड्यौला मल प्रायोजन को लागी	के जी	२२५०।००	२२५०।००	२२५०।००	
३४१	फलफुल लगाउने खाडल	घ मि	१५०।००	१५०।००	१५०।००	
	वन सम्बन्धी					
क)	काठ संकलन					
३४२	रुखको नम्बरिड तथा छुपान	प्रति रुख	१४।००	१४।००	१४।००	
३४३	काठ कटान, मूछान	प्रति क्यू.फि.	२४।००	२४।००	२४।००	
३४४	रिङ्ग काट्ने काम		५।००	५।००	५।००	
३४५	बोक्रा फिक्ने काम		६।००	६।००	६।००	
३४६	गोलिया काठ यार्डिङ्ग ज्यामीबाट		०।००	०।००	०।००	
	०-५०० मी. सम्म	२४।००	२४।००	२४।००		
	५००-१००० मी. सम्म	२६।००	२६।००	२६।००		
	१००० मी. भन्दा टाढा	३२।००	३२।००	३२।००		
३४७	गोलिया काठ लोडिङ्ग	प्रति क्यू.फि.	१३।००	१३।००	१३।००	
३४८	गालिया काठ अनलोडिङ्ग		६।००	६।००	६।००	
३४९	गोलिया काठ पाइलिङ्ग		८।००	८।००	८।००	



स्याङ्जा जिल्लाको आ.व. २०७९/८० को जिल्ला दररेट



सि.नं.	कामको विवरण	इकाई	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	आ.व. ०७९/८० को दर रेट ने.रु.	कैफियत		
३५०	गोलिया काठ ढुवानी गाडीबाट					वन कार्यालय बाट प्राप्त		
	० देखि ५ कि.मी. सम्म	प्रति क्यू.फि.	४८१००	४८१००	४८१००			
	५ देखि १० कि.मी. सम्म	प्रति क्यू.फि.	५०१००	५०१००	५०१००			
	१० देखि १५ कि.मी. सम्म		५८१००	५८१००	५८१००			
	१५ देखि २० कि.मी. सम्म		६२१००	६२१००	६२१००			
	२० देखि २५ कि.मी. सम्म		६४१००	६४१००	६४१००			
२५ कि.मी भन्दा टाढा	७०१००		७०१००	७०१००				
ख	दाउरा संकलन		०१००	०१००	०१००			
३५१	दाउरा कटान, मुछ्यान (२०'X२०'X५')	प्रति चट्टा	३०००१००	३०००१००	३०००१००			
३५२	दाउरा यार्डिङ्ग ज्यामीबाट	प्रति चट्टा				५ ज्यामी बराबर		
	०-५०० मी. सम्म		४२००१००	४२००१००	४२००१००			
	५००-१००० मी. सम्म		४९००१००	४९००१००	४९००१००			
	१००० मी. भन्दा टाढा		५६००१००	५६००१००	५६००१००			
३५३	दाउरा चट्टा लगाउने (२०'X२०'X५')		४२००१००	४२००१००	४२००१००			
३५४	दाउरा लोडिङ्ग		१६००१००	१६००१००	१६००१००			
३५५	दाउरा अनलोडिङ्ग		५५०१००	५५०१००	५५०१००			
३५६	दाउरा ढुवानी गाडीबाट	प्रति चट्टा				वन कार्यालय बाट प्राप्त		
	० देखि ५ कि.मी. सम्म		२८००१००	२८००१००	२८००१००			
	५ देखि १० कि.मी. सम्म		३०००१००	३०००१००	३०००१००			
	१० देखि १५ कि.मी. सम्म		३५००१००	३५००१००	३५००१००			
	१५ देखि २० कि.मी. सम्म		३७००१००	३७००१००	३७००१००			
	२० देखि २५ कि.मि		३९००१००	३९००१००	३९००१००			
२५ कि.मि भन्दा माथि	४२००१००	४२००१००	४२००१००					
ग	चिरान काठ न							
३५७	चिरान काठ, उत्पादन	प्रति क्यू.फि.	६७१००	६७१००	६७१००	वन कार्यालय बाट प्राप्त		
३५८	चिरान अनसाईज काठ उत्पादन		८५१००	८५१००	८५१००			
३५९	चिरान लोडिङ्ग		८१००	८१००	८१००			
३६०	चिरान अनलोडिङ्ग		४१२०	४१२०	४१२०			
३६१	बाकल लोडिङ्ग		८१५०	८१५०	८१५०			
३६२	बाकल अनलोडिङ्ग		४१५०	४१५०	४१५०			
३६३	चिरान काठ पाइलिङ्ग		४१२०	४१२०	४१२०			
३६४	१०० मी. टाढाबाट मिलसम्म काठ बोक्ने काम		४१२०	४१२०	४१२०			
३६५	मिलमा गोलिया काठ सिपमेन्ट लोडिङ्ग		१३१५०	१३१५०	१३१५०			
३६६	मिलमा गोलिया काठ सिपमेन्ट अनलोडिङ्ग		६१८०	६१८०	६१८०			
	सीचाई संबन्धी							
३६७	Geotextile M*C 20 Grade		प्रति व.मि.	१२०१००	१२०१००		१२०१००	
३६८	Geotextile M*C30 Grade			१४०१००	१४०१००		१४०१००	

Handwritten signatures and dates at the bottom of the page, including a date '२०७९.८.१'.


स्याङ्जा जिल्लाको आ.व. २०७९/८० को जिल्ला दररेट



सि.नं.	कामको विवरण	इकाई	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	आ.व. ०७९/८० को दर रेट ने.रु.	कैफियत
	तयारी आर.सि.सि.भ्याल,ढोका,भेन्टीलेसन,आर्क					
३६९	Ready made RCC Door and window frame of section 4"X2.75" with concrete mix design of 1:1:1 proportion and 2 Nos 7m dia.rebar including arrangement of necessary holes and safety plate all complete.	र.फि.	२२०१००	२२०१००	२२०१००	
३७०	Ready made RCC ventilation frame of section 4"X2.75" with concrete mix design of 1:1:1 proportion and 2 Nos 7m dia.rebar including arrangement of necessary holes and safety plate all complete.	र.फि.	२२०१००	२२०१००	२२०१००	
३७१	Ready made RCC Door and window arc frame (Semi-circular) frame of section 4"X2.75" with concrete mix design of 1:1:1 proportion and 2 Nos 7m dia.rebar including arrangement of necessary holes and safety plate all complete.	र.फि.	४४०१००	४४०१००	४४०१००	
३७२	Machine made and mechanically selvaged double twisted hexagonal mesh products(Maccafferri & equivalent product) Wire Mesh Netting					
	6*8/2.2/2.7/ZN	sqm	२६९१००	२६९१००	२६९१००	
	10*12/2.7/3.4/ZN	sqm	२५९१००	२५९१००	२५९१००	
	10*12/3.0/3.9/ZN	sqm	२८५१००	२८५१००	२८५१००	
	6*8/2.2/2.7/PVC	sqm	४९८१००	४९८१००	४९८१००	
	10*12/2.7/3.4/PVC	sqm	३०८१००	३०८१००	३०८१००	
	Note:-ZN=Heavy Galvanized,PVC=PVC Coated					
	Note:-10*12/3.0/3.9/2.4/ZN=Mesh Type/Mesh wire Dia./Seldge Wire Dia./Lacing Wire Dia./Type of Coating					
३७३	एलुमिनियम फ्रेम					
१	Sliding window fitted with 5mm clear glass without net. Size: 4' x 5'	Sq.ft.	६९०१००	६९०१००	६९०१००	
२	Sliding window fitted with 5mm clear glass without net. Size: 5' x 4'	Sq.ft.	६४०१००	६४०१००	६४०१००	
३	Sliding window fitted with 5mm clear glass without net. Size: 9' x 5'	Sq.ft.	६३०१००	६३०१००	६३०१००	
४	Sliding window fitted with 5mm clear glass without net. Size: 7' x 5'	Sq.ft.	६००१००	६००१००	६००१००	
५	Sliding with ventilation at top and bottom w/o net. Size: 6' x 7'	Sq.ft.	५९०१००	५९०१००	५९०१००	
६	Fix window and hinged door fitted with 5mm glass.	Sq.ft.	७००१००	७००१००	७००१००	
७	Fix window fitted with 5mm glass. Size: 6' x 3'	Sq.ft.	५००१००	५००१००	५००१००	
८	Glass door fitted with 12mm glass GD	Sq.ft.	१४००१००	१४००१००	१४००१००	
९	Glazed window (Curtain Wall) with 5mm reflective glass	Sq.ft.	९५०१००	९५०१००	९५०१००	
३७४	Rate of Supply Tools					
S.N.	Details	Unit	Rate 2077/2078	Rate 2078/2079	Rate 2079/2080	
१	Slade Hammer					
	3kg	No	६८०१००	६८०१००	६८०१००	
	5 kg	No	१०२५१००	१०२५१००	१०२५१००	
	8 kg	No	१५९५१००	१५९५१००	१५९५१००	
२	Stone cutting hammer 1.2kg	No	५७०१००	५७०१००	५७०१००	
३	Spade 0.5 kg	No	५७०१००	५७०१००	५७०१००	
४	Pickaxe	No	५७०१००	५७०१००	५७०१००	
५	Crowbar					
	1.2m	No	१३६५१००	१३६५१००	१३६५१००	
	1.5m	No	२०५०१००	२०५०१००	२०५०१००	
६	Chisel					
	8"	No	४००१००	४००१००	४००१००	
	12"	No	६२५१००	६२५१००	६२५१००	
७	Wheel Barrow	No	९९९०१००	९९९०१००	९९९०१००	

Handwritten signatures and dates at the bottom of the page, including a date '२०७९.११.१९' and a page number '19'.


स्याङ्जा जिल्लाको आ.व. २०७९/८० को जिल्ला दररेट



सि.नं.	कामको विवरण	इकाई	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	आ.व. ०७९/८० को दर रेट ने.रु.	कैफियत
८	Stone cutting hummer 1.2kg	No	४००।००	४००।००	४००।००	
९	आसी हसिया ०.५ के.जी.	No	८५५।००	८५५।००	८५५।००	
१०	कराई	No	४००।००	४००।००	४००।००	
११	Shovel	No	६८५।००	६८५।००	६८५।००	
१२	Corney	No	५७०।००	५७०।००	५७०।००	
३७५	Protective and Safety Equipment					
S.N.	Description	Unit	Rate 2077/2078	Rate 2078/2079	Rate 2079/2080	
1	Googgles	No	330.00	330.00	330.00	
2	Mask	No	110.00	110.00	110.00	
3	Gloves	No	440.00	440.00	440.00	
4	Protective Gumboot(Standard)	No	1100.00	1100.00	1100.00	
5	Helmet	No	715.00	715.00	715.00	
6	Protective work wear(Jacket)	No	660.00	660.00	660.00	
7	Protective shinging and work mean jacket (standard)	No	990.00	990.00	990.00	
8	Cap (standard)	No	440.00	440.00	440.00	
9	1m. Length flag	No	85.00	85.00	85.00	
10	Bag (Standard)	No	825.00	825.00	825.00	
11	Sfety Belt	No	2000.00	2000.00	2000.00	
12	Fullbody harness	No	6050.00	6050.00	6050.00	
13	Half Harness	No	4400.00	4400.00	4400.00	
14	Raincoat	No	1650.00	1650.00	1650.00	
३७६	Ready made Door					
S.N.	Description	Unit	Rate 2077/2078	Rate 2078/2079	Rate 2079/2080	
1	Ready made door					
a)	Ready made core door shutter one side teak other side GI plain sheet 26 guage water proof	Sq ft	२७०।००	२७०।००	२७०।००	
b)	Ready made core door shutter one side teak other side formica water proof	Sq ft	३००।००	३००।००	३००।००	
c)	Ready made core door shutter one side teak other side /water proof	Sq ft	२९५।००	२९५।००	२९५।००	
d)	Ready made board door pannel (plain)	Sq ft	३५०।००	३५०।००	३५०।००	
	Ready made door shutter (Heavy)	Sq ft	५००।००	५००।००	५००।००	
377	Paving stone					
S.N.	Description	Unit	Rate 2076/2077	Rate 2078/2079	Rate 2079/2080	
a)	1" thick good quality	Sq ft	९५।००	९५।००	९५।००	
b)	1.5" thick good quality	Sq ft	११०।००	११०।००	११०।००	
c)	2" thick good quality	Sq ft	१३०।००	१३०।००	१३०।००	
d)	Clading stone with wall surface in (1:3) c/s mortar	Sq ft	२०५।००	२०५।००	२०५।००	
e)	Roofing Stone	Sq m	५०५।००	५०५।००	५०५।००	
Material Testing in Civil Laboratory						
378	Description	Unit	Rate 2076/2077	Rate 2078/2079	Rate 2079/2080	
SOIL & AGGREGATE						
1	Aggergate Crushing Value Test (ACV)	Per Test	४१३।०	४१३।०	४१३।०	
2	Aggregate Impact Value Test (AIV)	Per Test	३०९।०	३०९।०	३०९।०	
3	California Bearing Ratio (CBR) Soaked	Per Test	१९३५।०	१९३५।०	१९३५।०	

Handwritten signatures and dates at the bottom of the page, including '२०८०' and various names.

स्याङ्जा जिल्लाको आ.व. २०७९/८० को जिल्ला दररेट



सि.नं.	कामको विवरण	इकाई	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	आ.व. ०७९/८० को दर रेट ने.रु.	कैफियत
4	California Bearing Ratio (CBR)Unsoaked	Per Test	१६९७०	१६९७०	१६९७०	
5	Deflection Test by Benklemen's Beam Test	Per Test	७०४१०	७०४१०	७०४१०	
6	Flakiness Index (F.I.)	Per Test	४५९१०	४५९१०	४५९१०	
7	Field Density Test	Per Test	६२९१०	६२९१०	६२९१०	
8	Liquid Limmit & Plasticity Index (LL& PI)	Per Test	५१९१०	५१९१०	५१९१०	
9	Los Angeles Abrasion Test (LAA)	Per Test	५९४१०	५९४१०	५९४१०	
10	Measurement of pavement Thickness	Per Test	४९६१०	४९६१०	४९६१०	
11	Organic Impurities of Fine Aggregate	Per Test	४६४१०	४६४१०	४६४१०	
12	Proctor Compaction Test (Modified)	Per Test	१७३०१०	१७३०१०	१७३०१०	
13	Rapid determination of CBR By DCP	Per Test	२९९१०	२९९१०	२९९१०	
14	Specific Gravity of Coarse aggregate	Per Test	५५२१०	५५२१०	५५२१०	
15	Specific Gravity of Fine aggregate	Per Test	३९९१०	३९९१०	३९९१०	
16	Sieve Analysis	Per Test	८२९१०	८२९१०	८२९१०	
17	Sodium Sulphate Soundness Test (5 Cycle)	Per Test	२५१८१०	२५१८१०	२५१८१०	
18	Sand Equivalent	Per Test	९६६१०	९६६१०	९६६१०	
19	Sampling From Surface, Bas, Sub- Base & Sub Grade	Per Test	५१०१०	५१०१०	५१०१०	
B	CEMENT & CONCRETE					
1	Compresive Strength Of Concrete Cube	Per Test	१३०१०	१३०१०	१३०१०	
2	Making Mortar Cubes (50mm*50mm*50mm)	Per Test	३३२१०	३३२१०	३३२१०	
3	Making Mortar Cubes (70.7mm*70.7mm*70.7mm)	Per Test	३७०१०	३७०१०	३७०१०	
4	Making Mortar Cubes (15cm*15cm*15cm)	Per Test	२७७१०	२७७१०	२७७१०	
5	Normal Consistancy of Cement	Per Test	४५०१०	४५०१०	४५०१०	
6	Slump Test of Concrete mix	Per Test	१३३१०	१३३१०	१३३१०	
7	Setting Time of Cement	Per Test	६७३१०	६७३१०	६७३१०	
C	BITUMEN		०१०	०१०	०१०	
1	Determination of Bitumen Content (2 kg big bowl)	Per Test	४०७३१०	४०७३१०	४०७३१०	
2	Determination of Bitumen Content (1kg Small bowl)	Per Test	३०८०१०	३०८०१०	३०८०१०	
3	Ductility Test	Per Test	५५८१०	५५८१०	५५८१०	
4	Engler Viscosity Of Emulsion	Per Test	१०३०१०	१०३०१०	१०३०१०	
5	Flash & Fire Point	Per Test	३०११०	३०११०	३०११०	
6	Viscosity	Per Test	१४८२१०	१४८२१०	१४८२१०	
7	Los on Heating of Asphalt	Per Test	४८९१०	४८९१०	४८९१०	
8	Penetration Test	Per Test	४२६१०	४२६१०	४२६१०	
9	Penetration of Resiude	Per Test	४२६१०	४२६१०	४२६१०	
10	Resistance to Plastic.Flow of Bitumen (Marshall Designt)	Per Test	१३३११०	१३३११०	१३३११०	
11	Specific Gravity	Per Test	६००१०	६००१०	६००१०	
12	Solubility Test	Per Test	६७११०	६७११०	६७११०	
13	Softening Test	Per Test	५२३१०	५२३१०	५२३१०	
14	Stripping Test	Per Test	६५११०	६५११०	६५११०	
15	Water Content	Per Test	४७५१०	४७५१०	४७५१०	
16	Residue on Sievning of emulsion	Per Test	७४११०	७४११०	७४११०	
17	Binder Content of Emulsion	Per Test	५६११०	५६११०	५६११०	
D	G.I. WIRE					
1	Adhension Test of GI Wire	Per Test	७१०	७१०	७१०	
2	Determination of Tensile Strength of GI Wire	Per Test	२७९१०	२७९१०	२७९१०	
3	Determination of Zinc Coating of G.I. Wire	Per Test	३६८१०	३६८१०	३६८१०	
4	Uniformity of Zinc Coating Of G.I. Wire	Per Test	२९९१०	२९९१०	२९९१०	

*Note: Unskilled manpower, sample materials & Chemicals Should Be Provided to the lab by client themselves.

Estimated price of unskilled and chemicals are provided as above

(Handwritten signatures and marks)



379 HDPE Pipes

Rate per kg Rs 273

S.N.	Size in mm	Size in inches	Pressure (2.5kgf/cm ²)		Pressure (4kgf/cm ²)		Pressure (6kgf/cm ²)		Pressure (10kgf/cm ²)		Remarks
			Avg.wt.kg/mtr	Per mtr Rs.	Avg.wt.kg/mtr	Per mtr Rs.	Avg.wt.kg/mtr	Per mtr Rs.	Avg.wt.kg/mtr	Per mtr Rs.	
1	16mm		*	*	*	*	*	*	0.092	25.12	
2	20mm	1/2"	*	*	*	*	*	*	0.134	36.58	
3	25 mm	3/4"	*	*	*	*	*	*	0.202	55.15	
4	32mm	1"	*	*	*	*	*	*	0.334	91.18	
5	40mm	1 1/4"	*	*	0.251	68.52	0.350	95.55	0.514	140.32	
6	50mm	1 1/2"	*	*	0.378	103.19	0.542	147.97	0.796	217.31	
7	63mm	2"	0.403	110.02	0.585	159.71	0.850	232.05	1.269	346.44	
8	75mm	2 1/2"	0.557	152.06	0.846	230.96	1.191	325.14	1.782	486.49	
9	90mm	3"	0.799	218.13	1.220	333.06	1.717	468.74	2.568	701.06	
10	110mm	4"	1.185	323.51	1.703	464.92	2.545	694.79	3.801	1037.67	
11	125mm	4 1/2"	1.530	417.69	2.289	624.90	3.293	898.99	4.962	1354.63	
12	140mm	5"	1.897	517.88	2.901	791.97	4.150	1132.95	6.209	1695.06	
13	160mm	6"	2.453	669.67	3.773	1030.03	5.355	1461.92	8.079	2205.57	

Rate is Rs. 273.00 per Kg. without VAT

HDPE DOUBLE WALL CORRUGATED PIPES (DWC)(SN-8)

S.N.	Size in mm	Unit	Rate	Remarks
1	100 mm dia	Meter	500	
2	150 mm dia	Meter	1000	
3	200 mm dia	Meter	1500	
4	250 mm dia	Meter	1900	
5	300 mm dia	Meter	3160	
6	400 mm dia	Meter	4070	
7	500 mm dia	Meter	4860	
8	600 mm dia	Meter	8370	
9	800 mm dia	Meter	13875	
10	1000 mm dia	Meter	20900	

Without transportation

Handwritten signatures and notes:
 208.7
 2020
 1971

Handwritten signature: Sany



380 uPVC Pipes

S.N.	OD in mm	Size in inches	Class-C Price /mtr.	Class-D Price /mtr.	Class-E Price /mtr.	Schedule-40 Price / mtr	Schedule-80 Price / mtr	Schedule-120 Price / mtr
1	21 mm	1/2"	-	-	70	107	118	-
2	26 mm	3/4"	-	-	105	143	161	-
3	33 mm	1"	-	-	144	206	234	-
4	42 mm	1 1/4"	-	185	217	279	328	369
5	48 mm	1 1/2"	-	215	260	331	401	443
6	60 mm	2"	298	363	432	440	540	627
7	89 mm	3"	602	767	927	-	-	-
8	114 mm	4"	887	1265	1552	-	-	-
9	140 mm	5"	1459	1894	2273	-	-	-
10	168 mm	6"	2086	2712	3269	-	-	-
11	219 mm	8"	3201	4164	5000	-	-	-

Handwritten signature








Handwritten signature

Handwritten signature

Handwritten signature

17th

आ.व.२०७९/८० को PE पाईपको दर रेट						
३८१) PE पाईपको दर रेट						
S.N.	Size in mm		Average Weight of PN6	Average Weight of PN10	Average Weight of PN12.5	Average Weight of PN16
	Min	Max				
1	20	30.3				0.135
2	25	25.3			0.173	0.208
3	32	32.3		0.234	0.274	0.338
4	40	40.4		0.36	0.434	0.523
5	50	50.5	0.365	0.555	0.673	0.808
6	63	63.6	0.568	0.882	1.047	1.27
7	75	75.7	0.816	1.248	1.481	1.8
8	90	90.9	1.148	1.787	2.144	2.591
9	110	111	1.688	2.643	3.177	3.84
10	125	126.2	2.187	3.405	4.089	4.962
11	140	141.3	2.750	4.261	5.132	6.209
12	160	161.5	3.579	5.559	6.695	8.134
13	180	181.7	4.518	7.054	8.466	10.256
14	200	201.8	5.564	8.689	10.441	12.667
15	225	227	7.065	10.975	13.217	16.014
16	250	252.3	8.678	13.52	16.263	19.758
17	280	282.6	10.885	16.936	20.393	24.773
18	315	317.9	13.781	21.459	25.818	31.307
Rate is Rs. 273.00 per Kg. without VAT						

382. Rate of GI pipe fitting, Brass Fitting and Tools

(ISI, NS, ISO BRAND)

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
स्याङ्जा

S. No.	Name of Fittings	Unit	Size												
			1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	10"
			15 mm	20 mm	25 mm	32 mm	40 mm	50 mm	65 mm	80 mm	100 mm				
1	Elbow	no.	63	119	186	275	388	582	1010	1570	2705	5742	6910		
2	Tee	no.	101	163	237	372	514	841	1320	1786	3243	7996	8918		
3	Union	no.	213	304	446	602	745	1108	2268	3054	4023	7696	9311		
4	Socket	no.	59	93	127	193	260	383	695	1025	1774	3799	5107		
5	R-socket	no.	-	104	130	212	283	423	756	1087	1945	4768	5606		
6	R-Tee	no.	-	179	261	407	566	924	1455	1966	3592	8473	9810		
7	R-Elbow	no.	-	132	204	305	429	642	1107	1707	3021	-	-		
8	C.I Plug	no.	29	43	52	98	121	145	213	436	847	-	-		
9	G.I Nipple 2"	no.	36.4	45.9	69.8	89.4	103.4	151.4	167	197	285	335	432		
10	G.I. Nipple 4"	no.	72.7	91.8	139.6	178.7	206.7	302.7	315	394	590	765	826		
11	G.I. Nipple 6"	no.	109.1	137.7	209.4	268	310	454	437	591	885	1154	1387		
12	Brass union	no.	363	540	810	1193	1608	2248	-	-	-	-	-		
13	GM Gate Valve NS	no.	763	1068	1630	2452	3334	5140	10702	16222	23339	-	-		
14	GM Glove Valve NS	no.	694	1181	1647	3331	4229	5892	12278	16602	29052	-	-		
15	CI+GI Flang set	no.	495	621	844	1044	1269	1474	1897	2187	2982	7415	7972		
16	GI+HDP Flang set	no.	553	720	864	1092	1317	1955	2107	2396	3461	7691	8968		
17	HDP+HDP Flangh set	no.	619	814	967	1172	1464	2239	2539	2867	3693	7861	9390		
18	GI bend	no.	136	213	326	630	954	1400	3600	5592	7910	8970	9965		

Handwritten signatures and notes on the right side of the page, including a large signature at the top right and another at the bottom right.

382. Rate of GI pipe fitting, Brass Fitting and Tools

(ISI, NS, ISO BRAND)



S. No.	Name of Fittings	Unit	Size															
			1 1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	10"			
			15 mm	20 mm	25 mm	32 mm	40 mm	50 mm	65 mm	80 mm	100 mm							
19	Flow regulating valb	no.	957	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	Regulating key	no.	295	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	Float value	no.	825	965	1975	2330	3925	5240	-	-	-	-	-	-	-	-	-	-
22	Float Valve (BPT Type)	no.	2262	2747	3636	7756	10398	16070	-	-	-	-	-	-	-	-	-	-
23	Check Valve HOR	no.	407	624	1405	2380	3525	5263	9114	12545	16270	-	-	-	-	-	-	-
24	Ferrule cock	no.	695	1240	2140	3650	4860	5680	7040	-	-	-	-	-	-	-	-	-
25	Brass bib cock	no.	624	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	Ferrule Shaddle (Brass)	no.	-	-	-	-	-	903	1609	1722	1780	-	-	-	-	-	-	-
27	Sulace valve	no.	-	-	-	-	6000	8000	10000	12000	16000	20000	24000	32000	40000	-	-	-
28	CI air valve	no.	-	4890	5730	7710	9895	13312	14587	21840	26520	-	-	-	-	-	-	-
29	GI Stinner	no.	346	454	603	949	1452	1948	2252	3290	5874	-	-	-	-	-	-	-
30	End Cap	no.	79	144	179	292	402	589	920	1240	2515	3540	4230	-	-	-	-	-
31	Drill Bit	no.	3050	3691	3850	-	-	-	-	-	-	-	-	-	-	-	-	-
32	C. I. M C	no.	-	-	-	-	-	-	-	3146	4708	5917	8052	-	-	-	-	-
33	Tail Piece	no.	-	-	-	-	-	-	-	3146	4708	5917	8052	-	-	-	-	-
34	Die Gutkha	no.	3267	3486	5450	6006	6418	6713	-	-	-	-	-	-	-	-	-	-
35	Round Gasket	no.	-	-	-	-	-	-	-	230	240	360	540	-	-	-	-	-
36	GI tanky nipple	no.	244	388	576	852	1181	1749	3366	4481	5946	-	-	-	-	-	-	-
37	Cross Tee	no.	232	337	530	920	1186	1749	2951	4275	5759	12641	15251	-	-	-	-	-

Note: VAT are not included in the above rate

(Handwritten signatures and notes)

383. PPR 3 LAYER PIPES AND FITTINGS

S. No.	Description of Goods	Unit	Size												
			1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"				
			20 mm	25 mm	32mm	40mm	50mm	63mm	75mm	90mm	110mm				
1	Pipe (PN 10/S-5.0)-3 Layer	Rm	39.33	59.67	95.33	150.33	233.33	369.00	514.67	741.33	1099.33				
2	Pipe (PN 16/S-3.2)-3 Layer	Rm	52.67	82.00	131.00	210.00	327.33	514.67	734.00	1048.33	1570.33				
3	Pipe (PN 20/S-2.5)-3 Layer	Rm	62.67	97.33	158.33	245.00	380.00	602.67	854.67	1227.33	1829.67				
4	PLASTIC BALL VALVE	No.	209	286	495	1056	1529	2585							
5	BRASS BALL VALVE	No.	759	935	1272	2101									
6	STOP VALVE	No.	774	1020	1231	1320	2200	3306							
7	PIPE CLIP	No.	14	17	32	44	68	89							
8	HIGH FOOTED PIPE CLIP	No.	28	33	50	55	61	83							
9	Y" TYPE PIPE CLIP	No.	44	52	63	96	136	193							
10	SHORT PASS OVER	No.	168	242	376										
11	LONG BYPASS	No.	193	319	468										
12	CONCEALED VALVE (NOR)	No.	2079												
13	CONCEALED VALVE (LUX)	No.	2468												
14	ELBOW 90	No.	25	50	85	178	300	528	990	1672	3114				
15	ELBOW 45	No.	34	56	87	162	271	448	880	1485	2596				
16	SOCKET	No.	20	25	50	97	162	284	550	813	1485				
17	TEE	No.	34	61	106	205	348	634	1100	2014	3499				
18	CROSS TEE	No.	59	87	150										
19	END PLUG	No.	14	23	30										
20	END PLUG WITH RING	No.	50												
21	END CAP	No.	29	44	67	99	176	336	539						
22	UNION (Plastic)	No.	131	224	361	547	858	1025							
23	SHOT PLUG	No.	9	11	15										
24	LONG END PLUG	No.	22												
25	TANK NIPPLE	No.	61	97	111										



 2023-24
 ਸੇਵਾ ਸਮੇਤ
 ਸਿੱਖ ਸਰਕਾਰ
 ਪੰਜਾਬ
 ਸਰਕਾਰ

2023-24
 ਸੇਵਾ ਸਮੇਤ
 ਸਿੱਖ ਸਰਕਾਰ
 ਪੰਜਾਬ
 ਸਰਕਾਰ



385 .Rate of Water Supply Tools

S. No	Particulars	Unit	Rate (NRs)	S. No	Particulars	Unit	Rate (NRs)
1	Heating Plate 3"	No	950	40	Hexaw Frame	No	265
2	Heating Plate 4"	No	1340	41	Hexaw Blade	No	25
3	Heating Plate 5"	No	1935	42	Oil Can	No	595
4	Heating Plate 6"	No	2350	43	Rubber Gasket	Meter	3505
5	Heating Plate 8"	No	3650	44	Taflon Tape	No	30
6	Heating Plate 10"	No	6783	45	Blow Lamp	No	1695
7	Heating Plate 12"	No	7272	46	Slade Hammer 10 lbs	No	1400
8	Pipe Wrench 10"	No	962	47	Stone chisel 1*6	No	390
9	Pipe Wrench 12"	No	990	48	Stone chisel 1*12	No	495
10	Pipe Wrench 14"	No	1452	49	Spirit level 18"	No	424
11	Pipe Wrench 18"	No	1973	50	Mason Sqire 12 "	No	395
12	Pipe Wrench 24"	No	2982	51	Mason Sqire 18 "	No	490
13	Pipe Wrench 36"	No	5600	52	Steel Brush	No	40
14	Pipe Wrench 48"	No	6200	53	Steel Pan	No	390
15	Chain Wrench 3 No	No	2819	54	Measuring Tape 3 M	No	85
16	Chain Wrench 4 No	No	3377	55	Measuring Tape 5 M	No	150
17	Chain Wrench 6 No	No	3892	56	Measuring Tape 30 M	No	1500
18	Retch Threader 1/2 To 1"	Set	7972	57	Measuring Tape 50 M	No	2250
19	Retch Threader 1-1/4 To 2"	Set	9877	58	Measuring Tape 100 M	No	2950
20	Retch Threader 2-1/2 To 3"	Set	12920	59	Stone cutting Hammer	No	375
21	Retch Threader 4 "	Set	12994	60	Half Round File 10"	No	640
22	Adjustable wrench 10 "	No	650	61	Smooth File 12 "	No	730
23	Adjustable wrench 12 "	No	785	62	Nail hammer	No	415
24	Adjustable wrench 15 "	No	1450	63	Dye teeth 1/2	Set	1334
25	Adjustable wrench 18 "	No	2250	64	Dye teeth 3/4	Set	1551
26	Pipe voice 2 No	No	2750	65	Dye teeth 1"	Set	1743
27	Pipe voice 3 No	No	3550	66	Dye teeth 1-1/4 "	Set	1930
28	Pipe voice 4 No	No	5050	67	Dye teeth 1-1/2"	Set	2127
29	Pipe cutter 1 No	No	1580	68	Dye teeth 2 "	Set	2257
30	Pipe cutter 2 No	No	2504	69	Dye teeth 2-1/2 "	Set	2722
31	Pipe cutter 3 No	No	3726	70	Dye teeth 3 "	Set	3210
32	Pipe cutter 4 No	No	5260	71	Dye teeth 4"	Set	3847
33	Tool Box with Key	No	1910	72	Shovel	Set	300
34	Teflon Cloth	Meter	3772	73	Pick	Set	250
35	Thermochrome Chalk (Germany Made)	No	2063	74	Crowbar	Set	450
36	Thermochrome Chalk (India Made)	No	945	75	4" C.I. Pipe with flange	rm	5913
37	Pick Axe	pc	500	76	Nut bolts for C.I. Pipe	Kg	180
38	Shovel	pc	450	77	Rotary piston ISO 4064 CI Body water meter	Pc	1750
39	Crow Bar 1"-5 ft	pc	800	78	Rotary piston ISO 4064 Brass Body water meter	Pc	1975

Note: VAT are not included in the above rate

[Handwritten signatures and notes in Nepali script]

नेपाल सरकार
 श्रम मन्त्रालय
 श्रम प्रशासन कार्यालय
 काठमाडौं

386 RCC HUME PIPE

Np3 class Heavy Duty

Np2 class Light Duty

Inch	Dia in cm.	Rs. Per mtr.	Full Length (2.50m)	Dia in cm.	Rs. Per mtr.	2.5m
6	15	1359.44	3398.59	15	605.00	1512.5
8	20	1804.11	4510.28	20	786.50	1966.25
10	25	2261.49	5653.73	22.5	907.50	2268.75
12	30	3265.17	8162.94	25	968.00	2420
14	35	3735.27	9338.18	30	1306.80	3267
16	40	4167.24	10418.10	37.5	1597.20	3993
18	45	4675.81	11689.54	40	1839.20	4598
20	50	5209.05	13022.63	45	1936.00	4840
24	60	6441.44	16103.59	50	2081.20	5203
28	70	7775.46	19438.65	60	2879.80	7199.5
30	75	88004.40	220011.00	70	3751.00	9377.5
32	80	9744.74	24361.84	75	4053.50	10133.75
36	90	11688.60	29221.50	80	4525.40	11313.5
40	100	12539.84	31349.59	90	5711.20	14278
48	120	15347.64	38369.10	100	6473.50	16183.75
60	150	24139.50	60348.75	120	7768.20	19420.5
				150	18271.00	45677.5

387 GI Pipes

S.No.	Size in inch	Light class (Rate Rs./Rm.) 2078/79	Medium class (Rate Rs./Rm.) 2079/80	Heavy class (Rate Rs./Rm.) 2079/80	Remarks
1	0.50	161.00	192.00	227.00	
2	0.75	222.00	244.00	286.00	
3	1.00	312.00	373.00	434.00	
4	1.25	400.00	485.00	556.00	
5	1.50	499.00	560.00	641.00	
6	2.00	631.00	770.00	943.00	
7	2.50	876.00	984.00	1179.00	
8	3.00	1029.00	1225.00	1389.00	
9	4.00	1484.00	1837.00	2106.00	
10	5.00	2273.75	2408.00	2718.00	
11	6.00	2700.51	2914.08	3073.41	

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

३८८. स्याङ्गजा जिल्लाको को घरभाडाका दररेट							
स्याङ्गजा जिल्लाका विभिन्न स्थानहरूको आ.व. २०७९/०८० को लागी निम्नानुसार घरभाडा निर्धारण गर्ने निर्णय गरियो ।							
क्र.सं.	स्थान	घरको विवरण	प्रयोजन	दररेट / वर्ग फिट ने.रु.			कैफियत
				आ.व. ०७७/७८ को दर रेट	आ.व. ०७८/७९ को दर रेट	आ.व. ०७९/८० को दर रेट	
1	बजार क्षेत्रका मुख्य सडक	आर सि.सि.ढलान पक्की घर	व्यपारिक	३८ - ४३	३८ - ४३	३८ - ४३	
			आवासिय	२२ - २५	२२ - २५	२२ - २५	
		कच्ची घर	व्यपारिक	२० - २२	२० - २२	२० - २२	
			आवासिय	१५- २०	१५- २०	१५- २०	
2	बजार क्षेत्रका सहायक सडक आसपास	आर सि.सि.ढलान पक्की घर	व्यपारिक	१५- २०	१५- २०	१५- २०	
			आवासिय	१५	१५	१५	
		कच्ची घर	व्यपारिक	१२	१२	१२	
			आवासिय	१०	१०	१०	

नोट : पार्किङ स्थल एवं भौतिक सुविधा सम्पन्न स्थानमा रहेका घरहरूको हकमा माथि उल्लेखित दररेटमा २० प्रतिशत थप गर्न सकिने छ ।

नोट :

- माथि उल्लेखित दररेटमा नपरेका निर्माण सामग्री मध्ये वाटर सप्लाई स्यानिटेशन, विद्युतीकरण तथा अन्य विभिन्न महलमा छुट भएका सामानहरूको दररेट सम्बन्धमा नेपाल सरकार बाट निर्धारित दररेट वा उत्पादक/अधिकृत विक्रेताहरू मध्येको आधिकारिक न्यूनतम दररेटलाई आधार मानी दररेट कायम गर्ने
- जि.आई.पाइप तथा फिटिङ्स वेल्डीङ गर्दा नर्मस अनुसार प्रति ज्वाइन्ट निकाली कार्य गर्ने ।
- नवीकरणीय उर्जा सम्बन्धी (बायोग्यास, सोलार, लघु जलविद्युत, बायु उर्जा, सुधारिएको चूलो आदी) निर्माण कार्यका लागी बैकल्पिक उर्जा प्रबर्धन केन्द्र वा सो कार्यसंग सम्बन्धित उत्पादक/अधिकृत विक्रेता कम्पनिको दररेट लाई नै दररेट कायम गरी कार्य गर्ने ।
- विशेष क्षेत्रको निर्माण कार्यको प्रयोग हुने सामग्री **Admixture** को हकमा उत्पादक/अधिकृत विक्रेताबाट प्राप्त हुने तत्कालीन बजार मूल्यको आधारमा दररेट कायम गरी कार्य गर्ने।
- माथि उल्लेखित दररेटमा नपरेका निर्माण सामग्रीहरूको हकमा छिमेकी जिल्लाहरूको दररेटलाई आधार बनाई दररेट कायम गर्ने र सोही अनुसार दररेट तयार गरी कार्य गर्ने र सो समेत हुन नसकेमा उत्पादक अधिकृत विक्रेता तथा बजार बाट दरभाउ लिई सरदर दर रेट कायम गरी गरी कार्यान्वयन गर्ने ।
- माथि उल्लेखित दररेट हरू सबै आइटमको दर रेटमा मूल्य अभिवद्धि कर (VAT) समावेश गर्नुपर्नेछ ।
- माथि उल्लेखित दररेट स्याङ्गजा जिल्लाबाट पास हुने सिद्धार्थ लोकमार्गको १ कि.मि. दायो बायाँको लागी हो । सो भन्दा टाढाका स्थानहरूमा दररेट निर्धारण गर्दा लोकमार्गको १ कि.मि. टाढाबाट ढुवानी जोडी हुन आउने दरलाई कायम गर्ने ।

(Handwritten signatures and dates)

District Rate List FY 2079-80



District Rate List FY 2079-80	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per Cubic Meter (Ex VAT)
1	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	22.26	12,569.17
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	23.66	13,357.71
2	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	19.25	13,831.48
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	20.18	14,503.05
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
3	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	144.18	1,945.75
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	165.78	2,237.25
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
4	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	113.67	1,534.01
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	129.87	1,752.63
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
5	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	96.44	1,301.54
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	108.32	1,461.86
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
6	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	35.49	1,053.94
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	41.81	1,241.78
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	44.11	1,310.08
7	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	42.15	1,251.68
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	48.19	1,430.98
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	50.49	1,499.28
8	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	50.00	1,484.94
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	56.79	1,686.44
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	59.20	1,758.16
9	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	59.46	1,765.67
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	65.78	1,953.51
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	68.08	2,021.81

22.08.17

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
सुनसरी

S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
10	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	36.56	1,829.12
	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	43.79	2,190.87
	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	51.03	2,553.06
11	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	75.78	3,791.35
	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	83.00	4,152.72
	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	85.89	4,297.27
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
12	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	34.85	1,282.69
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	45.19	1,663.33
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	54.20	1,995.08
13	Behaton Interlock I Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	53.82	1,981.22
	Behaton Interlock I Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	65.73	2,419.36
	Behaton Interlock I Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	77.89	2,867.27
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
14	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	42.50	1,472.66
	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	52.42	1,816.37
	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	59.50	2,061.66
15	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	52.83	2,086.72
	Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	64.76	2,557.97
	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	76.80	3,033.47
16	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	95.88	3,787.22
	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	103.10	4,072.51
	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	105.99	4,186.62
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
17	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	53.75	1,586.48
	Romba 3D interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	63.75	1,881.63
	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	70.84	2,090.84
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
18	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	69.03	1,725.31
	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	84.56	2,113.53
	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	99.99	2,499.36
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
19	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	16.98	1,697.58
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	20.51	2,050.75
	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	24.11	2,411.06

Handwritten signatures and notes at the bottom of the page, including a date '17.08.2018' and various initials.

S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
20	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	65.80	1,754.35
	Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	77.00	2,053.07
	Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	84.00	2,239.72
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
21	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	71.40	1,784.63
	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	81.20	2,029.72
	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	88.20	2,204.69
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
22	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	220.99	1,381.54
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	242.34	1,514.98
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	269.77	1,686.48
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
23	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	1,248.12	1,302.69
	Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	1,361.94	1,421.48
	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	1,541.78	1,609.18
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
24	Nostalgic Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	2,879.50	2,768.15
	Nostalgic Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	3,092.00	2,972.43
	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	3,223.25	3,098.61
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
25	Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:400x600x80mm (NS Standard)	452.00	1,882.18
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per RM (Ex VAT)
26	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	359.53	1,197.24
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	375.73	1,251.19
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	408.13	1,359.08
27	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 165mm, Dimension:300*165*325 (LxBxH) (NS Standard)	287.17	956.28
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH) (NS Standard)	308.77	1,028.21
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH) (NS Standard)	335.77	1,118.12
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per RM (Ex VAT)
28	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	351.22	1,404.86
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	367.42	1,469.66
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	399.82	1,599.26

(Handwritten signatures and dates)

S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per RM (Ex VAT)
29	Bullnose Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	405.00	1,348.65
	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	432.00	1,438.56
	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	453.60	1,510.49
S.No	Description of Items	MRP Per Set (Ex VAT)	MRP Per RM (Ex VAT)
30	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	505.20	1,682.30

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]
 208.f
 5. 2020
 8/20
[Handwritten signature]

/

-