

जिल्ला प्रशासन कार्यालय
नवलपरासी



नवलपरासी (बर्दघाट सुस्ता पश्चिम)
जिल्लाको स्वीकृत जिल्ला दर रेट

आ.व.०७९/८०

तयार गर्ने :
जिल्ला प्रशासन कार्यालय नवलपरासी
आषाढ २०७९

आज मिति २०७९ साल असार ३१ गते शुक्रवारका दिन नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाका प्रमुख जिल्ला अधिकारी श्री श्रवण कुमार पोखरेलज्यूको अध्यक्षतामा सार्वजनिक खरिद नियमावली २०६४ को नियम १४८ अनुसार आ.व. ०७९।०८० का लागि नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्ला भरि लागु हुने गरी निर्माण सामग्री र ढुवानीको दररेट, मेशिन तथा उपकरणको भाडा र कामदारहरुको ज्याला निर्धारण गर्न जिल्ला दररेट निर्धारण समितिको बैठक देहाय बमोजिमका सदस्यहरुको उपस्थितिमा बसी देहाय बमोजिम निर्णय गरियो ।

उपस्थिति:

१. अध्यक्ष : प्र.जि.अ. श्री श्रवण कुमार पोखरेल, जिल्ला प्रशासन कार्यालय, न.प.बसुप
२. सदस्य : श्री ~~मंगो~~ श्री मंगो श्री चोदक, जिल्ला समन्वय समितिको कार्यालय, न.प.बसुप
३. सदस्य : प्र.को.नि. श्री परशुराम नेपाल, कोष तथा लेखा नियन्त्रक कार्यालय, न.प.बसुप
४. सदस्य : श्री श्री भोम प्रकाश भुट्टी, उद्योग वाणिज्य संघ, न.प.बसुप
५. सदस्य : श्री श्री हरि रामभास्कर, निर्माण व्यवसायी संघ, न.प.बसुप
६. सदस्य सचिव : ई.उमेश प्रसाद शर्मा, जिल्ला समन्वय समितिको कार्यालय, न.प.बसुप (हाल पाल्हीनन्दन गाउँपालिकाको कार्यालय)

आमन्त्रित

आमन्त्रित

१. श्री धनपत चोदक नगर प्रमुख रामशोक नि.पो. १
२. श्री शंभुलाल श्रेष्ठ ॥ बर्दघाट नि.पो. १
३. श्री विमला अर्जल ॥ सुनवल नि.पो. १
४. श्री बैजु प्र० गुप्ता प्रमुख पाल्हीनन्दन गा.पो. १
५. श्री रेडु नारायण उपोद्व्याय ॥ सुनवल गा.पो. १
६. श्री कुलवी शोड ॥ सुनवल ॥
७. श्री उमेशचन्द्र चोदक ॥ प्रतापपुर ॥
८. श्री उमेश गुप्ता नि. व्यवसायी प्रतिनिधि
९. श्री शान्ति गुप्ता ई० रामशोक नि.पो.
१०. श्री रामचन्द्र अर्जल सहायक प्र. जि. अ. जि. उ. डो. र.
११. श्री पुनाराम पौडेल प्रशासकिय अधिकृत १
१२. श्री केचन प्रजापति द.ई. पाल्हीनन्दन गा.पो. डो.डी. नि.पो. १
१३. श्री रेवाम प्रसाद शर्मा द.ई. सुनवल नि.पो. डो.डी. नि.पो. १
१४. श्री राधिर शाह सि.ई.ई. नि.पो. डो.डी. नि.पो.
१५. श्री अरुण प्रसाद खड्गी सु.डी. नि.पो. प्रकाश किराणिकेन्द्र

(Handwritten signature)

१६. श्री सुनिल देव कडा
१७. श्री अशोक गजव
१८. श्री सुदामा धामि
१९. श्री विमानंद पंडित
२०. श्री
२१. श्री

निर्णय:

- यस जिल्लाको आ.व. ०७९।०८० को लागि निर्माण सामग्री र ढुवानीको दररेट, मेशिन तथा उपकरणको भाडा र कामदारको ज्याला निर्धारणको लागि प्रचलित बजार दर एवं जिल्लासँग सीमाना जोडिएका जिल्लाको दररेट निर्धारण समितिले निर्धारण गरेको दररेट समेतलाई आधार लिई यस जिल्लाको दररेट निर्धारणको लागि मिति २०७९ असार १४ गते गठित कार्यदलले पेश गरेको प्रतिवेदन बैठकमा पेश भई छलफल गरियो ।
- नवलपरासी (वर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व. ०७९।०८० का लागि निर्माण सामग्री र ढुवानीको दररेट, मेशिन तथा उपकरणको भाडा र कामदारहरूको ज्याला निश्चित गर्नका लागि सम्बन्धित कार्यालय/संघ/संस्था/कलकारखाना/जिल्लासँग सीमाना जोडिएका जिल्लाको दररेट तथा प्रचलित स्थानीय बजार दर समेतको आधारमा सार्वजनिक खरिद नियमावली, २०६४ (संशोधन सहित) अनुसार यसै साथ संलग्न पाना थान ५७(सन्ताउन्न)मा उल्लेख भए बमोजिम आ.व.०७९।०८० का लागि जिल्ला दररेट निर्धारण गर्ने निर्णय गरियो ।

(Handwritten signatures and stamps)

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७९/८० को स्वीकृत
जिल्ला दर रेट

क्र.सं.	विवरण	पेज नं.
	उपस्थिति	i-ii
	निर्णय नं.१	iii
१.	कामदारहरुको ज्याला दर	१-२
२.	ढुवानी दर	३-४
३.	निर्माणमा प्रयोग हुने निर्माण सामाग्री	५-८
४.	फलामजन्य निर्माण सामाग्री	९-११
५.	सडक निर्माणमा प्रयोग हुने निर्माण सामाग्री	१२
६.	रंग रोगन सम्बन्धि सामाग्री	१३
७.	खानेपानी तथा सरसफाई सम्बन्धि सामाग्री	१४-१७
७.१	एच.डी.पी.पाइप	१८
७.२	यु.पि.भि.सी.पाइप	१९
७.३	पी.पी.आर फिटिङ्स	२०-२१
७.४	यु.पि.भि.सी.फिटिङ्स	२२
७.५	खानेपानी सम्बन्धी फिटिङ्स सामाग्री	२३-३०
७.६	ईनार तथा ट्युबेल सम्बन्धी सामाग्री	३१
७.७	खानेपानी सम्बन्धी हाते औजारहरु	३२-३३
८.	विद्युत सम्बन्धि सामाग्री	३४-३५
९.	लघु जल-विद्युत सम्बन्धि सामाग्री	३६
१०.	विविध निर्माण सामाग्री	३७
११.	सरकारी कार्यालयमा आवश्यक हुने अन्य माल/सामान सम्बन्धी दर	३८-४०
१२.	मेशिन, औजार तथा उपकरणको भाडा दर सम्बन्धी	४१-४५
१३.	फाइवर ग्लास सम्बन्धी	४६
१४.	मेशिन उपकरणबाट गरीने कार्य	४७
१५.	विद्युतीय सोलार सम्बन्धी	४८
१६.	मेशिन मेड कंक्रीट पेभर्स कार्य	४९-५५
१७	सिंचाई गेट	५६
	निर्णय नं.२	५७

Handwritten signatures and stamps at the bottom of the page, including a circular official stamp of the District Administration, Nepal Government, and the District Office, Bardhaman, Nuwakot.

31/12/20
Agoa hi

१. कामदारहरुको ज्याला दर सम्बन्धी

क्र. सं.	विवरण	इकाई	१३ छ भ्याट वाहेक				कैफियत
			आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	आ.व. २०७८/७९ को स्वीकृत दर रेट	आ.व. २०७९/८० को स्वीकृत दर रेट	
१	सिकर्मी, डकर्मी, नकर्मी, ग्यावियन बून्ने मिस्त्री, ट्युववेल गाडने मिस्त्री, ड्रिलर (दक्ष/सिपालू कामदार)	प्रतिव्यक्ति प्रतिदिन	८००	८२०	८४०	९००	
२	ज्यामी, माली, रनर, सयस (अदक्ष कामदार)	" "	५५०	५६०	५७०	६००	
३	बनज्यामी	" "	५५०	५६०	५७०	६००	
४	बनज्यामी सूपरभाइजर	" "	६५०	६६०	६७०	७००	
५	अग्नी नियन्त्रक वन हेरालू	मासिक	१४००	१४१०	१४२०	१५००	
६	स्वीपर	प्रतिदिन	५१७	५२७	५३७	५७५	
७	साधारण सूपरभाइजर (निर्माण कार्यको लागि)	" "	५१७	५२७	५३७	५७५	
८	सडकमा काम गर्ने साधारण दूरीसंभारकर्ता(लेन्य पर्सन)	" "	५१७	५२७	५३७	५७५	
९	चित्रकार (पेन्टर)	" "	६२५	६३५	६४५	६७५	
१०	विभिन्न प्रकारका सिमेन्टका मृतीहरु कूदने/वनाउने विशेष किसिमका कालीगढ	" "	११७५	११८५	११९५	१२५०	
११	बार बेण्डर, लोहकर्मी (ब्याकस्मीथ)	" "	८००	८१०	८२०	८७०	
१२	ढुङ्गा/काठमा बुझा भने, फोटोग्राफर	" "	८००	८१०	८२०	८७०	
१३	ब्लास्टर	" "	८००	८१०	८२०	८७०	
१४	ब्लास्टर हेल्पर	" "	५४०	५५०	५६०	६००	
१५	फोरम्यान(इलेक्ट्रीक कार्यको लागि)	" "	८००	८१०	८२०	८६०	
१६	इलेक्ट्रिसियन दक्ष	" "	७७५	७८५	७९५	८४०	
१७	इलेक्ट्रिसियन हेल्पर	" "	६२५	६३५	६४५	६८०	
१८	फोरम्यान(निर्माण कार्यको लागि)	" "	५१७	५२७	५३७	५७५	
१९	पीच व्वायलर, पम्म अपरेटर, वीरीङ अपरेटर, जुनियर ल्याव. टे., आ. वा. अपरेटर	" "	५५०	५६०	५७०	६००	
२०	सुरक्षा गार्ड, चौकिदार	" "	५४०	५५०	५६०	६००	
२१	पथ प्रदर्शक	" "	५१७	५२७	५३७	५७५	
२२	डुप्लिकेटर/फोटोकपियर	" "	५१७	५२७	५३७	५७५	
२३	भरीया	" "	५१७	५२७	५३७	५७५	
२४	चेनम्यान/टेपम्यान/स्टाफम्यान, नापी सहायक/सभे हेल्पर(नापीसंग सम्बन्धीत काम)	" "	५४५	५५५	५६५	६००	
२५	सिमा नापी कार्यको लागि चेनमेनको ज्याला	" "	७३५	७४५	७५५	८००	
२६	हेभी ईक्वीपमेन्ट अपरेटर (क्रेन, डोजर, ग्रेडर, लोडर, रोलर, आदि), हेभी ड्राइभर	" "	९२५	९३५	९४५	१०००	
२७	हेभी ईक्वीपमेन्ट हेल्पर	" "	५१७	५२७	५३७	६००	
२८	लाईट ड्राइभर (ह.स.चा.सरह)	" "	५७०	५८०	५९०	६५०	
२९	ड्राइभर कम मेकानिक्स	" "	७२५	७३५	७४५	८००	
३०	मेकानिक्स	" "	५१७	५२७	५३७	६००	
३१	नर्सरी नाईके, वन हेरालु (दैनिक ८ घण्टा कार्य गर्ने)	मासिक	१४०००	१४३००	१४३१०	१६०००	
३२	श्रव कटर (पोर्टेबल मेसिन प्रयोग गरी)	प्रति घण्टा	११०	१२०	१३०	१४०	
३३	गोताखोर	प्रति व्यक्ति/दिन	९००	९१०	९२०	१०००	
३४	ढल सफा गर्ने कार्य	प्रति लेबर/दिन	६८०	६९०	७००	८००	
३५	सेनेटरी सामानको फिटीड ज्याला (सामानको पसल मुल्यको आधारमा कायम गर्ने),	प्रतिशत	३०	३०	४०	४५	

Handwritten signatures and marks at the bottom of the page.

१. कामदारहरुको ज्याला दर सम्बन्धी

क्र. सं.	विवरण	इकाई	१३ छ भ्याट वाहेक				कैफियत
			आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	आ.व. २०७८/७९ को स्वीकृत दर रेट	आ.व. २०७९/८० को स्वीकृत दर रेट	
३६	कृषि मजदुर	" "	५१७	५२७	५३७	६००	
खानी सम्बन्धी काम गर्ने (असंगठित क्षेत्रका) कामदारहरु				०	१०		
३७	खनेल, स्याम्प्लर	प्रतिव्यक्ति प्रतिदिन	५४०	५५०	५६०	५८०	
३८	क्याम्प वर्कर	" "	५४०	५५०	५६०	५८०	
३९	डील हेल्पर, पम्प हेल्पर, पाइप फिटर	" "	५४०	५५०	५६०	६००	
ओभरहेड ट्याकी सम्बन्धी				०			
४०	दक्ष	प्रतिव्यक्ति प्रतिदिन	१२००	१२१०	१२२०	१३००	
४१	अदक्ष	" "	७००	७१०	७२०	८००	
४२	गेट अपरेटर	" "	५७५	५८५	५९५	६५०	

नोट :- उपरोक्त पदका कामदारहरु बाहेक अन्य पदहरुमा ज्यालादारीमा काम गराउने भएमा जुन पदमा काम गराउने हो सो को नेपाल सरकारको सुरु तलवलाई आधारमानी दैनिक ज्याला कायम गर्ने । Man Month हिसाब गर्दा २६ दिनलाई मासिक कार्य दिन मानिनेछ ।

डा.पु.स. / [Signature]

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७९/८०को स्वीकृत खिल्ला दर रेट (१)



२. ढुवानी दर सम्बन्धी

क्र. सं.	विवरण	इकाई	१३ छ भ्याट वाहेक				कैफियत
			आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	आ.व. २०७८/७९ को स्वीकृत दर रेट	आ.व. २०७९/८० को स्वीकृत दर रेट	
१	मानिस (भरीया) द्वारा ढुवानी						
	१) सजिलो सामान (डोको, धुन्से, बोरा, वाक्स, आदिमा राखी १ ब्यक्तिले — क्षमता अनुसार तौल पूग्ने गरी — बोक्न सक्ने सामानहरू, जस्तै: सिमेन्ट, बालूवा, रासायनिक मल, दाउरा, खाद्यान्न, आदि)	प्रतिकेजी प्रतिकोश	२.६०	२.६०	२.६०	३.००	
	२) असजिलो सामान (सामान्य भारी बनाई एक ब्यक्तिले बोक्न सक्ने — तर क्षमता अनुसार तौल नपूग्ने — सामानहरू, जस्तै: कर्कटपाता, बूनेको ग्याबियन तारजाली, विस्फोटक पदार्थ, एच. डि. पि. ई. पाईप, इन्सुलेटर, औषधी, काठ, कृषिजन्य फलफूलको विरुवा, आदि)	प्रतिकेजी प्रतिकोश	३.३०	३.३०	३.३०	४.००	
	३) अति असजिलो सामान (सामान्यतः एक ब्यक्तिले मात्र बोक्न नसक्ने सामानहरू जस्तै: जि. आई. पाईप, काँडेतार, फलामे छड, इलेक्ट्रोमेकानिकल सामान, ३ देखि ८ मीटरसम्म लामो स्टील पार्ट्स/विजुलीको पोल/टेलिफोनको पोल, पि. एस. सि. पोल, आदि)	प्रतिकेजी प्रतिकोश	४.९०	४.९०	४.९०	५.००	
	४) भो.पू. को लट्टा	प्रतिकेजी प्रतिकोश	५.८५	५.८५	५.८५	६.००	
	५) मानिसद्वारा पोल ढुवानी (८ मीटर भन्दा लामो फलामे टयबलर पोल)	प्रतिकेजी प्रतिकोश	६.०५	६.०५	६.०५	७.००	
	६) मानिसद्वारा ट्रान्सफरमर ढुवानी	प्रतिकेजी प्रतिकोश	१०.६५	१०.६५	१०.६५	११.००	
२.	खच्चरद्वारा ढुवानी (सजिलो सामान मात्र)	प्रतिकेजी प्रतिकोश	१.८५	१.८५	१.८५	२.००	
३.	टायरगाडाद्वारा ढुवानी असजिलो सामान	प्रतिटन प्रतिकिमी	४१५.००	४१५.००	४१५.००	५००.००	
४.	ट्र्याक्टरद्वारा ढुवानी (तराइमा)						
	क. सजिलो सामान						
	कच्ची (माटे) सडकमा	प्रतिटन प्रतिकिमी	५५.००	५५.००	५५.००	७५.००	
	कच्ची (ग्राभेल) सडकमा	प्रतिटन प्रतिकिमी	४५.००	४५.००	४५.००	७०.००	
	पक्की (कालोपत्रे) सडकमा	प्रतिटन प्रतिकिमी	३५.००	३५.००	३५.००	५०.००	
	ख. असजिलो सामान						
	कच्ची (माटे) सडकमा	प्रतिटन प्रतिकिमी	७३.००	७३.००	७३.००	१००.००	
	कच्ची (ग्राभेल) सडकमा	प्रतिटन प्रतिकिमी	७४.००	७४.००	७४.००	९०.००	
	पक्की (कालोपत्रे) सडकमा	प्रतिटन प्रतिकिमी	५९.००	५९.००	५९.००	७०.००	
५	ट्र्याक्टर भाडा (काठ ढुवानी प्रयोजन)						
क	तेल वाहेक	प्रतिदिन	३,०००.००	३,०००.००	३,०००.००	३,५००.००	
ख	तेल सहित	प्रतिदिन	५,०००.००	५,०००.००	५,०००.००	७,०००.००	
६	ट्र्याक्टरद्वारा ढुवानी पहाडी कच्ची सडक (टुक चल्न नसक्ने) मा	प्रतिटन प्रतिकिमी	१२५.००	१२५.००	१२५.००	१५०.००	
७	ट्रकद्वारा ढुवानी (५० कि.मी. सम्मको लागि)						
क	पक्की (कालोपत्रे) सडकमा	प्रति टन प्रतिकिमी	२२.००	२२.००	२२.००	३५.००	
ख	कच्ची (ग्राभेल) सडकमा	प्रतिटन प्रतिकिमी	२७.००	२७.००	२७.००	४०.००	

डा.पु.स. / [Signature]

21/10/21
 [Handwritten signatures]

[Handwritten signatures]



निर्माणमा प्रयोग हुने निर्माण सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ छ भ्याट बाहेक					कीफियत
			आ.ब. २०७७/७८	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	
१	इटा							
क	चिम्नो भट्टाको प्रथम श्रेणीको (ढुवानी सहित)	हजार	१३००००	१३००००	१३००००	१३००००	१४६३००	
ख	चिम्नो भट्टाको द्वितीय श्रेणीको (ढुवानी सहित)	हजार	९२००००	९२००००	९२००००	९२००००	१०७८००	
ग	मोशन मड (चाडीनज इटा) (ढुवानी सहित)	हजार	१२९०००	१२९०००	१३००००	१३००००	१४३०००	
घ	स्थानीय भट्टाको इटा	हजार	९२००००	९२००००	९३००००	९३००००	१०६७००	
ड	राठ इटा (ढुवानी सहित)	हजार	८७००००	८७००००	९०००००	९०००००	९९००००	
च	इटाको टुक्रा (ढुवानी सहित)	घ.मी.	२२००००	२२००००	२५००००	२५००००	२७५०००	
२	ढुगा							
क	बाल्डर	घ.मी.	२०००००	२०५०००	२०५०००	२०५०००	२२५१००	
ख	फारुवा ढुगा	घ.मी.	२३००००	२३५०००	२३५०००	२३५०००	२५८२१००	
३	गिट्टी, ग्राभल	घ.मी.						
क	ग्रामेल (लोकल) सडकको लागि (आरारवएम)	घ.मी.	१२५५१००	१२५५१००	१२५०००	१२५०००	१६५०००	
ख	गाला गिट्टी दाउन्न पुब (१० देखी ४० मी.मी.)	घ.मी.	१४५५१००	१६००००	१६००००	१६००००	१७५०००	
ग	क्रसरको गिट्टी				०१००	०१००	०१००	
ग.१	२० देखि ४० मी. मी.	घ.मी.	१८५०००	१८५०००	१८५०००	१८५०००	२०३५१००	
ग.२	१२ देखि २० मी. मी.	घ.मी.	१८५५१००	१८५५१००	१८५५१००	१८५५१००	२०६२५००	
ग.३	१० देखि १२ मी. मी.	घ.मी.	१६२५१००	१६२५१००	१६२५१००	१६२५१००	१७५५५००	
ग.४	१० मी. मी. भन्दा मुनि (जिरा)	घ.मी.	१३५०००	१३५०००	१३५०००	१३५०००	१४८२५००	
घ	ढुगाको धुला ढुवानी समत	घ.मी.	१५००००	१५००००	१५००००	१५००००	१६५०००	
४	बालुवा/माटो							
क	बालुवा (लोकल खोला)	घ.मी.	११२०००	११२०००	११२०००	११२०००	१२३२००	
ख	घाएको बालुवा (क्रसरको)	घ.मी.	२२००००	२२००००	२२००००	२२००००	२४२०००	
ग	पुन माटो	घ.मी.	३०००००	३०००००	३०००००	३०००००	३३००००	
घ	जाडाइको माटो	घ.मी.	३१००००	३१००००	३१००००	३१००००	३४१०००	
ड	बिरुवा रोपनको लागि मालिला माटो	घ.मी.	४०००००	४०००००	४०००००	४०००००	४४००००	
५	सिमन्ट							
क	नेपाली सिमन्ट (N/S OPC) (50 kg)	बारा	७२५१००	७२५१००	७२५१००	७२५१००	७२५१००	
ख	सिमन्ट (N/S PPC) (50kg)	बारा	६२००००	६२००००	६२००००	६२००००	६२००००	
ग	भारतीय सिमन्ट (OPC 50kg)	"	७३००००	७३००००	७३००००	७३००००	७३००००	
घ	भारतीय सिमन्ट (PPC 50kg)	"	६७००००	६७००००	६७००००	६७००००	६७००००	
ड	सता सिमन्ट (40 kg)	"	९५००००	९५५०००	९५५०००	९५५०००	९५५०००	
च	कक्रोट एडमिक्स्चर				०१००	०१००	०१००	
च१	कक्रोट एडमिक्स्चर	क.जी.	३४००००	३४००००	३४००००	३४००००	३७४०००	
च२	प्लाष्टमाइजर	लिटर	३५५१००	३५५१००	३५५१००	३५५१००	३९०५००	
च३	एन्ट टरमाइट	लिटर	८५८०००	८५८०००	८५८०००	८५८०००	९४३८०००	
च४	वाटर रिपोलिङ कम्पाउण्ड	लिटर	५५५१००	५५५१००	५५५१००	५५५१००	६३२५००	
च५	क्रयाक रिड्युसर	क.जी.	५९००००	५९००००	५९००००	५९००००	६४९१००	
च६	वाटर प्रूफिङ कम्पाउण्ड	लिटर	२८००००	२८००००	२८००००	२८००००	३०८०००	
च७	सिलिका सिमन्ट एडमिक्स्चर	क.जी.	३३००००	३३००००	३३००००	३३००००	३६३०००	
६	काठ							
क	सालको काठ (चिरान वाला)	घ.मी.	१५००००००	१५००००००	१५००००००	१५००००००	१६५०००००	
ख	सिसौ काठ (चिरान वाला) आवादी	"	१०८००००००	१०८००००००	१०८००००००	१०८००००००	११८८०००००	
ग	अन्य काठ (कुकाठ) चिरान वाला	"	४५३००००००	४५३००००००	४५३००००००	४५३००००००	४९८३०००००	
घ	दाउरा	के.जी.	११५०	११५०	११५०	११५०	१२६५	
७	सिमन्ट कंक्रीट (आर.सि.सी.)बाट निर्मित (भ्याल, ढोका/ भेल्टीलेसनका फेमहरू (size 4"x2.75" Concrete mix design- 1:1:1_ proportion & 2 no of 7mmRe-bBar_				०१००	०१००	०१००	
क	भ्याल, ढोका र भेल्टीलेसनका फेमहरू	र.फी.	२२१००	२२१००	२२१००	२२१००	२४३१०	
ख	भ्याल, ढोका र भेल्टीलेसनका आर्क फेमहरू	र.फी.	४१५१००	४१५१००	४१५१००	४१५१००	४५६५१०	
८	छोस्कोनी							
क	छोस्कोनी १०० मि.मि.	गाटा	३३००	३३००	३३००	३३००	३६३०	
क.२	छोस्कोनी १५० मि.मि.	"	४१००	४१००	४१००	४१००	४५१०	
क.३	छोस्कोनी २०० मि.मि.	"	५८००	५८००	५८००	५८००	६३८०	
क.४	छोस्कोनी २२५ मि.मि.	"	६९००	६९००	६९००	६९००	७५१०	
क.५	छोस्कोनी ३००	"	९०००	९०००	९०००	९०००	९९००	
९	कच्चा							
क	कच्चा ५ मि.मि.	गाटा	१२००	१२००	१२००	१२००	१३२०	
क.२	कच्चा १० मि.मि.	"	२२००	२२००	२२००	२२००	२४२०	
क.३	कच्चा १५ मि.मि.	"	४८००	४८००	४८००	४८००	५२८०	
१०	होण्डल तथा अन्य							
१०.१	होण्डल फलाम (मुठ) ८"/१६ मि.मि. माटो	गाटा	२२००	२२००	२२००	२२००	२४२०	
१०.२	होण्डल आलुमानियम ८"/१६ मि.मि. माटो	"	२७००	२७००	२७००	२७००	२९७०	
१०.३	होण्डल ठुला १०"/१६ मि.मि. माटो	"	१९५००	१९५००	१९५००	१९५००	२१३४०	
१०.४	होण्डल साना ८"/१६ मि.मि. माटो	"	१८५००	१८५००	१८५००	१८५००	२०२४०	
१०.५	पंच (Screw nails)	"	११००	११००	११००	११००	११०	
१०.६	ज हुक	"	२३००	२३००	२३००	२३००	२५३०	
१०.७	विटामिन वासर	"	२००	२००	२००	२००	२२०	

[Handwritten signatures and notes at the bottom of the page]

Handwritten signatures and stamps at the top of the page, including the official seal of the Government of Nepal.

निर्माणमा प्रयोग हुने निर्माण सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ छ म्याट बाहेक					केफियत
			आ.ब. २०७९/७६	आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	
१०.८	माटोस लक	"	१२०८००	१२०८००	१२०८००	१२०८००	१२०८००	
१०.९	होल्ड फास्ट	"	१९१००	१९१००	१९१००	१९१००	२०१९०	
१०.१०	डार स्प्रिङ फलाम	"	१५८००	१५८००	१५८००	१५८००	१५८००	
१०.११	डार स्प्रिङ बास	"	२७८००	२७८००	२७८००	२७८००	३०५८०	
१०.१२	मस्कुटा नट (भारतीय, हेमो)	व.मि.	२८४००	२८४००	२८४००	२८४००	३०५८०	
१०.१३	एक्सपन्डेड मेटल नट (हेमो)	"	१७५१००	१७५१००	१७५१००	१७५१००	३९२५४०	
१०.१४	चिकन वायर मस	"	१३९१००	१३९१००	१३९१००	१३९१००	१९२५९०	
१०.१५	नट बोल्ट वासर सहित	क.जी.	१६८००	१६८००	१६८००	१६८००	१६८००	
११	१" स्क्वायर पाइप रेलिङ बनाई त्यसमा साल वा सिसो काठको हेण्डरेल राखी जडान गर्ने कार्य	व.मी.	२३९०१००	२३९०१००	२३९०१००	२३९०१००	२५४११००	
१२	एना पारदर्शक				०००	०००	०००	
	३ मि.मि.	व.मि.	८२४१००	८२४१००	८२४१००	८२४१००	९०६५४०	
	४ मि.मि.	व.मि.	९३५१००	९३५१००	९३५१००	९३५१००	१०२८५४०	
	५ मि.मि.	व.मि.	१३२३१००	१३२३१००	१३२३१००	१३२३१००	१४५५५१०	
१३	एना अपारदर्शक				०००	०००	०००	
	३ मि.मि.	व.मि.	७९४१००	७९४१००	७९४१००	७९४१००	७८५५४०	
	४ मि.मि.	व.मि.	१०६६१००	१०६६१००	१०६६१००	१०६६१००	११७२६१०	
१३.१	एना कालो				०००	०००	०००	
	४ मि.मि.	व.मि.	१०२४१००	१०२४१००	१०२४१००	१०२४१००	११२६४१०	
१४	प्लाइउड				०००	०००	०००	
	३ मि.मि.	व.मि.	३९५१००	३९५१००	३९५१००	३९५१००	३४६५४०	
	४ मि.मि.	व.मि.	३६८१००	३६८१००	३६८१००	३६८१००	४०४५८०	
	६ मि.मि.	व.मि.	३९४१००	३९४१००	३९४१००	३९४१००	४३३५४०	
	८ मि.मि.	व.मि.	४७३१००	४७३१००	४७३१००	४७३१००	५२०१३०	
	१० मि.मि. (शिखर वा सा भन्दा माथो)	व.मि.	९९२१००	९९२१००	९९२१००	९९२१००	१०९११२०	
	१२ मि.मि.	व.मि.	१०९७१००	१०९७१००	१०९७१००	१०९७१००	१२०६५७०	
	१८ मि.मि.	व.मि.	१५७५१००	१५७५१००	१५७५१००	१५७५१००	१७३२५४०	
१४.४	टिक प्लाइ उड				०००	०००	०००	
	३ मि.मि.	व.मि.	२४२१००	२४२१००	२४२१००	२४२१००	२६६१२०	
	४ मि.मि.	व.मि.	३५२१००	३५२१००	३५२१००	३५२१००	३८७२२०	
	६ मि.मि.	व.मि.	९०८१००	९०८१००	९०८१००	९०८१००	९९८८८०	
	१२ मि.मि.को वाटर प्रूफ (शिखर)	व.मि.	१३०२१००	१३०२१००	१३०२१००	१३०२१००	१४३३२२०	
	३२ मि.मि.को वाटरप्रूफ (शिखर) खापाको लागि	व.मि.	२७७२१००	२७७२१००	२७७२१००	२७७२१००	३०४९१२०	
	३२ मि.मि.को वाटरप्रूफ(शिखर) खापाको लागि टिक सहित	व.मि.	३०९८१००	३०९८१००	३०९८१००	३०९८१००	३४०७८०	
१५	सिमन्ट ब्लक				०००	०००	०००	
क	हाला सिमन्ट ब्लक ८"x८"x१६"	गाटा	५९१००	५९१००	५९१००	५९१००	५६६१०	
ख	हाला सिमन्ट ब्लक ४"x८"x१६"	गाटा	३८१००	३८१००	३८१००	३८१००	४९१८०	
ग	हाला सिमन्ट ब्लक ६"x८"x१६"	गाटा	४५१००	४५१००	४५१००	४५१००	४९१४०	
घ	हाला सिमन्ट ब्लक ५"x८"x१२"	गाटा	२८१००	२८१००	२८१००	२८१००	३०८८०	
ङ	हाला सिमन्ट ब्लक ४"x६"x१२"	गाटा	१७००	१७००	१७००	१७००	१८१७०	
च	इन्टरलकिङ ब्लक(फर्नीचरको लागि)				०००	०००	०००	
च.१	आकारको सादा (६"x८"x८०मी.मा.)	गाटा	२२००	२२००	२२००	२२००	२७५०	
च.२	आकारको क्लर (६"x८"x८०मी.मा.)	गाटा	२५१००	२५१००	२५१००	२५१००	३०८८०	
च.३	आकारको सादा (६"x८"x६०मी.मा.)	गाटा	१९१००	१९१००	२०१००	२११००	२३९१०	
च.४	आकारको क्लर (६"x८"x६०मी.मा.)	गाटा	२११००	२११००	२२१००	२३१००	२५३३०	
च.५	गाला आकारको सादा (८"x८"x८०मी.मा.)	गाटा	२४१००	२४१००	२५१००	२६१००	२८६६०	
च.६	गाला आकारको क्लर (८"x८"x८०मी.मा.)	गाटा	२६१००	२६१००	२७१००	२८१००	३०८८०	
च.७	गाला आकारको सादा (८"x८"x६०मी.मा.)	गाटा	२०१००	२०१००	२११००	२२१००	२४१२०	
च.८	गाला आकारको क्लर (८"x८"x६०मी.मा.)	गाटा	२२००	२२००	२३००	२४००	२६४०	
छ	सिमन्ट ब्लक ९"x४"x६०मी.मा.	गाटा	१३००	१३००	१४१००	१५१००	१६५४०	
ज	सिमन्ट ब्लक १०"x४"x८०मी.मा.	गाटा	२०१००	२०१००	२११००	२२१००	२४१२०	
झ	सिमन्टको टायल सादा (क्लर) १०"x१०"x२५मी.मा.	गाटा	२६१००	२६१००	२७००	२८१००	३०८८०	
ञ	सिमन्टको टायल क्लर १०"x१०"x२५मी.मा.	गाटा	२९१००	२९१००	३०१००	३११००	३४६१०	
१६	सिमन्ट प्रिक्वास्ट जाली				०००	०००	०००	
क	2' x 2'	गाटा	२७६१००	२७६१००	२७६१००	२७६१००	३०३६०	
ख	2' x 1 1/2'	गाटा	१९३१००	१९३१००	१९३१००	१९३१००	२१२३०	
ग	2' x 1'	गाटा	१६६१००	१६६१००	१६६१००	१६६१००	१८२६०	
घ	1 1/2' x 1'	गाटा	१३८१००	१३८१००	१३८१००	१३८१००	१५९१८०	
ङ	1' x 1'	गाटा	८९१००	८९१००	८९१००	८९१००	९७९०	
१७	Readymade teak wood doors (Seasoned and poison treated), (excluding the cost of fitting, transportation and painting)				०००	०००	०००	
क	Readymade door shutter Recon. Ordinary (1 side teak)	व.फि.	२००१००	२००१००	२००१००	२२५१००	२४७५४०	
ख	Readymade door shutter Recon. Special (1 side teak)	व.फि.	२७५१००	२७५१००	२७५१००	३००१००	३३०१००	
१८	If One side waterproof ply fitting				०००	०००	०००	
क	Readymade door shutter Recon. Ordinary (1 side teak)	व.फि.	२२५१००	२२५१००	२२५१००	२५०१००	२७५१००	
ख	Readymade door shutter Recon. Special (1 side teak)	व.फि.	३००१००	३००१००	३००१००	३२५१००	३५०१००	
१९	Aluminium Windows/ Door Partaitaion				०००	०००	०००	

Handwritten signatures and stamps at the bottom of the page, including the official seal of the Government of Nepal.

Page 3
 ३. निर्माणमा प्रयोग हुने निर्माण सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ छ भ्याट बाहेक					कैफियत
			आ.ब. २०७५/७६	आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	
क	Aluminium sliding window without Ventilation with naturally anodized aluminium (section 101.6mm x44mmx1.5mm) with 5mm th. clear glass & steel net including materials, labour, fixing & fittings all complete (size->30sft)	व.फि.	५१०१००	५१०१००	५१०१००		५१०१००	५६११००
ख	Aluminium sliding window with fixed Ventilation with naturally anodized aluminium (section 101.6mm x44mmx1.5mm) with 5mm th. clear glass & steel net including materials, labour, fixing & fittings all complete (size->30sft)	व.फि.	५३५१००	५३५१००	५३५१००		५३५१००	५८८५०
ग	Aluminium sliding window with sliding Ventilation with naturally anodized aluminium (section 101.6mm x44mmx1.5mm) with 5mm th. clear glass & steel net including materials, labour, fixing & fittings all complete (size->30sft)	व.फि.	४३०१००	४३०१००		४३०१००	४३०१००	४७३१००
घ	Aluminium sliding window without Ventilation with naturally anodized aluminium (section 101.6mm x44mmx1.5mm) with 5mm th. clear glass & steel net including materials, labour, fixing & fittings all complete (size-<30sft)	व.फि.	४८५१००	४८५१००		४८५१००	४८५१००	५३३५०
ङ	Aluminium sliding window with fixed Ventilation with naturally anodized aluminium (section 101.6mm x44mmx1.5mm) with 5mm th. clear glass & steel net including materials, labour, fixing & fittings all complete (size-<30sft)	व.फि.	५१०१००	५१०१००		५१०१००	५१०१००	५६११००
च	Aluminium sliding window with sliding Ventilation with naturally anodized aluminium (section 101.6mm x44mmx1.5mm) with 5mm th. clear glass & steel net including materials, labour, fixing & fittings all complete (size-<30sft)	व.फि.	५८५१००	५८५१००		५८५१००	५८५१००	६४३५०
छ	Aluminium Swing door with naturally anodized aluminium (section 101.6mm x44mmx1.5mm) with 5mm thick clear glass including materials, labour, fixing & fittings all complete (size- >21sft)	व.फि.	५३५१००	५३५१००		५३५१००	५३५१००	५८८५०
ज	Aluminium ventilation louver with naturally anodized aluminium (section 101.6mm x44mmx1.5mm) with 5mm thick clear glass including materials, labour, fixing & fittings all complete	व.फि.	६६५१००	६६५१००		६६५१००	६६५१००	७३१५०
झ	Aluminium Partation aluminium (section 62mm x38mmx1.5mm)with 5mm thick clear glass with water proof sheet including materials, labour, fixing & fittings all complete	व.फि.	३७०१००	३७०१००		३७०१००	३७०१००	४०७१००
१९	UPVC Door/Window				०१००	०१००	०१००	०१००
क	UPVC Sliding window frame (88x52mm) sliding window sash (57x42mm) with net frame size (25mmx50mm) all complete inside 1.2mm. Galvanized steel for reinforcement, 5 mm clear glass(white colour) including the cost of material, labour, fixing & fitting all Complete.	व.फि.	४५०१००	४५०१००		४५०१००	६००१००	६६०१००
ख	UPVC Door frame (60x58mm) door sash (104x60mm)panel, inside 1.2mm galvanized steel used for reinforcement, 5 mm clear glass (white colour) including the cost of material, labour, fixing & fitting all Complete.	व.फि.	४५०१००	४५०१००		४५०१००	६००१००	६६०१००
ग	UPVC fixed ventilation frame (60x58mm), inside 1.2mm galvanized steel used for reinforcement, 5 mm clear glass (white colour) including the cost of material, labour, fixing & fitting all Complete.	व.फि.	४२५१००	४२५१००		४२५१००	६००१००	६६०१००
घ	UPVC Door frame (60x58mm), sash (104x60mm)(special, door pannel 18*200mm, inside 1.2 mm galvanized steel for reinforcement, 5 mm clear glass (white colour) including the cost of material, labour, fixing & fitting all Complete.	व.फि.	५२५१००	५२५१००		५२५१००	७००१००	७७०१००
२०	Stainless/Stainless steel railing				०१००	०१००	०१००	०१००
क	Stainless steel pipe 1"o	र.फि.	१४९१००	१४९१००	१४९१००	१४९१००	१४९१००	१७१३५
ख	Stainless steel pipe 1.5"o	र.फि.	१७६१००	१७६१००	१७६१००	१७६१००	२०२४०	
ग	Stainless steel pipe 2"o	र.फि.	२३११००	२३११००	२३११००	२३११००	२६५६५	
घ	Stainless steel railing with 2"o top, 1.5"o middle & buttam pipe in 4 rows, 2"o post @ 1mtr. c/c finish clear height including the cost of materials, labor & fixing & fitting all complete	र.फि.	१३७५१००	१३७५१००	१३७५१००	१४००१००	१६१०१००	
ङ	Stainless steel railing with 2"o top, 1"o middle & buttam pipe in 4 rows, 2"o post @ 1mtr. c/c finish clear height including the cost of materials, labor & fixing & fitting all complete	र.फि.	१२६५१००	१२६५१००	१२६५१००	१३००१००	१४९५१००	
च	Stainless steel railing with 2"o top, 1"o middle & buttam pipe in 3 rows, 2"o post @ 1mtr. c/c finish clear height including the cost of materials, labor & fixing & fitting all complete	र.फि.	१०८९१००	१०८९१००	१०८९१००	११००१००	१२६५१००	
छ	Stainless steel railing with 1.5"o top, 1"o middle & buttam pipe in 3 rows, 1.5"o post @ 1mtr. c/c finish clear height including the cost of materials, labor & fixing & fitting all complete	र.फि.	९१९१००	९१९१००	९१९१००	१०००१००	११५०१००	
ज	Steel Tube for Railing work	के.जी.	३१९१००	३१९१००	३१९१००	३५०१००	४०२५०	
२१	जिप्सम बोर्ड				०१००	०१००	०१००	
क	५ मी.मी. जिप्सम बोर्ड (वाटर प्रूफ)	व.फि.	९८१००	९८१००	९८१००	९८१००	१०७८०	
ख	१० मी.मी. जिप्सम बोर्ड (वाटर प्रूफ नभएको)	व.फि.	५११००	५११००	५११००	५११००	५६१०	

Handwritten signatures and notes at the bottom of the page, including the name 'श्रीमान्' and other illegible text.

हा.पु.म. *[Signature]*



४. फलामजन्य निर्माण सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ छ भ्याट बाहेक					कैफियत
			आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	आ.व. २०७८/७९ को स्वीकृत दर रेट	आ.व. २०७९/८० को स्वीकृत दर रेट	
१	फलाम							
१.१	विभिन्न साइजको फलाम इण्डा (Fe 500) (एन.एस.चिन्ह प्राप्त)							
	८, २८ र ३२ मी.मी.	के.जी.	७८१००	७८१००	७८१००	८०१००	९६१००	
	१० देखि २० मी.मी.	के.जी.	७६१००	७६१००	७६१००	८०१००	९६१००	
	२५ मी.मी.	के.जी.	७७१००	७७१००	७७१००	८०१००	९६१००	
	४.७५ देखि ७ मी.मी. Dia (इकोबार)	के.जी.	७०१००	७०१००	७०१००	८११००	९७२००	
१.२	आइन्डिड वायर	के.जी.	९०१००	९०१००	९०१००	९०१००	१०८१००	
१.४	कांडे तार	के.जी.				०१००	०१००	
क	कांडे तार १२ गेज (होमि कोटेड) NS168	के.जी.	९५१००	९५१००	९५१००	९५१००	११४१००	
ख	कांडे तार १४ गेज (होमि कोटेड) NS168	के.जी.	९३१००	९३१००	९३१००	९३१००	११११६०	
१.५	विभिन्न साइजको किल्ला काटी	के.जी.	११५१००	११५१००	११५१००	११५१००	१३८१००	
१.६	फलाम ग्रील/गेट/सटर आदि					०१००	०१००	
क	कोल्योप्सिबल गेट (जडान र पन्ट समेत)	के.जी.	१२०१००	१२०१००	१२०१००	१२५१००	१५०१००	
ख	रोलिड सटर (जडान र पन्ट समेत)	ब.मि.	३२५०१००	३२५०१००	३२५०१००	३४००१००	४०८०१००	
ग	फलाम गेट (जडान र पन्ट समेत)	के.जी.	१३५१००	१३५१००	१३५१००	१४५१००	१७४१००	
घ	स्क्रायर पाइप गेट/रोलिड जडान र पन्ट समेत	के.जी.	१४०१००	१४०१००	१४०१००	१४५१००	१७४१००	
ड	एमएस ब्याक पाइपका तयारी ट्युबलर ट्रेस	के.जी.	१३५१००	१३५१००	१३५१००	१४५१००	१७४१००	
च	फलाम ग्रील जडान समेत पाताको	के.जी.	११०१००	११०१००	११०१००	११५१००	१३८१००	
छ	फलाम ग्रील जडान समेत स्क्रायर रडको	के.जी.	११४१००	११४१००	११४१००	१२०१००	१४४१००	
ज	विभिन्न साइजको एम.एस.एङ्गल, एम.एस.चानल वेल्डीडसमेत	"	१०७००	१०७००	१०७००	११०००	१३२००	
झ	विभिन्न साइजको एम.एस. सीट	के.जी.	९५१००	९५१००	९५१००	१००१००	१२०१००	
१.७	जि. आई. वायर (ग्याबियन, विभिन्न गेज ८, १०)					०१००	०१००	
क	हेमो कोटेड	के.जी.	९५१००	१०४१००	१०४१००	१०४१००	१२४१८०	
ख	मिडियम कोटेड	"	९२१००	१०११००	१०११००	१०११००	१२११२०	
ग	कमोसियल	"	८५१००	९५१००	९५१००	९५१००	११४१००	
१.८	जि. आई. वायर (ग्याबियन, १२ गेज)					०१००	०१००	
क	हेमो कोटेड	के.जी.	९६१००	१०४१००	१०४१००	१०४१००	१२४१८०	
ख	मिडियम कोटेड	"	९११००	१००१००	१००१००	१००१००	१२०१००	
ग	कमोसियल	"	८५१००	९५१००	९५१००	९५१००	११४१००	
२	Machinemade Ready Made Gabion Boxes (Factory Price)					०१००	०१००	०१००
२.१	एन.एस.१६३/१६९ अनुसारको हेवि जिङ्ग कोटेड जि.आई. मेस तार ३.० मि.मि., सेलभेज तार ३.९० मि.मि., लेसिङ्ग तार २.४० मि.मि. प्रयोग गरी डबल टिक्स्टेड हेक्सागनल मेस साइज १००x१२० मि.मि. को मेसिनबाट बनेको ग्याबियन बक्स(ढुवानी बाहेकको एक्स फेक्ट्री मल्य					०१००	०१००	०१००
२.१.१	बक्स साइज १.५x१x०.५	प्रति बक्सा	१५५७००	१५५२००	१५५७००	१५५७००	१७९०१५	
२.१.२	बक्स साइज २x१x०.५ (एक डायफ्राम समेत)	प्रति बक्सा	२११८१००	२३२९१००	२११८१००	२११८१००	२४३५१७०	
२.१.३	बक्स साइज ३x१x०.५ (दुई डायफ्राम समेत)	प्रति बक्सा	३०२३१००	३३२५१००	३०२३१००	३०२३१००	३४७६१४५	
२.१.४	बक्स साइज ४x१x०.५ (तीन डायफ्राम समेत)	प्रति बक्सा	३८१७१००	४१९८१००	३८१७१००	३८१७१००	४३८९१५५	
२.१.५	बक्स साइज १.५x१x१	प्रति बक्सा	२२६३१००	२४८९१००	२२६३१००	२२६३१००	२६०२१४५	
२.१.६	बक्स साइज २x१x१ (एक डायफ्राम समेत)	प्रति बक्सा	३००८१००	३३०८१००	३००८१००	३००८१००	३४५९१२०	
२.१.७	बक्स साइज ३x१x१ (दुई डायफ्राम समेत)	प्रति बक्सा	४२६९१००	४६९५१००	४२६९१००	४२६९१००	४९०९१३५	
२.१.८	बक्स साइज ४x१x१ (तीन डायफ्राम समेत)	प्रति बक्सा	५४९७१००	६०४६१००	५४९७१००	५४९७१००	६३२९१५५	
२.१.९	बक्स साइज ३x२x०.५ (दुई डायफ्राम समेत)	प्रति बक्सा	५६२२१००	६१८४१००	५६२२१००	५६२२१००	६४६५१३५	
२.१.१०	बक्स साइज ४x२x०.५ (तीन डायफ्राम समेत)	प्रति बक्सा	७१२२१००	७८३४१००	७१२२१००	७१२२१००	८१९०१३५	
२.१.११	बक्स साइज ५x२x०.५ (चार डायफ्राम समेत)	प्रति बक्सा	८८१५१००	९६९६१००	८८१५१००	८८१५१००	१०१३७२५	
२.१.१२	बक्स साइज ३x२x१ (दुई डायफ्राम समेत)	प्रति बक्सा	७७३४१००	८५०७१००	७७३४१००	७७३४१००	८८९४११०	
२.१.१३	बक्स साइज ४x२x१ (तीन डायफ्राम समेत)	प्रति बक्सा	९७३०१००	१०७०३१००	९७३०१००	९७३०१००	१११८९१५	
२.१.१४	बक्स साइज ३x१.५x०.५ (दुई डायफ्राम समेत)	प्रति बक्सा	४४४११००	४८८५१००	४४४११००	४४४११००	५१०७१५	
२.१.१५	बक्स साइज ४x१.५x०.५ (तीन डायफ्राम समेत)	प्रति बक्सा	५६२२१००	६१८४१००	५६२२१००	५६२२१००	६४६५१३०	
२.१.१६	बक्स साइज ५x१.५x०.५ (चार डायफ्राम समेत)	प्रति बक्सा	६९६९१००	७६६५१००	६९६९१००	६९६९१००	८०१४१३५	
२.१.१७	बक्स साइज ३x१.५x१ (दुई डायफ्राम समेत)	प्रति बक्सा	६२५४१००	६७९८१००	६२५४१००	६२५४१००	७१३२११०	
२.१.१८	बक्स साइज ४x१.५x१ (तीन डायफ्राम समेत)	प्रति बक्सा	७८८३१००	८६७१००	७८८३१००	७८८३१००	९०६५१४५	
२.१.१९	बक्स साइज ५x१.५x१ (चार डायफ्राम समेत)	प्रति बक्सा	९७४७१००	१०७२११००	९७४७१००	९७४७१००	११२०१०५	
२.२	एन.एस.१६३/१६९ अनुसारको हेवि जिङ्ग कोटेड जि.आई. मेस तार २.७० मि.मि., सेलभेज तार ३.४० मि.मि., लेसिङ्ग तार २.२० मि.मि. प्रयोग गरी डबल टिक्स्टेड हेक्सागनल मेस साइज १००x१२० मि.मि. को मेसिनबाट बनेको ग्याबियन बक्स(ढुवानी बाहेकको एक्स फेक्ट्री मल्य					०१००	०१००	०१००

हा.पु.म. *[Signature]* *[Signature]* *[Signature]* *[Signature]*

४. फलामजन्त्य निर्माण सामाग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ छ भ्याट बाहेक					कैफियत
			आ.व. २०७९/७८	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	आ.व. २०७८/७९ को स्वीकृत दर रेट	आ.व. २०७९/८० को स्वीकृत दर रेट	
२.२.१	बक्स साईज १.५X१X०.५	प्रति बक्सा	१३८१००	१५११००	१३८१००	१३८१००	१५८८१५	
२.२.२	बक्स साईज २X१X०.५ (एक डायफ्राम समेत)	प्रति बक्सा	१८८३००	२०७१००	१८८३००	१८८३००	२१६५४५	
२.२.३	बक्स साईज ३X१X०.५ (दुई डायफ्राम समेत)	प्रति बक्सा	२७०३००	२९७३००	२७०३००	२७०३००	३१०८४५	
२.२.४	बक्स साईज ४X१X०.५ (तीन डायफ्राम समेत)	प्रति बक्सा	३४११००	३७५२००	३४११००	३४११००	३९२२६५	
२.२.५	बक्स साईज १.५X१X१	प्रति बक्सा	२००८००	२२०८००	२००८००	२००८००	२३०९१२०	
२.२.६	बक्स साईज २X१X१ (एक डायफ्राम समेत)	प्रति बक्सा	२७०३००	२९७३००	२७०३००	२७०३००	३१०८४५	
२.२.७	बक्स साईज ३X१X१ (दुई डायफ्राम समेत)	प्रति बक्सा	३८१८००	४१९९१००	३८१८००	३८१८००	४३९०१७०	
२.२.८	बक्स साईज ४X१X१ (तीन डायफ्राम समेत)	प्रति बक्सा	४८०७००	५२८७००	४८०७००	४८०७००	५५२८१०५	
२.२.९	बक्स साईज ३X२X०.५ (दुई डायफ्राम समेत)	प्रति बक्सा	४९८७००	५४८५१००	४९८७००	४९८७००	५७३५१०५	
२.२.१०	बक्स साईज ४X२X०.५ (तीन डायफ्राम समेत)	प्रति बक्सा	६२०३००	६९०३००	६२०३००	६२०३००	७२१७४०	
२.२.११	बक्स साईज ५X२X०.५ (चार डायफ्राम समेत)	प्रति बक्सा	७७८१००	८५५९१००	७७८१००	७७८१००	८९४८१५	
२.२.१२	बक्स साईज ३X२X१ (दुई डायफ्राम समेत)	प्रति बक्सा	६५२६००	७१७८००	६५२६००	६५२६००	७५०४१९०	
२.२.१३	बक्स साईज ४X२X१ (तीन डायफ्राम समेत)	प्रति बक्सा	८५३४००	९३८७००	८५३४००	८५३४००	९८१४१०	
२.२.१४	बक्स साईज ३X१.५X०.५ (दुई डायफ्राम समेत)	प्रति बक्सा	३७६५००	४१४१००	३७६५००	३७६५००	४३२९७५	
२.२.१५	बक्स साईज ४X१.५X०.५ (तीन डायफ्राम समेत)	प्रति बक्सा	४९५७००	५४५२००	४९५७००	४९५७००	५७००१५	
२.२.१६	बक्स साईज ५X१.५X०.५ (चार डायफ्राम समेत)	प्रति बक्सा	६१५०००	६७६५००	६१५०००	६१५०००	७०७२५०	
२.२.१७	बक्स साईज ३X१.५X१ (दुई डायफ्राम समेत)	प्रति बक्सा	५२७१००	५७९८००	५२७१००	५२७१००	६०९१६५	
२.२.१८	बक्स साईज ४X१.५X१ (तीन डायफ्राम समेत)	प्रति बक्सा	६९०३००	७५९३००	६९०३००	६९०३००	७९३८४५	
२.२.१९	बक्स साईज ५X१.५X१ (चार डायफ्राम समेत)	प्रति बक्सा	८५३४००	९३८७००	८५३४००	८५३४००	९८१४१०	
२.३	एन.एस.१६३/१६९ अनुसारको हेवि जिङ्ग कोटेड जि.आई. मेस तार २.७०(ID)/३.७(OD) मि.मि., सेलभेज तार ३.४०(ID)/४.४(OD) मि.मि., लेसिङ्ग तार २.२०(ID)/३.२(OD) मि.मि. प्रयोग गरी डबल टिबस्टेड हेक्सगनल मेस साइज १००x१२० मि.मि. को मेसिनबाट बुनेको ग्याबियन बक्स (पिपिसी कोटिंग सहित) (ढुवानी बाहेकको मूल्य फेक्ट्री मूल्य)				०१००	०१००	०१००	
२.२.१	बक्स साईज १.५X१X०.५	प्रति बक्सा	१६६२००	१८२८००	१६६२००	१६६२००	१९११३०	
२.२.२	बक्स साईज २X१X०.५ (एक डायफ्राम समेत)	प्रति बक्सा	२२६६००	२४९२००	२२६६००	२२६६००	२६०५१९०	
२.२.३	बक्स साईज ३X१X०.५ (दुई डायफ्राम समेत)	प्रति बक्सा	३३२३००	३६५५००	३३२३००	३३२३००	३८२१४५	
२.२.४	बक्स साईज ४X१X०.५ (तीन डायफ्राम समेत)	प्रति बक्सा	४३८०००	४८१८००	४३८०००	४३८०००	५०३७००	
२.२.५	बक्स साईज १.५X१X१	प्रति बक्सा	२४१७००	२६५८००	२४१७००	२४१७००	२७७९१५	
२.२.६	बक्स साईज २X१X१ (एक डायफ्राम समेत)	प्रति बक्सा	३३२३००	३६५५००	३३२३००	३३२३००	३८२१४५	
२.२.७	बक्स साईज ३X१X१ (दुई डायफ्राम समेत)	प्रति बक्सा	४८३४००	५३१७००	४८३४००	४८३४००	५५५९१०	
२.२.८	बक्स साईज ४X१X१ (तीन डायफ्राम समेत)	प्रति बक्सा	६३४४००	६९७८००	६३४४००	६३४४००	७२९५६०	
२.२.९	बक्स साईज ३X२X०.५ (दुई डायफ्राम समेत)	प्रति बक्सा	५७४०००	६३९४००	५७४०००	५७४०००	६६०१००	
२.२.१०	बक्स साईज ४X२X०.५ (तीन डायफ्राम समेत)	प्रति बक्सा	७५५३००	८२०८००	७५५३००	७५५३००	८६८५१५	
२.२.११	बक्स साईज ५X२X०.५ (चार डायफ्राम समेत)	प्रति बक्सा	९३६५००	१०३०२००	९३६५००	९३६५००	१०७९१७५	
२.२.१२	बक्स साईज ३X२X१ (दुई डायफ्राम समेत)	प्रति बक्सा	७८५५००	८६४०००	७८५५००	७८५५००	९०३३२५	
२.२.१३	बक्स साईज ४X२X१ (तीन डायफ्राम समेत)	प्रति बक्सा	१०२७१००	११२९८००	१०२७१००	१०२७१००	११८११६५	
२.२.१४	बक्स साईज ३X१.५X०.५ (दुई डायफ्राम समेत)	प्रति बक्सा	४५३२००	४९८५००	४५३२००	४५३२००	५२९१८०	
२.२.१५	बक्स साईज ४X१.५X०.५ (तीन डायफ्राम समेत)	प्रति बक्सा	५९६७००	६५६३००	५९६७००	५९६७००	६८६२०५	
२.२.१६	बक्स साईज ५X१.५X०.५ (चार डायफ्राम समेत)	प्रति बक्सा	७४०१००	८१४१००	७४०१००	७४०१००	८५१११५	
२.२.१७	बक्स साईज ३X१.५X१ (दुई डायफ्राम समेत)	प्रति बक्सा	६३४४००	६९७८००	६३४४००	६३४४००	७२९५६०	
२.२.१८	बक्स साईज ४X१.५X१ (तीन डायफ्राम समेत)	प्रति बक्सा	८३०८००	९१३८००	८३०८००	८३०८००	९५५४१२०	
२.२.१९	बक्स साईज ५X१.५X१ (चार डायफ्राम समेत)	प्रति बक्सा	१०२७१००	११२९८००	१०२७१००	१०२७१००	११८११६५	
२.४	Sack Gabions/Cylindrical Gabions		१०२७१००	११२९८००	१०२७१००	१०२७१००	११८११६५	
२.४.१	एन.एस.१६३/१६९ अनुसारको हेवि जिङ्ग कोटेड जि.आई. मेस तार ३.० मि.मि., सेलभेज तार ३.९० मि.मि., लेसिङ्ग तार २.४० मि.मि. प्रयोग गरी डबल टिबस्टेड हेक्सगनल मेस साइज १००x१२० मि.मि. को मेसिनबाट बुनेको ग्याबियन बक्स(ढुवानी बाहेकको एक्स फेक्ट्री मूल्य					०१००	०१००	
	1.5m*0.74m (0.74m dia)	प्रति बक्सा	१६३०००	१७९३००	१६३०००	१६३०००	१८७४५०	

४. फलामजन्य निर्माण सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ छ भ्याट बाहेक					कैफियत
			आ.ब. २०७५/७६	आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	
२.४.२	एन.एस.१६३/१६९ अनुसारको हेवि जिङ्ग कोटेड जि.आई. मेस तार २.७० मि.मि., सेलमेज तार ३.४० मि.मि., लेसिङ्ग तार २.२० मि.मि. प्रयोग गरी डबल टिक्स्टेड हेक्सगनल मेस साइज १००x१२० मि.मि. को मेसिनबाट बुनेको ग्यावियन बक्स(ढुवानी बाहेकको एक्स फेक्ट्री मूल्य				०१००			
	1.5m*0.74m (0.74m dia)	प्रति बक्सा	१३७४१००	१५१११००	१३७४१००	१३७४१००	१५००१००	
२.४.३	एन.एस.१६३/१६९ अनुसारको हेवि जिङ्ग कोटेड जि.आई. मेस तार २.७०(ID)/३.७(OD) मि.मि., सेलमेज तार ३.४०(ID)/४.४(OD) मि.मि., लेसिङ्ग तार २.२०(ID)/३.२(OD) मि.मि. प्रयोग गरी डबल टिक्स्टेड हेक्सगनल मेस साइज १००x१२० मि.मि. को मेसिनबाट बुनेको ग्यावियन बक्स (पिभिसी कोटिंग सहित) (ढुवानी बाहेकको एक्स फेक्ट्री मूल्य)				०१००			
	1.5m*0.74m (0.74m dia)	प्रति बक्सा	१७७४१००	१९१४१००	१७७४१००	१७७४१००	२००११००	
२.३.१३	तारजाली	व.मी	२४५१००	२४५१००	२४५१००	२४५१००	२८११५५	
३	सि.जि.आई. सिट (जस्ता पाता)				०१००		०१००	
	२२ गज (0.60 mm thick)	बण्डल	१२४०३१००	१२४०३१००	१२४०३१००	१२४०३१००	१४२६३१५५	
	२४ गज (होभ) (0.52 mm thick)	बण्डल	१०६००१००	१०६००१००	१०६००१००	१०६००१००	१२९९०१००	
	२४ गज (मिडियम) (0.50 mm thick)	बण्डल	१०२५०१००	१०२५०१००	१०२५०१००	१०२५०१००	११७८५१००	
	२४ गज (लाइट) (0.45 mm thick)	बण्डल	९३३८१००	९३३८१००	९३३८१००	९३३८१००	१०७३८१००	
	२६ गज (होभ) (0.41 mm thick)	बण्डल	८६९७१००	८६९७१००	८६९७१००	८६९७१००	९९०९१५५	
	२६ गज (मिडियम) (0.37 mm thick)	बण्डल	७८७६१००	७८७६१००	७८७६१००	७८७६१००	९०५७१४०	
	२६ गज (लाइट) (0.35 mm thick)	बण्डल	७५२११००	७५२११००	७५२११००	७५२११००	८६४९१५५	
	२२ गज (0.60 mm thick) रंगीन	बण्डल	१४६२१००	१४६२१००	१४६२१००	१४६२१००	१६८२१०५५	
	२४ गज (होभ) रंगीन	बण्डल	१२६७९१००	१२६७९१००	१२६७९१००	१२६७९१००	१४५८०१८५	
	२४ गज (मिडियम) रंगीन	बण्डल	१२२५०१००	१२२५०१००	१२२५०१००	१२२५०१००	१४०८५१०	
	२४ गज (लाइट) रंगीन	बण्डल	११२५६१००	११२५६१००	११२५६१००	११२५६१००	१२९४४१०	
	२६ गज (होभ) रंगीन	बण्डल	१०५०११००	१०५०११००	१०५०११००	१०५०११००	१२०७६१५	
	२६ गज (मिडियम) रंगीन	बण्डल	९६९०१००	९६९०१००	९६९०१००	९६९०१००	१११४३१०	
	२६ गज (लाइट) रंगीन	बण्डल	९२३११००	९२३११००	९२३११००	९२३११००	१०६१५१६५	
	२८ गज (होभ) (0.31 mm thick)	बण्डल	६८३४१००	६८३४१००	६८३४१००	६८३४१००	७८५९११०	
	२८ गज (मिडियम) (0.28 mm thick)	बण्डल	६२२२१००	६२२२१००	६२२२१००	६२२२१००	७५५५१३०	
	२८ गज (लाइट) (0.26 mm thick)	बण्डल	५८५५१००	५८५५१००	५८५५१००	५८५५१००	६७३३२५	
	२८ गज (होभ) रंगीन	बण्डल	८३५९१००	८३५९१००	८३५९१००	८३५९१००	९६९१०५५	
	२८ गज (मिडियम) रंगीन	बण्डल	७७४२१००	७७४२१००	७७४२१००	७७४२१००	८९०३३३०	
	२८ गज (लाइट) रंगीन	बण्डल	७३२९१००	७३२९१००	७३२९१००	७३२९१००	८४२८३३५	
४	छानाछाने स्याण्डविच प्यानल				०१००	०१००	०१००	
	३० मिमि प्यानल	व.फि.	१९९१२	१९९१२	१९९१२	१९९१२	२२८१८	
	४० मिमि प्यानल	व.फि.	१९९१२	१९९१२	१९९१२	१९९१२	२२८१८	
	७५ मिमि प्यानल	व.फि.	१९९१२	१९९१२	१९९१२	१९९१२	२२८१८	
४.१	स्याण्डविच बालप्यानल				०१००	०१००	०१००	
	३० मिमि प्यानल	व.फि.	१६८१४	१६८१४	१६८१४	१६८१४	१९३३६	
	४० मिमि प्यानल	व.फि.	१६८१४	१६८१४	१६८१४	१६८१४	१९३३६	
	५० मिमि प्यानल	व.फि.	१६८१४	१६८१४	१६८१४	१६८१४	१९३३६	
	६५ मिमि प्यानल	व.फि.	१६८१४	१६८१४	१६८१४	१६८१४	१९३३६	
	७५ मिमि प्यानल	व.फि.	१६८१४	१६८१४	१६८१४	१६८१४	१९३३६	
४.२	PPGI Roofing Sheet (0.5mm/kg)	व.फि.	१२५१६६	१२५१६६	१२५१६६	१२५१६६	१४४४१९	
४.३	Ridge Cap (0.5mm/kg)	र.फि.	१२५१६६	१२५१६६	१२५१६६	१२५१६६	१४४४१९	
४.४	जि. आई. प्लेनसिट (मिडियम)				०१००	०१००	०१००	
	२२ गज	व.मि.	६१११००	६१११००	६१११००	६१११००	७०२१६५	
	२४ गज	व.मि.	६०६१००	६०६१००	६०६१००	६०६१००	६९६१९०	
	२६ गज	व.मि.	४६४१००	४६४१००	४६४१००	४६४१००	५३३६०	
	२८ गज	व.मि.	३६७१००	३६७१००	३६७१००	३६७१००	४२२१०५	
५	एम.एस.ब्ल्याक पाइप NS standard	केजी	७५१००	७५१००	७५१००	७५१००	८६२५	

हा.प.म. -
K. P. K. K. K.

म.म.म.म.म.

म.म.म.म.म.

म.म.म.म.म.

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७९/०८० को स्वीकृत जिल्ला दर रेट (१)

नवलपरासी (बर्दघाट-सुस्ता) जिल्लाको आ.व.०७९/०८० को स्वीकृत जिल्ला दर रेट (१)

रंग रोगन सम्बन्धि सामाग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ छ भ्याट वाहेक					कैफियत
			आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	आ.व. २०७८/७९ को स्वीकृत दर रेट	आ.व. २०७९/८० को स्वीकृत दर रेट	
१	रङ्गरागन							
क	इनामेल पन्ट	लिट्र	५३४१००	५३४१००	५३४१००	५३४१००	५८७४४०	
ख	बारीनस	लिट्र	३९२१००	३९२१००	३९२१००	३९२१००	३४३२२०	
ग	प्लासटिक इमल्सन पन्ट	"	५३४१००	५३४१००	५३४१००	५३४१००	५८७४४०	
घ	एलमिनियम पन्ट	"	५९०१००	५९०१००	५९०१००	५९०१००	६४९१००	
ङ	फोर्नचर इनामेल	"	५३४१००	५३४१००	५३४१००	५३४१००	५८७४४०	
च	मटल प्राइमर	"	३४३१००	३४३१००	३४३१००	३४३१००	३७७३३०	
छ	उडन प्राइमर	"	३४९१००	३४९१००	३४९१००	३४९१००	३८३१९०	
ज	रोन्सल पन्ट	क.जी.	१९५१००	१९५१००	१९५१००	१९५१००	२९४४५०	
झ	लिन्सड आयल	लिट्र	१३९१००	१३९१००	१३९१००	१३९१००	१५२१९०	
ञ	स्योट	"	८७००	८७००	८७००	८७००	९५१७०	
ट	अलकत्रा पन्ट	"	१५६१००	१५६१००	१५६१००	१५६१००	१७१६०	
ठ	टारपन्टाइन आयल	"	१५६१००	१५६१००	१५६१००	१५६१००	१७१६०	
ड	वाटर पुफ सिमन्ट पन्ट (स्लासम)	क.जी.	६५१००	६५१००	६५१००	६५१००	७१५०	
ढ	ब्ल्याकवाड पन्ट	क.जी.	४४५१००	४४५१००	४४५१००	४४५१००	४८९१५०	
ण	डिस्टम्पर	क.जी.	१५६१००	१५६१००	१५६१००	१५६१००	१७१६०	
त	डिस्टम्पर (वासवल)	लिट्र	१९५१००	१९५१००	१९५१००	१९५१००	२९४४५०	
थ	प्लास्टर अफ पारिस पन्ट	क.जी.	२२१००	२२१००	२२१००	२२१००	२४२२०	
द	सरस	क.जी.	२८९१००	२८९१००	२८९१००	२८९१००	३९७९०	
ध	वाटर पुफ कम्पाउण्ड	क.जी.	७९१००	७९१००	७९१००	७९१००	८६१९०	
न	सफाकेट	लिट्र	१७८१००	१७८१००	१७८१००	१७८१००	१९५१८०	
प	चप्परा पालिस	क.जी.	१७२५१००	१७२५१००	१७२५१००	१७२५१००	१८९७५०	
फ	चुना	"	२०१००	२०१००	२०१००	२०१००	२२१००	
ब	गम	"	१४५१००	१४५१००	१४५१००	१४५१००	१५९१५०	
भ	पुटिन	"	५६१००	५६१००	५६१००	५६१००	६९६०	
म	मैनपालिस	"	५३४१००	५३४१००	५३४१००	५३४१००	५८७४४०	
य	अक्रोसिक एसिड	लिट्र	१६७००	१६७००	१६७००	१६७००	१८३०७०	
र	खाक्सी	गाटा	१७००	१७००	१७००	१७००	१८१७०	
ल	सिमन्ट प्राइमर	लिट्र	१९५१००	१९५१००	१९५१००	१९५१००	२९४४५०	
व	ईपेक्सकोट(वाटरपूफिङ पन्ट)	लिट्र	५९५१००	५९५१००	५९५१००	५९५१००	६५४१५०	

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७९/०८० को स्वीकृत जिल्ला दर रेट (१)

नवलपरासी (बर्दघाट-सुस्ता) जिल्लाको आ.व.०७९/०८० को स्वीकृत जिल्ला दर रेट (१)

रंग रोगन सम्बन्धि सामाग्री

हा.म.स.



नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७९/०८० को स्वीकृत बिल्ला दर रेट (१)

खानेपानी तथा सरसफाई सम्बन्धि सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३% म्याट बाहेक					कैफियत
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	आ.व. २०७८/७९ को स्वीकृत दर रेट	
१	स्यानिटरी/वाटर सप्लाई							
क	डब्लू. सि. प्यान फुटरेस्ट र साइफन समेत							
क.१	१२"X१२"	गाटा	७३५१००	७७०१००	७७०१००	७७०१००	७७०१००	८४७००
क.२	१२"X१८"	गाटा	११२८१०५	११८५१००	११८५१००	११८५१००	११८५१००	१३०३५०
क.३	१२"X२०"	गाटा	१२०७५०	१२६५१००	१२६५१००	१२६५१००	१२६५१००	१३९१५०
ख	कमांड प्यान कभर सहित	गाटा	२५२०१००	२६४५१००	२६४५१००	२६४५१००	२६४५१००	२९०९५०
ग	कमांड कभर	गाटा	६८२५०	७१५१००	७१५१००	७१५१००	७१५१००	७८६५०
घ	सिस्टन					०१००	०१००	०१००
ङ	कमांड फ्लोसिड सिस्टन सहित ४ लाइन भएको	गाटा						१२०००१००
च.१	लो लेभल पोसलीन सिस्टन	गाटा	१२०७५०	१२६५१००	१२६५१००	१२६५१००	१२६५१००	१३९१५०
च.२	हाइ लेभल पोसलीन सिस्टन	गाटा	१५७५१००	१६५१००	१६५१००	१६५१००	१६५१००	१८१५१००
च.३	लो लेभल पलास्टिक सिस्टन	गढेटा	९९७५०	१०४५१००	१०४५१००	१०४५१००	१०४५१००	११४९५०
ड	वास बसिन					०१००	०१००	०१००
ड.१	१२"X१८"	गाटा	७८५५०	८२५१००	८२५१००	८२५१००	८२५१००	९०७५०
ड.२	१६"X२०"	गाटा	११५५१००	१२१०१००	१२१०१००	१२१०१००	१२१०१००	१३३१००
ड.३	१६"X२२"	गाटा	१३६५१००	१४३०१००	१४३०१००	१४३०१००	१४३०१००	१५७३००
च	किचन सिङ्ग स्ट्याण्डर्ड					०१००	०१००	०१००
च.१	किचन सिङ्ग जनरल १६"X१८"	गाटा	२४१५१००	२४३५१००	२४३५१००	२४३५१००	२४३५१००	२७८८५०
च.२	किचन सिङ्ग जनरल ३७"X१८"	गाटा	४२००१००	४४१०१००	४४१०१००	४४१०१००	४४१०१००	४८५१००
छ	ल्याब सिङ्ग	गाटा	२७३०१००	२८६५१००	२८६५१००	२८६५१००	२८६५१००	३१५१५०
ज	सिङ्ग (अस्पतालमा बच्चा सफागने)	गाटा	३२०००१००	३३६००१००	३३६००१००	३३६००१००	३३६००१००	३६९६०१००
झ	साप केस बक्स	गाटा	२६२५०	२७५१००	२७५१००	२७५१००	२७५१००	३०२५०
ञ	टावल रड					०१००	०१००	०१००
ञ.१	फन्सी टाइप होम	गाटा	५७७५०	६०५१००	६०५१००	६०५१००	६०५१००	६६५१०
ञ.२	साधारण	गाटा	२७३००	२८५१००	२८५१००	२८५१००	२८५१००	३१३५०
ञ	ऐना					०१००	०१००	०१००
ञ.१	१८"X२२"	गाटा	५७७५०	६०५१००	६०५१००	६०५१००	६०५१००	६६५१०
ञ.२	१६"X२०"	गाटा	४९८५०	५२५१००	५२५१००	५२५१००	५२५१००	५७७५०
ट	टयु ब्रस सेट (टगवर सेट)	गाटा	२६२५०	२७५१००	२७५१००	२७५१००	२७५१००	३०२५०
ठ	१/२" धारा					०१००	०१००	०१००
ठ.१	पितल	गाटा	२६२५०	२७५१००	२७५१००	२७५१००	२७५१००	३०२५०
ठ.२	प्लास्टिक	गाटा	७८५५०	८२५१००	८२५१००	८२५१००	८२५१००	९०७५०
ठ.३	अटोस्टप	गाटा	४७२५०	४९५१००	४९५१००	४९५१००	४९५१००	५४७५०
ठ.४	सि. पि. फन्सी टाइप (राम्रो)	गाटा	८९२५०	९३५१००	९३५१००	९३५१००	९३५१००	१०२८५०
ड	सावर					०१००	०१००	०१००
ड.१	सावर साधारण	गाटा	६३०१००	६६०१००	६६०१००	६६०१००	६६०१००	७२६१००
ड.२	सावर टेलिफोनिक	गाटा	९४५१००	९९०१००	९९०१००	९९०१००	९९०१००	१०८९१००
ढ	फ्लोट भल्व	गाटा	६३०१००	६६०१००	६६०१००	६६०१००	६६०१००	७२६१००
ण	पोसिलन युरेनल					०१००	०१००	०१००
ण.१	लोडज	गाटा	१३१२५०	१३८०१००	१३८०१००	१३८०१००	१३८०१००	१५१८००
ण.२	जेन्स	गाटा	१३१२५०	१३८०१००	१३८०१००	१३८०१००	१३८०१००	१५१८००
त	पपर होल्डर	गाटा	४२०१००	४४०१००	४४०१००	४४०१००	४४०१००	४८५१००
थ	रोप हुक	गाटा	२३११००	२४०१००	२४०१००	२४०१००	२४०१००	२६४१००
द	फ्लोर टयाप साइफन समेत	गाटा	३२५१००	३४०१००	३४०१००	३४०१००	३४०१००	३७४१००
ध	पि. वि. सि हुक	गाटा	६५११०	६८१००	६८१००	६८१००	६८१००	७४१८०
न	Orisa pan set with cistern and long band	Set	३५१५५०	३६९०१००	३६९०१००	३६९०१००	३६९०१००	४०५१००
प	Commode with cistern with long band	set	४४६२५०	४६८५१००	४६८५१००	४६८५१००	४६८५१००	५१५३५०
२	वाटर सप्लाई/सिचाई सम्बन्धी					०१००	०१००	०१००
क	डिजल पम्पसेट- 4x4" 5H.P.(water cool) वा सांसरह	थान	६७३८३०५	६७३८३०५	६७३८३०५	६७३८३०५	६७३८३०५	७५१२२१३
ख	डिजल पम्पसेट- 3x3" 5H.P.(ISI)	थान	४६७२५१००	४६७२५१००	४६७२५१००	४६७२५१००	४६७२५१००	५१३९१५०
ग	डिजल पम्पसेट- 3x3" 5H.P.(air cool) वा सांसरह	थान	४४९९२५०	४४९९२५०	४४९९२५०	४४९९२५०	४४९९२५०	४९४९१५०
घ	डिजल पम्पसेट- 3x3" 4H.P.(air cool) वा सांसरह	थान	४२६८५०५	४२६८५०५	४२६८५०५	४२६८५०५	४२६८५०५	४६९५६५३
ङ	डिजल पम्पसेट- 3x2.5" 5H.P.(water cool) वा सांसरह	थान	५०८५६५०५	५०८५६५०५	५०८५६५०५	५०८५६५०५	५०८५६५०५	५५९४२५३
च	विद्युतीय मोटर पम्पसेट (किलोस्कर वा सो सरह/ 3x3" 2H.P./ 1phase pump)	थान	२७३००१००	२८६००१००	२८६००१००	२८६००१००	२८६००१००	३१४६०१००
छ	विद्युतीय मोटर पम्पसेट (किलोस्कर वा सो सरह/ 3x2.5" 2H.P./ 1phase pump)	थान	२६७७५१००	२८१००१००	२८१००१००	२८१००१००	२८१००१००	३०९१०१००
ज	विद्युतीय मोटर पम्पसेट (किलोस्कर वा सो सरह/ 2x2" 2H.P./ 1phase pump)	थान	२३१००१००	२४२००१००	२४२००१००	२४२००१००	२४२००१००	२६६२०१००
झ	१/२ हप पावर मोटर इन्डियन (ISI)	थान	५२५१००	५५०१००	५५०१००	५५०१००	५५०१००	६०५१००
ञ	१ हप पावर मोटर इन्डियन (ISI)	थान	९४५१००	९९००१००	९९००१००	९९००१००	९९००१००	१०८९०१००
ट	१/२ हप पावर मोटर चाइनिज	थान	२२००१००	२२००१००	२२००१००	२२००१००	२२००१००	२२००१००
ठ	१ हप पावर मोटर चाइनिज	थान	५२५१००	५५००१००	५५००१००	५५००१००	५५००१००	६०५१००
३	बि. आई. पाइप थ्रेड (लाइट ६ र. मि.)					०१००	०१००	०१००
	१/२"	गाटा	७५११००	८३५१००	८३५१००	८३५१००	८३५१००	९१८५०
	३/४"	गाटा	१०५५१००	११६५१००	११६५१००	११६५१००	११६५१००	१२७५१०
	1"	गाटा	१४६५१००	१६१२००	१६१२००	१६१२००	१६१२००	१७७३२०
	1 1/४"	गाटा	१८००१००	२०६८००	२०६८००	२०६८००	२०६८००	२२७७८०
	1 1/२"	गाटा	२३१०१००	२५४१००	२५४१००	२५४१००	२५४१००	२७९५१०
	2"	गाटा	२८८२००	३१७०१००	३१७०१००	३१७०१००	३१७०१००	३४८८००
	2 1/२"	गाटा	४०२५१००	४४२८००	४४२८००	४४२८००	४४२८००	४८७०००
	3"	गाटा	४७३०१००	५२०३००	५२०३००	५२०३००	५२०३००	५७२३३०

हा.म.स.

Handwritten signature

Handwritten signature

Handwritten signature

Handwritten signature

Handwritten signatures and stamps at the top left of the page.

नवलपरासी (वर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७९/०८० को स्वीकृत जिल्ला दर रेट (२)
 ७. खानेपानी तथा सरसफाई सम्बन्धि सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३% म्याट बाहेक					कैफियत
			आ.व. २०७४/७५	आ.व. २०७५/७६	२०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	आ.व. २०७८/७९ को स्वीकृत दर रेट	
	4" ø	गोटा	६७५४.००	७४२९.००	७४२९.००	७४२९.००	७४२९.००	८१.७१९०
	5" ø	गोटा	१०५२.००	११५८.००	११५८.००	११५८.००	११५८.००	१२७३.००
	6" ø	गोटा	१२२४.००	१३४६.००	१३४६.००	१३४६.००	१३४६.००	१४८१.००
	8" ø	गोटा	१६७९.००	१८३९.००	१८३९.००	१८३९.००	१८३९.००	२०२३.००
४	जि. आई. पाइप ग्रैड (मिडियम ६ र मि.)							
	1/2" ø	गोटा	९०.००	९९.००	९९.००	९९.००	९९.००	१०८.००
	3/4" ø	गोटा	११४.००	१२६.००	१२६.००	१२६.००	१२६.००	१३६.००
	1" ø	गोटा	१३५.००	१४८.००	१४८.००	१४८.००	१४८.००	१६०.००
	1 1/4" ø	गोटा	२२३.००	२४५.००	२४५.००	२४५.००	२४५.००	२७०.००
	1 1/2" ø	गोटा	२५६.००	२८२.००	२८२.००	२८२.००	२८२.००	३१०.००
	2" ø	गोटा	३५०.००	३८५.००	३८५.००	३८५.००	३८५.००	४२३.००
	2 1/2" ø	गोटा	४४७.००	४९१.००	४९१.००	४९१.००	४९१.००	५४०.००
	3" ø	गोटा	५५४.००	६०९.००	६०९.००	६०९.००	६०९.००	६६०.००
	4" ø	गोटा	८२३.००	९०५.००	९०५.००	९०५.००	९०५.००	९६८.००
	5" ø	गोटा	११२२.००	१२३४.००	१२३४.००	१२३४.००	१२३४.००	१३५६.००
	6" ø	गोटा	१३३९.००	१४६४.००	१४६४.००	१४६४.००	१४६४.००	१६०५.००
	8" ø	गोटा	१८५९.००	२०३६.००	२०३६.००	२०३६.००	२०३६.००	२२४०.००
५	जी. आई. पाइप ग्रैड (हीभ ड्युटी ६ र मि.)							
	1/2" ø	गोटा	१०५.००	११६.००	११६.००	११६.००	११६.००	१२७.००
	3/4" ø	गोटा	१३४.००	१४८.००	१४८.००	१४८.००	१४८.००	१६०.००
	1" ø	गोटा	२०९.००	२२९.००	२२९.००	२२९.००	२२९.००	२४३.००
	1 1/4" ø	गोटा	२५६.००	२८२.००	२८२.००	२८२.००	२८२.००	३१०.००
	1 1/2" ø	गोटा	२९६.००	३२५.००	३२५.००	३२५.००	३२५.००	३६१.००
	2" ø	गोटा	४३९.००	४७४.००	४७४.००	४७४.००	४७४.००	५१५.००
	2 1/2" ø	गोटा	५३५.००	५९९.००	५९९.००	५९९.००	५९९.००	६४८.००
	3" ø	गोटा	६३५.००	६९९.००	६९९.००	६९९.००	६९९.००	७६०.००
	4" ø	गोटा	९८५.००	१०८४.००	१०८४.००	१०८४.००	१०८४.००	११९२.००
	5" ø	गोटा	१२६५.००	१३९१.००	१३९१.००	१३९१.००	१३९१.००	१५३०.००
	6" ø	गोटा	१४५५.००	१६०३.००	१६०३.००	१६०३.००	१६०३.००	१७६६.००
	8" ø	गोटा	१९६६.००	२१६३.००	२१६३.००	२१६३.००	२१६३.००	२३७९.००
६	१/२" जि. आई. पाइप फिटिङ्स							
	क्रस टि	गोटा	९.००	१०.००	१०.००	१०.००	१०.००	११.००
	जाम नट	गोटा	१.००	१.००	१.००	१.००	१.००	१.००
	फ्लोर्ट भल्व (ब्रास)	गोटा	८६.००	९१.००	९१.००	९१.००	९१.००	१००.००
	फ्लोर्ट भल्व (फालाम)	गोटा	२८.००	२९.००	२९.००	२९.००	२९.००	३०.००
७	स्यालो टयुबवेल (हम्याड पम्प)							
	४ नं. हेड	गोटा	१५८.००	१६६.००	१६६.००	१६६.००	१६६.००	१८३.००
	६ नं. हेड Lower	गोटा	२५.००	२६.००	२६.००	२६.००	२६.००	२९.००
	Medium	गोटा	३१.००	३३.००	३३.००	३३.००	३३.००	३६.००
	Heavy	गोटा	४२.००	४४.००	४४.००	४४.००	४४.००	४८.००
	ढिकी पम्प	गोटा	१३०.००	१३६.००	१३६.००	१३६.००	१३६.००	१५०.००
८	टयुबवेल फिटिङ्स							
	सकेट	गोटा	१३.००	१३.००	१३.००	१३.००	१३.००	१५.००
	जाली (५ र. फो.) PVC	गोटा	५.००	५.००	५.००	५.००	५.००	६.००
	होण्डल	गोटा	१.००	१.००	१.००	१.००	१.००	२.००
	रड पलन्जर	गोटा	१३.००	१३.००	१३.००	१३.००	१३.००	१५.००
९	बाटुर टयाक							
	स्टील (१००० लि.)	गोटा	१८.००	१९.००	१९.००	१९.००	१९.००	२१.००
	स्टील (५०० लि.)	गोटा	९.००	९.००	९.००	९.००	९.००	९.००
	प्लास्टिक (हेभी)	लिट्र	१.००	१.००	१.००	१.००	१.००	१.००
१०	जि.आई.पाइपमा चूडकाटन काम (९ग्रड/पिस)							
	1/2" to 3/4"	गोटा	२.००	३.००	३.००	३.००	३.००	३.००
	1" to 2"	गोटा	३.००	३.००	३.००	३.००	३.००	३.००
	3" to 5"	गोटा	५.००	६.००	६.००	६.००	६.००	६.००
	above 5"	गोटा	९.००	९.००	९.००	९.००	९.००	१०.००
११	भल्वको स्पाइडलमा पितलको माल भन्ने ३"भन्दा माथि	गोटा	११.००	१२.००	१२.००	१२.००	१२.००	१३.००
१२	मालभरेको स्पाइडलमा चूड काटन र गोठि काटन काम	गोटा	७.००	८.००	८.००	८.००	८.००	९.००
१३	वास बोसनको वेस्ट पाइप	गोटा	३.००	४.००	४.००	४.००	४.००	४.००
१४	पि. वि. सि बाटर टयाप	गोटा	३.००	३.००	३.००	३.००	३.००	३.००
१५	सि. पि. विव केक, स्टपकक, सट बाड, एगल आदिको छुट्टाछुट्टै	गोटा	६.००	६.००	६.००	६.००	६.००	७.००
१६	सि. पि. विव केक, स्टपकक, लड बडा, एगल आदिको छुट्टाछुट्टै	गोटा	९.००	९.००	९.००	९.००	९.००	११.००
१७	पि.पि.आर. पाइप							
१७.१	पि.पि.आर. पाइप (S-5.0, PN 10)							
	२० मी.मी.	र.मी.	९.००	९.००	९.००	९.००	९.००	९.००
	२५ मी.मी.	र.मी.	१४.००	१४.००	१४.००	१४.००	१४.००	१४.००
	३२ मी.मी.	र.मी.	२३.००	२३.००	२३.००	२३.००	२३.००	२३.००
	४० मी.मी.	र.मी.	३६.००	३६.००	३६.००	३६.००	३६.००	३६.००
	५० मी.मी.	र.मी.	५६.००	५६.००	५६.००	५६.००	५६.००	५६.००
	६३ मी.मी.	र.मी.	८९.००	८९.००	८९.००	८९.००	८९.००	८९.००
	७५ मी.मी.	र.मी.	१२४.००	१२४.००	१२४.००	१२४.००	१२४.००	१२४.००
	९० मी.मी.	र.मी.	१७९.००	१७९.००	१७९.००	१७९.००	१७९.००	१७९.००

Handwritten signatures and stamps at the bottom of the page.

हा/म/अ. *[Signature]*

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७९/०८० को स्वीकृत जिल्ला दर रेट (३)

७. खानेपानी तथा सरसफाई सम्बन्धि सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ % म्याट बाहेक					कैफियत
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	आ.व. २०७८/७९ को स्वीकृत दर रेट	
१७.२	११० मी.मी. पि.पि.आर. पाइप (S-3.2, PN 16)	र.मी.	२६५१००	१५१४१००	१५१४१००	१५१४१००	१५१४१००	१६६१४००
	२० मी.मी.	र.मी.	१२७००	७३००	७३००	७३००	७३००	८०३०
	२५ मी.मी.	र.मी.	१९८००	११३००	११३००	११३००	११३००	१२४३०
	३२ मी.मी.	र.मी.	३१५१००	१८०००	१८०००	१८०००	१८०००	१९८००
	४० मी.मी.	र.मी.	५०७००	२८९१००	२८९१००	२८९१००	२८९१००	३१७९०
	५० मी.मी.	र.मी.	७९०१००	४५११००	४५११००	४५११००	४५११००	४९६१०
	६३ मी.मी.	र.मी.	१२४२१००	७०९१००	७०९१००	७०९१००	७०९१००	७७९१०
	७५ मी.मी.	र.मी.	१७७१००	१०९१००	१०९१००	१०९१००	१०९१००	११९१००
	९० मी.मी.	र.मी.	२५३०१००	१४४३००	१४४३००	१४४३००	१४४३००	१५८७३०
	११० मी.मी.	र.मी.	३७९१००	२९६१००	२९६१००	२९६१००	२९६१००	३३७६०
१७.३	पि.पि.आर. पाइप (S-2.5, PN 20)							
	२० मी.मी.	र.मी.	१५११००	८६१००	८६१००	८६१००	८६१००	९४६१०
	२५ मी.मी.	र.मी.	२३४१००	१३४१००	१३४१००	१३४१००	१३४१००	१४७४०
	३२ मी.मी.	र.मी.	३८२१००	२१८१००	२१८१००	२१८१००	२१८१००	२३९१०
	४० मी.मी.	र.मी.	५९११००	३३७१००	३३७१००	३३७१००	३३७१००	३७०१०
	५० मी.मी.	र.मी.	९९६१००	५२३१००	५२३१००	५२३१००	५२३१००	५७१३०
	६३ मी.मी.	र.मी.	१४५४१००	८३०१००	८३०१००	८३०१००	८३०१००	९१३१०
	७५ मी.मी.	र.मी.	२०६२१००	११७७१००	११७७१००	११७७१००	११७७१००	१२९४१०
	९० मी.मी.	र.मी.	२९६९१००	१६९१००	१६९१००	१६९१००	१६९१००	१८५९१०
	११० मी.मी.	र.मी.	४४१५१००	२५१९१००	२५१९१००	२५१९१००	२५१९१००	२७७०९०
१८	सी. आई. पाइप ३" Ø	र.मी.	२४२५५	२५५१०	२५५१०	२५५१०	२५५१०	२८०५०
	सी. आई. पाइप ४" Ø	र.मी.	२७७२०	२९११०	२९११०	२९११०	२९११०	३२०९०
	सी. आई. टो. ३" x ४" Ø	गोटा	३२८५५	३०३१०	३०३१०	३०३१०	३०३१०	३३३३०
	सी. आई. जक्सन ३" Ø	गोटा	३२३४०	३४०१०	३४०१०	३४०१०	३४०१०	३७३४०
	सी. आई. जक्सन ४" Ø	गोटा	३९८४८	४१८१०	४१८१०	४१८१०	४१८१०	४५९४८
	सी. आई. भन्ट पाइप ३" Ø	गोटा	६९३१०	७२८१०	७२८१०	७२८१०	७२८१०	८००१०
	सी. आई. भन्ट पाइप ४" Ø	गोटा	८२५८३	८६७१०	८६७१०	८६७१०	८६७१०	९५३१०
१९	एस. डब्लु. पाइप ४" Ø	र.मी.	५७७५	६१००	६१००	६१००	६१००	६६१०
	एस. डब्लु. पाइप ६" Ø	र.मी.	८०५५	८५१०	८५१०	८५१०	८५१०	९३५०
	एस. डब्लु. टो. ४" Ø	गोटा	१२११२	१२७१०	१२७१०	१२७१०	१२७१०	१३९१०
	एस. डब्लु. टो. ६" Ø	गोटा	१६९१७	१७०१०	१७०१०	१७०१०	१७०१०	१८७१०
	एस. डब्लु. भन्ट ४" Ø	गोटा	१०३९५	१०९१०	१०९१०	१०९१०	१०९१०	११९१०
	एस. डब्लु. भन्ट ६" Ø	गोटा	१४०१५	१४८१०	१४८१०	१४८१०	१४८१०	१६३१०
२०	फ्लोरिङ सम्बन्धि							
२०.१	३ मी. मी. माबल चिप्स (२५ के. जी.)	बारा	२७३१००	२८७१००	२८७१००	२८७१००	२८७१००	३१५१०
२०.२	काबोरिन्डम ढुगा	गोटा	१७८१०	१८७१००	१८७१००	१८७१००	१८७१००	२०५१०
२०.३	पासीलीन र्लज्ड टाएल							
२०.३.१	संता	व. मी.	५९८१०	६२८१००	६२८१००	६२८१००	६२८१००	६९०१०
२०.३.२	रगीन	व. मी.	६७८३०	७११००	७११००	७११००	७११००	७८३२०
२०.४	Vetrified Tile Floor tile 2'x2'	व. मी.	९५५१०	१००३१००	१००३१००	१००३१००	१००३१००	११०३३०
२०.५	स्पाटक टाएल	व. मी.	७९८१००	८३८१००	८३८१००	८३८१००	८३८१००	९२१८०
२०.६	पोलिथिन सिट	र.मी.	२६२५	२८१००	२८१००	२८१००	२८१००	३०८०
२०.७	वाटर पुफ कम्पाउन्ड	के. जी.	९४५०	९९१००	९९१००	९९१००	९९१००	१०८१०
२०.८	टारफ्लट सिट	व. मी.	१४९१७	१४९१००	१४९१००	१४९१००	१४९१००	१६३१०
२०.९	क्ल टाएल ४" x ४"	गोटा	१२६०	१३१००	१३१००	१३१००	१३१००	१४३१०
२०.१०	माबल टाएल	व. मी.	१७८५१००	१८७५१००	१८७५१००	१८७५१००	१८७५१००	२०६५१०
२१	माबल							
२१.१	संता	व. मी.	१९९५१००	२०९५१००	२०९५१००	२०९५१००	२०९५१००	२३०५१०
२१.२	होरया	व. मी.	१५०१५०	१५७७१००	१५७७१००	१५७७१००	१५७७१००	१७३७१०
२१.३	रातो	व. मी.	११९७१००	१२५७१००	१२५७१००	१२५७१००	१२५७१००	१३८२१०
२२	Miscellaneous PVC Item							
क	4" Ø PVC Filter	र.मी.	१२८८३५	१३५३१००	१३५३१००	१३५३१००	१३५३१००	१४८८३०
ख	4" Ø PVC Sand trap	र.मी.	१२१५१०	१२७७१००	१२७७१००	१२७७१००	१२७७१००	१४०५१०
ग	1½ Ø PVC 3.6 mm	र.मी.	१७७४५	१८६१००	१८६१००	१८६१००	१८६१००	२०४६०
घ	1½ Ø PVC filter 4 mm	र.मी.	६६२५५	६९६१००	६९६१००	६९६१००	६९६१००	७५५६०
ङ	1½ Ø PVC sand trap	र.मी.	२७८२५	२९२१००	२९२१००	२९२१००	२९२१००	३२१२०
च	1½ Ø PVC adopter	र.मी.	९२४०	९७००	९७००	९७००	९७००	१०६१०
२३	PVC bottle trap	No	३२५१०	३४२१००	३४२१००	३४२१००	३४२१००	३७६२०
२४	Connection pipe	No	१३६१०	१४३१००	१४३१००	१४३१००	१४३१००	१५७३०
२५	Angle cock	No	८४०१००	८८२१००	८८२१००	८८२१००	८८२१००	९७०२०
२६	Concealed cock	No	९४५१००	९९२१००	९९२१००	९९२१००	९९२१००	१०९१२०
२७	Sink tap	No	१६२७५	१७०९१००	१७०९१००	१७०९१००	१७०९१००	१८७९१०
२८	Bib cock tap (ISO)	No	७३५१००	७७२१००	७७२१००	७७२१००	७७२१००	८४९२०
२९	Coplin for basin	No	११५१०	१२११००	१२११००	१२११००	१२११००	१३३१०
३०	इनारको लागि आरसीसी रिड 90x30x5 cm	गोटा	५२५१००	५५११००	५५११००	५५११००	५५११००	६०६१०
३१	इनारको लागि आरसीसी रिड कभर 90x5 cm	गोटा	२९०१००	२९९१००	२९९१००	२९९१००	२९९१००	३४३१०
३२	६०० मी.मी.को म्यानहोल कभर फेम कि समेत	गोटा	२८३५१००	२९७७१००	२९७७१००	२९७७१००	२९७७१००	३२७५१०
३३	४५x४५ से.मी. वर्गाकार आकारको फलामको म्यानहोल कभर	गोटा	२८३५१००	२९७७१००	२९७७१००	२९७७१००	२९७७१००	३२७५१०
३४	सि.आई. म्यानहोल कभर (२४x२४ से.मी.) (२४ के.जी. वेट)	गोटा	५४६०१००	५७३३१००	५७३३१००	५७३३१००	५७३३१००	६३०६३०

हा/म/अ. *[Signature]*

[Signature]

[Signature]

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७९/८० को स्वीकृत जिल्ला दर रेट (१)

७.१ एच.डी.पी.पाइप (NS-40)

क.सं.	पाइप साइज		इकाई	स्वीकृत जिल्ला दर रेट ०७९/८० (१३% भ्याट बाहेक)				कैफियत
	मी.मी.	इन्च		2.5 kg/cm ²	4 kg/cm ²	6 kg/cm ²	10 kg/cm ²	
१	१६	१/४"	प्रति र.मी.	-	-	-	२६.३१	प्रति के.जी. रु. रदधा-
२	२०	१/२"	प्रति र.मी.	-	-	-	३८.३२	
३	२५	३/४"	प्रति र.मी.	-	-	-	५७.७७	
४	३२	१"	प्रति र.मी.	-	-	६४.६४	९५.५२	
५	४०	१.२५"	प्रति र.मी.	-	६९.०३	९६.२५	१४१.३५	
६	५०	१.५"	प्रति र.मी.	-	१०३.९५	१४९.०५	२१८.९०	
७	६३	२"	प्रति र.मी.	११०.८३	१६०.८८	२३३.७५	३४८.९८	
८	७५	२.५"	प्रति र.मी.	१५३.१८	२३२.६५	३२७.५३	४९०.०५	
९	९०	३"	प्रति र.मी.	२१९.७३	३३५.५०	४७२.१८	७०६.२०	
१०	११०	४"	प्रति र.मी.	३२५.८८	४६८.३३	६९९.८८	१०४५.२८	
११	१२५	४.५"	प्रति र.मी.	४२०.७५	६२९.४८	९०५.५८	१३६४.५५	
१२	१४०	५"	प्रति र.मी.	५२१.६८	७९७.७८	११४१.२५	१७०७.४८	
१३	१६०	६"	प्रति र.मी.	६७४.५८	१०३७.५८	१४७२.६३	२२२१.७३	
१४	१८०	७"	प्रति र.मी.	८६५.७०	१३०९.५५	१८७०.००	२८२०.४०	
१५	२००	८"	प्रति र.मी.	१०६५.६३	१६१९.७५	२३०७.५३	३४७०.५०	
१६	२२५	९"	प्रति र.मी.	१३२६.०५	२०४७.३८	२८९९.६०	४४०३.८५	
१७	२५०	१०"	प्रति र.मी.	१६५३.३०	२५२६.४३	३५८६.२८	५४३३.१८	
१८	२८०	११"	प्रति र.मी.	२०५४.५३	३१५०.१३	४४८९.९३	६७९४.७०	
१९	३१५	१२"	प्रति र.मी.	२६९३.२६	४१४९.२९	५९१८.४८	८९११.७६	
२०	३५५	१४"	प्रति र.मी.	३४१९.७०	५२५७.२५	७५०५.५०	११३३५.६१	
२१	४००	१६"	प्रति र.मी.	४३७०.३७	६६७५.८१	९५२६.३७	१४३९८.३८	

Handwritten signatures and notes at the bottom of the page, including a signature that appears to be 'Kumar' and another that appears to be 'S. P. S.'.

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७९/०८० को स्वीकृत जिल्ला दर रेट (१)
 ७२ यु.पि.भि.सी.पाइप (NS-206/046)


क.सं.	पाइप साइज		इकाई	स्वीकृत जिल्ला दर रेट ०७९/८० (१३% भ्याट बाहेक)				कैफियत
	मी.मी.	इन्च		2.5 kg/cm ²	4 kg/cm ²	6 kg/cm ²	10 kg/cm ²	
१	२०	१/२"	प्रति र.मी.	-	-	-	३०.८०	
२	२५	३/४"	प्रति र.मी.	-	-	-	४८.४०	
३	३२	१"	प्रति र.मी.	-	-	-	७९.२०	
४	४०	१.२५"	प्रति र.मी.	-	-	११०.००	१८७.००	
५	५०	१.५"	प्रति र.मी.	-	-	१५४.००	२२०.००	
६	६३	२"	प्रति र.मी.	-	२०९.००	३१९.००	४४०.००	
७	७५	२.५"	प्रति र.मी.	-	२७५.००	४२९.००	६३८.००	
८	९०	३"	प्रति र.मी.	२२०.००	३५७.५०	५५०.००	८८०.००	
९	११०	४"	प्रति र.मी.	३८५.००	५५०.००	८२५.००	१४३०.००	
१०	१२५	४.५"	प्रति र.मी.	४६२.००	७१५.००	११००.००	१६५०.००	
११	१४०	५"	प्रति र.मी.	६६०.००	९४६.००	१३४७.५०	२०९०.००	
१२	१६०	६"	प्रति र.मी.	७७०.००	१२१०.००	१८७०.००	२९७०.००	
१३	१८०	७"	प्रति र.मी.	९९०.००	१५६२.००	२२००.००	३३००.००	
१४	२००	८"	प्रति र.मी.	१३२०.००	२०९०.००	३१९०.००	६२७०.००	

Handwritten signatures and stamps at the bottom of the page, including a circular stamp of the Nepal Government and various handwritten notes and signatures.

७.३ पी.पी.आर फिटिङ्स (आ.व.०७९/८० को स्वीकृत जिल्ला दर रेट १३% भ्याट बाहेक)										कैफियत
Description	20mm	25mm	32mm	40mm	50mm	63mm	75mm	90mm	110mm	
Elbow 90°	12.10	22.00	37.00	78.00	130.00	229.00	430.00	726.00	1352.00	
Elbow 45°	15.00	24.00	38.00	70.00	118.00	195.00	382.00	645.00	1127.00	
Tee	15.00	27.00	46.00	89.00	151.00	275.00	478.00	645.00	1127.00	
Coupler (socket)	9.00	11.00	22.00	42.00	70.00	123.00	239.00	353.00	1519.00	
End cap	12.00	19.00	29.00	43.00	76.00	146.00	234.00	-	-	
Stop valve	336.00	406.00	535.00	573.00	955.00	1435.00	-	-	-	
Ball valve (Plastic)	91.00	124.00	215.00	458.00	664.00	1123.00	-	-	-	
Low footed pipe clip	6.00	7.00	14.00	19.00	30.00	38.00	-	-	-	
High footed pipe clip	12.00	14.00	22.00	24.00	27.00	36.00	-	-	-	
"Y" type pipe clip	19.00	22.00	27.00	-	-	-	-	-	-	
Union (plastic)	57.00	97.00	157.00	238.00	373.00	445.00	-	-	-	
Ball valve (Brass)	329.00	406.00	552.00	912.00	-	-	-	-	-	
Short Passover	73.00	105.00	163.00	-	-	-	-	-	-	
Long Bypass	84.00	138.00	203.00	-	-	-	-	-	-	
Cross tee	25.00	38.00	65.00	-	-	-	-	-	-	
End plug	6.00	18.00	23.00	-	-	-	-	-	-	
Long End plug	9.00	-	-	-	-	-	-	-	-	
End plug with Ring	22.00	-	-	-	-	-	-	-	-	
Concealed valve (Nor)	902.00	-	-	-	-	-	-	-	-	
Concealed valve (Lux)	1072.00	-	-	-	-	-	-	-	-	

Description	25*20mm	32*20mm	32*25mm	-	-	-	-	-	-
Reducing elbow	22.00	39.00	48.00	-	-	-	-	-	-
Reducing coupler	25*20mm	32*20mm	32*25mm	40*20mm	40*25mm	40*32mm	50*20mm	50*25mm	50*32mm
	16.00	20.00	22.00	33.00	34.00	46.00	61.00	59.00	67.00
	50*40mm	63*20mm	63*25mm	63*32mm	63*40mm	63*50mm	75*40mm	75*50mm	75*63mm
	71.00	96.00	119.00	120.00	120.00	120.00	239.00	244.00	246.00
	90*50mm	90*63mm	90*75mm	110*75mm	110*90mm	-	-	-	-
	454.00	487.00	573.00	803.00	893.00	-	-	-	-

Description	25*20*25	32*20*32	32*25*32	40*20*40	40*25*40	40*32*40	50*20*50	50*25*50	50*32*50
Reducing Tee	29.00	43.00	46.00	61.00	69.00	74.00	126.00	129.00	138.00
	50*40*50	63*20*63	63*25*63	63*32*63	63*40*63	63*50*63	75*50*75	75*63*75	90*63*90
	143.00	187.00	208.00	215.00	220.00	227.00	550.00	552.00	907.00
	90*75*90	110*75*110	110*90*110	-	-	-	-	-	-
	1003.00	1624.00	1672.00	-	-	-	-	-	-



नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७९/८० को स्वीकृत जिल्ला दर रेट (१)
 नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७९/८० को स्वीकृत दर रेट १३ % भ्याट बाहेक

S.N.	Description	Unit	Rate				Rem
			50mm	75mm	110mm	160mm	
1	Coupler	Pc	34.00	83.00	141.00	377.00	
2	Bend 87.5°	Pc	51.00	120.00	221.00	500.00	
3	Bend 45°	Pc	49.00	96.00	175.00	530.00	
4	Single Tee	Pc	75.00	162.00	308.00	683.00	
5	Pipe Clip	Pc	16.00	31.00	41.00	79.00	
6	Bend 87.5° with Door	Pc	-	153.00	267.00	774.00	
7	Single Tee with Door	Pc	-	219.00	407.00	1023.00	
8	Double Tee	Pc	-	356.00	563.00	-	
9	Double Tee with Door	Pc	-	473.00	732.00	-	
10	Vent Cowl	Pc	-	58.00	97.00	-	
11	Socket Plug	Pc	-	73.00	119.00	-	
12	Single 'Y'	Pc	-	208.00	401.00	-	
13	Single 'Y' with Door	Pc	-	254.00	484.00	-	
14	Double 'Y'	Pc	-	280.00	552.00	-	
15	Double 'Y' with Door	Pc	-	358.00	578.00	-	
16	Cleaning pipe	Pc	-	163.00	314.00	-	
17	Reducer 160*110mm	Pc	-	-	-	365.00	
18	Reducer 110*75mm	Pc	-	-	145.00	-	
19	Reducer 75*50mm	Pc	-	77.00	-	-	
20	P' Trap 125*110mm	Pc	-	-	596.00	-	
21	P' Trap 110*110mm	Pc	-	-	558.00	-	
22	P' Trap 75*75mm	Pc	-	214.00	-	-	
23	Multi floor Trap 110*75mm	Pc	-	-	310.00	-	
24	Nahani Trap 110*75mm	Pc	-	-	282.00	-	
25	W.C. Connector (Bent type)	Pc	-	-	421.00	-	
26	Square Tile with Jali	Pc	-	-	93.00	-	
27	Round Jali	Pc	-	-	42.00	-	
28	End Cap (50mm)	Pc	27.00	-	-	-	

Handwritten signatures and initials at the bottom of the page.

दावा



नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७९-८० को स्वीकृत जिल्ला दर रेट (४)

७.५ खानेपानी सम्बन्धी फिटीङ्स सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३% प्याट बाहेकको दररेट (रु.)					कैफियत
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	आ.व. २०७८/७९ को स्वीकृत दर रेट	
	६५०मिमि. स्याडल फेरोल २ ^{1/2} x1/2* PVC	प्रति गोटा	२७५	२७५१००	२७५१००	२७५१००	२७५१००	३०२१५०
	८०मिमि. स्याडल फेरोल ३x1/2* PVC	प्रति गोटा	३५०	३५०१००	३५०१००	३५०१००	३५०१००	३६५१००
	१००मिमि. स्याडल फेरोल ४x1/2* PVC	प्रति गोटा	४००	४००१००	४००१००	४००१००	४००१००	४४०१००
२९	जि.आई. स्याडल							
	50mmx32mm	प्रति गोटा	९३६	९३६१००	९३६१००	९३६१००	९३६१००	१०२९६०
	50mmx40mm	प्रति गोटा	११२०	११२०१००	११२०१००	११२०१००	११२०१००	१२३२००
	63mmx32mm	प्रति गोटा	९८४	९८४१००	९८४१००	९८४१००	९८४१००	१०८८४०
	63mmx40mm	प्रति गोटा	११७०	११७०१००	११७०१००	११७०१००	११७०१००	१२८७००
	63mmx50mm	प्रति गोटा	१३००	१३००१००	१३००१००	१३००१००	१३००१००	१४३०००
	75mmx32mm	प्रति गोटा	१०१२	१०१२१००	१०१२१००	१०१२१००	१०१२१००	१११३२०
	75mmx40mm	प्रति गोटा	११९६	११९६१००	११९६१००	११९६१००	११९६१००	१३१५६०
	75mmx50mm	प्रति गोटा	१३२८	१३२८१००	१३२८१००	१३२८१००	१३२८१००	१४६०८०
	75mmx63mm	प्रति गोटा	१५०८	१५०८१००	१५०८१००	१५०८१००	१५०८१००	१६५८८०
	90mmx32mm	प्रति गोटा	१३४४	१३४४१००	१३४४१००	१३४४१००	१३४४१००	१४७८४०
	90mmx40mm	प्रति गोटा	१५२८	१५२८१००	१५२८१००	१५२८१००	१५२८१००	१६८०८०
	90mmx50mm	प्रति गोटा	१६६०	१६६०१००	१६६०१००	१६६०१००	१६६०१००	१८२०८०
	90mmx63mm	प्रति गोटा	१८४०	१८४०१००	१८४०१००	१८४०१००	१८४०१००	२०२४००
	90mmx75mm	प्रति गोटा	२२०८	२२०८१००	२२०८१००	२२०८१००	२२०८१००	२४२८००
	110mmx32mm	प्रति गोटा	१४५६	१४५६१००	१४५६१००	१४५६१००	१४५६१००	१६०१६०
	110mmx40mm	प्रति गोटा	१६४०	१६४०१००	१६४०१००	१६४०१००	१६४०१००	१८०४००
	110mmx50mm	प्रति गोटा	१७७२	१७७२१००	१७७२१००	१७७२१००	१७७२१००	१९४१२०
	110mmx63mm	प्रति गोटा	१९९२	१९९२१००	१९९२१००	१९९२१००	१९९२१००	२१९१२०
	110mmx75mm	प्रति गोटा	२३२०	२३२०१००	२३२०१००	२३२०१००	२३२०१००	२५५२००
	110mmx90mm	प्रति गोटा	२४६२	२४६२१००	२४६२१००	२४६२१००	२४६२१००	२७०८२०
	125mmx32mm	प्रति गोटा	१५४०	१५४०१००	१५४०१००	१५४०१००	१५४०१००	१६९४००
	125mmx40mm	प्रति गोटा	१७२४	१७२४१००	१७२४१००	१७२४१००	१७२४१००	१८९४००
	125mmx50mm	प्रति गोटा	१८५६	१८५६१००	१८५६१००	१८५६१००	१८५६१००	२०४१६०
	125mmx63mm	प्रति गोटा	२०३६	२०३६१००	२०३६१००	२०३६१००	२०३६१००	२२३९६०
	125mmx75mm	प्रति गोटा	२४०४	२४०४१००	२४०४१००	२४०४१००	२४०४१००	२६४४००
	125mmx90mm	प्रति गोटा	२६५६	२६५६१००	२६५६१००	२६५६१००	२६५६१००	२९२१६०
	125mmx110mm	प्रति गोटा	३३०४	३३०४१००	३३०४१००	३३०४१००	३३०४१००	३६३४४०
	140mmx32mm	प्रति गोटा	१६४४	१६४४१००	१६४४१००	१६४४१००	१६४४१००	१८०८४०
	140mmx40mm	प्रति गोटा	१८२८	१८२८१००	१८२८१००	१८२८१००	१८२८१००	२०१०८०
	140mmx50mm	प्रति गोटा	१९६०	१९६०१००	१९६०१००	१९६०१००	१९६०१००	२१५४००
	140mmx63mm	प्रति गोटा	२१४०	२१४०१००	२१४०१००	२१४०१००	२१४०१००	२३५४००
	140mmx75mm	प्रति गोटा	२५०८	२५०८१००	२५०८१००	२५०८१००	२५०८१००	२७५८००
	140mmx90mm	प्रति गोटा	२७६०	२७६०१००	२७६०१००	२७६०१००	२७६०१००	३०३६००
	140mmx110mm	प्रति गोटा	३४०८	३४०८१००	३४०८१००	३४०८१००	३४०८१००	३७५८००
	160mmx32mm	प्रति गोटा	१७४८	१७४८१००	१७४८१००	१७४८१००	१७४८१००	१९२४००
	160mmx40mm	प्रति गोटा	१९३२	१९३२१००	१९३२१००	१९३२१००	१९३२१००	२१२४००
	160mmx50mm	प्रति गोटा	२०६४	२०६४१००	२०६४१००	२०६४१००	२०६४१००	२२७०४०
	160mmx63mm	प्रति गोटा	२२४४	२२४४१००	२२४४१००	२२४४१००	२२४४१००	२४६८४०
	160mmx75mm	प्रति गोटा	२६१२	२६१२१००	२६१२१००	२६१२१००	२६१२१००	२८७३२०
	160mmx90mm	प्रति गोटा	२८६४	२८६४१००	२८६४१००	२८६४१००	२८६४१००	३१५४४०
	160mmx110mm	प्रति गोटा	३५१२	३५१२१००	३५१२१००	३५१२१००	३५१२१००	३८६३२०
	180mmx32mm	प्रति गोटा	१८८४	१८८४१००	१८८४१००	१८८४१००	१८८४१००	२०७२४०
	180mmx40mm	प्रति गोटा	२०६८	२०६८१००	२०६८१००	२०६८१००	२०६८१००	२२७४८०
	180mmx50mm	प्रति गोटा	२२००	२२००१००	२२००१००	२२००१००	२२००१००	२४२०८०
	180mmx63mm	प्रति गोटा	२३८०	२३८०१००	२३८०१००	२३८०१००	२३८०१००	२६१८००
	180mmx75mm	प्रति गोटा	२७४८	२७४८१००	२७४८१००	२७४८१००	२७४८१००	३०२२८०
	180mmx90mm	प्रति गोटा	३०००	३०००१००	३०००१००	३०००१००	३०००१००	३३००८०
	180mmx110mm	प्रति गोटा	३६५८	३६५८१००	३६५८१००	३६५८१००	३६५८१००	४०२३८०
	200mmx32mm	प्रति गोटा	१९६४	१९६४१००	१९६४१००	१९६४१००	१९६४१००	२१६०४०
	200mmx40mm	प्रति गोटा	२१६८	२१६८१००	२१६८१००	२१६८१००	२१६८१००	२३६४८०
	200mmx50mm	प्रति गोटा	२३००	२३००१००	२३००१००	२३००१००	२३००१००	२५३०८०
	200mmx63mm	प्रति गोटा	२४००	२४००१००	२४००१००	२४००१००	२४००१००	२६४०८०
	200mmx75mm	प्रति गोटा	२८४८	२८४८१००	२८४८१००	२८४८१००	२८४८१००	३१३२८०
	200mmx90mm	प्रति गोटा	३१००	३१००१००	३१००१००	३१००१००	३१००१००	३४१०८०
	200mmx110mm	प्रति गोटा	३७४८	३७४८१००	३७४८१००	३७४८१००	३७४८१००	४१२२८०
	225mmx32mm	प्रति गोटा	२१२८	२१२८१००	२१२८१००	२१२८१००	२१२८१००	२३३०८०
	225mmx40mm	प्रति गोटा	२३१०	२३१०१००	२३१०१००	२३१०१००	२३१०१००	२५४१००
	225mmx50mm	प्रति गोटा	२४४४	२४४४१००	२४४४१००	२४४४१००	२४४४१००	२६८८४०
	225mmx63mm	प्रति गोटा	२६२४	२६२४१००	२६२४१००	२६२४१००	२६२४१००	२८६८४०
	225mmx75mm	प्रति गोटा	२९९२	२९९२१००	२९९२१००	२९९२१००	२९९२१००	३२९१२०
	225mmx90mm	प्रति गोटा	३२४०	३२४०१००	३२४०१००	३२४०१००	३२४०१००	३५६४००
	225mmx110mm	प्रति गोटा	३८९२	३८९२१००	३८९२१००	३८९२१००	३८९२१००	४२८१२०
३०	टाँकिको निप्पल							
	१५मि.मि ब्यास	प्रति गोटा	११२	११२१००	११२१००	११२१००	११२१००	१२३२००
	२०मि.मि ब्यास	प्रति गोटा	१८०	१८०१००	१८०१००	१८०१००	१८०१००	१९६८००
	२५मि.मि ब्यास	प्रति गोटा	२७५	२७५१००	२७५१००	२७५१००	२७५१००	३०२१५०
	३२मि.मि ब्यास	प्रति गोटा	३७३	३७३१००	३७३१००	३७३१००	३७३१००	४००३२०
	४०मि.मि ब्यास	प्रति गोटा	४७५	४७५१००	४७५१००	४७५१००	४७५१००	५२२१५०
	५० मि.मि. ब्यास	प्रति गोटा	८५०	८५०१००	८५०१००	८५०१००	८५०१००	९३५१००

दावा

Signature

Signature

Signature

Signature

हा.प.स.



नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७९/८० को स्वीकृत जिल्ला दर रेट (रु.)

खात्रेपानी सम्बन्धी फिटीङ्स सामाग्री

क.सं.	निर्माण सामग्रीको विवरण	इकाई	१३७६ भ्याट बाहेकको दररेट (रु.)					कैफियत
			आ.व. २०७४/७५	आ.व. २०७५/७६	२०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	आ.व. २०७८/७९ को स्वीकृत दर रेट	
	180mmx90mm	प्रति गोटा	१०००	१०००/००	१०००/००	१०००/००	१०००/००	११००/००
	180mmx110mm	प्रति गोटा	११९०	११९०/००	११९०/००	११९०/००	११९०/००	१३०९/००
	180mmx125mm	प्रति गोटा	१२९०	१२९०/००	१२९०/००	१२९०/००	१२९०/००	१४१९/००
	180mmx140mm	प्रति गोटा	१३२०	१३२०/००	१३२०/००	१३२०/००	१३२०/००	१४५२/००
	180mmx160mm	प्रति गोटा	१४५०	१४५०/००	१४५०/००	१४५०/००	१४५०/००	१५५५/००
	200mmx90mm	प्रति गोटा	१७४०	१७४०/००	१७४०/००	१७४०/००	१७४०/००	१९१४/००
	200mmx110mm	प्रति गोटा	२०९०	२०९०/००	२०९०/००	२०९०/००	२०९०/००	२२९९/००
	200mmx125mm	प्रति गोटा	२१३०	२१३०/००	२१३०/००	२१३०/००	२१३०/००	२३४३/००
	200mmx140mm	प्रति गोटा	२१५०	२१५०/००	२१५०/००	२१५०/००	२१५०/००	२३६५/००
	200mmx160mm	प्रति गोटा	२२५०	२२५०/००	२२५०/००	२२५०/००	२२५०/००	२४७५/००
	200mmx180mm	प्रति गोटा	२५३०	२५३०/००	२५३०/००	२५३०/००	२५३०/००	२७८३/००
	225mmx110mm	प्रति गोटा	२११०	२११०/००	२११०/००	२११०/००	२११०/००	२३२१/००
	225mmx125mm	प्रति गोटा	२२६०	२२६०/००	२२६०/००	२२६०/००	२२६०/००	२४८६/००
	225mmx140mm	प्रति गोटा	२३७०	२३७०/००	२३७०/००	२३७०/००	२३७०/००	२६०७/००
	225mmx160mm	प्रति गोटा	२४९०	२४९०/००	२४९०/००	२४९०/००	२४९०/००	२७३९/००
	225mmx180mm	प्रति गोटा	२६७०	२६७०/००	२६७०/००	२६७०/००	२६७०/००	२९३७/००
	225mmx200mm	प्रति गोटा	२८५०	२८५०/००	२८५०/००	२८५०/००	२८५०/००	३१३५/००
३७	HDPE Reducer Tee (6kgf/cm2)					०/०	०/०	०/०
	40mmx32mm	प्रति गोटा	२१६	२१६/००	२१६/००	२१६/००	२१६/००	२३५६/०
	50mmx32mm	प्रति गोटा	२७०	२७०/००	२७०/००	२७०/००	२७०/००	२९७०/०
	50mmx40mm	प्रति गोटा	२७०	२७०/००	२७०/००	२७०/००	२७०/००	२९७०/०
	60mmx32mm	प्रति गोटा	४५०	४५०/००	४५०/००	४५०/००	४५०/००	४९५५/००
	63mmx40mm	प्रति गोटा	४७०	४७०/००	४७०/००	४७०/००	४७०/००	५१७०/००
	63mmx50mm	प्रति गोटा	४७०	४७०/००	४७०/००	४७०/००	४७०/००	५१७०/००
	75mmx32mm	प्रति गोटा	६७०	६७०/००	६७०/००	६७०/००	६७०/००	७३७०/००
	75mmx40mm	प्रति गोटा	६९०	६९०/००	६९०/००	६९०/००	६९०/००	७५९०/००
	75mmx50mm	प्रति गोटा	७१०	७१०/००	७१०/००	७१०/००	७१०/००	७८१०/००
	75mmx63mm	प्रति गोटा	७१०	७१०/००	७१०/००	७१०/००	७१०/००	७८१०/००
	90mmx32mm	प्रति गोटा	८९०	८९०/००	८९०/००	८९०/००	८९०/००	९५९०/००
	90mmx40mm	प्रति गोटा	९१०	९१०/००	९१०/००	९१०/००	९१०/००	१००१०/००
	90mmx50mm	प्रति गोटा	९५०	९५०/००	९५०/००	९५०/००	९५०/००	१०४५०/००
	90mmx63mm	प्रति गोटा	९७०	९७०/००	९७०/००	९७०/००	९७०/००	१०६७०/००
	90mmx75mm	प्रति गोटा	९९०	९९०/००	९९०/००	९९०/००	९९०/००	१०८९०/००
	110mmx50mm	प्रति गोटा	१४५०	१४५०/००	१४५०/००	१४५०/००	१४५०/००	१५९५०/००
	110mmx63mm	प्रति गोटा	१४९०	१४९०/००	१४९०/००	१४९०/००	१४९०/००	१६३९०/००
	110mmx75mm	प्रति गोटा	१५३०	१५३०/००	१५३०/००	१५३०/००	१५३०/००	१६८३०/००
	110mmx90mm	प्रति गोटा	१६३०	१६३०/००	१६३०/००	१६३०/००	१६३०/००	१७९३०/००
	125mmx63mm	प्रति गोटा	१८००	१८००/००	१८००/००	१८००/००	१८००/००	१९८०/००
	125mmx75mm	प्रति गोटा	१९२०	१९२०/००	१९२०/००	१९२०/००	१९२०/००	२११२०/००
	125mmx90mm	प्रति गोटा	२०००	२०००/००	२०००/००	२०००/००	२०००/००	२२००/००
	125mmx110mm	प्रति गोटा	२११०	२११०/००	२११०/००	२११०/००	२११०/००	२३२१०/००
	140mmx63mm	प्रति गोटा	२५८०	२५८०/००	२५८०/००	२५८०/००	२५८०/००	२८३६०/००
	140mmx75mm	प्रति गोटा	२१६०	२१६०/००	२१६०/००	२१६०/००	२१६०/००	२३७५०/००
	140mmx90mm	प्रति गोटा	२७००	२७००/००	२७००/००	२७००/००	२७००/००	२९७००/००
	140mmx110mm	प्रति गोटा	२८००	२८००/००	२८००/००	२८००/००	२८००/००	३०८००/००
	140mmx125mm	प्रति गोटा	२८४०	२८४०/००	२८४०/००	२८४०/००	२८४०/००	३१२४०/००
	160mmx75mm	प्रति गोटा	३३४०	३३४०/००	३३४०/००	३३४०/००	३३४०/००	३६४४०/००
	160mmx90mm	प्रति गोटा	३३९०	३३९०/००	३३९०/००	३३९०/००	३३९०/००	३७२९०/००
	160mmx110mm	प्रति गोटा	३६८०	३६८०/००	३६८०/००	३६८०/००	३६८०/००	४०४८०/००
	160mmx125mm	प्रति गोटा	३७००	३७००/००	३७००/००	३७००/००	३७००/००	४०७०/००
	160mmx140mm	प्रति गोटा	३७२०	३७२०/००	३७२०/००	३७२०/००	३७२०/००	४०९२०/००
	180mmx90mm	प्रति गोटा	४५७०	४५७०/००	४५७०/००	४५७०/००	४५७०/००	५०२७०/००
	180mmx110mm	प्रति गोटा	४७२०	४७२०/००	४७२०/००	४७२०/००	४७२०/००	५१९२०/००
	180mmx125mm	प्रति गोटा	४८२०	४८२०/००	४८२०/००	४८२०/००	४८२०/००	५२३०/००
	180mmx140mm	प्रति गोटा	४८५०	४८५०/००	४८५०/००	४८५०/००	४८५०/००	५३३५०/००
	180mmx160mm	प्रति गोटा	४९८०	४९८०/००	४९८०/००	४९८०/००	४९८०/००	५४७८०/००
	200mmx75mm	प्रति गोटा	५७७०	५७७०/००	५७७०/००	५७७०/००	५७७०/००	६३४७०/००
	200mmx90mm	प्रति गोटा	६२६०	६२६०/००	६२६०/००	६२६०/००	६२६०/००	६८८६०/००
	200mmx110mm	प्रति गोटा	६६१०	६६१०/००	६६१०/००	६६१०/००	६६१०/००	७२७१०/००
	200mmx125mm	प्रति गोटा	६६५०	६६५०/००	६६५०/००	६६५०/००	६६५०/००	७३१५०/००
	200mmx140mm	प्रति गोटा	६६७०	६६७०/००	६६७०/००	६६७०/००	६६७०/००	७३३७०/००
	200mmx160mm	प्रति गोटा	६७७०	६७७०/००	६७७०/००	६७७०/००	६७७०/००	७४४७०/००
	200mmx180mm	प्रति गोटा	७०५०	७०५०/००	७०५०/००	७०५०/००	७०५०/००	७५५५०/००
३८	HDPE Equal Tee (6kgf/cm2)					०/०	०/०	०/०
	50mm	प्रति गोटा	१८०	१८०/००	१८०/००	१८०/००	१८०/००	१९८०/००
	63mm	प्रति गोटा	३६०	३६०/००	३६०/००	३६०/००	३६०/००	३९६०/००
	75mm	प्रति गोटा	५६०	५६०/००	५६०/००	५६०/००	५६०/००	६१६०/००
	90mm	प्रति गोटा	७२०	७२०/००	७२०/००	७२०/००	७२०/००	७९२०/००
	110mm	प्रति गोटा	११८०	११८०/००	११८०/००	११८०/००	११८०/००	१२९८०/००
	125mm	प्रति गोटा	१३९०	१३९०/००	१३९०/००	१३९०/००	१३९०/००	१५२९०/००
	140mm	प्रति गोटा	१९७०	१९७०/००	१९७०/००	१९७०/००	१९७०/००	२१६७०/००
	160mm	प्रति गोटा	२५५०	२५५०/००	२५५०/००	२५५०/००	२५५०/००	२८०५०/००
	180mm	प्रति गोटा	३५३०	३५३०/००	३५३०/००	३५३०/००	३५३०/००	३८८३०/००

हा.प.स.

हा.प.स.

हा.प.स.

हा.प.स.

हा.प.स.

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७९/८० को स्वीकृत मिला दर रेट (७)
 ७.५ खानेपानी सम्बन्धी फिटीङ्स सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३% भाट बाहेकको दररेट (रु.)						कैफियत
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	आ.व. २०७८/७९ को स्वीकृत दर रेट	आ.व. २०७९/८० को स्वीकृत दर रेट	
	200mm	प्रति गोटा	४५२०	४५२०१००	४५२०१००	४५२०१००	४५२०१००	४५७२१००	
	225mm	प्रति गोटा	५६७०	५६७०१००	५६७०१००	५६७०१००	५६७०१००	६२३७१००	
	250mm	प्रति गोटा	७३८०	७३८०१००	७३८०१००	७३८०१००	७३८०१००	८११८१००	
	280mm	प्रति गोटा	१११३०	१११३०१००	१११३०१००	१११३०१००	१११३०१००	१२२४३१००	
	315mm	प्रति गोटा	१५१००	१५१००१००	१५१००१००	१५१००१००	१५१००१००	१६६१०१००	
३९	HDPEBend 90 (6kgf/cm2)						०१००	०१००	०१००
	50mm	प्रति गोटा	१७०	१७०१००	१७०१००	१७०१००	१७०१००	१८५०१००	
	63mm	प्रति गोटा	२३०	२३०१००	२३०१००	२३०१००	२३०१००	२४३०१००	
	75mm	प्रति गोटा	५७०	५७०१००	५७०१००	५७०१००	५७०१००	६२७०१००	
	90mm	प्रति गोटा	७५०	७५०१००	७५०१००	७५०१००	७५०१००	८२४०१००	
	110mm	प्रति गोटा	१०५०	१०५०१००	१०५०१००	१०५०१००	१०५०१००	११५५१००	
	125mm	प्रति गोटा	१३९०	१३९०१००	१३९०१००	१३९०१००	१३९०१००	१५२९१००	
	140mm	प्रति गोटा	१९००	१९००१००	१९००१००	१९००१००	१९००१००	२०९०१००	
	160mm	प्रति गोटा	२६५०	२६५०१००	२६५०१००	२६५०१००	२६५०१००	२९१५१००	
	180mm	प्रति गोटा	३५००	३५००१००	३५००१००	३५००१००	३५००१००	३६५०१००	
	200mm	प्रति गोटा	४२६२	४२६२१००	४२६२१००	४२६२१००	४२६२१००	४६८८२१००	
	225mm	प्रति गोटा	६३५०	६३५०१००	६३५०१००	६३५०१००	६३५०१००	६९८५१००	
	250mm	प्रति गोटा	८५००	८५००१००	८५००१००	८५००१००	८५००१००	९३५०१००	
	280mm	प्रति गोटा	११६७०	११६७०१००	११६७०१००	११६७०१००	११६७०१००	१२८३७१००	
४०	Readymade Washer						०१००	०१००	०१००
	40mm	प्रति गोटा	९०	९०१००	९०१००	९०१००	९०१००	९११००	
	50mm	प्रति गोटा	९०	९०१००	९०१००	९०१००	९०१००	९११००	
	65mm	प्रति गोटा	१००	१००१००	१००१००	१००१००	१००१००	११०१००	
	80mm	प्रति गोटा	१२०	१२०१००	१२०१००	१२०१००	१२०१००	१३०१००	
	100mm	प्रति गोटा	१४०	१४०१००	१४०१००	१४०१००	१४०१००	१५०१००	
	140mm	प्रति गोटा	२१०	२१०१००	२१०१००	२१०१००	२१०१००	२३१००	
	160mm	प्रति गोटा	५४०	५४०१००	५४०१००	५४०१००	५४०१००	५९५१००	
	200mm	प्रति गोटा	५४०	५४०१००	५४०१००	५४०१००	५४०१००	५९५१००	
	250mm	प्रति गोटा	६७०	६७०१००	६७०१००	६७०१००	६७०१००	७३७१००	
४१	Rubber Seal	प्रति गोटा	५००	५००१००	५००१००	५००१००	५००१००	५५५१००	


Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.

७.६ ईनार तथा ट्युबवेल सम्बन्धी

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३७७ म्याट बाहेकको दररेट(रु.)					कैफियत
			आ.व. २०७४/७५	आ.व. २०७५/७६	२०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	आ.व. २०७८/७९ को स्वीकृत दर रेट	
	DEEP Tube Well							
१	Pea Gravel	No	२४००१००	२५२०१००	२५२०१००	२५२०१००	२५२०१००	२७७२१००
२	Gasket	KG	४४१००	४६१००	४६१००	४६१००	४६१००	५०१६०
३	Bentonite	KG	२५१००	२६१००	२६१००	२६१००	२६१००	२८६६०
४	Barite	KG	२६१००	२७०००	२७०००	२७०००	२७०००	२९१७०
५	MS Casing pipe 10"	KG	९५१००	१००१००	१००१००	१००१००	१००१००	११०१००
६	MS Casing pipe 8"	KG	८६१००	९०१००	९०१००	९०१००	९०१००	९९१००
७	MS Casing pipe 6"	KG	८५१००	८९१००	८९१००	८९१००	८९१००	९७९१०
८	Reducer 8/6"	No	२०००१००	२१००१००	२१००१००	२१००१००	२१००१००	२३१०१००
९	Flange-Set 8 "	No	३५००१००	३६५५१००	३६५५१००	३६५५१००	३६५५१००	४०४२१५०
	Shallow Tube Well							
१०	MS Pipe Treaded- 4"ø	KG	११०१००	११६१००	११६१००	११६१००	११६१००	१२७६६०
११	Bottle T(Well Head-T)	No	२४००१००	२६२५१००	२६२५१००	२६२५१००	२६२५१००	२८८७५१०
१२	Nipple 4"ø 4" length	No	२३५१००	२४७००	२४७००	२४७००	२४७००	२७११७०
१३	Heavy Socket 4"ø	No	९५०१००	९९८१००	९९८१००	९९८१००	९९८१००	१०९७८०
१४	Nipple 1.5"ø 9" long	No	२२२१००	२३३१००	२३३१००	२३३१००	२३३१००	२५६३०
१५	Non-return Valve 4"ø	No	४५००१००	४७२५१००	४७२५१००	४७२५१००	४७२५१००	५१९७५१०
१६	CI Cap 4"ø	No	३००१००	३१५१००	३१५१००	३१५१००	३१५१००	३४६५१०
१७	CI Cap 1.5"ø	No	९२१००	९७००	९७००	९७००	९७००	१०६१७०
१८	PVC Screen Making Charge	RM	६५०१००	६८३१००	६८३१००	६८३१००	६८३१००	७५१३०
१९	MS Screen Making Charge	RM	२२००१००	२३१०१००	२३१०१००	२३१०१००	२३१०१००	२५४१००
२०	Noke Making Charge	No	३२००१००	३३६०१००	३३६०१००	३३६०१००	३३६०१००	३६९६१००
२१	Nylon Net	Mtr	११०१००	११६१००	११६१००	११६१००	११६१००	१२७६०
२२	<u>Shallow Tubewell Drilling Charge(Manual)</u>					०१००	०१००	०१००
२३	Sludge Method	RM	१३३३७००	१४०४१००	१४०४१००	१४०४१००	१४०४१००	१५४४१४०
२४	HammeringMethod	RM	१९५३००	२०५१००	२०५१००	२०५१००	२०५१००	२२५६१०
	Cost of Summercible PumpsTube Well					०१००	०१००	०१००
२५	5HP Motor pump (4" Boring,Economic Head Upto 50m)	No	७५०००१००	७८५०१००	७८५०१००	७८५०१००	७८५०१००	८६६२५१००
२६	6HP Motor pump (4" Boring,Economic Head Upto 75m)	No	८५०००१००	८९२५०१००	८९२५०१००	८९२५०१००	८९२५०१००	९८१७५१००
२७	7.5HP Motor pump (6" Boring,Economic Head Upto 100m)	No	१०५०००१००	११०२५०१००	११०२५०१००	११०२५०१००	११०२५०१००	१२१२५१००
२८	10HP Motor pump (6" Boring,Economic Head Upto 150m)	No	१५५०००१००	१६२५०१००	१६२५०१००	१६२५०१००	१६२५०१००	१७९०२५१००
२९	15HP Motor pump (8" Boring,Economic Head Upto 150m)	No	२३००००१००	२४१५००१००	२४१५००१००	२४१५००१००	२४१५००१००	२६५६५०१००
३०	20HP Motor pump (10" Boring,Economic Head Upto 150m)	No	२४५०००१००	२५७२५०१००	२५७२५०१००	२५७२५०१००	२५७२५०१००	२८२९७५१००
३१	25-30HP Motor pump (>10" Boring,Economic Head Upto)	No	२६५०००१००	२७८२५०१००	२७८२५०१००	२७८२५०१००	२७८२५०१००	३०६०७५१००
३२	Flexible submerssible copper flat cable					०१००	०१००	०१००
३३.१	4 sq.mm.	Mtr	६४०१००	६७२१००	६७२१००	६७२१००	६७२१००	७३९१२०
३३.२	6 sq.mm.	Mtr	७३०१००	७६७००	७६७००	७६७००	७६७००	८४३१७०

Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.

21/11/2021



नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७९/८० को स्वीकृत जिल्ला दर रेट (१)

७-७ खानपानी सम्बन्धी साधारण हाते औजारहरु

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३% भ्याट बाहिरको दररेट(रु.)				कैफियत
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	
१	अन्तुनियम गाघो (२० लिटर)	गोटा	१५०१००	१९८१००	१९८१००	१९८१००	१०९७८०
२	स्यानीय बन्धरो	गोटा	५५५१००	६०४१००	६०४१००	६०४१००	६६४१४०
३	वेल्वा (स्टिलको बिड भएको) टाटा वा सो सरह	गोटा	५५०१००	५७८१००	५७८१००	५७८१००	६३५१८०
४	कोदाली (१.५० किलो) टाटा वा सो सरह	गोटा	६००१००	६३०१००	६३०१००	६३०१००	६९३०८०
५	गैती (२.७० किलो) टाटा, लुधरा वा सो सरह	गोटा	५५०१००	५७८१००	५७८१००	५७८१००	६३५१८०
६	गैती (२.२० किलो) टाटा, लुधरा वा सो सरह	गोटा	४५०१००	४७३१००	४७३१००	४७३१००	५२३०३०
७	फम्मल (१.२५ इन्च) टाटा वा सो सरह	गोटा	२२००१००	२३९०१००	२३९०१००	२३९०१००	२५५१००
८	छिनो (६ इन्च लामो ३२ एमएम)	गोटा	२७५१००	२८९१००	२८९१००	२८९१००	३१५१००
९	छिनो (९ इन्च लामो ३२ एमएम)	गोटा	६५०१००	६८३१००	६८३१००	६८३१००	७५११३०
१०	किंग पिन छिनो टाटा, लुधरा वा सो सरह	गोटा	६००१००	६३०१००	६३०१००	६३०१००	६९३०८०
११	फालामको घन (५ किलो) टाटा, लुधरा वा सो सरह	गोटा	१२००१००	१२६०१००	१२६०१००	१२६०१००	१३६०१००
१२	फालामको घन (२.५ किलो) टाटा, लुधरा वा सो सरह	गोटा	७००१००	७३११००	७३११००	७३११००	८०८१००
१३	फालामको घन (१ किलो) टाटा, लुधरा वा सो सरह	गोटा	२७५१००	२८९१००	२८९१००	२८९१००	३१५१००
१४	तारपोलिन सित १८वाइ २५ फिट	गोटा	२५५१००	२७०४१००	२७०४१००	२७०४१००	२९७४१४०
१५	कर्मि मिस्लीको ठुलो	गोटा	१५८१००	१८७१००	१८७१००	१८७१००	२०५१००
१६	कर्मि मिस्लीको सानो	गोटा	१२५१००	१३९१००	१३९१००	१३९१००	१४५१००
१७	प्लम्ब/धन्दी फालामको	गोटा	१५५१००	१८४१००	१८४१००	१८४१००	२०२१००
१८	मिस्लीको प्रांगी ३मि.मि.को	स्वायल	७५१००	७९१००	७९१००	७९१००	८६१००
१९	लेभर पारदर्भ/पानीपाइप	मिटर	१६१००	१७०००	१७०००	१७०००	१८०००
२०	पन्जा (छालाको)	गोटा	४६५१००	४८८१००	४८८१००	४८८१००	५३६१००
२१	किल ब्यारो (टायर र फालामको हेण्डलभएको)	गोटा	९०००१००	९४५०१००	९४५०१००	९४५०१००	१०३९५१००
२२	पम्प (हातबा झुन्डले चलाउने)	गोटा	११२५१००	११८१००	११८१००	११८१००	१२९९१००
२३	सुरक्षा हेल्मेटा(प्लास्टिक)	गोटा	३७५१००	३९४१००	३९४१००	३९४१००	४३३४१००
२४	मेसन हेड प्यान फालामको १८इन्च लोकल	गोटा	२६५१००	२७८१००	२७८१००	२७८१००	३०५१००
२५	हेन्सा फेम	गोटा	२७५१००	२८९१००	२८९१००	२८९१००	३१५१००
२६	हेन्सा ब्लेड विंगल	गोटा	१०१००	१११००	१११००	१११००	१२१००
२७	हेन्सा ब्लेड डबल	गोटा	१८१००	१९१००	१९१००	१९१००	२०१००
२८	काठ चिर्ने आग १८ इन्च	गोटा	१८५१००	१९४१००	१९४१००	१९४१००	२१३४१००
२९	१० इन्चको चोटो रेली	गोटा	४६५१००	४८८१००	४८८१००	४८८१००	५३६१००
३०	१० इन्चको आधा गोलाकार रेली	गोटा	४५५१००	४८३१००	४८३१००	४८३१००	५३६१००
३१	स्क्रु ड्राइभर २२० मिमि	गोटा	१८५१००	१९४१००	१९४१००	१९४१००	२१३४१००
३२	डाइ सेट साधारण ०.५ देखि २ इन्च सम्म	गोटा	६९४५१००	७२९२१००	७२९२१००	७२९२१००	८०८२१००
३३	डाइ सेट अटोमेटिक ०.५ देखि २ इन्च सम्म	सेट	१९१५१००	२०९११००	२०९११००	२०९११००	२२९११००
३४	डाइ सेट रिचेट १५ देखि २५ मि.मि. सम्म	सेट	४६००१००	४८३०१००	४८३०१००	४८३०१००	५३३०१००
३५	डाइ सेट रिचेट ४० देखि ५० मि.मि. सम्म	सेट	१२६२५१००	१३२२६१००	१३२२६१००	१३२२६१००	१४५८१६०
३६	डाइ सेट रिचेट ६५ देखि ८० मि.मि. सम्म	सेट	२३५००१००	२४६७५१००	२४६७५१००	२४६७५१००	२५८५१००
३७	डाइ सेट टिथ १५ मि.मि.	प्रति सेट	७७५१००	७९९१००	७९९१००	७९९१००	८२३१००
३८	डाइ सेट टिथ २० मि.मि.	प्रति सेट	६६५१००	६९८१००	६९८१००	६९८१००	७३११००
३९	डाइ सेट टिथ २५ मि.मि.	प्रति सेट	६६५१००	६९८१००	६९८१००	६९८१००	७३११००
४०	डाइ सेट टिथ ३२ मि.मि.	प्रति सेट	८४५१००	८८७१००	८८७१००	८८७१००	९५११००
४१	डाइ सेट टिथ ४० मि.मि.	प्रति सेट	१७५८१००	१८४६१००	१८४६१००	१८४६१००	२०३०१६०
४२	डाइ सेट टिथ ४० मि.मि.	प्रति सेट	१८००१००	१८९०१००	१८९०१००	१८९०१००	२०७९१००
४३	डाइ सेट टिथ ६५ मि.मि.	प्रति सेट	२०५८१००	२१६११००	२१६११००	२१६११००	२३७५१००
४४	डाइ सेट टिथ ८० मि.मि.	प्रति सेट	२७७५१००	२९१४१००	२९१४१००	२९१४१००	३२०५१४०
४५	पाइप भाइस २ इन्च सम्म	प्रति सेट	२२००१००	२३९०१००	२३९०१००	२३९०१००	२५४१००
४६	पाइप भाइस ३" सम्म	प्रति	२९२५१००	३०७५१००	३०७५१००	३०७५१००	३३७५१००
४७	पाइप भाइस ४" सम्म	प्रति	५६००१००	५८८०१००	५८८०१००	५८८०१००	६४६८१००

21/11/21

Handwritten mark

Handwritten signature

Handwritten signature

Handwritten signature

Handwritten signature

७.७ खानेपानी सम्बन्धी साधारण हाते औजारहरु

क्र.स.	निर्माण सामग्रीको विवरण	इकाई	१३% भ्याट बाहेकको दररेट(र.)					कैफियत
			आ.व. २०७४/७५	आ.व. २०७५/७६	२०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	आ.व. २०७८/७९ को स्वीकृत दर रेट	
४८	पाइप रेञ्च १२ इन्च	प्रति	७१५००	७१५००	७१५००	७१५००	७१५००	८२६१०
४९	पाइप रेञ्च १४ इन्च	प्रति	८२५००	८६६००	८६६००	८६६००	८६६००	९५२६०
५०	पाइप रेञ्च १८ इन्च	प्रति	१६००००	१६८०००	१६८०००	१६८०००	१६८०००	१८४८००
५१	पाइप रेञ्च २४ इन्च	प्रति	२८५०००	२९९३००	२९९३००	२९९३००	२९९३००	३२९२३०
५२	एडजस्टेबल रेञ्च १० इन्च	प्रति	४३५००	४५७००	४५७००	४५७००	४५७००	५०२१००
५३	एडजस्टेबल रेञ्च १२ इन्च	प्रति	६७५००	७०९१००	७०९१००	७०९१००	७०९१००	७७९१०
५४	एडजस्टेबल रेञ्च १८ इन्च	प्रति	१९००००	१९९५००	१९९५००	१९९५००	१९९५००	२१९५००
५५	३६ इन्च चैन रेञ्च	प्रति	२५७५००	२७०५००	२७०५००	२७०५००	२७०५००	२९७५००
५६	४८ इन्च चैन रेञ्च	प्रति	५४००००	५६७०००	५६७०००	५६७०००	५६७०००	६२३७००
५७	३ मिटरको स्टील टोप	प्रति	१००००	१०५००	१०५००	१०५००	१०५००	११५००
५८	५ मिटरको स्टील टोप	प्रति	१८५००	१९४००	१९४००	१९४००	१९४००	२१५००
५९	३० मिटरको फाइबर ग्लास टोप	प्रति	१५८०००	१६५९००	१६५९००	१६५९००	१६५९००	१८२५९०
६०	५० मिटरको फाइबर ग्लास टोप	प्रति	२२६५००	२३७८००	२३७८००	२३७८००	२३७८००	२६१५८०
६१	हिटिड प्लेट ३ इन्च व्यासको कमा	प्रति	९६५००	१०१३००	१०१३००	१०१३००	१०१३००	१११३००
६२	हिटिड प्लेट ४ इन्च व्यासको	प्रति	१२७८००	१३४२००	१३४२००	१३४२००	१३४२००	१४७५२०
६३	हिटिड प्लेट ६ इन्च व्यासको	प्रति	१५७५००	१६५४००	१६५४००	१६५४००	१६५४००	१८१९४०
६४	हिटिड प्लेट ८ इन्च व्यासको	प्रति	२०६५००	२१६८००	२१६८००	२१६८००	२१६८००	२३८४८०
६५	थर्मोक्लिम चेक	प्रति	८००००	८४०००	८४०००	८४०००	८४०००	९२४००
६६	टेफलन कभर ६"X६"	प्रति	५१५००	५४१००	५४१००	५४१००	५४१००	५९५१०
६७	आवश्यक औपधि समेतको प्राथमिक	प्रति	२७५०००	२८८८००	२८८८००	२८८८००	२८८८००	३१५८८०
६८	खानेपानी मर्मतको टूल बक्स	प्रति गोटा	२७००००	२८३५००	२८३५००	२८३५००	२८३५००	३११८५०
६९	आवश्यक औजार सहितको भोलुगेपुल मर्मतको टूल बक्स	प्रति गोटा	३२७५००	३४३९००	३४३९००	३४३९००	३४३९००	३७८२९०
७०	१२ इन्च ३२ सी.मि. को छिनो	प्रति	८००००	८४०००	८४०००	८४०००	८४०००	९२४००
७१	चस्मा	प्रति	१५०००	१५८००	१५८००	१५८००	१५८००	१७३८०
७२	सेफ्टी ग्लेस	प्रति गोटा	१६००००	१६८०००	१६८०००	१६८०००	१६८०००	१८४८००
७३	अतिसाधारण भोला	प्रति गोटा	१२५००	१३१००	१३१००	१३१००	१३१००	१४४१०

हातिले


क्र.सं.	निर्माण सामग्रीको विवरण	१३% भ्याट वाहेकको दररेट				आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	कैफियत
		आ.ब. २०७४/७५	आ.ब. २०७५/७६	आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट			
१	विद्युत सम्बन्धि							
१.१	वि. भि. सि. इन्सुलेटड कभर वायर (९०मी को)							
१.१.१	७/२२ तार	क्वाइल	२६००/००	२६००/००	२६००/००	२६००/००	२६००/००	२६००/००
१.१.२	७/२०	क्वाइल	४२००/००	४२००/००	४२००/००	४२००/००	४२००/००	४२००/००
१.१.३	३/२२	क्वाइल	११००/००	११००/००	११००/००	११००/००	११००/००	११००/००
१.१.४	३/२०	क्वाइल	१८५०/००	१८५०/००	१८५०/००	१८५०/००	१८५०/००	१८५०/००
१.१.५	१/१८	क्वाइल	९६०/००	९६०/००	९६०/००	९६०/००	९६०/००	९६०/००
१.२	वि. भि. सि. च्यानल बिट							
१.२.१	१/२"	र मी	१८१७	१८१७	१८१७	१८१७	१८१७	१८१७
१.२.२	१/४"	र मी	१८१७	१८१७	१८१७	१८१७	१८१७	१८१७
१.२.३	१"	र मी	२३१०	२३१०	२३१०	२३१०	२३१०	२३१०
१.२.४	१ १/४"	र मी	३४२३	३४२३	३४२३	३४२३	३४२३	३४२३
१.२.५	१ १/२"	र मी	४९३६	४९३६	४९३६	४९३६	४९३६	४९३६
१.२.६	२"	र मी	६०४९	६०४९	६०४९	६०४९	६०४९	६०४९
१.३	वि. भि. सि. पाइप (वायरलेसको लागि)							
१.३.१	१/२"	र मी	१०५०	१०५०	१०५०	१०५०	१०५०	१०५०
१.३.२	१"	र मी	२१००	२१००	२१००	२१००	२१००	२१००
१.४	वि. भि. सि. बांड (प्लास्टिक)							
१.४.१	४" x ४"	गाटा	१४१०	१४१०	१४१०	१४१०	१४१०	१४१०
१.४.२	४" x ६"	गाटा	१९१५	१९१५	१९१५	१९१५	१९१५	१९१५
१.४.३	६" x ६"	गाटा	३५१०	३५१०	३५१०	३५१०	३५१०	३५१०
१.४.४	६" x ८"	गाटा	३६१५	३६१५	३६१५	३६१५	३६१५	३६१५
१.४.५	८" x ८"	गाटा	६६१५	६६१५	६६१५	६६१५	६६१५	६६१५
१.५	फाइबर प्लेट							
१.५.१	४" x ४"	गाटा	१६१०	१६१०	१६१०	१६१०	१६१०	१६१०
१.५.२	४" x ६"	गाटा	३२१५	३२१५	३२१५	३२१५	३२१५	३२१५
१.५.३	६" x ६"	गाटा	४४२३	४४२३	४४२३	४४२३	४४२३	४४२३
१.५.४	६" x ८"	गाटा	६९३६	६९३६	६९३६	६९३६	६९३६	६९३६
१.५.५	८" x ८"	गाटा	९९४९	९९४९	९९४९	९९४९	९९४९	९९४९
२	मिटर बक्स वि. भि. सी	गाटा	१३९३४	१३९३४	१३९३४	१३९३४	१३९३४	१३९३४
३	सरफस स्विच	गाटा	३११०	३११०	३११०	३११०	३११०	३११०
४	सरफस बलपुस	गाटा	३३६०	३३६०	३३६०	३३६०	३३६०	३३६०
५	एगल होल्डर	गाटा	३२१५	३२१५	३२१५	३२१५	३२१५	३२१५
६	सिलिङ्ग रोज	गाटा	३०४५	३०४५	३०४५	३०४५	३०४५	३०४५
७	पखाको रगुलटर	गाटा	२५२००	२५२००	२५२००	२५२००	२५२००	२५२००
८	पावर प्लग (१५ एम्पयर)	गाटा	१९१५०	१९१५०	१९१५०	१९१५०	१९१५०	१९१५०
९	वि. भि. पिन प्लग (५ एम्पयर)	गाटा	४२००	४२००	४२००	४२००	४२००	४२००
१०	टु पिन प्लग (५ एम्पयर)	गाटा	२१००	२१००	२१००	२१००	२१००	२१००
११	ट्युबलाइट सेट फाइट (४० वाट)	गाटा	३२५५०	३२५५०	३२५५०	३२५५०	३२५५०	३२५५०
१२	ट्युबलाइट सेट फाइट (४० वाट)	गाटा	३२५५०	३२५५०	३२५५०	३२५५०	३२५५०	३२५५०
१३	ट्युबलाइट ४ फिट (४० वाट)	गाटा	७८१५	७८१५	७८१५	७८१५	७८१५	७८१५
१४	ट्युबलाइट २ फिट (२० वाट)	गाटा	७८१५	७८१५	७८१५	७८१५	७८१५	७८१५
१५	चाक लाइट सेट ४ फि. (४० वाट)	गाटा	१२६१००	१२६१००	१२६१००	१२६१००	१२६१००	१२६१००
१६	चाक लाइट सेट ४ फि. (२० वाट)	गाटा	१२६१००	१२६१००	१२६१००	१२६१००	१२६१००	१२६१००
१७	स्टाटर	गाटा	२१००	२१००	२१००	२१००	२१००	२१००
१८	एम. सि. बी.							
१८.१	१० एम्पयर	गाटा	१८९१००	१८९१००	१८९१००	१८९१००	१८९१००	१८९१००
१८.२	२० एम्पयर	गाटा	२९०१००	२९०१००	२९०१००	२९०१००	२९०१००	२९०१००
१८.३	३० एम्पयर	गाटा	२६२१००	२६२१००	२६२१००	२६२१००	२६२१००	२६२१००
१८.४	४५ एम्पयर	गाटा	७३५१००	७३५१००	७३५१००	७३५१००	७३५१००	७३५१००
१८.५	६३ एम्पयर	गाटा	७८५१००	७८५१००	७८५१००	७८५१००	७८५१००	७८५१००
१८.६	६ एम्पयर	गाटा	१९९१००	१९९१००	१९९१००	१९९१००	१९९१००	१९९१००
१८.७	१६ एम्पयर	गाटा	२९०१००	२९०१००	२९०१००	२९०१००	२९०१००	२९०१००
१९	स्वाइल	गाटा	४२२५	४२२५	४२२५	४२२५	४२२५	४२२५
२०	बण्ड	गाटा	४२२५	४२२५	४२२५	४२२५	४२२५	४२२५
२१	सकेट	गाटा	४२२५	४२२५	४२२५	४२२५	४२२५	४२२५
२२	जक्सन	गाटा	१०५०	१०५०	१०५०	१०५०	१०५०	१०५०
२३	टप वि. भि. सी.	गाटा	२१००	२१००	२१००	२१००	२१००	२१००
२४	मिक्स	गाटा	१०५०	१०५०	१०५०	१०५०	१०५०	१०५०
२५	मन स्विच ३० एम्पयर	गाटा	२३६२५	२३६२५	२३६२५	२३६२५	२३६२५	२३६२५
२६	चिम (बल्व)	गाटा	२६२५	२६२५	२६२५	२६२५	२६२५	२६२५
२७	इन्डिकेटर	गाटा	३७८०	३७८०	३७८०	३७८०	३७८०	३७८०
२८	फ्युज	गाटा	५७५५	५७५५	५७५५	५७५५	५७५५	५७५५
२९	ए. सी. पाइप ४" Dia	गाटा	८९२५	८९२५	८९२५	८९२५	८९२५	८९२५
३०	ए. सी. कबल ३" Dia	गाटा	५२५०	५२५०	५२५०	५२५०	५२५०	५२५०
३१	ए. सी. कबल ४" Dia	गाटा	५७५५	५७५५	५७५५	५७५५	५७५५	५७५५
३२	ए. सी. टि. ३" Dia	गाटा	७८१५	७८१५	७८१५	७८१५	७८१५	७८१५
३३	ए. सी. टि. ४" Dia	गाटा	९९१५	९९१५	९९१५	९९१५	९९१५	९९१५
३४	ए. सी. जक्सन ३" Dia	गाटा	८९२५	८९२५	८९२५	८९२५	८९२५	८९२५
३५	ए. सी. जक्सन ४" Dia	गाटा	९९१५	९९१५	९९१५	९९१५	९९१५	९९१५
३६	पखाको रगुलटर समेत (IS/NS Standard)	सेट	२६२५००	२६२५००	२६२५००	२६२५००	२६२५००	२६२५००
३७	एकजट फ्यान्स १४" देखि १२" सम्म	गाटा	१६८०००	१६८०००	१६८०००	१६८०००	१६८०००	१६८०००
३८	डोम लाइट ४० वाट	गाटा	३५३१२	३५३१२	३५३१२	३५३१२	३५३१२	३५३१२
३९	बल्व हंड लम्प	गाटा	२६२५०	२६२५०	२६२५०	२६२५०	२६२५०	२६२५०
४०	म्युजिकल बेल	गाटा	३९५१००	३९५१००	३९५१००	३९५१००	३९५१००	३९५१००
४१	साइकल बेल	गाटा	१५५५०	१५५५०	१५५५०	१५५५०	१५५५०	१५५५०

Page 2

D:\Ebulletin\1.District Rate FY 079-80 Final NPW Revised Final

द.विद्युत सम्बन्धि सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३% भ्याट बाहेकको दररेट				आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	कैफियत
			आ.ब. २०७४/७५	आ.ब. २०७५/७६	आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट			
४२	सब मिटर	गाटा	७३११००	७३११००	७३११००	७३११००	७३११००	८०८१५०	
४३	डि. वि. मन स्वीच ३० एम्पीयर	गाटा	२५७२२५	२५७२२५	२५७२२५	२५७२२५	२५७२२५	२८२१९८	
४४	१/२" काठको लिस्ट्री	र मी.	१०१५०	१०१५०	१०१५०	१०१५०	१०१५०	१११५५	
४५	१६एमएम, ७ फिट रड भएको स्टे सेट (४मि.म)	सेट	११५५१००	११५५१००	११५५१००	११५५१००	११५५१००	१२७०१५०	
४६	७/१२ एस.डब्ल्यू.जी. स्टेवायर	केजी	१४७५००	१४७५००	१४७५००	१४७५००	१४७५००	१६११७०	
४७	ACSR Conductor (wire)					०१००	०१००	०१००	
४७.१	0.03sq inch ACSR Conductor (wire)	कि.मि.	३००००१००	३००००१००	३००००१००	३००००१००	३००००१००	३३०००१००	
४७.२	0.05sq inch ACSR Conductor (wire)	कि.मि.	५५०००१००	५५०००१००	५५०००१००	५५०००१००	५५०००१००	६०५००१००	
४७.३	0.1sq inch ACSR Conductor (wire)	कि.मि.	८९०००१००	८९०००१००	८९०००१००	८९०००१००	८९०००१००	९७९००१००	
४८	D - iron set with shakle insulator	सेट	१४११७५	१४११७५	१४११७५	१४११७५	१४११७५	१५५१९३	
४९	Stay-Insulator	गाटा	९४१५०	९४१५०	९४१५०	९४१५०	९४१५०	१०३१९५	
५०	Binding wire (aluminium)	केजी	७४५१५०	७४५१५०	७४५१५०	७४५१५०	७४५१५०	८२०१५५	
५१	ज्याला: Erection of PSC pole (8m,9m)	गाटा	२६००१००	२६००१००	२६००१००	२६००१००	२६००१००	२८८०१००	
५२	Stringing of Conductor(0.03sq inchWire)	कि.मि.	४५०००१००	४५०००१००	४५०००१००	४५०००१००	४५०००१००	४९०००१००	
५३	Installation of Stay set	सेट	१२००१००	१२००१००	१२००१००	१२००१००	१२००१००	१३२०१००	
५४	विद्युतको लाइनसंगको हागाविगा काटन	प्र. हे.	१०५०१००	१०५०१००	१०५०१००	१०५०१००	१०५०१००	११५५१००	
५५	विद्युत जडान लिस्ट्री, क्लिप, क्लिप, स्वीच होल्डर आदि प्रयोग गरि भित्ता सिलिन्डरमा प्वाल पार्ने सहित तार तान्ने र सम्बन्धित स्वीच बक्स आदि जडान तार सामान बाहेक कान्सल बायोरंग गनकायको ज्याला	प्वाइन्ट	४७२२५	४७२२५	४७२२५	४७२२५	४७२२५	५११९८	
५५.१	सामान बाहेक कान्सल बायोरंग गनकायको ज्याला	प्वाइन्ट	३६१७५	३६१७५	३६१७५	३६१७५	३६१७५	४०१४३	
५५.२	सामान सहित कान्सल बायोरंग गनकायको ज्याला	प्वाइन्ट	५८८१००	५८८१००	५८८१००	५८८१००	५८८१००	६४६६०	
५५.४	सामान सहित कान्सल बायोरंग गनकायको ज्याला	प्वाइन्ट	५०४१००	५०४१००	५०४१००	५०४१००	५०४१००	५५४१५०	
५५.५	मन सोभिसलाइन कबल ६मि.मो.(कन्सोन्ट्रक्ट कबल)	र मी.	२६१२५	२६१२५	२६१२५	२६१२५	२६१२५	२८८८८	
५६	PSC Pole					०१००	०१००	०१००	
५६.१	8m चालो	No	६६४१२५	७०००१००	७०००१००	७०००१००	७०००१००	७३००१००	
५६.२	8 m मोटो	No					९०००१००	९९००१००	
५६.३	9m चालो	No	७३७६२५	७५००१००	७५००१००	७५००१००	८०००१००	८८००१००	
५६.४	9 m मोटो	No					१००००१००	११०००१००	
५६.६	11 m मोटो	No					१४५००१००	१५९५०१००	
५७	Transformer							०१००	
५७.१	Copper wound distribution Transformer with first filling of Oil							०१००	
५७.१.१	11/4kv,25KVA 3 Phase, 50Hz ONAN (low loss)	सेट	२६१४००१००	२६१४००१००	२६१४००१००	२६१४००१००	२६१४००१००	२८५५४०१००	
५७.१.२	11/4kv,50KVA 3 Phase, 50Hz ONAN (low loss)	सेट	३७३०००१००	३७३०००१००	३७३०००१००	३७३०००१००	३७३०००१००	४१०३००१००	
५७.१.३	11/4kv,100KVA 3 Phase, 50Hz ONAN (low loss)	सेट	५९०६००१००	५९०६००१००	५९०६००१००	५९०६००१००	५९०६००१००	६४९६६०१००	
५७.१.४	11/4kv,150KVA 3 Phase, 50Hz ONAN (low loss)	सेट	८०००००१००	८०००००१००	८०००००१००	८०००००१००	८०००००१००	८८००००१००	
५७.१.५	11/4kv,200KVA 3 Phase, 50Hz ONAN (low loss)	सेट	१०२३९००१००	१०२३९००१००	१०२३९००१००	१०२३९००१००	१०२३९००१००	११२६२९०१००	

द.विद्युत सम्बन्धि सामग्री

१३% भ्याट बाहेकको दररेट

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७९/८० को स्वीकृत जिल्ला दर रेट (१)

१. लघु जल-विद्युत सम्बन्धि सामाग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३१६ मु.व.कर बाहेकको दररेट (रु.)				२०७८/७९ को स्वीकृत दर रेट		२०७९/८० को स्वीकृत दर रेट
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	आ.व. २०७८/७९ को स्वीकृत दर रेट	आ.व. २०७९/८० को स्वीकृत दर रेट	
Electro mechanical component for micro hydro									
क. Mechanical Components									
१	Intake Accessories								
१.१	Coarse Trash rack (0.6m x 0.5)	व.मी.	१७७००१००	१७७००१००	१७७००१००	१७७००१००	१७७००१००	१७७००१००	१९४७०१००
१.२	Sluice Gate (1.6 height 0.5x0.5 m opening)	सेट	१०९००१००	१०९००१००	१०९००१००	१०९००१००	१०९००१००	११११०१००	
ख. Pipe Accessories									
२.१	Penstock Pipe MS 225 mm ID, 3.5 mm thickness	र.मी.	३३५०१००	३३५०१००	३३५०१००	३३५०१००	३३५०१००	३६८५१००	
ग. Turbine									
३.१	Crossflow turbine (T15) Runner Diameter 300 mm, Runner Length 75 mm, 540 RPM, Shaft power 10 kw	सेट	३००००१००	३००००१००	३००००१००	३००००१००	३००००१००	३३०००१००	
घ. Electrical Components									
१. Generator									
१.१	Synchronous, 15 KVA, 400 V, 1500 RPM	सेट	१५०००१००	१५०००१००	१५०००१००	१५०००१००	१५०००१००	१६५००१००	
२. Protection System									
२.१	MCCBs					०१००	०१००	०१००	
	MCCB on the generator side (32A)	गोटा	७९००१००	७९००१००	७९००१००	७९००१००	७९००१००	७८९०१००	
	MCCB after ELC (20 A)	गोटा	५९००१००	५९००१००	५९००१००	५९००१००	५९००१००	६४९०१००	
	MCB for House Holds	गोटा	३००१००	३००१००	३००१००	३००१००	३००१००	३३०१००	
२.२	Earthing Set (600 x 600 x 3) mm including 8 SWG copper wire	सेट	१०६००१००	१०६००१००	१०६००१००	१०६००१००	१०६००१००	११६६०१००	
३. Conductor									
३.१	ACSR Conductor (weasel)	र.मी.	३११००	३११००	३११००	३११००	३११००	३४१००	
३.२	ACSR Conductor (Squirrel)	र.मी.	२४१००	२४१००	२४१००	२४१००	२४१००	२६४००	
३.३	ACSR Conductor (Rabbit)	र.मी.	४७१००	४७१००	४७१००	४७१००	४७१००	५११००	
३.४	Concentric Cable 6 sq.m	र.मी.	२६१००	२६१००	२६१००	२६१००	२६१००	२८६००	

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७९/८० को स्वीकृत जिल्ला दर रेट (१)

१. लघु जल-विद्युत सम्बन्धि सामाग्री

१०. विविध निर्माण सामग्री

क.सं.	निर्माण सामग्रीको विवरण	इकाई	१३% मू.अ.कर बाहेकको दररेट (रु.)						कैफियत
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	आ.व. २०७८/७९ को स्वीकृत दर रेट	आ.व. २०७९/८० को स्वीकृत दर रेट	
१	बासको काँटङ्ग ५ फिट लम्बाइ	काँटङ्ग	३१५०	३३००	३३००	३३००	३३००	३६३०	
२	डोरी नरीवल	क. जो.	११०२५	११६००	११६००	११६००	११६००	१२५६०	
३	डोरी बनकस	क. जो.	६८२५	७२००	७२००	७२००	७२००	७९१०	
४	डोरी जुटको	क. जो.	११०२५	११६००	११६००	११६००	११६००	१२५६०	
५	चटाई	व. मी.	७८५	८३००	८३००	८३००	८३००	९१३०	
६	आर.सि.सि.पल (काँडतारवार/अन्यको लागि)		५२५	६००	६००	६००	६००	६६०	
क	४"X४"X६ फिट लामो (७ एमएम माटा ठाडो ४ वटा र ४"X५ एमएम मोटो रीड १५सेमी दूरीमा फलामे डण्डी प्रयोग गरि निर्माण गरिएको)	गोटा	९८७००	१०३६००	१०३६००	१०३६००	१०३६००	११३९६०	
ख	४"X४"X७ फिट लामो फिट लामो (७ एमएम मोटो ठाडो ४ वटा र ४"X५ एमएम मोटो रीड १५सेमी दूरीमा फलामे डण्डी प्रयोग गरि निर्माण गरिएको)	गोटा	१११३००	११६९००	११६९००	११६९००	११६९००	१२८५९०	
क	खालो बारा (५०क.जो. क्षमता भएका जुटको)	गोटा	४२००	४४००	४४००	४४००	४४००	४८४०	
ख	खालो बारा (५०क.जो. क्षमता भएका प्लास्टिकको)	गोटा	२१००	२२००	२२००	२२००	२२००	२४२०	
क	खालो बारा (१००क.जो. क्षमता भएका जुटको)	गोटा	८९२५	९४००	९४००	९४००	९४००	१०३४०	
क	तार बूस सामान्य	गोटा	४२००	४४००	४४००	४४००	४४००	४८४०	
क	रग लगाउन बूस	इन्च	७०३५	७४००	७४००	७४००	७४००	८१४०	
क	धुन्स/डाको	गोटा	२१५२५	२२६००	२२६००	२२६००	२२६००	२४८६०	
क	बासको टाकरी	गोटा	२१५२५	२२६००	२२६००	२२६००	२२६००	२४८६०	
क	बतको टाकरी	गोटा	३४६५०	३६४००	३६४००	३६४००	३६४००	४००४०	
क	कुचा (आँधसाको)	गोटा	५७५	६१००	६१००	६१००	६१००	६५९०	
क	कुचा (बाँवियाको)	गोटा	४२००	४४००	४४००	४४००	४४००	४८४०	
ख	नरीवलको भाडु	गोटा	५७५	६१००	६१००	६१००	६१००	६५९०	

डा.प.प.

डा.प.प.

डा.प.प.

१२

डा.प.प.

डा.प.प.

११. सरकारी कार्यालयमा आवश्यक हुने अन्य माल/सामान सम्बन्धी दर

क्र.स.	निर्माण सामग्रीको विवरण	इकाई	१३७७ मू.अ.कर बाहेकको दररेट (रु.)					कैफियत
			आ.व. ०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	आ.व. २०७८/७९ को स्वीकृत दर रेट	
क.	टिम्बर कपरेशनसंग सम्बन्धित							
	काठ दाउरा कटान मुछान सम्बन्धी							
१.	काठको गोलिया काठ कटान मुछान							
	क) गोलिया तथा बल्लाबल्ली कटान, मुछान	प्रति घ.फि.	२३००	२३००	२४१००	२४१००	२४१००	२६४४०
	ख) गोलिया तथा बल्लाबल्ली योडिङ	" "	२१००	२१००	२२१००	२२१००	२२१००	२४१२०
	ग) गोलिया तथा बल्लाबल्ली लोडिङ	" "	१९१००	१९१००	२०१००	२०१००	२०१००	२२१००
	घ) गोलिया तथा बल्लाबल्ली अनलोडिङ	" "	५१००	५१००	६१००	६१००	६१००	६६६०
	ङ) गोलिया तथा बल्लाबल्ली बोका फिक्ने र रिङ काटने	" "	३०००	३०००	३१५०	३१५०	३१५०	३३५५
	च) गोलिया काठ पायलोडिङ	" "	७०००	७०००	७५००	७५००	७५००	८१२५
	छ) गोलिया काठ गेडिङ	" "	७०००	७०००	७५००	७५००	७५००	८१२५
२.	जंगलबाट गोलिया काठ घाटगद्दीसम्म ढुवानी तर्फ							
	क) ० कि. मी. देखि ५ कि. मी. सम्म	प्रति घ.फि.	३३१००	३३१००	३६१००	३६१००	३६१००	३९१६०
	ख) ५ कि. मी. देखि १० कि. मी. सम्म	" "	४०१००	४०१००	४३१००	४३१००	४३१००	४६१९०
	ग) १० कि. मी. देखि १५ कि. मी. सम्म	" "	४२१००	४२१००	४५१००	४५१००	४५१००	४८१३०
	घ) १५ कि. मी. देखि २० कि. मी. सम्म	" "	४४१००	४४१००	४७१००	४७१००	४७१००	४९१५०
	ङ) २० कि. मी. देखि २५ कि. मी. सम्म	" "	४६१००	४६१००	४९१००	४९१००	४९१००	५२१७०
	च) २५ देखि माथि	" "	४८१००	४८१००	५११००	५११००	५११००	५४१९०
३.	दाउरा कटान, मुछान तर्फ							
	क) २०XXXX फिट साइजको दाउरा कटान, मुछान	प्रति चट्टा	३२९२००	३२९२००	३३००१००	३३००१००	३३००१००	३६३०१००
	ख) २०XXXX फिट साइजको दाउरा योडिङ	" "	१७०४००	१७०४००	१७१०१००	१७१०१००	१७१०१००	१८८११००
	ग) २०XXXX फिट साइजको दाउरा लोडिङ	" "	१५५९१००	१५५९१००	१५६०१००	१५६०१००	१५६०१००	१७१६१००
	घ) २०XXXX फिट साइजको दाउरा अनलोडिङ	" "	३६४१००	३६४१००	३६५१००	३६५१००	३६५१००	४०१५१००
	ङ) २०XXXX फिट साइजको दाउरा चट्टा निर्माण	" "	१०६८१००	१०६८१००	१०७०१००	१०७०१००	१०७०१००	११७७१००
४.	दाउरा ढुवानी तर्फ							
	क) ० कि. मी. देखि ५ कि. मी. सम्म	प्रति चट्टा	३४०७००	३४०७००	३४१०१००	३४१०१००	३४१०१००	३७११००
	ख) ५ कि. मी. देखि १० कि. मी. सम्म	" "	३५८१००	३५८१००	३५९०१००	३५९०१००	३५९०१००	३९११००
	ग) १० कि. मी. देखि १५ कि. मी. सम्म	" "	३७२१००	३७२१००	३७३०१००	३७३०१००	३७३०१००	४०१३००
	घ) १५ कि. मी. देखि २० कि. मी. सम्म	" "	३८६१००	३८६१००	३८७०१००	३८७०१००	३८७०१००	४११३००
	ङ) २० र सो भन्दा माथि	" "	३९८१००	३९८१००	३९९०१००	३९९०१००	३९९०१००	४३१३००
५.	छपान खच	प्रति रुख	२१००	२१००	२१००	२१००	२१००	२३१०
६.	घाटगद्दीबाट मिलमा गोलिया सिपमेन्ट:							
	चिरान तर्फ :							
क.	चिरान उत्पादन, बाकल, कटपिस, भुस फाल्ने आदि	प्रति घ.फि.	७१५०	७१५०	७२१००	७२१००	७२१००	७९१२०
ख.	अनसाइज उत्पादन	प्रति ब्वी.	९९१००	९९१००	१००१००	१००१००	१००१००	११०१००
ग.	चिरान लोड	प्रति घ.फि.	१९१५१	१९१५०	१९१५०	१९१५०	१९१५०	२०१५५
घ.	चिरान अनलोड	प्रति घ.फि.	७५५	७५५	७६०	७६०	७६०	८१५
ङ.	बाकल अनसाइज लोड	प्रति ब्वी.	२६४०	२६४०	२६५०	२६५०	२६५०	२९१५
च.	बाकल अनसाइज अनलोड	प्रति ब्वी.	९१३५	९१३५	९१४५	९१४५	९१४५	१०१५५
छ.	चिरान पाइलिङ	प्रति घ.फि.	६६०	६६०	६६०	६६०	६६०	७२६
ज.	१०० मी. भन्दा टाढाबाट मिलछेउसम्म गोलिया बोक्ने कार्य	प्रति घ.फि.	७५५	७५५	७६०	७६०	७६०	८१५
झ.	मिलमा गोलिया सिपमेन्ट (घाटगद्दीबाट लोडिङ)	प्रति घ.फि.	३३१००	३३१००	३३१००	३३१००	३३१००	३६१३०
ञ.	मिलमा गोलिया सिपमेन्ट (घाटगद्दीबाट अनलोडिङ)	प्रति घ.फि.	७५५	७५५	८१०	८१०	८१०	९६५
ट.	चिरान काठ ढुवानी							
	क) ० कि. मी. देखि ५ कि. मी. सम्म	प्रति ब्वी.	२०१००	२०१००	२०१००	२०१००	२०१००	२२१००
	ख) ५ कि. मी. देखि १० कि. मी. सम्म	प्रति ब्वी.	२३१००	२३१००	२३१००	२३१००	२३१००	२५१००
	ग) १० कि. मी. भन्दा माथि	प्रति ब्वी.	२६१००	२६१००	२६१००	२६१००	२६१००	२८१००
ड.	मिलमा गोलिया ढुवानी(घाटगद्दीबाट)							
	क) ० कि. मी. देखि ५ कि. मी. सम्म	प्रति घ.फि.	२७००	२७००	२७००	२७००	२७००	२९१००
	ख) ५ कि. मी. देखि १० कि. मी. सम्म	प्रति घ.फि.	३०००	३०००	३०००	३०००	३०००	३२१००
	ग) १० कि. मी. देखि १५ कि. मी. सम्म	प्रति घ.फि.	३३००	३३००	३३००	३३००	३३००	३६१३०
	घ) १५ कि. मी. देखि २० कि. मी. सम्म	प्रति घ.फि.	३६००	३६००	३६००	३६००	३६००	३९१६०
	ङ) २० र सो भन्दा माथि	प्रति घ.फि.	३९००	३९००	३९००	३९००	३९००	४२१६०
ख.	कार्यालयसंग सम्बन्धित बोट विरुवा र अन्य समग्री:							
१	वास (घना)	गोटा	२९९१४५	२९९१४५	२२०१००	२२०१००	२२०१००	२४२१००
४	भुइँ कटहरको राइजम	गोटा	११७९	११७९	११८०	११८०	११८०	११८५
५	अम्लिसो राइजम समेत	गोटा	४११०	४११०	४११०	४११०	४११०	४५१०
६	कांस जरा समेत	गोटा	०६३	०६३	०६५	०६५	०६५	०७२
७	वासको विरुवा काटिङ (२ देखि ३ वर्ष)	गोटा	१७३२५	१७३२५	१७४१००	१७४१००	१७४१००	१९११४०
८	NB-21,सेटस	सेट	२१४	२१४	२१४	२१४	२१४	२१४
९	विभिन्न जातका घास	सेट	११७९	११७९	११७९	११७९	११७९	११७९
१०	आप अग्रपाली,मल्लिका आदि(२,३ वर्ष कलमी)	गोटा	१७३२५	१७३२५	१७३५०	१७३५०	१७३५०	१९०८५
११	आप मालदह,दसहरी आदि(२,३ वर्ष कलमी)	गोटा	११५५०	११५५०	११६१००	११६१००	११६१००	१२७६०
१२	लिनो	गोटा	८०८५	८०८५	८११००	८११००	८११००	८९१०
१३	कटहर	गोटा	३४६५	३४६५	३४७०	३४७०	३४७०	३८१७
१४	अनार	गोटा	१३८६०	१३८६०	१३९१००	१३९१००	१३९१००	१५२१०
१५	कागती कलमी	गोटा	५७५	५७५	५७८	५७८	५७८	६३५
१६	नासपाती	गोटा	४६२०	४६२०	४६३०	४६३०	४६३०	५०१३
१७	करा	गोटा	३४६५	३४६५	३४७०	३४७०	३४७०	३८१७
ग.	पशु सेवा कार्यालयसंग सम्बन्धित							
१	जे घासको विउ	प्रति के.जि.	६३००	६३००	६३००	६३००	६३००	६९३०
२	बोपिम घासको विउ	प्रति के.जि.	३३६१००	३३६१००	३३६१००	३३६१००	३३६१००	३६९६०

Handwritten signatures and stamps at the bottom of the page, including the name 'दा.पु.स.' and various official marks.

११. सरकारी कार्यालयमा आवश्यक हुने अन्य माल/सामान सम्बन्धी दर

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३७७ म.अ.कर बाहेकको दररेट (रु.)					कैफियत
			आ.व. ०७४/७५	आ.व. २०७५/७६	२०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	२०७८/७९ को स्वीकृत दर रेट	
३	भेच	प्रति के.जि.	६३००	६३००	६३००	६३००	६३००	६९३०
४	टियोसन्टी (घासको बिउ)	प्रति के.जि.	१२६१००	१२६१००	१२६१००	१२६१००	१२६१००	१३६६०
५	स्टाइलो कुका(घासको बिउ)	प्रति के.जि.	६८२१०	६८२१०	६८२१०	६८२१०	६८२१०	७२०१७
६	डाले घासको बनेा	गोटा	२१००	२१००	२१००	२१००	२१००	२३१०
७	सूडान घासको बिउ	प्रति के.जि.	१०५१००	१०५१००	१०५१००	१०५१००	१०५१००	११५१०
८	बाजरा घासको बिउ	प्रति के.जि.	१०५१००	१०५१००	१०५१००	१०५१००	१०५१००	११५१०
९	नोपियर सेट	सेट	२१०	२१०	२१०	२१०	२१०	२३१
१०	खन्यू	प्रति बोट	१५१७	१५१७	१५१७	१५१७	१५१७	१७३३
११	इपिलइपिल	प्रति बोट	५१२५	५१२५	५१२५	५१२५	५१२५	५१७८
१२	किम्बू	प्रति बोट	५१२५	५१२५	५१२५	५१२५	५१२५	५१७८
१३	बोका प्रजननको लागि (विभिन्न उन्नत जातको)	प्रति गोटा	१३१२५१००	१३१२५१००	१३१२५१००	१३१२५१००	१३१२५१००	१४४३७५०
१४	बाखा प्रजनन योग्य (उन्नत जातको)	प्रति गोटा	५२५०१००	५२५०१००	५२५०१००	५२५०१००	५२५०१००	५७७५१००
१५	बंगुर को बच्चा (उन्नत जातको ४५ दिन माथिको स्थानीय जात)	प्रति गोटा	३१५०१००	३१५०१००	३१५०१००	३१५०१००	३१५०१००	३४६५१००
१६	बंगुर को बच्चा (उन्नत जातको ४५ दिन माथिको उन्नत जात)	प्रति गोटा	४७२५१००	४७२५१००	४७२५१००	४७२५१००	४७२५१००	५१९७५०
घ. वन कार्यालयसँग सम्बन्धित								
क. बोटविरुवाहरू								
१	बैस	गोटा	२१००	२१००	२१००	२१००	२१००	२३१०
२	बासको राइजम (घना काटी जरा समेत)	गोटा	१५५१००	१५५१००	१५५१००	१५५१००	१५५१००	१७१६०
७	बन विरुवा (नसरीमा उमाने) नसरी नाइके बाहेक	गोटा	१०१५०	१०१५०	१०१५०	१०१५०	१०१५०	१११६६
८	बन विरुवा (नसरीमा उमाने) नसरी नाइके विरुवा ठूलो पोली व्यागमा	गोटा	२१०१००	२१०१००	२१०१००	२१०१००	२१०१००	२३१००
९	खर (१६ मुछ)	बण्डल	२६२१०	२६२१०	२६२१०	२६२१०	२६२१०	२८६१७
१०	मसला	गोटा	१२६०	१२६०	१२६०	१२६०	१२६०	१३६८६
११	कदम	गोटा	१२६०	१२६०	१२६०	१२६०	१२६०	१३६८६
१२	टिक	गोटा	३१५०	३१५०	३१५०	३१५०	३१५०	३४६५३
१३	सिरिस	गोटा	१०१५०	१०१५०	१०१५०	१०१५०	१०१५०	१११६५
१४	सिसौ	गोटा	८१४०	८१४०	८१४०	८१४०	८१४०	९१२४
१५	बकाइनो	गोटा	८१४०	८१४०	८१४०	८१४०	८१४०	९१२४
१६	जामुन	गोटा	१५१७	१५१७	१५१७	१५१७	१५१७	१७३३
१७	क्यासिया	गोटा	१०१५०	१०१५०	१०१५०	१०१५०	१०१५०	१११६५
१८	जेटोफा	गोटा	१०१५०	१०१५०	१०१५०	१०१५०	१०१५०	१११६५
१९	बडहर	गोटा	१५१७	१५१७	१५१७	१५१७	१५१७	१७३३
२०	अमला	गोटा	१५१७	१५१७	१५१७	१५१७	१५१७	१७३३
२१	सर्पगन्धा	गोटा	२१००	२१००	२१००	२१००	२१००	२३१०
२२	ईमली	गोटा	१०१५०	१०१५०	१०१५०	१०१५०	१०१५०	१११६५
२३	निम	गोटा	१७८५	१७८५	१७८५	१७८५	१७८५	१९६४
२४	रक्तचन्दन	गोटा	५२१५०	५२१५०	५२१५०	५२१५०	५२१५०	५७७५३
२५	एकेसिया	गोटा	२१००	२१००	२१००	२१००	२१००	२३१०
२६	कुरिलो	गोटा	८१४०	८१४०	८१४०	८१४०	८१४०	९१२४
२७	तेजपात	गोटा	२१००	२१००	२१००	२१००	२१००	२३१०
२८	अर्जुन	गोटा	१०१५०	१०१५०	१०१५०	१०१५०	१०१५०	१११६५
२९	खयर	गोटा	१२६०	१२६०	१२६०	१२६०	१२६०	१३६८६
३०	बोत्तल बस	गोटा	१२६०	१२६०	१२६०	१२६०	१२६०	१३६८६
३१	बबूल	गोटा	१०१५०	१०१५०	१०१५०	१०१५०	१०१५०	१११६५
३२	चाप	गोटा	१७८५	१७८५	१७८५	१७८५	१७८५	१९६४
३३	अशोका	गोटा	५२१५०	५२१५०	५२१५०	५२१५०	५२१५०	५७७५३
३४	शितलचिनी	गोटा	५७७५	५७७५	५७७५	५७७५	५७७५	६३१३
३५	गूलमोहर	गोटा	१५१७	१५१७	१५१७	१५१७	१५१७	१७३३
३६	विरेन्द्र फूल	गोटा	१५१७	१५१७	१५१७	१५१७	१५१७	१७३३
३७	काईयो	गोटा	१५१७	१५१७	१५१७	१५१७	१५१७	१७३३
३८	सतीसाल	गोटा	२१००	२१००	२१००	२१००	२१००	२३१०
३९	विजयसाल	गोटा	२१००	२१००	२१००	२१००	२१००	२३१०
४०	श्रीखण्ड	गोटा	२६२५	२६२५	२६२५	२६२५	२६२५	२८६१७
४१	रुद्राक्ष	गोटा	४२१००	४२१००	४२१००	४२१००	४२१००	४६१२०
४२	शुपी	गोटा	२१००	२१००	२१००	२१००	२१००	२३१०
४३	लहरपिपल कटिड	गोटा	५२१५०	५२१५०	५२१५०	५२१५०	५२१५०	५७७५३
४४	कपूर	गोटा	३१५०	३१५०	३१५०	३१५०	३१५०	३४६५३
४५	बांस (विउबाट)	गोटा	१५१७	१५१७	१५१७	१५१७	१५१७	१७३३
४६	पोलिथिन ट्युब (३"/७") २०० गज	केजी	२७३००	२७३००	२७३००	२७३००	२७३००	३००३०
४७	पोलिथिन ट्युब (४"/७") २०० गज	केजी	२७३००	२७३००	२७३००	२७३००	२७३००	३००३०
४८	पोलिथिन ट्युब (६"/९") २०० गज	केजी	२७३००	२७३००	२७३००	२७३००	२७३००	३००३०

Handwritten signatures and notes at the bottom of the page, including a large signature on the left and several smaller ones on the right.

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७९/८० को स्वीकृत जिल्ला दर रेट (१)

१२. मेशिन, औजार तथा उपकरणको भाडा दर सम्बन्धी

				आ.व. २०७८/०७९ को स्वीकृत दर रेट		आ.व. २०७९/८० को स्वीकृत दर रेट	
Equipment Name	Equipment Identification	Capacity Category	DoR Code	Hire Rate in NRs.		Hire Rate in NRs.	
				Per Hour	Per Shift	Per Hour	Per Shift
1	2	3	4	5	6 = 7*(5)	5	6 = 7*(5)
Asphalt Plant*	Universal Spot Mix : Wylie	Up to 10 Ton	001 -	400	2800	440	3080
Asphalt Plant*	Bram Millar	Up to 10 Ton	001 -	500	3500	550	3850
Ashalt Paver	Blow Knox BK 165		002 -	1400	9800	1540	10780
Ashalt Mixer	Bel Mix		003 -	1000	7000	1100	7700
Broom Road	Towed		009 -	260	1820	286	2002
Boring Rig	TONE		011 -	1200	8400	1320	9240
Air Compressor	Kirloskar , WR 250, SC 0707C,	150 To 275cfm	017 -	250	1750	275	1925
Air Compressor	Holman, D250CFM, 175 MK 11		017 -	250	1750	275	1925
Air Compressor	Maruma ES3		017 -	250	1750	275	1925
Crane Mobile	Tadano TS 100L	5+ To 10 Ton	021 -	3100	21700	3410	23870
Crane Mobile	Tadano TS 150L	10+ To 15 Ton	021 -	3500	24500	3850	26950
Cutter Concrete	Weber SM 182R		024 -	250	1750	275	1925
Cutter Concrete	Mikasa MCD 218 DX		024 -	250	1750	275	1925
Dozer Wheel	Hanomag D66C, D66D	181 To 230 HP	030 -	2100	14700	2310	16170
Dozer Wheel	CAT 814	181 To 230 HP	030 -	2100	14700	2310	16170
Dozer Track	Komatsu D85ESS	181 To 230 HP	031 -	3000	21000	3300	23100
Dozer Track	CAT D7G	181 To 230 HP	031 -	3000	21000	3300	23100
Dozer Track	Shangdong TY 220	181 To 230 HP	031 -	3000	21000	3300	23100
Dozer Track	Hanomag D700C, D700D	181 To 230 HP	031 -	2000	14000	2200	15400
Dozer Track	Komatsu D85	181 To 230 HP	031 -	2000	14000	2200	15400
Dozer Track	Yishan TY 160	126 To 180 HP	031 -	1800	12600	1980	13860
Dozer Track	BEML D65E8	126 To 180 HP	031 -	1800	12600	1980	13860
Dozer Track	CAT D6H	126 To 180 HP	031 -	1800	12600	1980	13860
Dozer Track	Komatsu D53A-17; D50A	80 To 125 HP	031 -	1800	12600	1980	13860
Dozer Track	Komatsu D 50A - 17	80 To 125 HP	031 -	1800	12600	1980	13860
Dozer Track	CAT D3B	0 To 79 HP	031 -	1000	7000	1100	7700
Bitumin Distributor	Bedford TJ 1090	4 To 6 KL	032 -	1300	9100	1430	10010
Bitumin Distributor	ETNYRE/4700; ETNYRE/M414	4 To 6 KL	032 -	1300	9100	1430	10010
Bitumin Distributor	Isuzu/Hanta; Hanta/Hino FF173 K	4 To 6 KL	032 -	1300	9100	1430	10010
Rock Drill(Pneum)			034 -	130	910	143	1001
Mini Dumper	Pengyuan FC 15	1 To 4 Cu. M.	035 -	250	1750	275	1925
Mini Dumper	Changai FC 1	1 To 4 Cu. M.	035 -	250	1750	275	1925
Mini Dumper	Jiangsu F 15	1 To 4 Cu. M.	035 -	250	1750	275	1925
Mini Dumper	Stott & Pitt SD 011	1 To 4 Cu. M.	035 -	250	1750	275	1925
Mini Dumper	Thawaties	1 To 4 Cu. M.	035 -	550	3850	605	4235
Excavator Track	Daewoo Solar 130LC - V	1 To 110 HP	042 -	1200	8400	1320	9240
Excavator Track	Kobelco SK 115 SR-1E	1 To 110 HP	042 -	1200	8400	1320	9240
Excavator Track	Daewoo SL 220	111 To 150 HP	042 -	1800	12600	1980	13860
Excavator Track	Komatsu PC 150-5A	111 To 150 HP	042 -	1800	12600	1980	13860
Excavator Track	Hitachi EX 200 - 3	111 To 150 HP	042 -	1800	12600	1980	13860
Excavator Track	JCB - 820 Super; JCB - 820	111 To 150 HP	042 -	1800	12600	1980	13860
Excavator+ Breaker	Daewoo SL220 With SOOSAN 20	111 To 150 HP	042 -	2100	14700	2310	16170
Forklift Truck	Mitsubishi	< 2.5 Ton	049 -	400	2800	440	3080
Generator*	Kubota ASK-R 350	Up to 10 KVA	054 -	150	1050	165	1155
Generator*	Denyo DBF-3Y; DBF 7.5Y	Up to 10 KVA	054 -	150	1050	165	1155
Generator*	Robin	Up to 10 KVA	054 -	150	1050	165	1155
Generator*	Caterpillar	Up to 10 KVA	054 -	150	1050	165	1155
Generator*	Kirloskar RB 33	Up to 10 KVA	054 -	150	1050	165	1155
Generator*	Osaka/Seimeitsu SAS - 130Y	10 To 30 KVA	054 -	150	1050	165	1155
Generator*	Kirloskar	30+ To 50 KVA	054 -	350	2450	385	2695
Grader Motor	Komatsu GD 511R - 1	135 HP	055 -	1600	11200	1760	12320
Grader Motor	Chapion 710 ; 710R	135 HP	055 -	1600	11200	1760	12320
Grader Motor	CAT 120G	125 HP	055 -	1600	11200	1760	12320
Grader Motor	Mitubishi MG 350R	135 HP	055 -	1600	11200	1760	12320

Handwritten signatures and notes at the bottom of the page.

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७९/८० को स्वीकृत जिल्ला दर रेट (२)

१२. मेशिन, औजार तथा उपकरणको भाडा दर सम्बन्धी

				आ.व. २०७८/०७९ को स्वीकृत दर रेट		आ.व. २०७९/८० को स्वीकृत दर रेट	
Equipment Name	Equipment Identification	Capacity Category	DoR Code	Hire Rate in NRs.		Hire Rate in NRs.	
				Per Hour	Per Shift	Per Hour	Per Shift
1	2	3	4	5	6 = 7*(5)	5	6 = 7*(5)
Grader Motor	BEML BG605 - 6216	145 HP	055 -	1600	11200	1760	12320
Grader Motor	Aveling Barford ASG 12G; TG 01	135 HP	055 -	1200	8400	1320	9240
Grader Motor	Niigata N530 PSA	135 HP	055 -	1200	8400	1320	9240
Grader Motor	Komatsu 405A - 1	90 HP	055 -	1200	8400	1320	9240
Chips Spreader	Phoenix/Tail Gate Mounted		057 -	300	2100	330	2310
Bitumin Heater	Span Eng.	Up to 2 KL	062 -	180	1260	198	1386
Loader Wheel	JCB 425	1.75 Cu M	068 -	1000	7000	1100	7700
Loader Wheel	Aveling Barford	1.75 Cu M	068 -	1000	7000	1100	7700
Loader Wheel	EJCB - 430	1.7 Cu M	068 -	1000	7000	1100	7700
Loader Wheel	Komatsu WA 100 - 1	1.2 Cu M	068 -	1000	7000	1100	7700
Loader Wheel	Komatsu WA 180 - 3	1.8 Cu M	068 -	1200	8400	1320	9240
Loader Wheel	Furukawa FL 200; FL 230 - I	1.9 - 2.3 Cu M	068 -	1200	8400	1320	9240
Loader Wheel	Furukawa FL 200 - I	1.9 - 2.3 Cu M	068 -	1200	8400	1320	9240
Loader Wheel	Kawasaki KSS 70; KLD 70	1.9 - 2.2 Cu M	068 -	1200	8400	1320	9240
Loader Wheel	CAT 950	> 1.8 Cu M	068 -	1200	8400	1320	9240
Loader Wheel	Michigan Clark 75 - IIIA	> 1.8 Cu M	068 -	1200	8400	1320	9240
Loader Wheel	Hyuandai HL 757 - 7	2.5 Cu M	068 -	1500	10500	1650	11550
Loader Wheel	Kawasaki 70ZIV - 2	2.2 Cu M	068 -	1500	10500	1650	11550
Loader Wheel	Kawasaki 70ZIV; WL03 - 70Z	2.2 Cu M	068 -	1500	10500	1650	11550
Loader Wheel	Kawasaki 70Z - IV Hino	2.2 Cu M	068 -	1500	10500	1650	11550
Back Hoe Loader	JCB 3CX - 4	< 90 HP	070 -	1000	7000	1100	7700
Water Pump (Engine)	Sykes Univac	Up To 4"	085 -	150	1050	165	1155
Water Pump (Engine)	Yanmar/ YKS - 3DW	Up To 4"	085 -	150	1050	165	1155
Water Pump (Engine)	Sykes Univac	4 To 6 "	085 -	200	1400	220	1540
Water Pump (Engine)	Yanmar/ YKS - 6DFA	4 To 6"	085 -	200	1400	220	1540
Water Pump (Elect.)		5 HP	085 -	150	1050	165	1155
Water Pump (Elect.)		7.5 HP	085 -	150	1050	165	1155
Pile Driver*		10 Ton	086 -	3000	21000	3300	23100
Roller 3 Wheel	Aveling Barford DC 011	Up to 12 Ton	094 -	500	3500	550	3850
Roller 3 Wheel	Johs Moller Rambo	Up to 12 Ton	094 -	500	3500	550	3850
Roller 3 Wheel	Speedcraft DRR 10 - S	Up to 12 Ton	094 -	500	3500	550	3850
Roller 3 Wheel	Luoyang 3Y8 / 10	Up to 12 Ton	094 -	500	3500	550	3850
Roller 3 Wheel	Aveling Barford DC 012	Up to 12 Ton	094 -	500	3500	550	3850
Roller 3 Wheel	Albaret TR - 10	Up to 12 Ton	094 -	500	3500	550	3850
Roller 3 Wheel	Kawasaki KMRH - 12	Up to 12 Ton	094 -	500	3500	550	3850
Roller 3 Wheel	Sakai 7608	Up to 12 Ton	094 -	500	3500	550	3850
Roller Pneumatic	Dynapac CP 15	Up to 20 Ton	096 -	1200	8400	1320	9240
Roller Pneumatic	Hamm GRW - 10	Up to 20 Ton	096 -	1200	8400	1320	9240
Roller Pneumatic	Stavostroj VP 200	Up to 20 Ton	096 -	1200	8400	1320	9240
Roller Pneumatic	Dynapac CP 20	Up to 20 Ton	096 -	1200	8400	1320	9240
Roller Pneumatic	Sakai TS7409	Up to 20 Ton	096 -	1000	7000	1100	7700
Roller Vib. Pedestrian	Bomag BW 71E - 2	Up to 0.5 Ton	098 -	400	2800	440	3080
Roller Vib. Pedestrian	Bomag BW 71E	Up to 0.5 Ton	098 -	400	2800	440	3080
Roller Vib. Pedestrian	Benford 1 - 71L / 2 - 75B	Up to 0.5 Ton	098 -	300	2100	330	2310
Roller Vib. Pedestrian	Holman / Com CS 71	Up to 0.5 Ton	098 -	300	2100	330	2310
Roller Vib. Pedestrian	Mortimor CPM/71	Up to 0.5 Ton	098 -	300	2100	330	2310
Roller Vib. Pedestrian	Bomag BW 55E	Up to 0.5 Ton	098 -	300	2100	330	2310
Roller Vib. Pedestrian	Benford 1 - 71EEP/ 1 - 71 B	Up to 0.5 Ton	098 -	300	2100	330	2310
Roller Vib. Pedestrian	Benford	Up to 0.5 Ton	098 -	300	2100	330	2310
Roller Vib. Pedestrian	Benford 1 - 71BPL	Up to 0.5 Ton	098 -	300	2100	330	2310
Roller Vib. Sheepfoot	Tampo	Up to 10 Ton	099 -	700	4900	770	5390
Roller Vib. Self Prop.	Johs Moller VT 13 / VT 21	Up to 3 Ton	101 -	550	3850	605	4235
Roller Vib. Self Prop.	Sakai SG 500	3 + Upto 6 Ton	101 -	800	5600	880	6160
Roller Vib. Self Prop.	Larsen & Turbo W1104	3 + Upto 6 Ton	101 -	800	5600	880	6160

हा.प.म.

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७९/८० को स्वीकृत जिल्ला दर रेट (३)

१२. मेशिन, औजार तथा उपकरणको प्रभाडा दर सम्बन्धी



				आ.व. २०७८/०७९ को स्वीकृत दर रेट		आ.व. २०७९/८० को स्वीकृत दर रेट	
Equipment Name	Equipment Identification	Capacity Category	DoR Code	Hire Rate in NRs.		Hire Rate in NRs.	
				Per Hour	Per Shift	Per Hour	Per Shift
1	2	3	4	5	6 = 7*(5)	5	6 = 7*(5)
Roller Vib. Self Prop.	Bomag BG 605	3 + Upto 6 Ton	101 -	800	5600	880	6160
Roller Vib. Self Prop.	Bomag BW 172D - 2	6.3 Ton	101 -	900	6300	990	6930
Roller Vib. Self Prop.	Bomag	6.3 Ton	101 -	900	6300	990	6930
Roller Vib. Self Prop.	Kawasaki KVR 7	6 Ton	101 -	700	4900	770	5390
Spreader Chip S/P	Phoenix MK 4		109 -	1500	10500	1650	11550
Spayer Emulsion	Hotta ESC - 10 E	Up to 1 KL	112 -	260	1820	286	2002
Truck Flatbed/Crane	Dong Feng/AEDLUS	Up to 7 Ton	114 -	800	5600	880	6160
Truck Flatbed/Crane	Tata SE 1210/42	Up to 7 Ton	114 -	800	5600	880	6160
Truck Flatbed/Crane	Tata Usha 1210B/42	Up to 7 Ton	114 -	800	5600	880	6160
Truck Flatbed/Crane	Isuzu HTR	Up to 7 Ton	114 -	800	5600	880	6160
Truck Flatbed	Ashok Leyland CS 42	Up to 150 HP	115 -	450	3150	495	3465
Truck Flatbed	Hino FF 173KA	Up to 150 HP	115 -	450	3150	495	3465
Truck Flatbed	Isuzu HTR 114-03	Up to 150 HP	115 -	450	3150	495	3465
Truck Flatbed	Isuzu TXD 50	Up to 150 HP	115 -	450	3150	495	3465
Truck Tipper	Tata SK 1210/36	Up to 150 HP	116 -	450	3150	495	3465
Truck Tipper	A/Leyland Commet 3/15;	Up to 150 HP	116 -	450	3150	495	3465
Truck Tipper	Tata SE 1210 /36	Up to 150 HP	116 -	450	3150	495	3465
Truck Tipper	A/ Leyland Commet 3/21	Up to 150 HP	116 -	450	3150	495	3465
Truck Tipper	A/ Leyland Commet	Up to 150 HP	116 -	450	3150	495	3465
Truck Tipper	A/Leyland Commet	Up to 150 HP	116 -	450	3150	495	3465
Truck Tipper	Isuzu HTR 113-03	Up to 150 HP	116 -	450	3150	495	3465
Truck Tipper	Hino KR 120 E	Up to 150 HP	116 -	450	3150	495	3465
Truck Tipper	Isuzu SBR 322; TXD 40	Up to 150 HP	116 -	450	3150	495	3465
Truck Tipper	Nissan CPC 14E	From 150+ HP	116 -	1100	7700	1210	8470
Truck Tipper	Isuzu TDJ	From 150+ HP	116 -	1100	7700	1210	8470
Truck Tipper	Nissan CKB 450EDN	From 150+ HP	116 -	1100	7700	1210	8470
Mini Truck	Mah & Mah Cab 576		117 -	300	2100	330	2310
Mini Truck	Tata 407		117 -	300	2100	330	2310
Mini Truck	Mah. Nis. Allw. Cab 576		117 -	300	2100	330	2310
Mini Truck	Mits. Can. Eich./ FE444		117 -	300	2100	330	2310
Mini Truck	Mitsu. Eicher EE 44EXR		117 -	300	2100	330	2310
Trailer Tractor	Isuzu CXZ81Q	10 + to 25 Ton	118 -	2200	15400	2420	16940
Trailer Tractor	Foden 5106T	10 + to 25 Ton	118 -	2200	15400	2420	16940
Trailer Tractor	Hino HE 335	10 + to 25 Ton	118 -	2200	15400	2420	16940
Trailer Tractor	Hino HE 335	10 + to 25 Ton	118 -	2200	15400	2420	16940
Trailer Tractor	Mitsubishi FV 515 HRR	10 + to 25 Ton	118 -	2200	15400	2420	16940
Trailer Tractor	Nissan CW - 50 GTN	10 + to 25 Ton	118 -	2200	15400	2420	16940
Trailer Tractor	Mitsubishi FV 515.HRR	From 25 +Ton	118 -	2700	18900	2970	20790
Water Tanker	AL/ Commet; ALCO- 3/15	Up to 8 KL	119 -	550	3850	605	4235
Water Tanker	Tata/SE 1210/48	Up to 8 KL	119 -	550	3850	605	4235
Water Tanker	A/ Leyland Commet CS 42	Up to 8 KL	119 -	550	3850	605	4235
Water Tanker	Hino	Up to 8 KL	119 -	550	3850	605	4235
Water Tanker	Isuzu HTR	Up to 8 KL	119 -	550	3850	605	4235
Water Tanker	Isuzu SBR 312; TXD 50	Up to 8 KL	119 -	550	3850	605	4235
Trailer	MAECO / Nepal		122 -	140	980	154	1078
Tractor	HMT 4511	Up to 85 HP	123 -	300	2100	330	2310
Tractor	International Sona. DI 745 III	Up to 85 HP	123 -	300	2100	330	2310
Tractor	Tractor & Farm MF 245 DI-J	Up to 85 HP	123 -	300	2100	330	2310
Tractor	Hindustan G 453 - DI	Up to 85 HP	123 -	300	2100	330	2310
Tractor	Escort E 355 N	Up to 85 HP	123 -	300	2100	330	2310
Tractor	Mahendra 545	Up to 85 HP	123 -	300	2100	330	2310
Tractor	Ford 3610	Up to 85 HP	123 -	300	2100	330	2310
Tractor	Kubota	Up to 85 HP	123 -	300	2100	330	2310
Tractor	Ford New Holland	Up to 85 HP	123 -	300	2100	330	2310

हा.प.म. [Signatures]

हा.प.म.

नवलपरासी (बिर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७९/८० को स्वीकृत जिल्ला दर रेट (४)

१२. मेशिन, औजार तथा उपकरणको भाडा दर सम्बन्धी



२.९

				आ.व. २०७८/०७९ को स्वीकृत दर रेट		आ.व. २०७९/८० को स्वीकृत दर रेट	
Equipment Name	Equipment Identification	Capacity Category	DoR Code	Hire Rate in NRs.		Hire Rate in NRs.	
				Per Hour	Per Shift	Per Hour	Per Shift
1	2	3	4	5	6=7*(5)	5	6=7*(5)
Tractor with trailer	Ford 6610	Up to 85 HP	123 -	440	3080	484	3388
Tractor with trailer	Massey Ferguson MF 20B	Up to 85 HP	123 -	440	3080	484	3388
Vibrator Engine	Mikasa; Mikasa MV1-GE		136 -	120	840	132	924
Vibrator Needle	BP 25; BP 35		136 -	100	700	110	770
Vibrator Needle	V 635; V 654		136 -	100	700	110	770
Compactor H/Towed	Jaypee	Up to 450 KG	138 -	130	910	143	1001
Compactor H/Towed	MIKASA MVC -110D	Up to 450 KG	138 -	130	910	143	1001
Welding Arc		30 + KVA	143 -	1150	8050	1265	8855
Bridge inspection Equipment	Brain Italy AB 9s with Truck			7650	53550	8415	58905

*EXCLUDING COST OF ERECTION/ COMMISSIONING/ DISMANTLING AND MECHANICAL CREW.

हा.प.म.

हा.प.म.

हा.प.म.

हा.प.म.

हा.प.म.

हा.प.म.

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७९/८० को स्वीकृत जिल्ला दर रेट (१)

१३. ग्लास फाइबर सम्बन्धी स्वीकृत दर रेट (१३% भ्याट बाहेक)

S. N.	Description	Unit	Rate 074/75	Rate 075/76	Rate 076/77	Rate 077/78	Rate 078/79	Rate 079/80	Remarks
A. Corrugated Sheet width of 32"(1.2 mmthick)									
1	3.00 Ft long	pc	675.00	675.00	675.00	675.00	675.00	742.50	
2	4.00 Ft long	pc	901.00	901.00	901.00	901.00	901.00	991.10	
3	5.00 Ft long	pc	1125.00	1125.00	1125.00	1125.00	1125.00	1237.50	
4	6.00 Ft long	pc	1351.00	1351.00	1351.00	1351.00	1351.00	1486.10	
5	7.00 Ft long	pc	1576.00	1576.00	1576.00	1576.00	1576.00	1733.60	
6	8.00 Ft long	pc	1801.00	1801.00	1801.00	1801.00	1801.00	1981.10	
7	9.00 Ft long	pc	2026.00	2026.00	2026.00	2026.00	2026.00	2228.60	
8	10.00 Ft long	pc	2252.00	2252.00	2252.00	2252.00	2252.00	2477.20	
9	12.00 Ft long	pc	2702.00	2702.00	2702.00	2702.00	2702.00	2972.20	
B Corrugated Sheet width of 32"(0.6 mmthick)									
								0.00	
1	3.00 Ft long	pc	427.00	427.00	427.00	427.00	427.00	469.70	
2	4.00 Ft long	pc	569.00	569.00	569.00	569.00	569.00	625.90	
3	5.00 Ft long	pc	711.00	711.00	711.00	711.00	711.00	782.10	
4	6.00 Ft long	pc	854.00	854.00	854.00	854.00	854.00	939.40	
5	7.00 Ft long	pc	996.00	996.00	996.00	996.00	996.00	1095.60	
6	8.00 Ft long	pc	1139.00	1139.00	1139.00	1139.00	1139.00	1252.90	
7	9.00 Ft long	pc	1281.00	1281.00	1281.00	1281.00	1281.00	1409.10	
8	10.00 Ft long	pc	1424.00	1424.00	1424.00	1424.00	1424.00	1566.40	
9	12.00 Ft long	pc	1708.00	1708.00	1708.00	1708.00	1708.00	1878.80	
C Plain Sheet									
								0.00	0.00
	1.2mm thick	Sq. ft.	90.00	90.00	90.00	90.00	90.00	99.00	
1	2.00mm thick	Sq. ft.	133.00	133.00	133.00	133.00	133.00	146.30	
2	3.00mm thick	Sq. ft.	193.00	193.00	193.00	193.00	193.00	212.30	
3	4.00mm thick	Sq. ft.	250.00	250.00	250.00	250.00	250.00	275.00	
	5.00mm thick		285.00	285.00	285.00	285.00	285.00	313.50	
D Corrugated Advestor Sheet									
		Sq. ft.						0.00	0.00
	0.8mm thick	Sq. ft.	75.00	75.00	75.00	75.00	75.00	82.50	
	1.20mm thick	Sq. ft.	96.00	96.00	96.00	96.00	96.00	105.60	
	2.00mm thick	Sq. ft.	150.00	150.00	150.00	150.00	150.00	165.00	

Handwritten signatures and initials at the bottom of the page, including names like 'S. N. M.' and 'S. N. M.'.

चा.प.प्र.

[Signature]

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७९/८० को स्वीकृत जिल्ला दर रेट (१)

[Signature]



१४. मेसिन उपकरणबाट गरीने कार्यको दररेट आ.व.०७९/८०

[Signature]

क.सं.	कामको विवरण	इकाई	१३% मू.अ.कर बाहेकको दररेट (रु.)						कैफियत
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	आ.व. २०७८/७९ को स्वीकृत दर रेट	आ.व. २०७९/८० को स्वीकृत दर रेट	
क	डोजर/एक्साभेटर प्रयोग गरी माटो खन्ने काम (मोविलाईजेसन, डिमोवीलाइजेसन, इन्धन र अप्रेटर खर्च समेत)								
१	साधारण माटो	घमी	५८१००	५८१००	५८१००	५८१००	६०१००	६९१००	
२	ग्राभेल/बाल्डर मिश्रणको माटो	घमी	८५१००	८५१००	८५१००	८५१००	८७१००	९०१०५	
३	नरम प्रकारको चट्टान	घमी	९७५१००	९७५१००	९७५१००	९७५१००	९७७००	२०३५५	
४	मध्यम प्रकारको चट्टान	घमी	४००१००	४००१००	४००१००	४००१००	४०२१००	४६२३०	
५	कडा प्रकारको चट्टान	घमी	९०७०१००	९०७०१००	९०७०१००	९०७०१००	९०७२१००	९२३२८०	
ख	पेढो हटाउन/सफा गर्ने काम	घमी	५०१००	५०१००	५०१००	५०१००	५२१००	५९१८०	

चा.प.प्र.

[Signature]

[Signature]

[Signature]

[Signature]

[Signature]

डा. (11/11/20)

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७९/८० को स्वीकृत जिल्ला दर रेट (१)

डा. (11/11/20)



१५. विद्युतिय सोलार सम्बन्धी सामाग्रीहरुको दररेट (१३५ प्याट बाहेक)

क्रस	सामाग्रीको नाम	क्षमता	ईकाइ	आ.व. ०७४/७५	आ.व. ०७५/७६	आ.व. ०७६/७७	आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व. ०७९/८०	कैफियत
A	Solar Modulars(Vikram,Andromeda or euivalent)	10wp/12	गोटा	१७२०।०	८५०।०	८५०।०	८५०।०	८५०।०	९३५।०	
	Solar Modulars	20wp/13	गोटा	२६९०।०	१३००।०	१३००।०	१३००।०	१३००।०	१४३०।०	
	Solar Modulars	40wp/14	गोटा	५३८०।०	३२००।०	३२००।०	३२००।०	३२००।०	३५२०।०	
	Solar Modulars	50wp/15	गोटा	६७२०।०	३५००।०	३५००।०	३५००।०	३५००।०	३८५०।०	
	Solar Modulars	75wp/16	गोटा	१००९०।०	६०००।०	६०००।०	६०००।०	६०००।०	६६००।०	
	Solar Modulars	100wp/17	गोटा	१२४५०।०	६५००।०	६५००।०	६५००।०	६५००।०	७१५०।०	
	Solar Modulars	150wp/18	गोटा	१८८८०।०	९७५०।०	९७५०।०	९७५०।०	९७५०।०	१०७२५।०	
	Solar Modulars	210wp/19	गोटा	२६४३०।०	१२६००।०	१२६००।०	१२६००।०	१२६००।०	१३८६०।०	
B	Battery Exide or equivelant							०।०	०।०	०।०
	12v/ 20 AH SOLAR TUB BATTERY	12V20AH@C10	गोटा	६९९९।०	४६५०।०	४६५०।०	४६५०।०	४६५०।०	५११५।०	
	12v/ 20 AH SOLAR TUB BATTERY	12V40AH@C11	गोटा	१०६९९।०	७८००।०	७८००।०	७८००।०	७८००।०	८५८०।०	
	12v/ 20 AH SOLAR TUB BATTERY	12V40AH@C12	गोटा	१२२९९।०	८५००।०	८५००।०	८५००।०	८५००।०	९३५०।०	
	12v/ 20 AH SOLAR TUB BATTERY	12V60AH@C13	गोटा	१५९९९।०	११५००।०	११५००।०	११५००।०	११५००।०	१२६५०।०	
	12v/ 20 AH SOLAR TUB BATTERY	12V75AH@C14	गोटा	१९२९९।०	१४५००।०	१४५००।०	१४५००।०	१४५००।०	१५९५०।०	
	12v/ 20 AH SOLAR TUB BATTERY	12V100AH@C15	गोटा	२५६९९।०	१६५००।०	१६५००।०	१६५००।०	१६५००।०	१८१५०।०	
	12v/ 20 AH SOLAR TUB BATTERY	12V150AH@C16	गोटा	३६३९९।०	२६५००।०	२६५००।०	२६५००।०	२६५००।०	२९१५०।०	
	12v/ 20 AH SOLAR TUB BATTERY	12V200AH@C17	गोटा	४५६९९।०	३१५००।०	३१५००।०	३१५००।०	३१५००।०	३४६५०।०	
C	Charge Controler Luminus or equivelant								०।०	०।०
	6AMP/12V CONTROLER	6A /12V	गोटा	१०००।०	३००।०	३००।०	३००।०	३००।०	३३०।०	
	6AMP/12V AUTO CONTROLER	10A /12V-24V	गोटा	१७००।०	६५०।०	६५०।०	६५०।०	६५०।०	७१५।०	
	6AMP/12V AUTO CONTROLER	20A /12V-24	गोटा	२६२०।०	१२००।०	१२००।०	१२००।०	१२००।०	१३२०।०	

डा. (11/11/20)

डा. (11/11/20)

डा. (11/11/20)

डा. (11/11/20)

डा. (11/11/20)

16. Machine Made Precast Brick/Interlocks/Slabs/Kerbstones

2079/80

District Rate List FY 2079-80 for Nawalparasi

S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per Cubic Meter (Ex VAT)	MRP Per Cubic Meter (Ex VAT)	MRP Per Cubic Meter (Ex VAT)
1	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	17.65	9966.4	19.42	10963.04
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	19.51	11015.81	21.46	12117.39
2	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	15.8	11356.45	17.38	12492.1
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	16.73	12020.48	18.40	13222.53
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)		
3	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	115.5	1558.7	127.05	1714.57
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	136.5	1842.11	150.15	2026.321
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)		
4	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	92.4	1246.96	101.64	1371.656
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	110.25	1487.85	121.28	1636.635
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)		
5	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	80.85	1091.09	88.94	1200.199
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	92.4	1246.96	101.64	1371.656
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)		
6	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	27.83	826.34	30.61	908.974
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	34.13	1013.43	37.54	1114.773

	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	36.23	1075.8	39.85	1183.38
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	33.6	997.84	36.96	1097.624
7	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	39.9	1184.93	43.89	1303.423
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	42	1247.3	46.20	1372.03
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	39.9	1184.93	43.89	1303.423
8	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	46.2	1372.03	50.82	1509.233
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	48.3	1434.39	53.13	1577.829
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	48.3	1434.39	53.13	1577.829
9	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	54.6	1621.49	60.06	1783.639
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	56.7	1683.85	62.37	1852.235
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)		
	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	27.83	1392.2	30.61	1531.42
10	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	33.08	1654.87	36.39	1820.357
	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	35.18	1759.95	38.70	1935.945
	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	64.2	3212.18	70.62	3533.398
11	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	70.89	3546.79	77.98	3901.469
	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	73.56	3680.63	80.92	4048.693
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)		
	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	31.5	1159.51	34.65	1275.461
12	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	37.8	1391.42	41.58	1530.562
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	39.9	1468.72	43.89	1615.592

13	Behaton Interlock I Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	46.2	1700.62	50.82	1870.682
	Behaton Interlock I Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	52.5	1932.52	57.75	2125.772
	Behaton Interlock I Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	54.6	2009.82	60.06	2210.802
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)		
14	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	32.55	1127.77	35.81	1240.547
	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	38.85	1346.04	42.74	1480.644
	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	40.95	1418.8	45.05	1560.68
15	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	46.2	1824.9	50.82	2007.39
	Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	52.5	2073.75	57.75	2281.125
	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	54.6	2156.7	60.06	2372.37
16	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	81.32	3232.14	89.45	3555.354
	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	89.79	3546.56	98.77	3901.216
	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	93.18	3680.75	102.50	4048.825
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)		
17	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	42	1239.62	46.20	1363.582
	Romba 3D interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	48.3	1425.56	53.13	1568.116
	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	50.4	1487.54	55.44	1636.294
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)		
18	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	54.6	1364.75	60.06	1501.225
	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	60.9	1522.22	66.99	1674.442
	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	63	1574.72	69.30	1732.192
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)		

19	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	12.6	1260.04	13.86	1386.044
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	14.7	1470.05	16.17	1617.055
	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	17.33	1732.56	19.06	1905.816
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)		
20	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	52.5	1399.82	57.75	1539.802
	Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	57.75	1539.8	63.53	1693.78
	Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	59.85	1595.8	65.84	1755.38
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)		
21	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	55.65	1391	61.22	1530.1
	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	61.95	1548.47	68.15	1703.317
	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	64.05	1600.96	70.46	1761.056
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)		
22	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	170.1	1063.39	187.11	1169.729
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	189	1181.54	207.90	1299.694
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	212.1	1325.96	233.31	1458.556
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)		
	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	1023.75	1068.51	1,126.13	1175.361

Handwritten signatures and notes at the bottom of the page, including a signature that appears to read "S. Jagan" and other illegible marks.

23	Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	1,128.75	1,178.10	1,241.63	1295.91
	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	1,275.75	1,331.53	1,403.33	1464.683
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)		
24	Nostalgic Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	2310	2220.67	2,541.00	2442.737
	Nostalgic Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	2572.5	2473.02	2,829.75	2720.322
	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	2782.5	2674.9	3,060.75	2942.39
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)		
25	Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:400x600x80mm (NS Standard)	367.50	1,530.31	404.25	1683.341
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per RM (Ex VAT)		
26	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	294	979.02	323.40	1076.922
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	305	1013.99	334.95	1115.389
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	326	1083.92	358.05	1192.312
27	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 165mm, Dimension:300*165*325 (LxBxH) (NS Standard)	252	839.16	277.20	923.076
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH) (NS Standard)	273	909.09	300.30	999.999
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH) (NS Standard)	294	979.02	323.40	1076.922
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per RM (Ex VAT)		
28	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	394.00	1,176.00	433.40	1293.6
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	304.50	1,218.00	334.95	1339.8
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	325.50	1,302.00	358.05	1432.2
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per RM (Ex VAT)		

29	Bullnose Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	315	1048.95	346.50	1153.845
	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	341.25	1136.36	375.38	1249.996
	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	357	1188.81	392.70	1307.691
S.No	Description of Items	MRP Per Set (Ex VAT)	MRP Per RM (Ex VAT)		
30	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	371.91	1,238.46	409.10	1362.306

१७. आ.ब २०७९/०८० को लागि सिचाइ गेट सम्बन्धी कार्यको दररेट

क्र.स	सामग्रीको नाम	इकाई	दर
१	Steel Gates	प्रति के.जी	२७५
१.१	ISMC 100	प्रति के.जी	२७५
१.२	ISMC 125	प्रति के.जी	२७५
१.३	ISMC 150	प्रति के.जी	२७५
१.४	ISA 7575	प्रति के.जी	२७५
१.५	ISA 5050	प्रति के.जी	२७५
२	Spindle for gates		
२.१	Bright round bars for gate size greater than 1m x 1m with threading of spindle bars	प्रति फिट	५५००
३	Gear box for (including nut, bolt, bearing, grease housing, body, etc. all complete)		
३.१	गेट गियर सेट ५-१० टन क्षमता भएको	प्रति सेट	११०००
३.२	गेट गियर सेट १०-१५ टन क्षमता भएको	प्रति सेट	२७४००
३.३	गेट गियर सेट १५-२० टन क्षमता भएको	प्रति सेट	४१०००
३.४	गेट गियर सेट २०-२५ टन क्षमता भएको	प्रति सेट	५४५००
४	Thrust Bearing	प्रति सेट	१२००
५	Middle Type Cast Iron Gear Nut	प्रति गोटा	११६००
६	Slide Roller	प्रति गोटा	५१००
७	Middle Type Cast Iron Gear	प्रति गोटा	११२००
८	PVC Water stopper (water bar) for canal lining		
८.१	230 mm wide with 25mm dia centre bulb	प्रति र.मि	११००
८.२	150 mm wide with 25mm dia centre bulb	प्रति र.मि	७५०
९	Rubber Seal		
९.१	For canal		
९.१.१		६" प्रति र.मि	७५५
९.१.२		९" प्रति र.मि	११५५
९.२	for irrigation gates		
९.२.१		४"-५" प्रति र.मि	१०००
९.२.२		६"-८" प्रति र.मि	१५००
९.२.३	Type - flat		१६५०
९.२.४	Type - P (bulb at one end)		२२००
९.२.५	Type - Double stem (single bulb at center)		२२००
९.२.६	Type - Double bulb (bulb at both ends)		२७५०
९.२.७	Type - L or Z		३०२५
९.२.८	Type - corner		३०२५
१०	Cone shaped bearing, bearing plate and nut		
१०.१	For cross regulator gate	प्रति सेट	१००००
१०.२	For Tertiary Gate	प्रति सेट	७०००
११	Supply and Fixing of cone bearing		
११.१	No: 30208	प्रति सेट	२०००
११.२	No: 30310	प्रति सेट	३५००
१२	Supply and Fixing of High Tensile nut bolt	प्रति के.जी	३००
१३	Rope 20-25mm (Tochan)	प्रति र.मि	२०००



Handwritten signatures and dates at the bottom of the page, including '३१/१२/२०७९' and other illegible text.

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७९/८० को स्वीकृत जिल्ला दर रेट (१)

०४

निर्णय नं. २

आ.व.०७९/८० को लागि निर्धारित यस दर रेटमा उल्लेख भएकाको हकमा यसै बमोजिम र यसमा उल्लेख नभएका को हकमा प्रचलित स्थानीय बजार भाउ अनुसारको दर रेटलाई आधार मान्ने निर्णय गरियो ।


अ.प.र.०

आ.व.०७९/८०

०७९/८०



०७९/८०


 नेपाल प्रशासन (कक्षाट सुस्ता पश्चिम) जिल्लाको आ.व.०७९/०८० को स्वीकृत जिल्ला दर रेट (२)
 सह मन्त्रालय

७.३ पी.पी.आर फिटिङ्स (आ.व.०७९/८० को स्वीकृत जिल्ला दर रेट १३% भ्याट बाहेक)										कैफियत
Description	20*1/2"	20*3/4"	25*1/2"	25*3/4"	32*1/2"	32*3/4"	32*1"	40*11/4"	50*11/2"	
Female coupling	105.00	124.00	138.00	140.00	119.00	127.00	300.00	519.00	672.00	
	901.00	2675.00								
Male coupling	20*1/2"	20*3/4"	25*1/2"	25*3/4"	32*1/2"	32*3/4"	32*1"	40*11/4"	50*11/2"	
	129.00	136.00	157.00	181.00	163.00	174.00	350.00	591.00	891.00	
	63*2"	75*2 1/2"								
	1176.00	2923.00								
Female union	20*1/2"	20*3/4"	25*1/2"	25*3/4"	32*1/2"	32*3/4"	32*1"	40*11/4"	50*11/2"	
	281.00			364.00			589.00	812.00	1388.00	
	63*2"	75*2 1/2"								
	2531.00									
Male union	20*1/2"	20*3/4"	25*1/2"	25*3/4"	32*1/2"	32*3/4"	32*1"	40*11/4"	50*11/2"	
	292.00			419.00			615.00	1108.00	1431.00	
	63*2"	75*2 1/2"								
	3821.00									
Description	20*1/2"	20*3/4"	25*1/2"	25*3/4"	32*1/2"	32*3/4"	32*1"	40*11/4"	50*11/2"	
Metal Ball Valve double	621.00	910.00	1123.00	3198.00	4394.00	-				
Metal Ball Valve Single	573.00	917.00	1266.00							
Female Elbow	109.00		178.00	146.00	195.00	229.00	321.00			
Male Elbow	133.00		146.00	179.00	301.00	239.00	396.00			
Female Tee	112.00	-	146.00	170.00	167.00	219.00	381.00	-	-	
Male Tee	138.00	-	146.00	174.00	211.00	219.00	381.00	-	-	
Female Base Elbow	148.00	-	182.00	179.00	-	-	-	-	-	
Male Base Elbow	151.00	-	186.00	186.00	-	-	-	-	-	

१२
 ३१/१५/१५
