




काभ्रेपलाञ्चोक जिल्लाको
ज्याला तथा निर्माण सामग्रीहरूको
दररेट



आ.ब. ०८०/०८१



जिल्ला प्रशासन कार्यालय
काभ्रेपलाञ्चोक

२०८० असार



आज मिति २०८० साल असार ३१ गते बिहान ११:०० बजे प्रमुख जिल्ला अधिकारी एवम् जिल्ला दररेट निर्धारण समितिका अध्यक्ष श्री पुण्य विक्रम पौडेलज्यूको अध्यक्षतामा देहाय बमोजिमका पदाधिकारीहरुको उपस्थितिमा जिल्ला दररेट निर्धारण समितिको बैठक बसी निम्न बमोजिम गर्ने निर्णय गरियो:-

उपस्थिति:

१) प्र.जि.अ. श्री पुण्य विक्रम पौडेल

जिल्ला प्रशासन कार्यालय, काभ्रेपलाञ्चोक

२) जि.स.स. प्रमुख श्री दिपक कुमार गौतम

जिल्ला समन्वय समितिको कार्यालय, काभ्रेपलाञ्चोक

३) जि.स.अ. श्री शान्तिराज प्रसाइ

जिल्ला समन्वय समितिको कार्यालय, काभ्रेपलाञ्चोक

४) प्र. को. नि. श्री लेखनाथ रेग्मी

कोष तथा लेखा नियन्त्रक कार्यालय, काभ्रेपलाञ्चोक

५) श्री रविन्द्र बैदार

उद्योग वाणिज्य संघ, काभ्रेपलाञ्चोक

६) श्री विजय तामाङ

निर्माण व्यवसायी संघ, काभ्रेपलाञ्चोक

७) सि.डि.ई. श्री भरत कुमार यादव

पूर्वाधार विकास कार्यालय, काभ्रेपलाञ्चोक

आमन्त्रित:

८) स.प्र.जि.अ श्री महेश कुमार पोखरेल

जिल्ला प्रशासन कार्यालय, काभ्रेपलाञ्चोक

९) सि.डि.ई श्री मनिष महर्जन

जलश्रोत तथा सिचाई विकास डिभिजन, काभ्रेपलाञ्चोक

१०) श्री गौरब भट्ट

डिभिजन वन कार्यालय, काभ्रेपलाञ्चोक

११) अनन्त कृष्ण श्रेष्ठ

धुलिखेल उद्योग वाणिज्य संघ, काभ्रेपलाञ्चोक

१२) अवनीश्वर कार्की

धुलिखेल उद्योग वाणिज्य संघ, काभ्रेपलाञ्चोक

१३) श्री सुरेन्द्र देवजु

शहरी विकास तथा भवन कार्यालय, काभ्रेपलाञ्चोक

१४) श्री केदार श्रेष्ठ

भूमिगत जलश्रोत तथा सिचाई विकास डिभिजन, काभ्रेपलाञ्चोक

१५) श्री राम चन्द्र न्यौपाने

जिल्ला समन्वय समितिको कार्यालय, काभ्रेपलाञ्चोक

१६) श्री निरंजन कुमार

जिल्ला समन्वय समितिको कार्यालय, काभ्रेपलाञ्चोक

१७) श्री पुरुसोत्तम महर्जन

पूर्वाधार विकास कार्यालय, काभ्रेपलाञ्चोक

१८) श्री सकलदेव प्रसाद साह

पूर्वाधार विकास कार्यालय, काभ्रेपलाञ्चोक

१९) श्री अमित लामा

निर्माण व्यवसायी संघ, काभ्रेपलाञ्चोक

२०) श्री

२१) श्री

२२) श्री

Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller ones on the right.

निर्णयहरू:

आर्थिक वर्ष २०८०/८१ को लागि यस जिल्लाको जिल्ला दररेट निर्धारण गर्नका लागि जिल्ला दररेट निर्धारण समितिको निर्देशन बमोजिम पूर्वाधार विकास कार्यालय, काभ्रेपलाञ्चोकबाट जिल्ला स्थित सबै सरोकारवालाहरूसँग समन्वयमा तयार गरी पेश हुन आएको कामदारहरूको ज्यालादर, Civil Works, Sanitary Works, Electrical works सम्बन्धी प्रतिवेदन बैठकमा छलफल भयो। उक्त कार्यको लागि बजार सर्वेक्षण, चालु आ.व. को दररेट तथा सरोकारवाला निकायहरूको सुझावलाई समेत आधार मानी देहाय बमोजिम दररेट निर्धारण गर्ने निर्णय गरियो।

निर्णय नं. १ कामदारको ज्याला दर, मेशीन तथा उपकरण र ढुवानी दर निर्धारण गर्ने।

निर्णय नं. २ सिभिल कार्य सम्बन्धी दर रेट निर्धारण गर्ने।

निर्णय नं. ३ ईलेक्ट्रिकल कार्यको दर रेट निर्धारण गर्ने।

निर्णय नं. ४ स्यानिटरी कार्य सम्बन्धीको दर रेट निर्धारण गर्ने।

निर्णय नं. ५ (घर र जग्गा भाडा, तथा क्षतिपूर्ति मुआब्जा निर्धारण सम्बन्धी) दररेट पुस्तिकामा उल्लेख गरिएको।

निर्णय नं. ६ पेट्रोलियम पदार्थ र लुब्रिकेन्टस् प्रोडक्ट सम्बन्धमा नेपाल आयल निगमले तोके अनुसारको दररेट कायम गर्ने निर्णय गरियो।

निर्णय नं. ७ सदरमुकाम धुलिखेल र आसपासका नगरपालिकाहरूको बजार क्षेत्र बाहेकका दुर्गम स्थानहरूमा नियमअनुसार ढुवानी थप गरि दररेट कायम गर्ने निर्णय गरियो।

निर्णय नं. ८ स्थानीय निर्माण सामग्री उपलब्ध हुने खानी क्षेत्र आसपासका नगरपालिक तथा गाउँपालिका क्षेत्रमा निर्माण कार्य गराउनु पर्ने अवस्थामा सम्बन्धीत खानीबाट दररेट लिई खानी देखि निर्माण स्थल सम्मको दुरी (Lead) समावेश गरि दर विक्षेपण गरि जिल्लादररेट भन्दा बढी नहुने गरी दररेट कायम गर्ने निर्णय गरियो।

निर्णय नं. ९ स्थानीय निर्माण सामग्री खानी तथा खोलाबाट Collection गर्ने सकिने अवस्थामा Norms अनुसार Collection र Transportation थप गरि दररेट कायम गर्ने निर्णय गरियो।



निर्णय नं. १० झोलुंगेपुलमा प्रयोग गरिने फलामे सामग्रीहरूको फेब्रिकेशन तथा ग्याल्भनाईजेशन सम्बन्धमा आवश्यक पर्ने ज्यामी, कच्चा पदार्थहरूको दररेट नेपाल सरकारका केन्द्रीय निकाय (स्थानीय पूर्वाधार विभाग आदि) ले निर्धारण गरेको दररेटलाई नै कायम गर्ने निर्णय गरियो।

निर्णय नं. ११ माथि निर्धारण भए अनुसारको दररेटमा छुट हुन गएका अन्य निर्माण सामग्रीहरूको दररेटको हकमा प्रचलित ऐन नियम अनुसार गर्ने निर्णय गरियो।

निर्णय नं. १२ यसमा उल्लेख नभएका निर्माणसँग सम्बन्धीत अन्य आवश्यक सामग्रीहरूको हकमा लागत अनुमान तयार गर्ने प्रयोजनका लागि जुन कार्यालयलाई आवश्यक भएको हो सोही कार्यालयबाटै नेपाल सरकारको स्वामित्वमा रहेको संघ संस्था बाट दर उपलब्ध हुन नसक्ने अवस्थामा निर्माण सामग्रीहरूको प्रचलित बजारभाउ सर्वेक्षण गरि कार्यान्वयन गराउने निर्णय गरियो।

निर्णय नं. १३ जिल्ला दररेटमा उल्लेख भएका विभिन्न निर्माण सामग्रीहरू बाहेक कार्यालयले आफ्नो कार्य प्रकृति अनुसार खास प्रयोजनको लागि विशेष प्रकारको निर्माण सामग्री प्रयोग गरि निर्माण कार्य गर्नु परेमा सम्बन्धीत निकायसँग नै यस्तो विषयमा प्राविधिक विशेषज्ञता हुने हुँदा उल्लेखित विशेष प्रकारको निर्माण कार्यको नर्मस तथा स्टयाण्डर्स, दर र सो कामसँग सम्बन्धीत विशेष जनशक्तिको ज्याला दर समेत सम्बन्धीत निकाय बाट नै तयार गरि निर्णय कार्यान्वयन गर्ने गराउने।

निर्णय नं. १४ निर्माण कार्य गरिने आयोजनाहरूमा श्रमिक/मजदुरहरूको व्यवसायजन्य सुरक्षा र स्वास्थ्यको आवश्यक व्यवस्था गर्नुको साथै सार्वजनिक खरिद ऐन, नियमावलीमा व्यवस्था भएको बिमा लगायतका अन्य सुरक्षाका प्रावधान समेत सम्बन्धीत ज्यालादर प्रयोग गर्ने निकायले अनिवार्य रूपमा कार्यान्वयन गर्ने निर्णय गरियो।



ज्याला दर रेट

काभ्रेपलाञ्चोक

आ.ब. ०६०/०६१

निर्णय नं.: १ सार्वजनिक खरिद (पछिल्लो संशोधन) नियमावली २०७६ को नियम १४८ बमोजिम काभ्रेपलाञ्चोक जिल्लाको आ.व. ०८०/८१ को लागि निम्न अनुसारका कामदारहरूको लागि निम्न अनुसारको ज्याला दर र मेशीन तथा उपकरण र ढुवानी सम्बन्धि निम्नअनुसारको भाडादर निर्धारण गर्ने निर्णय गरियो । (पाना नं १ देखी ३ सम्म)

| सि.नं. | विवरण | इकाई | ०७८/०७९ को दर (रु) | ०७९/०८० को दर (रु) | ०८०/०८१ को दर (रु) | कैफियत |
|--------|--|----------------------|--------------------|--------------------|--------------------|--------|
| १ | ज्यामी (कुल्ली) | प्रति दिन प्रति जवान | ७६०.०० | ८००.०० | ८४०.०० | |
| २ | उच्च पहाडी क्षेत्रमा कामगर्ने ज्यामी | प्रति दिन प्रति जवान | ७६०.०० | ८००.०० | ८४०.०० | |
| ३ | भरिया (४०के.जि.प्रति/४कोष सम्मको बोकिलाने) | प्रति दिन प्रति जवान | ७६०.०० | ८००.०० | ८४०.०० | |
| ४ | ज्यामी र भरिया को नाइके | प्रति दिन प्रति जवान | ७६०.०० | ८००.०० | ८४०.०० | |
| ५ | दक्ष कामदार :(सिकर्मी,डकर्मी, बज्रकर्मी,नकर्मी,चित्रकार, प्लम्बर, इलेक्ट्रीसियन, मेकानिक्स) | प्रति दिन प्रति जवान | १०४०.०० | १०९०.०० | ११४४.०० | |
| ६ | अर्धदक्षकामदार: (सिकर्मी, डकर्मी, बज्रकर्मी, नकर्मी, चित्रकार, प्लम्बर, इलेक्ट्रीसियन, मेकानिक्स, हल्का सवारी चालक) | प्रति दिन प्रति जवान | ८६५.०० | ९१०.०० | ९५५.०० | |
| ७ | हेभिइक्वीमेन्ट अपरेटर | प्रति दिन प्रति जवान | ९२५.०० | ९७०.०० | १०१८.०० | |
| ८ | सर्वेहेल्पर,हेल्पर,लाइनमेन,क्याम्पहेल्पर,टेपमेन, चेनमेन,क्लीनर | प्रति दिन प्रति जवान | ७५०.०० | ७९०.०० | ८२९.०० | |
| ९ | पाले, पियन, चौकिदार | प्रति दिन प्रति जवान | ७५०.०० | ७९०.०० | ८२९.०० | |
| १० | सडक सुपरभाइजर | प्रति दिन प्रति जवान | ८१०.०० | ८५०.०० | ८९२.०० | |
| ११ | लेन म्यान (लेन्थ वर्कर) | प्रति दिन प्रति जवान | ६३५.०० | ६६५.०० | ६९८.०० | |
| १२ | सुपरभाइजर, सहजकर्ता, उत्प्रेरक आदि (ज्यालादारीमा) | | | | | |
| | नाइट वाचमेन | प्रति दिन प्रति जवान | ७५०.०० | ७९०.०० | ८२९.०० | |
| | सर्भेयर (ओभरसियर सरह) प्राविधिक | प्रति दिन प्रति जवान | ११६०.०० | १२२०.०० | १२८१.०० | |
| | सर्भे हेल्पर | प्रति दिन प्रति जवान | ७५०.०० | ७९०.०० | ८२९.०० | |
| | चेन म्यान, टेप म्यान, स्टाफ म्यान, ड्रिल हेल्पर, ट्रक हेल्पर, सयस | प्रति दिन प्रति जवान | ९००.०० | ९४५.०० | ९९२.०० | |
| | स्वीपर, मेहत्तर | प्रति दिन प्रति जवान | ६००.०० | ६३०.०० | ६६१.०० | |
| | साधारण मेसिन अपरेटर, वायर बाइण्डर | प्रति दिन प्रति जवान | ९१५.०० | ९६०.०० | १००८.०० | |
| | वेल्डर सहायक | प्रति दिन प्रति जवान | ७८०.०० | ८२०.०० | ८६१.०० | |
| | आर्किटेक्ट /इन्जिनियर | प्रति दिन प्रति जवान | १३५०.०० | १४२०.०० | १४९१.०० | |
| | सव इन्जिनियर, ड्राफ्ट मेन, अमिन, नासु (प्राविधिक) | प्रति दिन प्रति जवान | ११२५.०० | ११८०.०० | १२३९.०० | |
| | अ. सव इन्जिनियर, ड्राफ्टमेन, अमिन, खरिदार (प्राविधिक) | प्रति दिन प्रति जवान | ९५५.०० | १००५.०० | १०५५.०० | |
| | पिच स्प्रेयर | प्रति दिन प्रति जवान | ६४५.०० | ६७५.०० | ७०८.०० | |
| | पिच व्यायलर | प्रति दिन प्रति जवान | ६४५.०० | ६७५.०० | ७०८.०० | |
| १३ | नर्सरी नाईके | प्रति दिन प्रति जवान | ७००.०० | ७३५.०० | ७७१.०० | |




| सि.नं. | विवरण | इकाई | ०७८/०७९ को दर (रु) | ०७९/०८० को दर (रु) | ०८०/०८१ को दर (रु) | कैफियत |
|--------|--|---------------------------|--------------------|--------------------|--------------------|--------|
| | <u>दुवानी भाडा सम्बन्धमा</u> | | | | | |
| क) | गाडी द्वारा गराइने दुवानी भाडा | | | | | |
| | अ) नफुटने समान (सजिलो) | | | | | |
| | पक्क सडक | प्रति टन / प्रति किलोमिटर | २९.३५ | ३२.३० | ३३.०० | |
| | ग्राभेल सडक | प्रति टन / प्रति किलोमिटर | ३५.७० | ३९.२५ | ४१.०० | |
| | कच्च सडक | प्रति टन / प्रति किलोमिटर | ६१.२५ | ६७.४० | ७४.०० | |
| | आ) फुटने समान (असजिलो र आयतन ठुलो भएका हलुका सामग्री) | | | | | |
| | पक्क सडक | प्रति टन / प्रति किलोमिटर | ३३.१० | ३६.४० | ३८.०० | |
| | ग्राभेल सडक | प्रति टन / प्रति किलोमिटर | ३९.६० | ४३.५५ | ४५.०० | |
| | कच्च सडक | प्रति टन / प्रति किलोमिटर | ६५.०५ | ७१.५५ | ७८.०० | |
| | आ) हयुमपाइप, एच.डि.पि.पाइप तथा लष्ठा | | | | | |
| | पक्क सडक | प्रति टन / प्रति किलोमिटर | ७०.२५ | ७७.३० | ८१.०० | |
| | ग्राभेल सडक | प्रति टन / प्रति किलोमिटर | १०४.६५ | ११५.१० | १२०.०० | |
| | कच्च सडक | प्रति टन / प्रति किलोमिटर | १७२.२५ | १८९.५० | २०८.०० | |
| | इ) इन्धन ,लुब्रिकेटस बाहेक सामग्री दुवानीमा वा दैनिक प्रयोग गर्नु परेमा (८ घण्टाको) | | | | | |
| | ठुलो ट्रक , द्विपर | प्रति दिन ८ घण्टाको | ९२४०.०० | १०१६४.०० | १०६७२.०० | |
| | मिनी ट्रक , ठूलो ट्र्याक्टर ग्राभेल, पक्की बाटो | प्रति दिन ८ घण्टाको | ५७७५.०० | ६३५२.५० | ६६७०.०० | |
| | कच्ची बाटो | प्रति दिन ८ घण्टाको | ५७७५.०० | ६३५२.५० | ६९५०.०० | |
| | टयाक्स / टाटा मोबाइल तथा मिनि टाटा द्वारा दुवानी | प्रति दिन ८ घण्टाको | ४६२०.०० | ५०८२.०० | ५३३६.०० | |
| ख) | मानिस द्वारा दुवानी भाडा | | | | | |
| | सजिलो समान | प्रति के.जि. / प्रति कोष | ४.४५ | ४.९० | ५.०० | |
| | असजिलो समान | प्रति के.जि. / प्रति कोष | ५.२५ | ५.८० | ६.०० | |
| ग) | तौल कम र आयतन बढी हुने औषधि र उपचार सामग्री दुवानी गराउंदा | | | | | |
| | पक्क सडक | प्रति टन / प्रति किलोमिटर | ५६.७० | ६२.३५ | ६५.०० | |
| | ग्राभेल सडक | प्रति टन / प्रति किलोमिटर | ५९.०५ | ६४.९५ | ६८.०० | |
| | कच्च सडक | प्रति टन / प्रति किलोमिटर | ६६.१५ | ७२.७५ | ८०.०० | |



| सि.नं. | विवरण | इकाई | ०७८/०७९ को दर (रु) | ०७९/०८० को दर (रु) | ०८०/०८१ को दर (रु) | कैफियत |
|--------|--|-----------------------|--------------------|--------------------|--------------------|--------|
| | अस्पतालको फ्रिज, डिफ्रिज दुवानी गराउदा | प्रति किलो/ प्रति कोष | ५.८० | ६.४० | ६.७० | |
| घ) | ज्यामी द्वारा लोड अनलोड दुवै गर्ने कार्य | प्रति क्विन्टल | २३.१५ | २५.४५ | २७.०० | |

नोट : - असजिलो सामान भन्नाले पशुपंक्षी,बोटबिरुवा,तार तारजाली, शिशा, पाइप, विजुलीको पोल आदीलाई जनाउने

छ ।


 प्रमुख जिल्ला अधिकारी



Civil Works

काभ्रेपलाञ्चोक

आ.ब. ०८०/०८१



निर्णय नं.: २ काभ्रेपलाञ्चोक जिल्लाको सदरमुकाम धुलिखेल र आसपासका नगरपालिका क्षेत्र भित्र आ.व. ०८०/८१ को लागि सिभिल निर्माण कार्यसम्बन्धि निम्न अनुसारका निर्माण सामग्री हरुको निम्नअनुसारको दररेट (मु.अ.कर बाहेक) निर्धारण गर्ने निर्णय गरियो । (पाना नं १ देखि ६५ सम्म)

सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|------------|--|-------|-----------------|-----------------|-----------------|
| 1 | विभिन्न किसिमको ईटा | | | | |
| | क) मेशिनबाट उत्पादित ईटा | हजार | 19,000.00 | 19,000.00 | 19,000.00 |
| | ख) चिमनी भट्टाको १ नं.ईटा | „ | 15,000.00 | 15,000.00 | 15,000.00 |
| | ग) तेलिया ईटा | | | | |
| | घ)तराई को १ नं.ईटा | हजार | 16,000.00 | 16,000.00 | 16,000.00 |
| | (ङ) सीमण्ट को ईटा | | | | |
| | BK108N | „ | 15,450.00 | 15,450.00 | 15,450.00 |
| | BK118As | „ | 16,274.00 | 16,274.00 | 16,274.00 |
| | (च) ईटा Concrete Block | | | | |
| | Size 16x6x8 | गोटा | 37.00 | 37.00 | 37.00 |
| | Size 16x4x8 | गोटा | 32.00 | 32.00 | 32.00 |
| | size (39*14*19) cm(Ocm or equivalent) | गोटा | 50.00 | 50.00 | 50.00 |
| | (छ) असल ईटा (२३०*११०*६० mm) | गोटा | | | 12.40 |
| | (ज) EPS Block | | | | |
| | size (18" * 9" * 4.5") | गोटा | | | 123.90 |
| | size (18" * 9" * 6") | गोटा | | | 159.30 |
| | size (18" * 9" * 8") | गोटा | | | 199.10 |
| | size (18" * 9" * 9") | गोटा | | | 230.10 |
| 2 | छाना छाउने टायलहरु | | | | |
| | क) मेशिनबाट उत्पादित टायल | गोटा | 18.00 | 18.00 | 18.00 |
| | ख) चिमनी भट्टाको टायल | „ | 16.00 | 16.00 | 16.00 |
| | ग) मेशिनबाट उत्पादित धुरी | „ | 32.00 | 32.00 | 32.00 |
| | घ) चिमनी भट्टाको धुरी | „ | 26.00 | 26.00 | 26.00 |
| 2.1 | भुईमा/ कौसीमा छाप्ने टायल: | | | | |
| | क) मेशिनबाट उत्पादित क्ले टायल | गोटा | 10.00 | 10.00 | 10.00 |
| | ख) चिमनी भट्टाको क्ले टायल | „ | 9.00 | 9.00 | 9.00 |
| 3 | ढुंगाको काम (Rubble Stone) | | | | |
| | (क) ढुंगा खोलाको | घ.मी. | 1,800.00 | 1,950.00 | 2,050.00 |
| | (ख) ढुंगा खानीको | „ | 2,000.00 | 2,150.00 | 2,250.00 |
| 4 | सडकको Sub-base/base course का लागि प्रयोग गरिने निर्माण सामग्री | | | | |
| | (क)खोलाको ग्राभेल (Local) | घ.मी. | 1,650.00 | 1,750.00 | 1,850.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|----------|---|-------|-----------------|-----------------|-----------------|
| | (ख) स्थानीय खानी, को ग्रभेल (Local) | घ.मी. | 700.00 | 800.00 | 850.00 |
| | (ग) Granular Sub-base material (River Bed) | " | 1,700.00 | 1,800.00 | 1,900.00 |
| | (ग) Base-course का लागि मिक्स सोलिड (WBM) गर्ने कार्य | घ.मी. | 2,200.00 | 2,350.00 | 2,450.00 |
| | (घ) ढुगाको धुलो (Stone dust) | घ.मी. | 880.00 | 950.00 | 1,000.00 |
| 5 | क्रसरबाट उत्पादित रोडा | | | | |
| | (क) ६-१० मी. मी. साइजका | घ.मी. | 2,950.00 | 3,150.00 | 3,150.00 |
| | (ख) १०-२० मी. मी. साइजका | घ.मी. | 2,950.00 | 3,150.00 | 3,150.00 |
| | (ग) २०-४० मी. मी. साइजको | घ.मी. | 2,950.00 | 3,150.00 | 3,150.00 |
| | (घ) ६ मि.मि. down | घ.मी. | 2,950.00 | 3,150.00 | 3,150.00 |
| 6 | विभिन्न साइजका खोला तथा खानी को Screening गरेको Gravel | | | | |
| | क) ४०- ८० मी.मी | घ.मी | 2,200.00 | 2,350.00 | 2,350.00 |
| | ख) २०- ४० मी.मी | " | 2,200.00 | 2,350.00 | 2,350.00 |
| | ग) १०- २० मी.मी | " | 2,200.00 | 2,350.00 | 2,350.00 |
| | घ) ५- १० मी.मी | " | 2,200.00 | 2,350.00 | 2,350.00 |
| | ड) सब बेसको लागि 60 mm down क्रसर रन ग्रभेल | घ.मी | 1,900.00 | 2,050.00 | 2,150.00 |
| | हातले फुटालेको ढुङ्गाको गिट्टी | | | | |
| | क) सबै साइजको रोडा, ढुङ्गा फुटालेको गिट्टी | घ.मी. | 2,600.00 | 2,800.00 | 2,800.00 |
| 7 | फिल्टर सामग्री | | | | |
| | ४०% गिट्टी ६०% बालुवा मिश्रणको फिल्टर प्रयोजन | घ.मी. | | | |
| 8 | छापने ढुङ्गा (Flag stone) | | | | |
| | क) १" सम्म बाक्लो सर्फेस ड्रेस गरेको छापने ढुङ्गा | व.मी | 900.00 | 950.00 | 1,000.00 |
| | ख) १ ^१ / _२ " सम्म बाक्ला " " | " | 1,050.00 | 1,100.00 | 1,150.00 |
| | ग) २" सम्म बाक्लो ढुङ्गा " " | " | 1,225.00 | 1,300.00 | 1,360.00 |
| | घ) २ ^१ / _२ " सम्म बाक्लो ढुङ्गा " " | " | 1,320.00 | 1,400.00 | 1,470.00 |
| | ड) २ ^१ / _२ " - ३" सम्म बाक्लो ढुङ्गा " " | " | 1,650.00 | 1,750.00 | 1,830.00 |
| | च) २ ^१ / _२ " - ३" सम्म बाक्लो ढुङ्गा मेसिनले काटेको | " | | | |
| 9 | विभिन्न प्रकारको बालुवा | | | | |
| | क) खोलाको नचालेको खसो बालुवा Washing | घ.मी | 2,600.00 | 2,800.00 | 2,900.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|-----------|--|--------|-----------------|-----------------|-----------------|
| | Non Washing | „ | 1,950.00 | 2,100.00 | 2,200.00 |
| | ख) खानीको नचालेको बालुवा | „ | 1,950.00 | 2,100.00 | 2,200.00 |
| | ग) खानीको चालेको र पखालेको बालुवा | „ | 2,500.00 | 2,700.00 | 2,800.00 |
| | घ) भवनको भूईँ कोठामा पुर्न, सोलिङ्गको Void filling गर्न प्रयोग गरिने बालुवा | „ | 2,200.00 | 2,350.00 | 2,350.00 |
| 10 | सडक कालो पत्रे गर्ने कामको लागी | | | | |
| | i) VG-10 ग्रेडको विटुमीन | के.जी | 85.00 | 115.00 | 115.00 |
| | ii) VG-30 ग्रेडको विटुमीन | के.जी | | 116.00 | 118.00 |
| | iii) सडक कालोपत्रे गर्दा विटुमीन नउपकीनको लागी प्रयोग गर्ने सामान Anti stripping | के.जी | 350.00 | 360.00 | 510.00 |
| | iv) कालोपत्रेमा विटुमीन कम प्रयोग गर्नको लागी राखिने Rubber Asphalt Modifier | „ | | | |
| | v) Packed bitumen emulsion को काम | | | | |
| | छिटो जम्ने (RS60%) | „ | 70.00 | 95.00 | 102.00 |
| | मध्यम जम्ने (MS 65%) | „ | 74.00 | 100.00 | 108.00 |
| | ढीलो जम्ने (SS60%) | „ | 72.00 | 97.00 | 104.00 |
| | v) कालोपत्रे सडक Pot hole टाल्नको लागी प्रयोग गरिने Pre-coated Aggregate सामग्री | „ | 32.00 | 34.00 | 34.00 |
| | ड) कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Thermo Plastic Road marking सामग्री | | | | |
| | i) B.S. Grade | „ | 185.00 | 194.00 | 194.00 |
| | ii) Most Grade | „ | 205.00 | 215.00 | 215.00 |
| | iii) Glass beads | „ | 168.00 | 176.00 | 176.00 |
| | vi)CRMB-DIGO 55 Bitumen | „ | 83.00 | 87.00 | 87.00 |
| | Rubber Seal- 5mm Thick 150mm wide (for Expansion Joint) | र. मी. | | | |
| 11 | विभिन्न कम्पनीबाट उत्पादित सिमेन्टहरु (NS Standard) | | | | |
| | क) हेटौँडा सिमेन्ट (OPC) | ब्याग | 800.00 | 800.00 | 800.00 |
| | ख) उदयपुर सिमेन्ट (OPC) | „ | 825.00 | 825.00 | 825.00 |
| | नेपाल बाट उत्पादित विभिन्न (OPC)सिमेन्टहरु | „ | 760.00 | 700.00 | 700.00 |
| | (ग)नेपाल बाट उत्पादित अन्य सिमेन्टहरु (PPC) | „ | 685.00 | 600.00 | 600.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|--|-------|-----------------|-----------------|-----------------|
| | घ) सेतो सिमेन्ट (४० के.जी.) | " | 1,100.00 | 1,100.00 | 1,100.00 |
| 12 | फलामको डण्डीहरु (Reinforcement Steel) : | | | | |
| | (क) विभिन्न साइजका TMT Bar Fe-500 (NS) | | | | |
| | a) 4.75, 7 mm dia | के.जी | 86.00 | 99.00 | 103.00 |
| | b) 8 mm dia | " | 86.00 | 99.00 | 103.00 |
| | c) 10,12,16,20 mm dia | " | 84.00 | 97.00 | 101.00 |
| | d) 25,28,32 mm dia | " | 84.00 | 97.00 | 103.00 |
| | (ख) विभिन्न साइजको TOR Steel Fe-415 (NS) | | | | |
| | a) 8mm dia TOR steel | के.जी | 87.00 | 100.00 | 101.00 |
| | b) 10-20mm TOR steel | " | 84.00 | 97.00 | 99.00 |
| | c) 25-32mm TOR steel | " | 87.00 | 100.00 | 101.00 |
| | (ग) विभिन्न साइजको Torcaree | | | | |
| | a) 4.75, 7 mm dia | के.जी | 92.00 | 106.00 | 108.00 |
| | (घ) Binding Wire (डण्डी बाँध्नेतार) | के.जी | 97.00 | 112.00 | 123.00 |
| 13 | Iron Square Pipe/Black Pipe/Channel/ Angle/I-Beam/Black Sheet/MS Plate (Structural Steel) | | | | |
| | i) Iron Square Pipe | के.जी | 87.00 | 100.00 | 104.00 |
| | ii) विभिन्न साइजको MS Angle | " | 89.00 | 102.00 | 106.00 |
| | iii) विभिन्न साइजको Black Pipe | " | 87.00 | 100.00 | 104.00 |
| | iv) विभिन्न साइजको Channel | " | 90.00 | 104.00 | 108.00 |
| | v) विभिन्न साइजको I-Beam | " | 92.00 | 106.00 | 110.00 |
| | vi) विभिन्न साइजको MS plate | " | 87.00 | 100.00 | 104.00 |
| | vii) विभिन्न साइजको MS Square solid bar up to 16mm | " | 89.00 | 102.00 | 106.00 |
| | viii) विभिन्न मोटाइको Black sheet | " | 89.00 | 102.00 | 106.00 |
| 14 | G.I. Wire | | | | |
| | i) a 8 gauge light class | के.जी | 102.00 | 117.00 | 118.00 |
| | b) 8 gauge medium class | " | 107.00 | 123.00 | 125.00 |
| | c) 8 gauge heavy duty | " | 112.00 | 129.00 | 131.00 |
| | d) 8 gauge Commercial | " | 102.00 | 117.00 | 118.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|-----------|--|----------|-----------------|-----------------|-----------------|
| ii) | a) 10 gauge light class | „ | 102.00 | 117.00 | 118.00 |
| | b) 10 gauge medium class | „ | 107.00 | 123.00 | 125.00 |
| | c) 10 gauge heavy duty | „ | 112.00 | 129.00 | 131.00 |
| | d) 10 gauge Commercial | „ | 102.00 | 117.00 | 119.00 |
| iii) | a) 12 gauge light class | „ | 103.00 | 118.00 | 120.00 |
| | b) 12 gauge medium class | „ | 108.00 | 124.00 | 126.00 |
| | c) 12 gauge heavy duty | „ | 112.00 | 129.00 | 131.00 |
| | d) 12 gauge Commercial | „ | 103.00 | 118.00 | 120.00 |
| 15 | Barbed Wire (काँढेतार) | | | | |
| | a) Barbed Wire, Medium duty | के.जी | 102.00 | 117.00 | 120.00 |
| | b)U-hook for barbed wire fencing | रोटा | 0.81 | 1.00 | 1.05 |
| | Fabrication of chain link mesh of size | | | | |
| | 1"x1" 12 guage | वर्ग मी. | 753.00 | 866.00 | 866.00 |
| | 1.5"x1.5" 12 guage | „ | 704.00 | 810.00 | 810.00 |
| | 2"x2" 10 guage | „ | 558.00 | 642.00 | 642.00 |
| | 3"x3" 10 guage | „ | 457.00 | 526.00 | 526.00 |
| | 4"x4" 10 guage | „ | 364.00 | 419.00 | 419.00 |
| 16 | सादा तथा रंगिन जस्ता पाता (Plain/Corrugated Galvanized/Colour Iron Sheet) | | | | |
| | (क) सेतो सादा जस्तापाता (G P Sheet) | | | | |
| 1 | a) 30 गेज Light (0.2 mm) | बण्डल | 4,945.00 | 5,685.00 | 5,685.00 |
| 2 | b) 30 गेज Medium (0.22 mm) | „ | 5,418.00 | 6,230.00 | 6,230.00 |
| 3 | c) 30 गेज Heavy (0.24 mm) | „ | 5,783.00 | 6,650.00 | 6,650.00 |
| 4 | a) 28 गेज Light (0.26 mm) | „ | 6,090.00 | 7,005.00 | 7,005.00 |
| 5 | b) 28 गेज Medium (0.28 mm) | „ | 6,492.00 | 7,465.00 | 7,465.00 |
| 6 | c) 28 गेज Heavy (0.31 mm) | „ | 7,095.00 | 8,160.00 | 8,160.00 |
| 7 | a) 26 गेज Light (0.35 mm) | „ | 7,861.00 | 9,040.00 | 9,040.00 |
| 8 | b) 26 गेज Medium (0.38 mm) | „ | 8,251.00 | 9,490.00 | 9,490.00 |
| 9 | c) 26 गेज Heavy (0.41 mm) | „ | 9,041.00 | 10,395.00 | 10,395.00 |
| 10 | a) 24 गेज Light (0.45 mm) | „ | 9,809.00 | 11,280.00 | 11,280.00 |
| 11 | b) 24 गेज Medium (0.50 mm) | „ | 10,788.00 | 12,405.00 | 12,405.00 |
| 12 | c) 24 गेज Heavy (0.52 mm) | „ | 11,166.00 | 12,840.00 | 12,840.00 |
| 13 | Heavy 0.75 mm | „ | 16,029.00 | 18,435.00 | 18,435.00 |
| | (ख) रंगिन कोरुगेटेड जस्तापाता | | | | |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|--|-------|-----------------|-----------------|-----------------|
| 14 | a) 30 गेज Light (0.2 mm) | बण्डल | 6,253.00 | 7,190.00 | 7,190.00 |
| 15 | b) 30 गेज Medium (0.22 mm) | " | 6,663.00 | 7,660.00 | 7,660.00 |
| 16 | c) 30 गेज Heavy (0.24 mm) | " | 7,049.00 | 8,105.00 | 8,105.00 |
| 17 | a) 28 गेज Light (0.26 mm) | " | 7,425.00 | 8,540.00 | 8,540.00 |
| 18 | b) 28 गेज Medium (0.28 mm) | " | 7,856.00 | 9,035.00 | 9,035.00 |
| 19 | c) 28 गेज Heavy (0.31 mm) | " | 8,448.00 | 9,715.00 | 9,715.00 |
| 20 | a) 26 गेज Light (0.35 mm) | " | 9,334.00 | 10,735.00 | 10,735.00 |
| 21 | b) 26 गेज Medium (0.38 mm) | " | 9,793.00 | 11,260.00 | 11,260.00 |
| 22 | c) 26 गेज Heavy (0.41 mm) | बण्डल | 10,608.00 | 12,200.00 | 12,200.00 |
| 23 | a) 24 गेज Light (0.45 mm) | " | 11,381.00 | 13,090.00 | 13,090.00 |
| 24 | b) 24 गेज Medium (0.50 mm) | " | 12,370.00 | 14,225.00 | 14,225.00 |
| 25 | c) 24 गेज Heavy (0.52 mm) | " | 12,790.00 | 14,710.00 | 14,710.00 |
| 26 | d) 0.75 mm | " | 17,954.00 | 20,645.00 | 20,645.00 |
| | (ग) ग्याल्भानाइज्ड कोरुगेटेड जस्तापाता (CGI Sheet) | | | | |
| 1 | a) 30 गेज Light (0.2 mm) | बण्डल | 4,945.00 | 5,685.00 | 5,685.00 |
| 2 | b) 30 गेज Medium (0.22 mm) | " | 5,358.00 | 6,160.00 | 6,160.00 |
| 3 | c) 30 गेज Heavy (0.24 mm) | " | 5,725.00 | 6,585.00 | 6,585.00 |
| 4 | a) 28 गेज Light (0.26 mm) | " | 6,020.00 | 6,925.00 | 6,925.00 |
| 5 | b) 28 गेज Medium (0.28 mm) | " | 6,422.00 | 7,385.00 | 7,385.00 |
| 6 | c) 28 गेज Heavy (0.31 mm) | " | 7,022.00 | 8,075.00 | 8,075.00 |
| 7 | a) 26 गेज Light (0.35 mm) | " | 7,802.00 | 8,970.00 | 8,970.00 |
| 8 | b) 26 गेज Medium (0.38 mm) | " | 8,192.00 | 9,420.00 | 9,420.00 |
| 9 | c) 26 गेज Heavy (0.41 mm) | " | 8,969.00 | 10,315.00 | 10,315.00 |
| 10 | a) 24 गेज Light (0.45 mm) | " | 9,737.00 | 11,200.00 | 11,200.00 |
| 11 | b) 24 गेज Medium (0.50 mm) | " | 10,717.00 | 12,325.00 | 12,325.00 |
| 12 | c) 24 गेज Heavy (0.52 mm) | " | 11,095.00 | 12,760.00 | 12,760.00 |
| 13 | d) 0.75 mm | " | 14,705.00 | 16,910.00 | 16,910.00 |
| | घ) जस्ता पाता का धुरा (Ridge Cover) Specified thickness are thickness of base metal. (length=8' & width=1'-4") | | | | |
| | सादा जस्ता पाता | | | | |
| 1 | a) 30 गेज Light (0.2 mm) | बण्डल | 1,687.00 | 1,940.00 | 1,940.00 |
| 2 | b) 30 गेज Medium (0.22 mm) | " | 1,841.00 | 2,115.00 | 2,115.00 |
| 3 | c) 30 गेज Heavy (0.24 mm) | " | 1,959.00 | 2,255.00 | 2,255.00 |
| 4 | a) 28 गेज Light (0.26mm) | " | 2,054.00 | 2,360.00 | 2,360.00 |
| 5 | b) 28 गेज Medium (0.28 mm) | " | 2,195.00 | 2,525.00 | 2,525.00 |
| 6 | c) 28 गेज Heavy (0.31mm) | " | 2,384.00 | 2,740.00 | 2,740.00 |



सिभिल कार्यहरू (Civil works)

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|------------------------------------|-------|-----------------|-----------------|-----------------|
| 7 | a) 26 गेज Light (0.35 mm) | ” | 2,644.00 | 3,040.00 | 3,040.00 |
| 8 | b) 26 गेज Medium (0.38 mm) | ” | 2,773.00 | 3,190.00 | 3,190.00 |
| 9 | c) 26 गेज Heavy (0.41mm) | ” | 3,034.00 | 3,490.00 | 3,490.00 |
| | ४ फिट * ८ फिट को जि.आई. प्लेन सिट | | | | |
| 1 | आ) ०.२८ मि.मि मोटाईका | पिस | 991.00 | 1,140.00 | 1,140.00 |
| 2 | आ) ०.३० मि.मि मोटाईका | ” | 1,050.00 | 1,210.00 | 1,210.00 |
| 3 | आ) ०.३५ मि.मि मोटाईका | ” | 1,192.00 | 1,370.00 | 1,370.00 |
| 4 | आ) ०.३७ मि.मि मोटाईका | ” | 1,251.00 | 1,440.00 | 1,440.00 |
| 5 | आ) ०.४०मि.मि मोटाईका | ” | 1,346.00 | 1,550.00 | 1,550.00 |
| 6 | आ) ०.४५ मि.मि मोटाईका | ” | 1,499.00 | 1,725.00 | 1,725.00 |
| 7 | आ) ०.४८ मि.मि मोटाईका | ” | 1,581.00 | 1,820.00 | 1,820.00 |
| 8 | अ) ०.५० मि.मि मोटाईका (12.05 Kg.) | ” | 1,641.00 | 1,885.00 | 1,885.00 |
| 9 | आ) ०.५५ मि.मि मोटाईका | पिस | 1,807.00 | 2,080.00 | 2,080.00 |
| 10 | इ) ०.६२ मि.मि मोटाईका | ” | 2,007.00 | 2,310.00 | 2,310.00 |
| 11 | ई) ०.७० मि.मि मोटाईका | ” | 2,243.00 | 2,580.00 | 2,580.00 |
| 12 | ई) ०.७५ मि.मि मोटाईका | ” | 2,407.00 | 2,770.00 | 2,770.00 |
| 13 | उ) ०.८० मि.मि मोटाईका | ” | 2,562.00 | 2,945.00 | 2,945.00 |
| 14 | ऊ)०.९० मि.मि मोटाईका | ” | 2,833.00 | 3,260.00 | 3,260.00 |
| 15 | ऊ)१.१० मि.मि मोटाईका | ” | 3,423.00 | 3,935.00 | 3,935.00 |
| | ४ फिट * ८ फिट को रङ्गिन प्लेन सिट | | | | |
| 1 | ०.९० मि.मि मोटाईका | पिस | 3,001.00 | 3,450.00 | 3,450.00 |
| 2 | ०.८० मि.मि मोटाईका | ” | 2,717.00 | 3,125.00 | 3,125.00 |
| 3 | ०.७५ मि.मि मोटाईका | ” | 2,592.00 | 2,980.00 | 2,980.00 |
| 4 | ०.७० मि.मि मोटाईका | ” | 2,468.00 | 2,840.00 | 2,840.00 |
| 5 | ०.६२ मि.मि मोटाईका | ” | 2,216.00 | 2,550.00 | 2,550.00 |
| 6 | ०.५५ मि.मि मोटाईका | ” | 2,001.00 | 2,300.00 | 2,300.00 |
| 7 | ०.५० मि.मि मोटाईका | ” | 1,842.00 | 2,120.00 | 2,120.00 |
| 8 | ०.४८ मि.मि मोटाईका | ” | 1,752.00 | 2,015.00 | 2,015.00 |
| 9 | ०.४५ मि.मि मोटाईका | ” | 1,693.00 | 1,945.00 | 1,945.00 |
| 10 | ०.४०मि.मि मोटाईका | ” | 1,547.00 | 1,780.00 | 1,780.00 |
| 11 | ०.३७ मि.मि मोटाईका | ” | 1,432.00 | 1,645.00 | 1,645.00 |
| 12 | ०.३५ मि.मि मोटाईका | ” | 1,376.00 | 1,580.00 | 1,580.00 |
| 13 | ०.३० मि.मि मोटाईका | ” | 1,216.00 | 1,400.00 | 1,400.00 |
| 14 | ०.२८ मि.मि मोटाईका | ” | 1,160.00 | 1,335.00 | 1,335.00 |
| | GI EXPANDED METAL MESH | | | | |
| 1 | 1.20 mm मोटाई र 3' चौडाई भएको जाली | र.मि. | 152.00 | 175.00 | 175.00 |
| 2 | 1.20 mm मोटाई र 4' चौडाई भएको जाली | ” | 213.00 | 245.00 | 245.00 |
| 3 | 1.00 mm मोटाई र 3' चौडाई भएको जाली | ” | 130.00 | 150.00 | 150.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|-----------|---|-------|-----------------|-----------------|-----------------|
| 4 | 1.00 mm मोटाई र 4' चौडाई भएको जाली | ,, | 177.00 | 205.00 | 205.00 |
| 5 | 0.90 mm मोटाई र 3' चौडाई भएको जाली | ,, | 118.00 | 135.00 | 135.00 |
| 6 | 0.90 mm मोटाई र 4' चौडाई भएको जाली | ,, | 531.00 | 610.00 | 610.00 |
| | UPVC Roofing Sheet (3mm thick) | | | | |
| | PMMA coating & Mesh (Regular) | व.मि. | 1,506.00 | 1,506.00 | 1,506.00 |
| | Stone coated (18 inch* 4 feet) | व.मि. | 1,200.00 | 1,200.00 | 1,200.00 |
| | Ridge cover Regular Profile 1.10 R.m. | र.मि. | 1,925.00 | 1,925.00 | 1,925.00 |
| | Ridge cover Tile Profile 1.05 R.m. | र.मि. | 1,925.00 | 1,925.00 | 1,925.00 |
| | UPVC Clip | गोटा | 26.00 | 26.00 | 26.00 |
| | self tapping screw 3" | गोटा | 30.00 | 30.00 | 30.00 |
| | self tapping screw 2.2" | गोटा | 20.00 | 20.00 | 20.00 |
| | self tapping screw 2" | गोटा | 11.00 | 11.00 | 11.00 |
| | self tapping screw 1.5" | गोटा | 8.50 | 8.50 | 8.50 |
| | Eco-UPVC Roofing Sheet (Ultra Modern Technology) | | | | |
| | Corrugated sheets(2mm) | व.फि. | 66.37 | 66.37 | 66.37 |
| | Corrugated ridge (2mm) (3'*1.4') | गोटा | 745.13 | 745.13 | 745.13 |
| | Corrugated ridge side(2mm)(3'*1.4') | गोटा | 447.79 | 447.79 | 447.79 |
| | Spanish tile without fiber mesh(3mm) | व.फि. | 101.77 | 101.77 | 101.77 |
| | Spanish tile with fiber mesh(3mm) | व.फि. | 110.62 | 110.62 | 110.62 |
| | Spanish ridge(3mm)(3'*1.4') | गोटा | 1,343.36 | 1,343.36 | 1,343.36 |
| | Spanish ridge side(3mm) | गोटा | 745.13 | 745.13 | 745.13 |
| | Spanish tile tripod(3mm) | गोटा | 996.46 | 996.46 | 996.46 |
| | Clip Set | गोटा | 8.85 | 8.85 | 8.85 |
| 17 | Aluminium Sheet | | | | |
| | (क) २६ गेज | व.फि. | 30.00 | 33.00 | 33.00 |
| | (ख) ३० गेज | " | 28.00 | 31.00 | 31.00 |
| 18 | विभिन्न प्रकारको जालीहरु (Netting) | | | | |
| | (क) मसिनो खालको Mosquito proof जाली | व.मी | 129.00 | 137.00 | 137.00 |
| | (ख) बालुवा चाल्ने जाली | " | 134.00 | 143.00 | 143.00 |
| | (ग) कुखुरे जाली (Chicken wire mesh) | " | 82.00 | 87.00 | 87.00 |
| | (घ) ब्रास क्रसिङ्ग जाली | " | 211.00 | 224.00 | 224.00 |
| | (ङ) स्टील जाली | " | 170.00 | 181.00 | 181.00 |
| | (च) मसिनो खालको steel Mosquito proof जाली | " | 292.00 | 311.00 | 311.00 |
| 19 | फलामबाट निर्मित सामानहरु | | | | |
| | a) M.S. Grill बनाई जडान गर्ने | के.जी | 153.00 | 166.00 | 174.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|-----------|--|--------|-----------------|-----------------|-----------------|
| | b) कोल्याप्सीबल गेट बनाई जडान गर्ने | व.मी. | 5,767.00 | 6,257.00 | 6,569.00 |
| | c) १६-१८ गेजको फलामे रोलिङ्ग सटर बनाई जडान गर्ने | व.मी | 4,105.00 | 4,454.00 | 4,676.00 |
| | d) फलामे रोलिङ्ग सटर १६-१८ गेज जडान सहित स्ट्रीप सटर प्वाल भएको | " | 5,166.00 | 5,605.00 | 5,885.00 |
| | e) फलामे रोलिङ्ग सटर डण्डी प्रयोग गरी बनाइको साथै जडान गर्ने समेत | " | 5,873.00 | 6,372.00 | 6,690.00 |
| | f) १६ गेज पाताबाट कम्पाउण्ड वालको गेट बनाई जडान गर्ने (५० x ५०x ५ mm) को फ्रेम समेत) | व.मी | 7,642.00 | 8,290.00 | 8,704.00 |
| | g) ३"-४" व्यासको Iron Black Pipeमा एङ्गल र पट्टि राखी खुडकिला सहितको घुम्ने भ्याङ्ग (Spiral Staircase-Heavy)तयार गरी जडान समेत (भ्याङ्गको नापी गर्दा floor to floor height लिने) | र.फि. | 3,331.00 | 3,613.00 | 3,793.00 |
| | h)Black Pipe Tubular Truss Fabrication, fitting & fixing work All Complete. | के.जी. | 208.00 | 225.00 | 236.00 |
| | i) फलामे सामाग्रीको फेब्रिवेशन तथा जडान कार्य | के.जी | 49.00 | 53.00 | 55.00 |
| 20 | विभिन्न किसिमका काठहरु | | | | |
| | काठ | | | | |
| | (१) ३' देखि ८' सम्मको तयारी सालकाठ | घ.मी. | 187,000.00 | 187,000.00 | 187,000.00 |
| | (२) ८' देखि १२' सम्मको सालकाठ | घ.मी. | 200,000.00 | 200,000.00 | 200,000.00 |
| | (३) १२' देखी माथिको सालकाठ | घ.मी. | 217,000.00 | 217,000.00 | 217,000.00 |
| | (ख) स्थानीय सालकाठ | घ.मी. | 91,000.00 | 91,000.00 | 91,000.00 |
| | (ग) साज काठ | " | 90,000.00 | 90,000.00 | 90,000.00 |
| | (ङ) सल्लाको काठ तथा स्थानीय कुकाठ | " | 25,000.00 | 25,000.00 | 25,000.00 |
| | (च) स्थानीय सिसौ काठ | " | 85,000.00 | 85,000.00 | 85,000.00 |
| | (छ) काठ दाउरा | के.जी | 20.00 | 20.00 | 20.00 |
| 21 | २३.१ विभिन्न मोटाईको प्लाइउडहरु | | | | |
| | Commercial | | | | |
| | (क) ३ मी.मी | व.मी | 235.00 | 254.00 | 254.00 |
| | ३.५ मी.मी | " | 270.00 | 291.00 | 291.00 |
| | (ख) ४ मी.मी | " | 280.00 | 302.00 | 302.00 |
| | (ग) ६ मी.मी | " | 445.00 | 480.00 | 480.00 |
| | (घ) ८ मी.मी | " | 495.00 | 534.00 | 534.00 |
| | (ङ) १२ मी.मी | " | 755.00 | 815.00 | 815.00 |
| | (च) १९ मी.मी B/B | " | 1,100.00 | 1,187.00 | 1,187.00 |
| | (छ) १८ मी.मी Ply | " | 1,135.00 | 1,225.00 | 1,225.00 |
| | Water Proof | | | | |
| | क) ४ मी.मी | व.मी | 515.00 | 556.00 | 556.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|-----------|---|-------|-----------------|-----------------|-----------------|
| | क) ६ मी.मी | व.मी | 715.00 | 771.00 | 771.00 |
| | ख) ८ मी.मी. | " | 775.00 | 836.00 | 836.00 |
| | ख) ९ मी.मी. | " | 850.00 | 917.00 | 917.00 |
| | ग) १२ मी.मी | " | 980.00 | 1,057.00 | 1,057.00 |
| | घ) १९ मी.मी | " | 1,680.00 | 1,813.00 | 1,813.00 |
| | (च) १९ मी.मी B/B | " | 1,360.00 | 1,467.00 | 1,467.00 |
| | 23.2 Natural Teak Plywood | | | | |
| | One side lamination | | | | |
| | (क) ३ मी .मी | व.मी. | 624.00 | 673.00 | 673.00 |
| | (ख) ४ मी. मी (Regular) | " | 817.00 | 882.00 | 882.00 |
| | (ख) ४ मी. मी (Crown) | " | 710.00 | 766.00 | 766.00 |
| | (ख) ४ मी. मी (Beri) | " | 473.00 | 510.00 | 510.00 |
| | (ख) ४ मी. मी (Whitest Line) | " | 538.00 | 581.00 | 581.00 |
| | (ख) ४ मी. मी (Beach) | " | 430.00 | 464.00 | 464.00 |
| | (ख) ४ मी. मी (Recon 18 No) | " | 505.00 | 545.00 | 545.00 |
| | (ग) ६ मी.मी. | " | 398.00 | 429.00 | 429.00 |
| 22 | Prelaminated Particle Board | | | | |
| | Plain Particle Board (Exteriors Grade) | | | | |
| | (क) ९ मी .मी | व.मी. | 398.00 | 429.00 | 429.00 |
| | (ख) १२ मी. मी. | " | 441.00 | 476.00 | 476.00 |
| | (ग) १८ मी.मी. | " | 570.00 | 615.00 | 615.00 |
| | (घ) २५ मी.मी | " | 763.00 | 823.00 | 823.00 |
| | One side lamination Melamined faced (Exteriors Grade) | | | | |
| | (क) ९ मी .मी | व.मी. | 796.00 | 859.00 | 859.00 |
| | (ख) १२ मी. मी. | " | 893.00 | 964.00 | 964.00 |
| | (ग) १८ मी.मी. | " | 1,054.00 | 1,137.00 | 1,137.00 |
| | (घ) २५ मी.मी | " | 1,366.00 | 1,474.00 | 1,474.00 |
| | Both side lamination Melamined faced (Exteriors Grade) | | | | |
| | (क) ९ मी .मी | व.मी. | 893.00 | 964.00 | 964.00 |
| | (ख) १२ मी. मी. | " | 1,022.00 | 1,103.00 | 1,103.00 |
| | (ग) १८ मी.मी. | " | 1,183.00 | 1,276.00 | 1,276.00 |
| | (घ) २५ मी.मी | " | 1,495.00 | 1,613.00 | 1,613.00 |
| | Plain Particle Board (Interiors Grade) | | | | |
| | (क) ९ मी .मी | व.मी. | 290.00 | 313.00 | 313.00 |
| | (ख) १२ मी. मी. | " | 333.00 | 359.00 | 359.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|--|-------|-----------------|-----------------|-----------------|
| | (ग) १८ मी.मी. | " | 494.00 | 533.00 | 533.00 |
| | (घ) २५ मी.मी | " | 634.00 | 684.00 | 684.00 |
| | One side lamination Melamined faced (Interiors Grade) | | | | |
| | (क) ३ मी .मी | व.मी. | 430.00 | 464.00 | 464.00 |
| | (ख) ६ मी .मी | " | 613.00 | 661.00 | 661.00 |
| | (ग) ९ मी .मी | " | 699.00 | 754.00 | 754.00 |
| | (घ) १२ मी. मी. | " | 796.00 | 859.00 | 859.00 |
| | (ङ) १८ मी.मी. | " | 925.00 | 998.00 | 998.00 |
| | (च) २५ मी.मी | " | 1,151.00 | 1,242.00 | 1,242.00 |
| | Both side lamination Melamined faced (Interiors Grade) | | | | |
| | (क) ३ मी .मी | व.मी. | 494.00 | 533.00 | 533.00 |
| | (ख) ६ मी .मी | " | 667.00 | 720.00 | 720.00 |
| | (ग) ९ मी .मी | " | 796.00 | 859.00 | 859.00 |
| | One side lamination Melamined faced (Interiors Grade)MDF | | | | |
| | (क) ३ मी .मी | व.मी. | 494.00 | 533.00 | 533.00 |
| | (ख) ४ मी .मी | " | 570.00 | 615.00 | 615.00 |
| | (ग) ६ मी .मी | " | 699.00 | 754.00 | 754.00 |
| | (घ) ९ मी .मी | " | 914.00 | 986.00 | 986.00 |
| | Both side lamination Melamined faced (Interiors Grade)MDF | | | | |
| | (क) ३ मी .मी | व.मी. | 570.00 | 615.00 | 615.00 |
| | (ख) ४ मी .मी | " | 634.00 | 684.00 | 684.00 |
| | (ग) ६ मी .मी | " | 785.00 | 847.00 | 847.00 |
| | (घ) ९ मी .मी | " | 978.00 | 1,055.00 | 1,055.00 |
| | Other Hard Board/Sunmica & Formaica) | | | | |
| | (क) सनमाईका (4' x 8') | पाता | 486.00 | 524.00 | 524.00 |
| | (ख) फोरमाईका | व.मी | 807.00 | 871.00 | 871.00 |
| | (ग) हार्डबोर्ड (Hard board) 12 mm thick | " | 473.00 | 510.00 | 510.00 |
| | Ready made Teak wood Doors (Seasoned and Poisoned treated) (| | | | |
| 23.0 | excluding the cost of fitting, transportation, Painting) | | | | |
| | Readymade door shutter Recon, ordinary (1 side teak) | Sqft | 183.00 | 197.00 | 197.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|-----------|--|-------|-----------------|-----------------|-----------------|
| | Readymade door shutter Recon, Special (1 side teak) | Sqft | 248.00 | 268.00 | 268.00 |
| | If Oneside water proof ply fitting | | | | |
| | Readymade door shutter Recon, ordinary (1 side teak) | Sqft | 209.00 | 226.00 | 226.00 |
| | Readymade door shutter Recon, Special (1 side teak) | Sqft | 281.00 | 303.00 | 303.00 |
| | Wooden Listy | | | | |
| | 1/2" wide | र.फि. | 14.00 | 15.00 | 15.00 |
| | 3/4" wide | र.फि. | 18.00 | 19.00 | 19.00 |
| | Wooden Listy 3/4" wide decorative | र.फि. | | | |
| | 1.5" wide | र.फि. | 29.00 | 31.00 | 31.00 |
| | Decorative | र.फि. | 40.00 | 43.00 | 43.00 |
| 24 | Glass सीसा | | | | |
| | Plain सादा (सेतो) | | | | |
| | (क) ३ मी.मी. | व.मी. | 585.00 | 610.00 | 610.00 |
| | (ख) ४ मी.मी. | व.मी. | 650.00 | 675.00 | 675.00 |
| | (ग) ५ मी.मी. " | व.मी. | 1,000.00 | 1,040.00 | 1,040.00 |
| | (घ) ६ मी.मी. " | व.मी. | 1,160.00 | 1,205.00 | 1,205.00 |
| | Printed Glass (बुट्टेदार सिसा) | | | | |
| | (क) ३ मी.मी. | व.मी. | 530.00 | 550.00 | 550.00 |
| | (ख) ४ मी.मी. " " | व.मी. | 620.00 | 645.00 | 645.00 |
| | Poly Fibre Glass | | | | |
| | (क) ०६ मी.मी. | व.मी. | 1,614.00 | 1,680.00 | 1,680.00 |
| | Black Color Glass | | | | |
| | (क) ३ मी.मी. | व.मी. | 1,000.00 | 1,040.00 | 1,040.00 |
| | (ख) ४ मी.मी. | व.मी. | 1,080.00 | 1,125.00 | 1,125.00 |
| | (ग) ५ मी.मी. | " | 1,230.00 | 1,280.00 | 1,280.00 |
| | (घ) ६ मी.मी. | " | 1,690.00 | 1,760.00 | 1,760.00 |
| | (ङ) ८ मी.मी. | " | 2,470.00 | 2,570.00 | 2,570.00 |
| | (च) १० मी.मी. | " | 3,545.00 | 3,685.00 | 3,685.00 |
| | (छ) १२ मी.मी. | " | 4,000.00 | 4,160.00 | 4,160.00 |
| | Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने | | | | |
| | (क) ५ मि.मि बाक्लो | व.मी. | 1,200.00 | 1,250.00 | 1,250.00 |
| | छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture | | | | |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|-----------|---|-------|-----------------|-----------------|-----------------|
| | (क) विभिन्न मोटाईको | व.मि. | 5,753.00 | 5,985.00 | 5,985.00 |
| | विभिन्न रंगको Reflector Glass(शिशु) | | | | |
| | ५ मी.मी मोटो | व.मी. | 1,839.00 | 1,915.00 | 1,915.00 |
| | Note: ४ फिट * ८ फिट भन्दा बढी साइजको सिसा भएमा ५०% थप रकम लाग्ने छ। | | | | |
| 25 | Corrugated/Plain Fiber Glass Sheet | | | | |
| | (क) ०.८ मी. मी. मोटो (P.F.G Sheet) | व.मी. | 1,205.00 | 1,255.00 | 1,255.00 |
| | ०.८ मी. मी. मोटो कोरुगेटेड | व.मी. | 1,345.00 | 1,400.00 | 1,400.00 |
| | (ख) १.२ मी.मी. मोटो प्लेन | " | 1,345.00 | 1,400.00 | 1,400.00 |
| | १.२ मी.मी. मोटो कोरुगेटेड | " | 1,538.00 | 1,600.00 | 1,600.00 |
| | (ग) २ मी.मी. मोटो प्लेन | " | 2,281.00 | 2,370.00 | 2,370.00 |
| | २ मी.मी. मोटो कोरुगेटेड | " | 2,690.00 | 2,800.00 | 2,800.00 |
| | (घ) ३ मी. मी. मोटो प्लेन | " | 3,088.00 | 3,210.00 | 3,210.00 |
| | ३ मी.मी. मोटो कोरुगेटेड | " | 4,035.00 | 4,195.00 | 4,195.00 |
| | (ङ) Fiber Glass छानाको लागि Alumunium strip (25 mm x 1.5 mm) | Rm | 69.00 | 70.00 | 70.00 |
| | (च) Fiber Glass छानाको लागि Ribet nut | no. | 7.00 | 7.00 | 7.00 |
| 26 | भ्याल ढोकामा लाग्ने Fixture हरु | | | | |
| | Iron बाट बनेका | | | | |
| | Hinge (कब्जा) | | | | |
| | (क) ३" साइज | गोटा | 17.00 | 17.00 | 17.00 |
| | (ख) ४" साइज | " | 30.00 | 30.00 | 30.00 |
| | (ग) ५" साइज | " | 45.00 | 45.00 | 45.00 |
| | (घ) ६" साइज | " | 57.00 | 57.00 | 57.00 |
| | Locking Set (L-drop) | | | | |
| | 300 mm | गोटा | 265.00 | 265.00 | 265.00 |
| | 225 mm | | 230.00 | 230.00 | 230.00 |
| | 150 mm | | 197.00 | 197.00 | 197.00 |
| | Aluminum बाट बनेका | | | | |
| | Towerbolt (छेस्कीनी) | | | | |
| | (क) ३" लामो | गोटा | 21.00 | 21.00 | 21.00 |
| | (ख) ४" लामो | " | 42.00 | 42.00 | 42.00 |
| | (ग) ६" लामो | " | 68.00 | 68.00 | 68.00 |
| | (घ) ८" लामो | " | 81.00 | 81.00 | 81.00 |
| | (ङ) १०" लामो | " | 95.00 | 95.00 | 95.00 |
| | (च) १२" लामो | " | 108.00 | 108.00 | 108.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|-----------------------------|------|-----------------|-----------------|-----------------|
| | Handle (हतकल) | | | | |
| | Ordinary | गोटा | 33.00 | 33.00 | 33.00 |
| | Special | " | 48.00 | 48.00 | 48.00 |
| | Brass बाट बनेका | | | | |
| | Hinge (कब्जा) | | | | |
| | 2"× 1/2" | गोटा | 65.00 | 65.00 | 65.00 |
| | 2 1/2"× 3/4" | " | 75.00 | 75.00 | 75.00 |
| | 3" × 3/4" | " | 90.00 | 90.00 | 90.00 |
| | 2" × 3/4" | " | 75.00 | 75.00 | 75.00 |
| | 2 1/2"× 3/4" | " | 80.00 | 80.00 | 80.00 |
| | 3"× 3/4" | " | 90.00 | 90.00 | 90.00 |
| | 3"× 1" | " | 190.00 | 190.00 | 190.00 |
| | 4"× 1" | " | 285.00 | 285.00 | 285.00 |
| | 5"× 1" | " | 380.00 | 380.00 | 380.00 |
| | 6"× 1" | " | 465.00 | 465.00 | 465.00 |
| | Towerbolt (छेस्कीनी) | | | | |
| | (क) ३" लामो | गोटा | 145.00 | 145.00 | 145.00 |
| | (ख) ४" लामो | " | 190.00 | 190.00 | 190.00 |
| | (ग) ६" लामो | " | 286.00 | 286.00 | 286.00 |
| | (घ) ८" लामो | " | 382.00 | 382.00 | 382.00 |
| | (ङ) १०" लामो | " | 480.00 | 480.00 | 480.00 |
| | (च) १२" लामो | " | 575.00 | 575.00 | 575.00 |
| | Handle (हतकल) | | | | |
| | 6" | गोटा | 155.00 | 155.00 | 155.00 |
| | 8" | " | 465.00 | 465.00 | 465.00 |
| | 10" | " | 960.00 | 960.00 | 960.00 |
| | 12" | " | | | |
| | Brsss 5" | | 145.00 | 145.00 | 145.00 |
| | Brsss 6" | | 225.00 | 225.00 | 225.00 |
| | Locking Set (L-drop) | | | | |
| | (क) ८" लामो | गोटा | 960.00 | 960.00 | 960.00 |
| | (ख) १०" लामो | " | 1,580.00 | 1,580.00 | 1,580.00 |
| | (ग) १२" लामो | " | 1,755.00 | 1,755.00 | 1,755.00 |
| | Special Fittings | | | | |
| | एल ड्रप :- | | | | |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|--|------|-----------------|-----------------|-----------------|
| | ८" लामो | गोटा | 1,075.00 | 1,075.00 | 1,075.00 |
| | १०" लामो | " | 1,210.00 | 1,210.00 | 1,210.00 |
| | १२" लामो | " | 1,260.00 | 1,260.00 | 1,260.00 |
| | ह्याण्डल :- | | | | |
| | ८" लामो | " | 1,260.00 | 1,260.00 | 1,260.00 |
| | टावर बोल्ट :- | | | | |
| | ६" लामो | " | 230.00 | 230.00 | 230.00 |
| | ८" लामो | " | 300.00 | 300.00 | 300.00 |
| | १०" लामो | " | 380.00 | 380.00 | 380.00 |
| | डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर) | | | | |
| | एल ड्रप :- | | | | |
| | ८" लामो | गोटा | 900.00 | 900.00 | 900.00 |
| | १०" लामो | " | 1,140.00 | 1,140.00 | 1,140.00 |
| | १२" लामो | " | 1,260.00 | 1,260.00 | 1,260.00 |
| | ह्याण्डल :- | | | | |
| | ६" लामो | " | 255.00 | 255.00 | 255.00 |
| | ८" लामो | " | 385.00 | 385.00 | 385.00 |
| | Mortice Lock | | | | |
| | Ordinary | गोटा | 630.00 | 630.00 | 630.00 |
| | Chinese | " | 420.00 | 420.00 | 420.00 |
| | Indian Godrej Company | " | 2,580.00 | 2,580.00 | 2,580.00 |
| | Brass | " | 1,140.00 | 1,140.00 | 1,140.00 |
| | Door Spring (Door Closer) | | | | |
| | Ordinary | गोटा | 180.00 | 180.00 | 180.00 |
| | hydraulic | " | 1,890.00 | 1,890.00 | 1,890.00 |
| | Other Door/Windows fixtures | | | | |
| | Window I-hook | गोटा | 19.00 | 19.00 | 19.00 |
| | Gate Hook | | | | |
| | 4" | गोटा | 32.00 | 32.00 | 32.00 |
| | 5" | " | 35.00 | 35.00 | 35.00 |
| | 6" | " | 43.00 | 43.00 | 43.00 |
| | Brass | " | 76.00 | 76.00 | 76.00 |
| | Door stopper | | | | |
| | Diamond | गोटा | | | |
| | Butterfly | " | 150.00 | 150.00 | 150.00 |
| | Bell catch 2" size | " | 200.00 | 200.00 | 200.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|--|-----------|-----------------|-----------------|-----------------|
| | C.P. handle | " | 430.00 | 430.00 | 430.00 |
| | Power coated handle | " | 410.00 | 410.00 | 410.00 |
| | Brass coated handle | " | 885.00 | 885.00 | 885.00 |
| | Door stopper, single brass stopper | सेट | 100.00 | 100.00 | 100.00 |
| | Door stopper double brass stopper | " | 180.00 | 180.00 | 180.00 |
| 27 | बिबिध सामग्रीहरु | | | | |
| | Hold fast different sizes (7 nos./Kg.) | के.जी. | 130.00 | 150.00 | 150.00 |
| | Nails (different sizes) | के.जी. | 117.00 | 135.00 | 135.00 |
| | Nut and Bolts | गोटा | 31.00 | 36.00 | 36.00 |
| | Nut and Bolts (different sizes) | के.जी. | 175.00 | 201.00 | 201.00 |
| | Sandpaper (खागसी) | गोटा | 7.00 | 8.00 | 8.00 |
| | विभिन्न साइजको जे-हुक, यु-हुक | केजी | 144.00 | 166.00 | 166.00 |
| | २" साइज रुफिङ्ग नेल्स | गोटा | 8.00 | 9.00 | 9.00 |
| | ३" साइज रुफिङ्ग नेल्स | " | 10.00 | 12.00 | 12.00 |
| | Screw Brass | " | | | |
| | 20mm | " | 2.25 | 3.00 | 3.00 |
| | 25mm | " | 3.25 | 4.00 | 4.00 |
| | 35mm | " | 4.25 | 5.00 | 5.00 |
| | 50mm | " | 13.00 | 15.00 | 15.00 |
| | 75mm | " | 16.00 | 18.00 | 18.00 |
| | Screw Steel | " | | | |
| | 20mm | " | 1.00 | 1.00 | 1.00 |
| | 25mm | " | 2.00 | 2.00 | 2.00 |
| | 35mm | " | 2.00 | 2.00 | 2.00 |
| | 50mm | " | 8.00 | 9.00 | 9.00 |
| | 75mm | " | 9.00 | 10.00 | 10.00 |
| | विटुमीन वासर | गोटा | 3.00 | 3.00 | 3.00 |
| | Roofing bitumen (रुफिङ्ग अलकत्रा) | के.जी. | 93.00 | 107.00 | 107.00 |
| | ५०० गेज प्लाष्टिक सिट | व.फि. | 31.00 | 36.00 | 36.00 |
| | ISI Mark Trafelt (२०मी. × १मी.) | रोल | 2,472.00 | 2,843.00 | 2,843.00 |
| | Plasticfelt (२०मी. × १मी.) | " | 2,318.00 | 2,666.00 | 2,666.00 |
| | बाँस तराईको २० फिट भन्दा बढी | प्रति थान | 200.00 | 200.00 | 200.00 |
| | बाँस स्थानीय २० फिट भन्दा बढी (तारु, मालू आदि) | प्रति थान | 250.00 | 250.00 | 250.00 |
| | मैन पालिस | के.जि. | 206.00 | 206.00 | 206.00 |
| | अक्जालिक एसिड | " | 118.00 | 118.00 | 118.00 |
| | जुट वा पोलिथिनको खाली बोरा | गोटा | 18.00 | 18.00 | 18.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|---|--------|-----------------|-----------------|-----------------|
| | माटो | घ.मि. | 268.00 | 268.00 | 268.00 |
| | माटो(सबग्रेडमा राख्ने माटो-In Capping layer Granular soil | घ.मि. | 464.00 | 464.00 | 464.00 |
| | भुस | के.जि. | 5.00 | 5.00 | 5.00 |
| | गोबर | के.जि. | 5.00 | 5.00 | 5.00 |
| | Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap | गोटा | 93.00 | 93.00 | 93.00 |
| | Staircase को 1" x 1" square pipe मा लगाउने Brass cap | गोटा | 98.00 | 98.00 | 98.00 |
| | Tarpoline sheet | व फि | 9.00 | 9.00 | 9.00 |
| | Water | लिटर | 0.35 | 0.35 | 0.35 |
| | स्टेनलेस स्टील पाइप(234/kg) | | | | |
| | ३/४" व्यास भएको २.६५ मी.मी. | मी. | 253.00 | 291.00 | 291.00 |
| | १" व्यास भएको २.६५ मी.मी. | मी. | 318.00 | 366.00 | 366.00 |
| | १ १/४" व्यास भएको २.६५ मी.मी. | मी. | 405.00 | 466.00 | 466.00 |
| | १ १/२" व्यास भएको २.६५ मी.मी. | मी. | 491.00 | 565.00 | 565.00 |
| | २" व्यास भएको २.६५ मी.मी. | मी. | 659.00 | 758.00 | 758.00 |
| | स्टील रेलिड. तथा बार लगाउने (2" Pipe) | र. फी. | 1,512.00 | 1,739.00 | 1,739.00 |
| | स्टेनलेस स्टील पाइप(257/kg) | | | | |
| | ३/४" व्यास भएको १६ गेज मोटाई | मी. | 254.00 | 292.00 | 292.00 |
| | १" व्यास भएको १६ गेज मोटाई | मी. | 319.00 | 367.00 | 367.00 |
| | १ १/४" व्यास भएको १६ गेज मोटाई | मी. | 405.00 | 466.00 | 466.00 |
| | १ १/२" व्यास भएको १६ गेज मोटाई | मी. | 491.00 | 565.00 | 565.00 |
| | २" व्यास भएको १६ गेज मोटाई | मी. | 664.00 | 764.00 | 764.00 |
| | स्टील रेलिड (SteelRailing) को बार लगाउने कार्य (२ इन्च पाइपका vertical post & Hand rail तथा १इन्च व्यासको तीन तह Horizontal pipe) | र. फी. | 1,512.00 | 1,739.00 | 1,739.00 |
| | 28 Marble Chips | | | | |
| | (क) सेतो रंगको मार्बल चिप्स (२५ के.जि. प्रति बोरा) | बोरा | 187.00 | 187.00 | 187.00 |
| | (ख) रंगीन मार्बल चिप्स (२५ के.जि.) प्रति बोरा | " | 187.00 | 187.00 | 187.00 |
| | (ग) क्रेजी मार्बल (६ वर्ग फिट प्रति बोरा) | " | 200.00 | 200.00 | 200.00 |
| | (घ) मार्बल पाउडर (२५ के.जि. प्रति बोरा) | " | 170.00 | 170.00 | 170.00 |
| | 29 Godabari Marble in different sizes | | | | |
| | पालिस गरेको । (मिरर पोलिस्टड) | | | | |
| | (क) १०×१० से.मि. | व.मी. | | | |
| | (ख) (१०×१५) से.मि. | " | | | |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|-----------|--|-------|-----------------|-----------------|-----------------|
| | (ग) (१०×२०) से.मि. | " | | | |
| | (घ) (१०×३०) से.मि. | " | | | |
| | (ङ) (१५×१५) से.मि. | " | | | |
| | (च) (१५×२०) से.मि. | " | | | |
| | (छ) (१५×३०) से.मि. | " | | | |
| | (ज) (२०×२०) से.मि. | " | | | |
| | (झ) (२०×३०) से.मि. | " | | | |
| | (ञ) (३०×३०) से.मि. | " | | | |
| | ट) (३०×६०) से.मि | " | | | |
| | ठ) (६०×६०) से.मि | " | | | |
| | ड) (६०×९०) से.मि | " | | | |
| | पालिस नगरेको । (क्लासिक मार्बल) | | | | |
| | (क) १०×१० से.मि. | व.मी. | | | |
| | (ख) (१०×१५) से.मि. | " | | | |
| | (ग) (१०×२०) से.मि. | " | | | |
| | (घ) (१०×३०) से.मि. | " | | | |
| | (ङ) (१५×१५) से.मि. | " | | | |
| | (च) (१५×२०) से.मि. | " | | | |
| | (छ) (१५×३०) से.मि. | " | | | |
| | (ज) (२०×२०) से.मि. | " | | | |
| | (झ) (२०×३०) से.मि. | " | | | |
| | (ञ) (३०×३०) से.मि. | " | | | |
| | ट) (३०×६०) से.मि | " | | | |
| | ठ) (६०×६०) से.मि | " | | | |
| | ड) (६०×९०) से.मि | " | | | |
| | Marble Rajasthan | | | | |
| | १६ मी.मी बाक्लो राजस्थानी | व.मी. | 1,940.00 | 1,940.00 | 1,940.00 |
| | १३ मी.मी बाक्लो राजस्थानी | व.फि. | 175.00 | 175.00 | 175.00 |
| | १६ मी.मी बाक्लो राजस्थानी wonder marble | व.मी. | | | |
| | १६ मी.मी बाक्लो ग्रेनाइट | व.मी. | 3,580.00 | 3,580.00 | 3,580.00 |
| | १९ मी.मी बाक्लो ग्रेनाइट | व.मी. | 4,000.00 | 4,000.00 | 4,000.00 |
| | १२ मी.मी बाक्लो ग्रेनाइट | व.फि. | 325.00 | 325.00 | 325.00 |
| 30 | Tiles | | | | |
| | Terrazo Mosaic Tiles | व.मी. | | | |
| | Porcelain Glazed Tiles | | | | |
| | ग्लेज टायल्स (१२ " X ८ ") सम्मको । | व.मी. | 540.00 | 540.00 | 540.00 |

सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|-----------|---------------------------------------|--------|-----------------|-----------------|-----------------|
| | ग्लेज टायल्स (१२ " X १२ ") माथिको । | ब.मी. | 600.00 | 600.00 | 600.00 |
| | Cotto Tiles | ब.फि. | 132.00 | 132.00 | 132.00 |
| | Border Tile (२ " X ८ ") | र.फि. | 45.00 | 45.00 | 45.00 |
| | Spanish Ceramic Wall Tile (31*45cm) | व.मी. | | | |
| | Spanish Ceramic Border Tile (31*45cm) | व.मी. | | | |
| | Spanish Ceramic Floor Tile (31*45cm) | व.मी. | | | |
| | Indian Ceramic Wall Tile (31*45cm) | व.मी. | 2,032.00 | 2,032.00 | 2,032.00 |
| | Indian Ceramic Border Tile | व.मी. | 2,032.00 | 2,032.00 | 2,032.00 |
| | Indian Ceramic Floor Tile (31*45cm) | व.मी. | 1,700.00 | 1,700.00 | 1,700.00 |
| | LG Floors Tiles | | | | |
| | L.G. Deluxe Tiles (300x300x2mm) | गोटा | 77.00 | 77.00 | 77.00 |
| | L.G. Deco Tiles (450x450x3mm) | " | 315.00 | 315.00 | 315.00 |
| | L.G. Deco Wood (100x920x3mm) | " | 117.00 | 117.00 | 117.00 |
| | Fittings for Tiles | व.फि | 15.00 | 15.00 | 15.00 |
| | Fittings for Tiles on stairs | व.फि | 17.00 | 17.00 | 17.00 |
| | Dendrite for tiles | लि. | 390.00 | 390.00 | 390.00 |
| 31 | रंगरोगनका सामानहरु | | | | |
| | (क) कृषि चुनबाट उत्पादित सेतो चुन | के.जि. | 19.00 | 20.00 | 19.60 |
| | (ख) विभिन्न प्रकारको रंगिन चुन | " | 36.00 | 37.00 | 36.30 |
| | (ग) विभिन्न प्रकारको भारतिय चुन रंगिन | " | 39.00 | 41.00 | 40.20 |
| | (घ) सिमेन्ट पेन्ट (Cement Paints) | के.जि. | 74.00 | 77.00 | 75.50 |
| | (ङ) साधारण सेन्थेटिक इनामेल पेन्ट | लिटर | 525.00 | 546.00 | 535.10 |
| | च) नेपाल रेडको म्याट फिनिसिङ्ग | लिटर | 506.00 | 526.00 | 515.50 |
| | छ) उड प्राइमर (Wood Primer) | लिटर | 376.00 | 391.00 | 383.20 |
| | (ज) कोरुगेटेड रुफ Paint | " | 476.00 | 495.00 | 485.10 |
| | (झ) तयारी अल्मुनियम पेन्ट | " | 546.00 | 568.00 | 556.60 |
| | (ञ) तयारी वार्नेस | " | 440.00 | 458.00 | 448.80 |
| | (ट) तयारी वार्नेर सेन्थेटिक | " | 340.00 | 354.00 | 346.90 |
| | (ठ) भारतिय थिनर | " | 230.00 | 239.00 | 234.20 |
| | ड) उड एण्ड ग्लास पुटिन | के.जी | 331.00 | 344.00 | 337.10 |
| | ढ) मेटल पुटिन | " | 155.00 | 161.00 | 157.80 |
| | ण) चुना पेन्ट गर्न राख्ने गम | " | 203.00 | 211.00 | 206.80 |
| | त) नेपाली थिनर | लिटर | 218.00 | 227.00 | 222.50 |
| | (थ) सिमेन्ट प्राइमर सेतो | " | 268.00 | 279.00 | 273.40 |
| | (द) तारपिन तेल | " | 214.00 | 223.00 | 218.50 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|---|--------|-----------------|-----------------|-----------------|
| | (ध) रेड अकसाइड पेन्ट (Red oxide Paint) | " | 262.00 | 272.00 | 266.60 |
| | न) उड प्रिजरभेटिभ पेन्ट | " | 228.00 | 237.00 | 232.30 |
| | (प) Black japan Paint | " | 286.00 | 297.00 | 291.10 |
| | (फ) राम तिलक | के.जि. | 56.00 | 58.00 | 56.80 |
| | (ब) रातो माटो (गेरु रंग) | के.जि. | 137.00 | 142.00 | 139.20 |
| | (भ) चप्रा पालिस | के.जि. | 916.00 | 953.00 | 933.90 |
| | (म) तयारी बासेवल डिस्तेम्पर | लि. | 223.00 | 232.00 | 227.40 |
| | य) तयारी प्लास्टिक्स इमल्सन पेन्ट (Interior) | लि. | 526.00 | 547.00 | 536.10 |
| | र) तयारी प्लास्टिक्स इमल्सन पेन्ट (Exterior) | लि. | | | - |
| | ल) तयारी वेदर कोट पेन्ट (Exterior) | | 631.00 | 656.00 | 642.90 |
| | (र) Road Marking Paint | " | 579.00 | 602.00 | 590.00 |
| | (ल) लिनसिड आयल (linsed Oil) | " | 196.00 | 204.00 | 199.90 |
| | (व) स्थानीय स्पीट | लि. | 118.00 | 123.00 | 120.50 |
| | (स) मोविकल/फेविकल | के.जि. | 262.00 | 272.00 | 266.60 |
| | (ष) Tata Red Oxide Paint | " | 262.00 | 272.00 | 266.60 |
| | (ह) गट्टा चुन (इण्डीयन) | " | 22.00 | 23.00 | 22.50 |
| | (क्ष) Wall putty Asian , Berger & other company. | के.जि. | 69.00 | 72.00 | 70.60 |
| | (त्र) Plaster of Parish (POP) | के.जि. | 23.00 | 24.00 | 23.50 |
| | ज्ञ) नाइलन डोरी | के.जि. | 255.00 | 265.00 | 259.70 |
| 32 | Plaster of Parish (POP) cornice and molding making die, casting of cornice as per design and drawing including fixing in position using steel screws on resin glue | । | | | |
| | a) POP Molding 1" to 1½" | र.मि | | | |
| | b) Up to 5" wide | र.मि | | | |
| | c) Up to 8" wide | र.मि | | | |
| | d) Above 8" wide | र.मि | | | |
| 33 | सामानहरु | | | | |
| | i) फल्स सिलिङ्ग गर्नै | व.मी. | 248.00 | 248.00 | 243.00 |
| | ii)Water resistant false ceiling | " | 343.00 | 343.00 | 336.10 |
| | iii)Wall partation | " | 1,280.00 | 1,280.00 | 1,254.40 |
| | iv)Wall paneling | " | 850.00 | 850.00 | 833.00 |
| | v)12.5mm thick Gypsum Board False ceiling including all necessary material | " | 753.00 | 753.00 | 737.90 |

पुण्य विक्रम पौडेल
प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|-----------|---|-------|-----------------|-----------------|-----------------|
| 34 | Heritage Wall Surface Texture (Interior and Exterior) including the cost supplying and fitting | | | | |
| | i) Heritage granular | व.फि | 100.00 | 100.00 | 98.00 |
| | ii) Heritage flakes | व.फि | 124.00 | 124.00 | 121.50 |
| | iii) Heritage granite finish | " | 108.00 | 108.00 | 105.80 |
| | iv) Heritage roller coat, | " | 110.00 | 110.00 | 107.80 |
| | v) Heritage Top coat (plastic lamination) | " | 29.00 | 29.00 | 28.40 |
| | Wall putty Epoxy flooring | | | | |
| | wall plast wall putty (40kg) | Bag | 1,306.00 | 1,306.00 | 1,279.90 |
| | 2mm Epoxy Floor coating with Ultrafresh - OPD (4layer & 5 component | व.मी. | 2,082.00 | 2,082.00 | 2,040.40 |
| | 2mm Epoxy Antistatic Floor coating for OT((4 layer & 9 component | " | 3,688.00 | 3,688.00 | 3,614.20 |
| | Epoxy Paint for Operation theater | " | 11,509.00 | 11,509.00 | 11,278.80 |
| | Cement flexy board False ceiling work | | | | |
| | Celling work 6mm thick | व.मी. | | | |
| | Floring board 25mm*8ft*4ft | गोटा | | | |
| | Wooden Plank 8*150*3000mm | " | | | |
| | Skirting 8*50*300mm | " | | | |
| | Texture board 6mm*8ft*4ft | " | | | |
| | Solid infill wall 3" | व.मी. | | | |
| | Laminated safety glass6.38mm | " | | | |
| | Structure glazing with lamonated saftey | " | | | |
| | Wall Paper | | | | |
| | Wall paper (10m.x 0.53m) | रोल | 1,236.00 | 1,236.00 | 1,211.30 |
| | Fittings for wall paper | व.फि | 7.00 | 7.00 | 6.90 |
| | White glue for wall paper | लि. | 108.00 | 108.00 | 105.80 |
| 35 | Interlocking Cement Concrete Block | | | | |
| | a) 60 mm inter locking cement concrete block M- 30 grade घरको passage मा छानाको लागि | व.फि | | | |
| | b) 70 mm inter locking cement conc. Block M- 30 grade | " | | | |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|--|------|-----------------|-----------------|-----------------|
| | c) 60 mm inter locking cement concrete block M- 30 grade घरको passage मा छानाको लागि | " | | | |
| | d) 70 mm inter locking cement conc. Block M- 30 grade | " | | | |
| | 25 mm thick C.C. Tile (Grey color) | | | | |
| | Burfi Checker | Sqft | 60.00 | 60.00 | 60.00 |
| | Round Checker | " | 60.00 | 60.00 | 60.00 |
| | Boby Checker | " | 60.00 | 60.00 | 60.00 |
| | 25 mm thick C.C. Tile (Red color) | | | | |
| | Burfi Checker | Sqft | 62.00 | 62.00 | 62.00 |
| | Round Checker | " | 62.00 | 62.00 | 62.00 |
| | Boby Checker | " | 62.00 | 62.00 | 62.00 |
| | 50 mm thick CC Block (Grey color) | | | | |
| | Cosmix | Sqft | 70.00 | 70.00 | 70.00 |
| | Hexagon | " | 70.00 | 70.00 | 70.00 |
| | Threehex | " | 70.00 | 70.00 | 70.00 |
| | Royal tone Interlock | " | 70.00 | 70.00 | 70.00 |
| | I-Interlock | " | 70.00 | 70.00 | 70.00 |
| | Plus Interlock | " | 70.00 | 70.00 | 70.00 |
| | 50 mm thick CC Block (Red color) | | | | |
| | Cosmix | Sqft | 70.00 | 70.00 | 70.00 |
| | Hexagon | " | 70.00 | 70.00 | 70.00 |
| | Threehex | " | 70.00 | 70.00 | 70.00 |
| | Royal tone Interlock | " | 70.00 | 70.00 | 70.00 |
| | I-Interlock | " | 70.00 | 70.00 | 70.00 |
| | Plus Interlock | " | 70.00 | 70.00 | 70.00 |
| | 60 mm thick CC Block (Grey color) | | | | |
| | Cosmix | Sqft | 72.00 | 72.00 | 72.00 |
| | Hexagon | " | 72.00 | 72.00 | 72.00 |
| | Threehex | " | 72.00 | 72.00 | 72.00 |
| | Royal tone Interlock | " | 72.00 | 72.00 | 72.00 |
| | I-Interlock | " | 72.00 | 72.00 | 72.00 |
| | Plus Interlock | " | 72.00 | 72.00 | 72.00 |
| | 60 mm thick CC Block (Red color) | | | | |
| | Cosmix | Sqft | 73.00 | 73.00 | 73.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|-----------|--|-------|-----------------|-----------------|-----------------|
| | Hexagon | " | 73.00 | 73.00 | 73.00 |
| | Threehex | " | 73.00 | 73.00 | 73.00 |
| | Royal tone Interlock | " | 73.00 | 73.00 | 73.00 |
| | I-Interlock | " | 73.00 | 73.00 | 73.00 |
| | Plus Interlock | " | 73.00 | 73.00 | 73.00 |
| | 60 mm thick CC Block (Ocm or equivalent) | | | | |
| | Brick type (23*11*6cm)non colour | Nos | 10.00 | 10.00 | 10.00 |
| | Hexagon (22*22 cm) non colour | " | 23.00 | 23.00 | 23.00 |
| | Hexagon (22*22 cm) colour | " | 25.00 | 25.00 | 25.00 |
| | Squire paver (30*30*4.5cm)non colour | " | 32.00 | 32.00 | 32.00 |
| | Squire paver (30*30*4.5cm)colour | " | 34.00 | 34.00 | 34.00 |
| | inter block(24*13*6cm) | " | 14.00 | 14.00 | 14.00 |
| | Isave paver (20*16*6cm) | " | 16.00 | 16.00 | 16.00 |
| 36 | कुँदिएको काठको काम तयारी | | | | |
| | i) भन्याङ्गको रेलिङ्ग तथा बार्दली आदिमा कुँदिएको स्थानीय सीसौ काठको हुक्का (2'-6"x3"x3") | गोटा | 860.00 | 860.00 | 860.00 |
| | ii) भन्याङ्गको रेलिङ्ग तथा बार्दली आदिमा कुँदिएको जंगली स्पेशल सीसौ काठको हुक्का (2'-6"x3"x3") | गोटा | 940.00 | 940.00 | 940.00 |
| | iii) भन्याङ्गको रेलिङ्ग तथा बार्दली आदिमा कुँदिएको सीसौ काठको हेण्ड रेल (3"x4") | र.फि. | 780.00 | 780.00 | 780.00 |
| | iv) भन्याङ्गको रेलिङ्गको घुम्ने ठाउँमा कुँदिएको सीसौ काठको गोलो हेण्ड रेल (3"x4") | गोटा | 3,440.00 | 3,440.00 | 3,440.00 |
| | v) देवी देवताको मुर्ति कुँदिएको ४' देखि ५' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम | " | 10,950.00 | 10,950.00 | 10,950.00 |
| | vi) देवी देवताको मुर्ति कुँदिएको ६' देखि ७' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम | " | 12,500.00 | 12,500.00 | 12,500.00 |
| | vii) विभिन्न बुट्टा तथा देवी देवताको मुर्ति कुँदिएको साल काठको भ्याल ढोका बनाउने काम (खापाको माटाई ४० मि.मि. देखि ५० मि.मि. सम्म) | व.फि. | 2,350.00 | 2,350.00 | 2,350.00 |
| | viii) घोडाको आकृति गरि कुँदिएको ४"x ५" साइजको ३' देखि ४' लामो साल काठको तयारी टुँडाल बनाउने काम । | गोटा | 5,480.00 | 5,480.00 | 5,480.00 |
| | ix) सामान्य प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी | व.फि. | 780.00 | 780.00 | 780.00 |
| | x) मध्यम प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी | व.फि. | 1,100.00 | 1,100.00 | 1,100.00 |
| | xi) विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक सहित | व.फि. | 2,350.00 | 2,350.00 | 2,350.00 |

सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|--|-------|-----------------|-----------------|-----------------|
| | xi) विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक नभएको | व.फि. | 1,480.00 | 1,480.00 | 1,480.00 |
| | xii) ३"X १.५" साइजको सालको काठको कुँदिएको पली तयारी गर्ने काम | र.फि. | 550.00 | 550.00 | 550.00 |
| | xiii) कुँदिएको विभिन्न बूट्टा राखी बनाएको साल काठको ४"X ५"को कार्नेस विम आदि तयारी गर्ने कार्य | र.फि. | 940.00 | 940.00 | 940.00 |
| | xiv) ४"X ५"को साल काठको नाग बूट्टा कुँदि तयारी गरी जडान गर्ने कार्य | र.फि. | 780.00 | 780.00 | 780.00 |
| 37 | परम्परागत निर्माण सामाग्रीहरु :- | | | | |
| | १) दचि अपा ठूलो ८"X२-३/८"X५" | गोटा | 29.00 | 29.00 | 29.00 |
| | २) दचि अपा सानो ८३/८"X२-१/८"X४-१/४" | " | 22.00 | 22.00 | 22.00 |
| | ३) दचिअपा ठूलोको कुँ | " | 35.00 | 35.00 | 35.00 |
| | ४) दचिअपा सानोको कुँ अपा | " | 29.00 | 29.00 | 29.00 |
| | ५) माँ अपा ठूलो ८-७/८"X२-१/४"X५-३/४" | " | | | |
| | ६) माँ अपा ठूलो 241x60x158 mm | " | 35.00 | 35.00 | 35.00 |
| | ७) मा अपा सानो ८-३/८"X२"X५" | " | 21.00 | 21.00 | 21.00 |
| | ८) धुरी चाङ्ग ठूलो ९-३/८"X५-१/२"X३/४ | " | 31.00 | 31.00 | 31.00 |
| | ९) धुरी 230x295x25 mm | " | | | |
| | १०) धुरी चाँङ्ग सानो | " | 25.00 | 25.00 | 25.00 |
| | ११) भिगंटी नयाँ ८-३/४"X४" | गोटा | 15.00 | 15.00 | 15.00 |
| | १२) भिगंटी पूरानो | गोटा | 10.00 | 10.00 | 10.00 |
| | १३) ढुकु | गोटा | 53.00 | 53.00 | 53.00 |
| | १६) गोंगचा | | | | |
| | क)साना | " | 150.00 | 150.00 | 150.00 |
| | ख)ठूलो | " | 303.00 | 303.00 | 303.00 |
| | १७) पेटीकोलागि ढुङ्गा | | | | |
| | क) १८"X१०"X५" | " | | | |
| | ख) १८"X१०"X४" | " | 769.00 | 769.00 | 769.00 |
| | १८) नागोल ईटा | गोटा | 26.00 | 26.00 | 26.00 |
| | १९) ल्होह अपा १५"X९"X३" | " | | | |
| | २०) फ:ल्होह अपा ठूलो 375x225x100mm | " | 227.00 | 227.00 | 227.00 |
| | २१) फ:ल्होह अपा सानो 254x229x102mm | " | 190.00 | 190.00 | 190.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|---|-------|-----------------|-----------------|-----------------|
| २२) | तीनकुनै तेलिया ईटा (९"×९"×२-१/४" | " | 20.00 | 20.00 | 20.00 |
| २३) | तीनकुनै तेलिया ईटा (६"×६"×१" | " | 14.00 | 14.00 | 14.00 |
| २४) | चारकुनै तेलिया ईटा (८"×८" | " | 26.00 | 26.00 | 26.00 |
| २५) | तेलिया ईटा (६"×६" | " | 20.00 | 20.00 | 20.00 |
| २६) | बुट्टेदारी कर्निश इटा (काशीमोहरु) | " | 38.00 | 38.00 | 38.00 |
| २७) | बुट्टेदारी कर्निश इटा कुना | " | 58.00 | 58.00 | 58.00 |
| २८) | बुट्टेदारी कर्निश इटा ठूलो 222x273x76mm | " | 227.00 | 227.00 | 227.00 |
| २९) | भ्याल माथिको कर्निश ईटा बुट्टेदारी | " | 47.00 | 47.00 | 47.00 |
| ३०) | काठको कर्निश माथिको इटा ११×६×२.५" | " | 76.00 | 76.00 | 76.00 |
| ३४) | भौ प्वा | गोटा | 303.00 | 303.00 | 303.00 |
| ३५) | तामा पाता. (नेपाली) | केजि | 1,452.00 | 1,452.00 | 1,452.00 |
| | तामा पाता (Indian) | | 1,646.00 | 1,646.00 | 1,646.00 |
| ३६) | पित्तल पाता | केजि | 114.00 | 114.00 | 114.00 |
| ३७) | पारो | ग्राम | 227.00 | 227.00 | 227.00 |
| ३८) | सूर्कि इटा कुटि धुलो बनाएको । | टन | 1,815.00 | 1,815.00 | 1,815.00 |
| ३९) | Wind bell हवा घण्टी ४" | गोटा | 621.00 | 621.00 | 621.00 |
| ४०) | Snake body brick traditional | गोटा | 35.00 | 35.00 | 35.00 |
| ४१) | Snake neck brick ,, | गोटा | 99.00 | 99.00 | 99.00 |
| ४२) | Snake head brick ,, | गोटा | 194.00 | 194.00 | 194.00 |
| ४३) | Yellow mud (clay) for roofing/B/W | घ.मी. | | | |
| ४४) | Lime for traditional work | केजि | | | |
| ४५) | श्री गणेश | गोटा | 1,507.00 | 1,507.00 | 1,507.00 |
| ४६) | कुमार | गोटा | 1,507.00 | 1,507.00 | 1,507.00 |
| ४७) | दुङ्गे धारा | गोटा | 1,507.00 | 1,507.00 | 1,507.00 |
| ४८) | पंच बद | गोटा | | | |
| ४९) | नागबेली बुट्टा | गोटा | 35.00 | 35.00 | 35.00 |
| ५०) | नागबुली बुट्टा कुना | गोटा | 50.00 | 50.00 | 50.00 |
| ५१) | स्वा बुट्टा | गोटा | 35.00 | 35.00 | 35.00 |
| ५२) | चीर बुट्टा | गोटा | 35.00 | 35.00 | 35.00 |
| ५३) | कार्नेस फयो | गोटा | 29.00 | 29.00 | 29.00 |
| ५४) | कार्नेस गजुर पली | गोटा | 47.00 | 47.00 | 47.00 |
| ५५) | ठूलो कलश | गोटा | 227.00 | 227.00 | 227.00 |
| ५६) | चालेको सूर्कि | टन | 17,303.00 | 17,303.00 | 17,303.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|--|------|-----------------|-----------------|-----------------|
| | ५७)तेलिया मेशीन प्रेश ६ लाइन | गोटा | | | |
| 58 | लोकल अपा (साइज 320x65x100) | गोटा | | | |
| 59 | मा अपा (साइज 200x50x130) | " | 21.00 | 21.00 | 21.00 |
| 60 | दचि अपा (साइज 200x55x100) | " | 25.00 | 25.00 | 25.00 |
| 61 | त्वा अपा (साइज 110x55x180) | " | 25.00 | 25.00 | 25.00 |
| 62 | गोल अपा (साइज 120x55x80) | " | 25.00 | 25.00 | 25.00 |
| 63 | गणेश अपा (साइज 200x250x35) | " | 455.00 | 455.00 | 455.00 |
| 64 | कुमार अपा (साइज 200x250x35) | " | 455.00 | 455.00 | 455.00 |
| 65 | तारा अपा (साइज 200x250x55) | " | 455.00 | 455.00 | 455.00 |
| 66 | पञ्च बुद्ध अपा (साइज 170x230x55) | " | 455.00 | 455.00 | 455.00 |
| 67 | कलस अपा (साइज 100x140x40) | " | 76.00 | 76.00 | 76.00 |
| 68 | नागोल अपा (साइज 140x52x120) | " | 27.00 | 27.00 | 27.00 |
| 69 | कसिमो अपा (साइज 230x55x100) | " | 39.00 | 39.00 | 39.00 |
| 70 | सकली अपा (साइज 140x55x115) | " | 35.00 | 35.00 | 35.00 |
| 71 | पानबुद्धा अपा (साइज 140x55x115) | " | 35.00 | 35.00 | 35.00 |
| 72 | सानो फ बुद्धा अपा (साइज 180x55x30) | " | 39.00 | 39.00 | 39.00 |
| 73 | ठूलो फ बुद्धा अपा (साइज 230x55x110) | " | 39.00 | 39.00 | 39.00 |
| 74 | नयां फ बुद्धा अपा (साइज 230x55x110) | " | 39.00 | 39.00 | 39.00 |
| 75 | साना ग बुद्धा अपा (साइज 140x50x110) | " | 35.00 | 35.00 | 35.00 |
| 76 | ठूलो ग बुद्धा अपा (साइज 230x55x90) | " | 39.00 | 39.00 | 39.00 |
| 77 | पुम्हा बुद्धा अपा (साइज 180x55x70) | " | 39.00 | 39.00 | 39.00 |
| 78 | तिनकुने स्वाँ अपा (साइज 200x550x30) | " | 39.00 | 39.00 | 39.00 |
| 79 | तिनकुने पलि अपा (साइज 200x550x90) | " | 39.00 | 39.00 | 39.00 |
| 80 | साना स्वाँ अपा (साइज 140x50x110) | " | 35.00 | 35.00 | 35.00 |
| 81 | ठूलो स्वाँ अपा (साइज 230x55x90) | " | 39.00 | 39.00 | 39.00 |
| 82 | नाग टाउको दांयाबायाँ (साइज 100x150x50) | " | 189.00 | 189.00 | 189.00 |
| 83 | नाग घटी दांयाबायाँ (साइज 140x60x70) | " | 99.00 | 99.00 | 99.00 |
| 84 | नाग जीउ (साइज 140x60x70) | " | 35.00 | 35.00 | 35.00 |
| 85 | नाग कन्या/पुरुष (साइज 180x380x55) | " | 751.00 | 751.00 | 751.00 |
| 86 | खाल नागोल (साइज 130x55x120) | " | 27.00 | 27.00 | 27.00 |
| 87 | खाल फयो (साइज 130x55x135) | " | 27.00 | 27.00 | 27.00 |
| 88 | लहरा बुद्धा (साइज 125x45x140) | " | 35.00 | 35.00 | 35.00 |
| 89 | नग बेली (साइज 140x55x120) | " | 35.00 | 35.00 | 35.00 |
| 90 | मिखाफुसी (साइज 140x55x120) | " | 47.00 | 47.00 | 47.00 |
| 91 | पलियो दायां/बायां (साइज 130x55x120) | " | 35.00 | 35.00 | 35.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|-----------|--|--------|-----------------|-----------------|-----------------|
| 92 | नयां पलिफो (साइज 185x52x80) | ” | 39.00 | 39.00 | 39.00 |
| 93 | सिधा पलिफो (साइज 190x55x90) | ” | 39.00 | 39.00 | 39.00 |
| 94 | २” सिह (साइज 95x5010) | ” | 47.00 | 47.00 | 47.00 |
| 95 | २”गरुड (साइज 95x50x100) | ” | 47.00 | 47.00 | 47.00 |
| 96 | धलिख्वा (साइज 95x50x100) | ” | 47.00 | 47.00 | 47.00 |
| 97 | श्रीयन्त्र (साइज 70x700x80) | ” | 61.00 | 61.00 | 61.00 |
| 98 | त्वा फयो (साइज 140x55x120) | ” | 27.00 | 27.00 | 27.00 |
| 99 | तारा बुट्टा पुरानो (साइज 180x55x80) | ” | 32.00 | 32.00 | 32.00 |
| 100 | तारा बुट्टा नयां (साइज 230x70x90) | ” | 38.00 | 38.00 | 38.00 |
| 101 | स्वांफो तारां (साइज 220x55x90) | ” | 38.00 | 38.00 | 38.00 |
| 102 | सिक्री बुट्टा (साइज 220x55x80) | ” | 38.00 | 38.00 | 38.00 |
| 103 | न्हाय बुट्टा सानो (साइज 140x65x130) | ” | 38.00 | 38.00 | 38.00 |
| 104 | न्हाय बुट्टा ठूलो (साइज 140x100x130) | ” | 38.00 | 38.00 | 38.00 |
| 105 | न्गोल नगोल (साइज 2000x55x90) | ” | 26.00 | 26.00 | 26.00 |
| 106 | ठी बुट्टा (साइज 210x55x75) | ” | 38.00 | 38.00 | 38.00 |
| 107 | सानो/ठूलो (साइज | ” | 38.00 | 38.00 | 38.00 |
| 108 | चुना प्रति के.जि. | के.जि. | 19.00 | 19.00 | 19.00 |
| 38 | UPVC Profile Door and Window/ Wall partition | | | | |
| | Supplying and installation of UPVC Profile Sliding Window frame 80x50 mm white colour, sliding window sash 55x36 mm with galvanized steel reinforcement of 1.5 mm, 5 mm thick clear glass, insect net, patented standard hardware like: rollers, gaskets,brush seal, moon locks drainage cover etc. as per specification of Korean Standard. | | | | |
| | i) Single glazing | | | | |
| 1 | UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass) | Sqm | 7,215.00 | 7,215.00 | 7,431.00 |
| 2 | UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass) | ” | 6,664.00 | 6,664.00 | 6,863.00 |
| 3 | UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass) | ” | 7,493.00 | 7,493.00 | 7,717.00 |
| 4 | UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass) | ” | 7,493.00 | 7,493.00 | 7,717.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|--|------|-----------------|-----------------|-----------------|
| 5 | UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass) | „ | 8,214.00 | 8,214.00 | 8,460.00 |
| 6 | UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour) | „ | 8,328.00 | 8,328.00 | 8,577.00 |
| 7 | UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass) | „ | 8,884.00 | 8,884.00 | 9,150.00 |
| 8 | UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass) | „ | 8,884.00 | 8,884.00 | 9,150.00 |
| 9 | UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass) | „ | 8,606.00 | 8,606.00 | 8,864.00 |
| 10 | UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm) | „ | 9,991.00 | 9,991.00 | 10,290.00 |
| 11 | UPVC 88x60mm Sliding white colour window with 5mm glass pannele | Sqm | 8,626.00 | 8,626.00 | 8,884.00 |
| 11 | UPVC 60x64mm white colour casement window with 5mm glass pannele | „ | 9,796.00 | 9,796.00 | 10,089.00 |
| 12 | UPVC 110x64mm x9mmthick board and 5mm tjick glass pannel white colour | „ | 10,353.00 | 10,353.00 | 10,663.00 |
| 12 | UPVC 60x60mm x9mmthick white colour partition board with 5mm glass | „ | 10,717.00 | 10,717.00 | 11,038.00 |
| 13 | UPVC 60x60mm white colour swing door with 5mm glass pannel | „ | 6,727.00 | 6,727.00 | 6,928.00 |
| | g) Vertical sliding | „ | | | |
| | ii) Double glazing | | | | |
| 1 | UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass) | Sqm | 9,435.00 | 9,435.00 | 9,718.00 |
| 2 | UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass) | „ | 8,935.00 | 8,935.00 | 9,203.00 |
| 3 | UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass) | „ | 9,718.00 | 9,718.00 | 10,009.00 |
| 4 | UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass) | „ | 9,718.00 | 9,718.00 | 10,009.00 |
| 5 | UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass) | „ | 10,439.00 | 10,439.00 | 10,752.00 |
| 6 | UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass) | „ | 10,547.00 | 10,547.00 | 10,863.00 |
| 7 | UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass) | „ | 11,103.00 | 11,103.00 | 11,436.00 |
| 8 | UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass) | „ | 10,825.00 | 10,825.00 | 11,149.00 |



सिभिल कार्यहरू (Civil works)

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|--|------|-----------------|-----------------|-----------------|
| 9 | Supply & fixing of 80*50 mm white colour casement window | „ | 9,611.00 | 9,611.00 | 9,899.00 |
| | g) Vertical sliding | „ | 9,300.00 | 9,300.00 | 9,579.00 |
| | Supplying and installation of UPVC Partition frame 60x60 mm with 5 mm thick clear glass or with 9 mm thick both side laminated particle board all complete with all accessorie as per specification of Korean Standard. | | | | |
| | i) Single glazing | | | | |
| | Full glass partition | Sqm | | | |
| | Full partition with half glass and laminated particle board | „ | | | |
| | Full ht. partition with top and bottom laminated particle board and centre with glass | „ | | | |
| | Full ht. partition with top and bottom laminated particle board | „ | | | |
| | Supplying and installation of UPVC Profile Sliding Window frame 50x80 mm, sash 58*36mm, sliding door frame 52*88, sash 80*42, casement window fame 60*60mm: sash 60*78mm, casement door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: gaskets, brush seal, moon locks, Push locks, drainage cover etc. | | | | |
| 39 | Alternative Profile Company को UPVC को भ्याल, ढोका तथा wall partition का निर्माण सामग्रीहरू (Certified by ISO 9001-2000, ISO 14001:2004, ISO 527-2:1993, ISO 178:2001, iec 60695-2-11:2001, ASTM D4226-00, 91/338/EEC) | | | | |
| | UPVC Casement Window 60*60 mm White Colour With 5mm Glass | Sqm | | | |
| | UPVC Double Glazing Casement Window 60*60 mm Frame White Colour With 5mm Glass | „ | | | |
| | UPVC Sliding Window With 50*80 mm White Colour And 5mm Glass With Aluminium Sliding Track | „ | | | |
| | UPVC Casement Window 60*60 mm Frame White Colour With 5mm Glass With UPVC Panel Luever Fixed | „ | | | |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|--|------|-----------------|-----------------|-----------------|
| | UPVC Casement Window 60*60 mm Frame White Colour With 5mm Glass With Adjustable Glass Panel Luever | " | | | |
| | UPVC Sliding Window With 50*80 mm White Colour With Aluminium Sliding Track And 5mm Glass With Adjustable Glass Panel Luever | " | | | |
| | UPVC Sliding Window With 50*80 mm White Colour With Aluminium Sliding Track And 5mm Glass With Adjustable Glass Panel Luever | " | | | |
| | UPVC Door 100mm*60mm White Colour With Top Glass 5mm And Bottom UPVC Panel | " | | | |
| | UPVC Door 100mm*60mm White Colour With Top Glass 5mm Glass And Bottom 9mm Nepal Board | " | | | |
| | UPVC Door 100mm*60mm White Colour With Top And Bottom UPVC Panel | " | | | |
| | UPVC 60*60 mm Partition With Half Board 9mm And Other Half 5mm Glass | " | | | |
| | UPVC 100mm*60mm Swing Door With Top 5mm Glass And Bottom UPVC Panel | " | | | |
| 39 | Aerocon/Rapicon prefab Panel for Partition wall | | | | |
| | Supply and erection of aerocon/rapicon prefab panel in partition wall. | | | | |
| | 75 mm thick | Sqft | | | |
| | 50 mm thick | Sqft | | | |
| | 40 mm thick | Sqft | | | |
| | Supply and fixing of aerocon/rapicon prefab panel cubical partition wall all complete. | | | | |
| | 40 mm thick | Sqft | | | |
| | 6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling | Sqft | | | |
| 40 | Prefab Panel for wall Partition Everest solid wall panel (ESWP) or equivalent | | | | |
| | Supply and erection of prefab panel wall partition | | | | |
| | 75 mm thick | Sqft | | | |
| | 50 mm thick | Sqft | | | |
| | Supply and fixing of aerocon/rapicon prefab panel cubical partition wall all complete. | | | | |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|---|------|-----------------|-----------------|-----------------|
| | 40 mm thick | Sqft | 172.00 | 172.00 | 177.00 |
| | 6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling | Sqft | | | |
| 41 | Slope, flat roof, sunken slab र basement मा पानी चुहेको स्थानमा Perma Construction Co - बाट उत्पादित निर्माण सामग्रीहरु | | | | |
| | Mention rates are including supplying of necessary chemicals, labour and applying as per manufacturer specifications or as per consultant's direction. | | | | |
| | Decorative epoxy coating with perma plaster putty on celing and wall all complete 200 micron. (for pharmaceutical and hospitals floor) | व.फि | | | |
| | Water proofing treatment by Perma Guard coating (Elastomeric Polymer Coating) all complete. (roof top, sunken slab, | व.फि | | | |
| | Shield / AR coating (Semi Flexible Polymer Coating System) all Complete (roof top, sunk slab, basement) | व.फि | 45.00 | 45.00 | 45.00 |
| | Crystallization Process by applying two coats of perma Seal all complete. (watertank basement) | व.फि | 55.00 | 55.00 | 55.00 |
| | Providing and applying SBR Mortar on the RCC slab minor crack with making "V" shaped groove cutting and polymer coating of 1 ft wide area from groove all complete. | र.फि | 225.00 | 225.00 | 225.00 |
| | Major crack treatment on Rcc slab by Perma Polyseal | र.फि | 455.00 | 455.00 | 455.00 |
| | Providing and applying Perma treat or Perma clear seal (colorless solvent silicon based liquid) for water repellent on bricks, tiles from fungus and algae growth (exposed surface). | व.फि | 25.00 | 25.00 | 25.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|------------|--|------|-----------------|-----------------|-----------------|
| | Wall Putty Providing & applying 1.5mm thickness of perma plaster putty on plaster , Rcc, Brick or Block all complete work. | व.फि | 22.00 | 22.00 | 22.00 |
| | Expansion Joint Works: - Providing and chipping and plaster with mixing Perma Bond SBR modified mortar up to 40 mm wide on levelling all complete. Providing and laying thermacol in the hole, Providing masking tape on thermacol applying sealant primer, 40mm x 25 mm Polyseal filling on joints with fixing 8" wide 18 gauge Aluminum sheets fixing from top and bottom all complete. | र.फि | 1,650.00 | 1,650.00 | 1,650.00 |
| | Epoxy coating | | | | |
| | Supplying and applying perma or Beck Brand Self leveling Epoxy coating on floor 2mm thick as per specification all complete. (for pharmaceutical and hospitals | व.फि | 355.00 | 355.00 | 355.00 |
| | on floor 400 micron(for pharmaceutical and hospitals floor) | व.फि | 170.00 | 170.00 | 170.00 |
| | Decorative epoxy coating with perma plaster putty on celing and wall all complete 200 micron. (for pharmaceutical | व.फि | 140.00 | 140.00 | 140.00 |
| | Providing and applying Dustban/Permise chemicals for Anti Termite Treatment all complete. | व.फि | 43.00 | 43.00 | 43.00 |
| | Providing and applying of Perma Wall Guard Coating (for colorful flexi exterior waterproof coating) all complete | व.फि | 45.00 | 45.00 | 45.00 |
| 42 | Waterproofing treatment | | | | |
| | G.s.Anti termite & water proofing | | | | |
| 1.0 | Super Plasticizers and Plasticizers | | | | |
| 1.1 | Providing & Mixing COREPLAST P1 for M20 G. plasticizres (dosages 100ml - 250ml per bag of cement) for high strength of concrete, as per specification and instruction of Site in charge all complete | KG | 165.00 | 165.00 | 165.00 |
| 1.2 | Porviding & Mixing COREPLAST SP2 for M25-30 G superplasticizers (dosages 250ml - 750ml per bag of cement) as per specificatio and instruction of site in-charge all complete | KG | 125.00 | 125.00 | 125.00 |

मुख्य विद्यमान पोस्टल
 प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)


| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|-------------|---|------|-----------------|-----------------|-----------------|
| 1.3 | Providing & Mixing COREPLAST SP2(SRE) for M20-30 superplasticizers, slump retainer with retarding effect for pumple concrete (Dosages 200-500 ml) per bag of cement , as per specification and instruction of site engineer | KG | 122.00 | 122.00 | 122.00 |
| 42.0 | Bonding Agent for Old & New Concrete | | | | |
| 42.1 | Providing and applying COREBOND EP bonding chemical for old to new concrete, as per specification and instruction of site - incharge | kg | 530.00 | 530.00 | 530.00 |
| 42.2 | Providing and applying CORECOAT WP polymer bonding chemicals for old to new concrete, as per specification and instruction of site incharge | Ltr | 555.00 | 555.00 | 555.00 |
| 43.0 | Waterproofing Coating on | | | | |
| | Acrylic Polymer Waterproofing Coating | | | | |
| 43.1 | Providing & applying 2 coat acrylic polymer coating CORECOAT WP with 10 yr warrenty, as per specification and instruction of site incharge | Sqm | 380.00 | 380.00 | 380.00 |
| | Crystallization Waterproofing Coating | | 380.00 | 380.00 | 380.00 |
| 43.2 | Providing & Applying 1 coat horizontal and 2 coat vertical crystalline waterproofing coating CORECOAT CWP with 10 yr warrenty, as per specification and instruction of site- incharge | Sqm | 425.00 | 425.00 | 425.00 |
| | Bituminous Waterproofing Coating | | | | |
| 43.3 | Providing and applying Bitumen Modified Waterproofing coating CORECOAT FLEXBIT with 10 yr warrenty, as per specification and instruction of site engineer | Sqm | 480.00 | 480.00 | 480.00 |
| | PRESSURE INJECTION GROUTING on basement share wall | | 480.00 | 480.00 | 480.00 |
| 43.4 | Providing and applying Injection Pressure Grout on wall basement with COREGROUT IG , as per specification and instruction of site engineer | Sqm | 360.00 | 360.00 | 360.00 |


पुण्य विक्रम चौहान
प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|-------------|---|------|-----------------|-----------------|-----------------|
| 44.0 | Water Repellent silicone paint Coating | | | | |
| 4.1 | Providing and applying water repellent silicone paint CORECOAT SN on brick, tile and marble cladding, as per specification and instruction of site engineer | | 145.00 | 145.00 | 145.00 |
| 45.0 | Expansion & Contraction Movement Joint Tretment | | | | |
| | For ceiling and Vertical (Aluminium Plate) | | | | |
| 45.1 | Providing, fixing and installation movement joint in structural | Rm | 2,800.00 | 2,800.00 | 2,800.00 |
| | movement , expansion and contraction joint in vertical & ceiling | | | | |
| | with 18 gauge aluminium sheet folded to the required shape | Rm | 3,000.00 | 3,000.00 | 3,000.00 |
| | , fixing with 3M screws at 300 c/c and site filled by latex putty. | | | | |
| | all complete work , as per specification of site engineer. | Rm | 3,500.00 | 3,500.00 | 3,500.00 |
| | Expansion & Contraction Movement Joint Tretment | | | | |
| | For Top floor & Ground floor (Stainless Steel Plate) | | | | |
| 45.2 | Providing, fixing and installation movement joint in structural | Rm | 5,500.00 | 5,500.00 | 5,500.00 |
| | movement , expansion and contraction joint in Top floor and Ground floor | | | | |
| | with 18 gauge stainless steel folded to the required shape | Rm | 5,800.00 | 5,800.00 | 5,800.00 |
| | , fixing with 3M screws at 300 c/c making mortar level in floor finish | | | | |
| | and filling with thermocoal or filling materials seal with 80/100 Grade | Rm | 6,200.00 | 6,200.00 | 6,200.00 |
| | bitumean mixing with sand and side corner filled by polysulphide sealent | | | | |
| | all complete work , as per specification of site engineer. | | | | |
| 46.0 | Epoxy Coating on Hospital | | | | |
| 46.1 | Epoxy Coating on Wall | | | | |
| | Providing and Applying primer coat solvent free low viscosity epoxy resin primer (FLORSEAL-WBP or COREPRIME 150 OR specification before applying Epoxy Coating or approval of site engineer | Sqm | 380.00 | 380.00 | 380.00 |


 34 of 65


 मुख्य विकास अधिकारी



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|--|-------|-----------------|-----------------|-----------------|
| 46.2 | Providing and applying WALGARD-WB or CORECOAT- FC 150 wall epoxy coating or as per specification or approval of site engineer | Sqm | 380.00 | 380.00 | 380.00 |
| 46.3 | Epoxy Coating on Floor Providing and applying FIORGARD SL or CORECOAT- FC 150 Epoxy Coating on Floor or as per specification or approval of site engineer | Sqm | 560.00 | 560.00 | 560.00 |
| | Providing and applying Water Proofing Membrane with mixing of bonding agent (Perma Bond SBR) fresh grey cement and fine sand paste for basement floor and wall , rooftop waterproofing as per specifications all complete | व.फि | 135.00 | 135.00 | 135.00 |
| 47 | Water proofing & add Concrete mixture (BASF) Poly propylene polymer compound waterprofing membrane (PPPCWM) series 115,400 grades (400 grams/ Sqm..)for basement . Shear wall, tunnels, top roof, terrace gradening. | व.फि | | | |
| | BASF Waterproofing protection tretment with application of polyurethane floor epoxy coating system(Two coats) of Mastertop TC-467-C over the mosaic / | व.फि | | | |
| | BASF (Inland coating) Waterproofing protection tretment with 100% Synthetic Rubber coating system of RC 2000/2200 thermally stable and resists cracking and peeling due to weather extremes and ultra violent exposer : for concrete / metallic | व.फि | 140.00 | 140.00 | 140.00 |
| | BASF Waterproofing protection tretment and sealing of building expansion joint /construction joint with hiugh performance flexible tape Masterflex-3000: for all types of wide expanction joint specially for irregular building expanction/ construction | र.मि. | 5,200.00 | 5,200.00 | 5,200.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|-----------|---|--------|-----------------|-----------------|-----------------|
| | Epoxy bounding agentConcressive - 1414: Two component epoxy bonding agent old to new concrete | के.जी. | 1,400.00 | 1,400.00 | 1,400.00 |
| | BASF Concrete Admixtures | | | | |
| | A) Rheobuild sp -1 :High range water reducing superplsticsizer for concrete | के.जी. | 120.00 | 120.00 | 120.00 |
| | B) Rheobuild sp -1i : High range water reducing & retarding superplastisizer for ready mix concrete | के.जी. | 120.00 | 120.00 | 120.00 |
| | C) Rheobuild sp -1100 High performance , range water reducing superplastisizer: | के.जी. | 150.00 | 150.00 | 150.00 |
| | D) Glnium - sky 584 :New Generation , Polycarboxylic Eather (PCE) based superplastisizer for High grade ready mix concrete using total A performance control | के.जी. | 400.00 | 400.00 | 400.00 |
| | E) Glnium - stream- 2 : Viscosity modifying agent for producing self compacting , pumpable concrete | के.जी. | 235.00 | 235.00 | 235.00 |
| 48 | Concrete Admixtures | | | | |
| 1 | Rheobuild SP-1: High range water reducing superplastisizer for concrete : | के.जी. | 115.00 | 115.00 | 115.00 |
| 2 | Pozzolith 300R: High range water reducing & retarding superplastisizer for ready mix concrete : | के.जी. | 115.00 | 115.00 | 115.00 |
| 3 | Rheobuild 1100: High performance ,range water reducing superplastisizer | के.जी. | 160.00 | 160.00 | 160.00 |
| 4 | Rheobuild 1100i: Retarding & high range water reducing superplastisizer for High performance concrete: | के.जी. | 155.00 | 155.00 | 155.00 |
| 5 | GLNIUM –SKY 584: New Generation , Polycarboxylic Ether(PCE) based Superplastisizer for High Grade ready mix concrete using Total Performance control. | के.जी. | 400.00 | 400.00 | 400.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|---|--------|-----------------|-----------------|-----------------|
| 6 | GLNIUM –STREAM-2: Viscosity modifying agent for producing self compacting, pumpable concrete. | के.जी. | 230.00 | 230.00 | 230.00 |
| 7 | Rheoplus-77R :New Generation , Polycarboxylic Ether(PCE) based Economical version Superplastisiser for High Grade ready mix concrete using | के.जी. | 325.00 | 325.00 | 325.00 |
| 8 | GLNIUM –ACE-30: New Generation , Polycarboxylic Ether(PCE) based Superplastisiser for High EARLY STRENGTH concrete (M20on at 24 Hr. of casting) | के.जी. | 500.00 | 500.00 | 500.00 |
| 9 | GLENIUM –141 SURETEC : New Generation , Polycarboxylic Ether(PCE) based Superplastisiser for LONG HAUL , long slum retention (about 2-3 hr) | के.जी. | 400.00 | 400.00 | 400.00 |
| 10 | Silica Cement Admixtures | के.जी. | 300.00 | 300.00 | 300.00 |
| 49 | पानी चुहेको स्थानमा water proofing गर्न OPAL - बाट उत्पादित निर्माण सामग्रीहरु | | | | |
| | OPAL - KREET | | | | |
| | It is a single component white liquid acrylic polymer admixture for water proofing, cementitious coating in slurry form as well as cement mortar form. It is to be mixed with cement/mortar for excellent water proof coating. | sq.ft | 40.00 | 40.00 | 40.00 |
| | OPAL – GUARD | | | | |
| | It is as polymer modified cementitious coating acrylic water proofing system for a varied number of applications in water proofing and corrosion control. This is two pack systems, which when applied after mixing, gives a flexible coating. Very effective heavy duty water proof coating. | sq.ft | 41.00 | 41.00 | 41.00 |
| | OPAL – BOND REPAIR | | | | |
| | It is a polymer, based on styrene-butadiene rubber, specially formulated for use with cement formulations. Highly recommended for structural rehabilitation, concrete repair etc. | sq.ft | 45.00 | 45.00 | 45.00 |
| | OPAL – SEAL | | | | |
| | An excellent admixture for water proofing sunken portions in buildings such as bath rooms, terraces etc. | sq.ft | 38.00 | 38.00 | 38.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|--|--------|-----------------|-----------------|-----------------|
| | OPAL – FEX | | | | |
| | A very effective water proof polymer based coating for heavy duty jobs. Two coats are recommended with a fiber mesh layer in between, to enhance strength and bond. | sq.ft. | 38.00 | 38.00 | 38.00 |
| | WAPCOT | | | | |
| | A silicone based water repellent. It is to be sprayed on dry walls to check seepage, fungus growth, salt-peter actions etc. Remains effective over the years. | sq.ft | 15.00 | 15.00 | 15.00 |
| | OPAL – GROUT | | | | |
| | An excellent grouting material for injection grouting under pressure through nozzles using a 30 psi pump. Very effective in concrete /masonry works. | sq.ft | 38.00 | 38.00 | 38.00 |
| | OPAL – PROOF: | | | | |
| | It is a concrete/mortar admixture in liquid form that acts as a highly efficient plasticizer and water proofing compound. It conforms to IS:2645:1975 | ltr. | 315.00 | 315.00 | 315.00 |
| | OPAL – XCEL | | | | |
| | It is an organic based polymer in liquid form which acts as a plasticizer cum accelerator for concrete/mortar. Higher strength is achieved in a shorter time. It conform IS: 9103:1979 and ASTM C494. Excellent in winter or cold climate. | ltr | 260.00 | 260.00 | 260.00 |
| | OPAL – PLASTMASTER | | | | |
| | It is an additive for plaster of walls. Gives excellent workability and smooth finish. Check seepage of water/moisture. | ltr | 390.00 | 390.00 | 390.00 |
| | OPAL – SP101 | | | | |
| | It is a super plasticizer for concrete. It is a high range water reducing admixture for concrete. It is based on sulphonated naphthalene formaldehyde and is used for reducing the water to cement ratio, increasing compressive strength & producing free flowing concrete. | ltr | 260.00 | 260.00 | 260.00 |
| | OPAL – RETARDPLAST | | | | |
| | It is modified sulphonated naphthalene formaldehyde plasticizer-cum-retarder for concrete. It is a dark brown liquid. Water reducing up to 25% can be achieved. | Sq.ft. | 260.00 | 260.00 | 260.00 |
| | OPAL – CEMCURE | | | | |

सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|---|--------|-----------------|-----------------|-----------------|
| | It is water based emulsion to be applied by brush or spray on fresh concrete surface to remain water in concrete. Suitable for use where curing by water in not possible, or in hot climate. | ltr | 9.00 | 9.00 | 9.00 |
| | OPAL – AE PLAST | | | | |
| | An air entraining concrete admixture used for increasing crack resistance, frost resistance etc. | ltr | 410.00 | 410.00 | 410.00 |
| | OPAL – TILEBOND LIQUID | | | | |
| | A unique single component compound for fixing tiles, marbles, granite etc. on any plain surface (walls as well as floor). Highly economical and easy to use. A very thin coating is required. | ltr | 390.00 | 390.00 | 390.00 |
| | OPAL – TILE MASTER | | | | |
| | Liquid additive and bonding agent for water resistant cement mortar. It is specially formulated liquid polymer additive for use with cement and sand for form mortars having high bond strength and water proofing proportions for the laying of ceramic, mosaic or glazed tiles on the floors and wall. It improves adhesion chemical resistance flexibility, resistant to impact and thermal shock. | ltr | 390.00 | 390.00 | 390.00 |
| | OPAL – CONCOAT | | | | |
| | Protective Coating for reinforced concrete. It is protective coating, which in extremely useful in increasing the life of reinforced cement concrete structures. It protects the RCC from CO ₂ , oxygen, water and other damaging elements in the air. | Sq.ft. | 28.00 | 28.00 | 28.00 |
| | OPAL JOINT SET | | | | |
| | POLY - SULPHIDE SEALANT | | | | |
| | It is a two pack poly sulphide base sealant with available grades. It provides strong and highly elastic sealant through cross linking process. Joint Set (G) gun applied for non – sag type for vertical and inclined expansion contraction joints and (P) pouring type for horizontal joints. BS 4254:1983 | kg | 1,540.00 | 1,540.00 | 1,540.00 |
| | OPAL JOINT SET PRIMER | | | | |
| | It is a recommended for surface namely concrete, brick work, cement, gypsum board, natural and artificial stone, glass ceramics, anodized aluminium, | ltr | 1,380.00 | 1,380.00 | 1,380.00 |
| | OPAL RMP | | | | |
| | ROAD MARKING PAINTS | | | | |

सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|-----------|--|------|-----------------|-----------------|-----------------|
| | Road marking paints are versatile for marking on the metalled and concrete surface of roads, air stripe etc. They are two type water based and sprit based white and golden yellow colour. | Itr | 380.00 | 399.00 | 399.00 |
| 50 | Water proofing (chemicals & Tretment)works | | | | |
| 1 | CONCRETE ADMIXTURES (Chemical) | | | | |
| 1.1 | Water Reducing Admixture Concrete & Mortar [Lignosulphonate Based] | Kg. | 150.00 | 150.00 | 150.00 |
| 1.2 | High Range Water Reducing Super Plasticizer for Concrete & Mortar [Napthalene Formladehyde Based] | Kg. | 225.00 | 225.00 | 225.00 |
| 1.3 | Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [Polycarboxylate Ether Based] | Kg. | 450.00 | 450.00 | 450.00 |
| 1.5 | Integral Waterproofing Additive for Concrete & Plaster | Kg. | 275.00 | 275.00 | 275.00 |
| 1.6 | Integral Crystalline Waterproofing Powder Admixture | Kg. | 850.00 | 850.00 | 850.00 |
| 1.7 | Integral Crystalline Waterproofing Liquid Admixture | Kg. | 850.00 | 850.00 | 850.00 |
| 1.8 | Integral Waterproofing Powder Admixture | Kg. | 1,250.00 | 1,250.00 | 1,250.00 |
| 1.9 | Integral Waterproofing Powder Admixture for Mortars | Kg. | 150.00 | 150.00 | 150.00 |
| 1.1 | Accelerator & Spray Shotcrete / Concrete Plasticizer [Silicate Based] | Kg. | 250.00 | 250.00 | 250.00 |
| 1.11 | Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [Alkali Free] | Kg. | 350.00 | 350.00 | 350.00 |
| 1.12 | Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [Alkali Free] | Kg. | 300.00 | 300.00 | 300.00 |
| 1.13 | Retarding Superplasticizer for Concrete [Napthalene Based] | Kg. | 225.00 | 225.00 | 225.00 |
| 1.14 | Retarding Superplasticizer for Concrete [Polycarboxylate Ether Based] | Kg. | 450.00 | 450.00 | 450.00 |
| 51 | CONCRETE ADMIXTURES (Mineral) | | | | |
| | Silica Fume / Silica Cement Admixture / Micro Silica for High Performance Concrete | Kg. | 370.90 | 370.90 | 370.90 |
| | Processed FA Based Mineral Additives | Kg. | 93.50 | 93.50 | 93.50 |
| 52 | Aluminium Door & Windows | | | | |
| 52.1 | Mention rates are including supplying of necessary chemicals, materials, fittings, labours as per manufacturer's specifications all complete or as per consultant's direction. | | | | |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|---|------|-----------------|-----------------|-----------------|
| | Aluminum fixed panel window with ventilation but without fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass. | व.फि | 524.00 | 561.00 | 577.00 |
| | Aluminum fixed panel window with ventilation but with fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass. | „ | 563.00 | 602.00 | 620.00 |
| | Aluminum sliding windows without ventilator from section (101×45×1.50) mm and 5 mm glass. | „ | 549.00 | 587.00 | 604.00 |
| | Do but with ventilator from section (101×45×1.50)mm and 5 mm glass. | „ | 589.00 | 630.00 | 648.00 |
| | Siding door with naturally anodized color section of (101×45×1.50)mm (40×45×1.5)mm & 5 mm glass. | व.फि | 677.00 | 724.00 | 745.00 |
| | Siding door with naturally anodized color section of (78×38×1.30)mm (40×45×1.5)mm & 5 mm glass. | व.फि | 423.00 | 453.00 | 466.00 |
| | Casement double panel aluminum windows with ventilation. Section size (88×45×1.10)mm, (38×34×1.10)mm & 5 mm glass. | „ | 423.00 | 453.00 | 466.00 |
| | Casement double panel aluminum windows with ventilation. Section size (54×33×1.50)mm, (38×34×1.50)mm & 5 mm glass. | व.फि | 524.00 | 561.00 | 577.00 |
| | Casement door of aluminum section in naturally anodized color. Section size (100×38×1.30) mm and 5 mm glass. | „ | 469.00 | 502.00 | 517.00 |
| | Casement door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass. | „ | 642.00 | 687.00 | 707.00 |
| | Swing door door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass. | „ | 642.00 | 687.00 | 707.00 |
| | Siding windows 2 track in naturally anodized glass color section of (88×38×1.10)mm 5 mm glass. | „ | 375.00 | 401.00 | 413.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|---|------|-----------------|-----------------|-----------------|
| | Siding windows 2 track in naturally anodized color section of (88×38×1.30)mm 5 mm glass. | " | 498.00 | 533.00 | 548.00 |
| | Fixed windows & partitions with fixed ventilators from 9mm board and section (101×45×1.50)mm | " | 498.00 | 533.00 | 548.00 |
| | Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (101 x45x1.2) | " | 498.00 | 533.00 | 548.00 |
| | Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (64 x38x1.2) | " | 471.00 | 504.00 | 519.00 |
| | दुई/तीन पैनल भएको स्लाइडिङ भ्याल (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी.समेत सादा | " | 517.00 | 553.00 | 569.00 |
| | दुई/तीन पैनल भएको स्लाइडिङ भ्याल (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा समेत भएको । | " | 569.00 | 609.00 | 627.00 |
| | दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टीलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. सहित (सादा) | व.फि | 569.00 | 609.00 | 627.00 |
| | दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टीलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा सहित भएको । | व.फि | 517.00 | 553.00 | 569.00 |
| | 102 series windows | | | | |
| | Providing and fixing of aluminium windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X4'6" or 27 sqft / window) | ब.फि | 602.00 | 644.00 | 663.00 |
| | Providing and fixing of aluminium windows with top fixed glass of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft/ window) | " | 687.00 | 735.00 | 757.00 |
| | Providing and fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass | " | 506.00 | 541.00 | 557.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|--|------|-----------------|-----------------|-----------------|
| | Providing and fixing of aluminium fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear fly mesh (size 2'X4'6") | " | 162.00 | 173.00 | 178.00 |
| | 90 series windows | | | | |
| | Providing and fixing sliding windows of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window) | " | 566.00 | 606.00 | 624.00 |
| | Providing and fixing sliding window with top fix glass of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window) | " | 597.00 | 639.00 | 658.00 |
| | Providing and fixing aluminium fix windows of section 90 series 1.2 th. Fitted with 5 mm clear glass | " | 476.00 | 509.00 | 524.00 |
| | Providing and fixing flymesh shutter of section 90 series 1 th. Fitted withss flymesh (2'*4'6") | " | 162.00 | 173.00 | 178.00 |
| | 78 series windows | व.फि | | | |
| | Providing and fixing sliding windows of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*4'6" or avg area 27 sqft per window) | व.फि | 497.00 | 532.00 | 547.00 |
| | Providing and fixing sliding window with top fix glass of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window) | व.फि | 530.00 | 567.00 | 584.00 |
| | Providing and fixing aluminium fix windows of section 78 series 1.2 th. Fitted with 5 mm clear glass | " | 445.00 | 476.00 | 490.00 |
| | Providing and fixing flymesh shutter of section 78 series 1 th. Fitted with SS flymesh (2'*4'6") | " | 147.00 | 157.00 | 161.00 |
| | Casement window and doors | | | | |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|---|------|-----------------|-----------------|-----------------|
| | Providing and fixing aluminium casement windows of section 38 series 1.2 mm th. Fitted with 5 mm clear glass avg. area of each shutter 6.sq.ft | " | 582.00 | 623.00 | 641.00 |
| | Providing and fixing aluminium casement doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass | " | 632.00 | 676.00 | 696.00 |
| | Providing and fixing swing doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass | " | 804.00 | 860.00 | 885.00 |
| | Partation work | | | | |
| | Providing and fixing aluminum full height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 10 sqft | " | 380.00 | 407.00 | 419.00 |
| | Providing and fixing aluminum low height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 6 sqft | " | 404.00 | 432.00 | 444.00 |
| | Providing and fixing aluminum full height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 10 sqft | " | 435.00 | 465.00 | 478.00 |
| | Providing and fixing aluminum low height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 6 sqft | " | 542.00 | 580.00 | 597.00 |
| | Structure glazing | | | | |
| | Providing and fixing aluminuim structure glazing of section size 61*50*1.3 m fitted with 5 m colour glass av. Panel area 6 sqft | ब.फि | 606.00 | 648.00 | 667.00 |
| | Providing and fixing aluminuim structure glazing of section size 61*75*1.6 m fitted with 5 m colour glass av. Panel area 6 sqft | ब.फि | 703.00 | 752.00 | 774.00 |
| | Providing and fixing aluminuim structure glazing of section size 61*100*2 m fitted with 5 m colour glass av. Panel area 6 sqft | " | 855.00 | 915.00 | 942.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|-------------|---|------|-----------------|-----------------|-----------------|
| | Providing and fixing aluminium composite panel in 25*38*1.1 m tube framing AL strong, PRIME BOND,ALUTUF OR INDO BOND | | | | |
| | 3 mm , .20 mm black core | व.फि | 385.00 | 412.00 | 424.00 |
| | 3 mm , .25 mm black core | " | 395.00 | 423.00 | 435.00 |
| | 3 mm , .30 mm black core | " | 409.00 | 438.00 | 451.00 |
| | 4 mm , .25 mm black core | " | 419.00 | 448.00 | 461.00 |
| | 4 mm , .30 mm black core | " | 409.00 | 438.00 | 451.00 |
| | 4 mm , .50 mm black core | " | 433.00 | 463.00 | 476.00 |
| | 4 mm , .25 mm Vergin core | " | 443.00 | 474.00 | 488.00 |
| | 4 mm , .30 mm vergin core | " | 409.00 | 438.00 | 451.00 |
| | 4 mm , .50 mm vergin core | " | 443.00 | 474.00 | 488.00 |
| 53 | Aluminium Composite Panel Sheet supplying & and fitting all complete work | | | | |
| | Aluminium Composite Panel Sheet supplying & and fitting all complete work | | | | |
| | ALTRONG Brand | | | | |
| | 3mm .20 Black core | व.फि | 484.00 | 518.00 | 533.00 |
| | 3mm .25 Black core | " | 496.00 | 531.00 | 546.00 |
| | 3mm .30 Black core | " | 514.00 | 550.00 | 566.00 |
| | 4mm .25 Black core | " | 526.00 | 563.00 | 579.00 |
| | 4mm .30Black core | " | 514.00 | 550.00 | 566.00 |
| | 4mm .50 Black core | " | 545.00 | 583.00 | 600.00 |
| | 4mm .25 Vergin core | " | 557.00 | 596.00 | 613.00 |
| | 4mm .30Vergin core | " | 514.00 | 550.00 | 566.00 |
| | 4mm .50 Vergin core | " | 557.00 | 596.00 | 613.00 |
| 53.1 | Aluminium Door & Window | | | | |
| | Aluminum fixed panel window with ventilation but without fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass. | व.फि | 559.00 | 598.00 | 615.00 |
| | Aluminum fixed panel window with ventilation but with fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass. | व.फि | 601.00 | 643.00 | 662.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|---|------|-----------------|-----------------|-----------------|
| | Aluminum sliding windows without ventilator from section (101×45×1.20) mm and 5 mm glass. | व.फि | 630.00 | 674.00 | 694.00 |
| | Aluminum sliding windows with ventilator from section (101×45×1.20) mm and 5 mm glass. | व.फि | 650.00 | 696.00 | 716.00 |
| | Aluminum sliding Door Section (101×45×1.20) mm with Sash 40x45x1.1 mm and 5 mm glass. | व.फि | 650.00 | 696.00 | 716.00 |
| | Casement double panel aluminum windows with ventilation. Section size (54×33×1.20)mm with sash (38×34×1.20)mm & 5 mm glass. | व.फि | 550.00 | 589.00 | 606.00 |
| | Aluminium casement Door Section size (101×45×1.20)mm, (40×45×1.20)mm & 5 mm glass. | व.फि | 500.00 | 535.00 | 551.00 |
| | Aluminium swing Door Section size (101×45×1.20)mm, 5 mm glass. | व.फि | 700.00 | 749.00 | 771.00 |
| | Aluminium fixed windows & partitions with fixed ventilators from 9mm board and section (101×45×1.20)mm | व.फि | 660.00 | 706.00 | 727.00 |
| | Aluminum sliding windows without ventilator from section (101×45×1.50) mm and 5 mm glass. | " | 587.00 | 628.00 | 646.00 |
| | Do but with ventilator from section (101×45×1.50)mm and 5 mm glass. | " | 629.00 | 673.00 | 693.00 |
| | Siding door with naturally anodized color section of (101×45×1.50)mm (40×45×1.5)mm & 5 mm glass. | " | 723.00 | 774.00 | 797.00 |
| | Casement double panel aluminum windows with ventilation. Section size (54×33×1.50)mm, (38×34×1.50)mm & 5 mm glass. | " | 559.00 | 598.00 | 615.00 |
| | Casement door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass. | " | 685.00 | 733.00 | 754.00 |
| | Swing door door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass. | " | 685.00 | 733.00 | 754.00 |

सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|-----------|--|-------|-----------------|-----------------|-----------------|
| | Siding windows 2 track in naturally anodized color section of (88×38×1.30)mm 5 mm glass. | " | 531.00 | 568.00 | 585.00 |
| | Fixed windows & partitions with fixed ventilators from 9mm board and section (101×45×1.50)mm | " | 531.00 | 568.00 | 585.00 |
| | Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (101 x45x1.2) | " | 531.00 | 568.00 | 585.00 |
| | Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (64 x38x1.2) | " | 504.00 | 539.00 | 555.00 |
| | दुई/तीन पैनल भएको स्लाइडिङ भ्याल (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी.समेत सादा | व.फि | 552.00 | 591.00 | 608.00 |
| | दुई/तीन पैनल भएको स्लाइडिङ भ्याल (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा समेत भएको । | " | 608.00 | 651.00 | 670.00 |
| | दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टिलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. सहित (सादा) | " | 608.00 | 651.00 | 670.00 |
| | दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टिलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा सहित भएको । | " | 552.00 | 591.00 | 608.00 |
| 54 | Pressure Grouting | | | | |
| | i) Providing material & applying pressure grouting on Rcc roof slab. | व.फि | 40.00 | 40.00 | 40.00 |
| | ii) Do but on basement | व.फि. | 45.00 | 45.00 | 45.00 |
| | iii) Providing material and applying pressure grouting on Rcc slab, basement | " | 50.00 | 50.00 | 50.00 |
| | iii) Do but sealing Rcc slab crack | व.फि | 52.00 | 52.00 | 52.00 |
| | iv) Do but Rcc column | Point | 330.00 | 330.00 | 330.00 |
| 55 | Eradication of peepal & other plants | | | | |
| | a) Stem up to 1" thickness | गोटा | 375.00 | 375.00 | 375.00 |
| | b) Stem up to 1"-2" thickness | " | 680.00 | 680.00 | 680.00 |
| | c) Stem up to 2"-3" thickness | " | 1,300.00 | 1,300.00 | 1,300.00 |
| | d) Stem up to 3"-4" thickness | " | 2,480.00 | 2,480.00 | 2,480.00 |
| 56 | Miscellaneous Item | | | | |
| | Water proof of terrace & roof garden | | | | |



सिभिल कार्यहरू (Civil works)

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|-----------|---|-------|-----------------|-----------------|-----------------|
| | Supplying and laying of 2 pack polymer modified cementious water proofing coatings (Acrocote) all complete. | व.मी. | 735.00 | 735.00 | 735.00 |
| | Pabbles cladding work | व.मी. | 460.00 | 460.00 | 460.00 |
| 57 | Carbon/glass Fiber lamination, wrapping fo retrofitting and strengthening | | | | |
| | Composite Flexural & Shear strenghtening of RCC/wood structures with Carbon Fiber Laminatioin& carbon fiber /glass fiber wrapping with MBrace Composite FRP Strengthening System for ceismic retcrofitting& other structural | | | | |
| 1 | Laminates (50/1.4mm)including ,Surface preparation works with tools and equipments ,surface priming with Mbrace Primer , surface leveling with three components epoxy repaire putty Concessive-2200i and laminate adhesive all complete works on the RCC beam ,slab& other structure for seismic retrofitting /structural strengthening works as per drawing and Material data sheet. | Rm | 12,000.00 | 12,000.00 | 12,000.00 |
| 2 | (MBrace CF-240(430gsm) 300mm width including 0.45m lapping for each strip ,surface preparation works with tools and equipments , surface priming, surface leveling with three components epoxy repair putty Concessive-2200i and application of Mbrace saturant, top coat all complete works on RCC/wooden structure for shear strengthening (seismic retrofitting and other structural strengthening) works as per drawing and application /material data sheet . | Sqm | 18,100.00 | 18,100.00 | 18,100.00 |
| 3 | Sheet EU-750 width 500mm 750GSM including 0.15m lapping for each strip andSurface preparation works with tools and equipments , surface priming with Mbrace Primer , surface leveling with three omponents epoxy repair putty Concessive-2200i and application of Mbrace saturant, top coat all complete works on RCC/wooden structure for shear strengthening (seismic retrofitting and other structural strengthening works as per drawing and application /material data sheet | Sqm | 15,500.00 | 15,500.00 | 15,500.00 |
| 58 | Ready made Door | | | | |
| | Ready made Teak wood Doors (Seasoned and Poisoned treated) (excluding the cost of fitting, transportation, Painting) | | | | |
| | Readymade door shutter Recon, ordinary (1 side teak) | Sqft | | | |
| | Readymade door shutter Recon, Special (1 side teak) | Sqft | | | |

सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|-----------|--|------|-----------------|-----------------|-----------------|
| | If Onese side water proof ply fitting | | | | |
| | Readymade door shutter Recon, ordinary (1 side teak) | Sqft | | | |
| | Readymade door shutter Recon, Special (1 side teak) | Sqft | | | |
| 58 | Machine Made and Mechanically Selvedged Double Twist Hexagonal Wire Mesh Products | | | | |
| | A) MBG/10x12/3.0/3.9/2.4/ZN | | | | |
| | 1.5x1x0.5/0 | गोटा | 1,594.00 | 1,594.00 | 1,642.00 |
| | 2x1x0.5/1 | " | 2,168.00 | 2,168.00 | 2,233.00 |
| | 3x1x0.5/2 | " | 3,094.00 | 3,094.00 | 3,187.00 |
| | 4x1x0.5/3 | " | 3,904.00 | 3,904.00 | 4,021.00 |
| | 1.5x1x1/0 | गोटा | 2,316.00 | 2,316.00 | 2,385.00 |
| | 2x1x1/1 | " | 3,077.00 | 3,077.00 | 3,169.00 |
| | 3x1x1/2 | " | 4,368.00 | 4,368.00 | 4,499.00 |
| | 4x1x1/3 | " | 5,625.00 | 5,625.00 | 5,794.00 |
| | B) MBG/10x12/2.7/3.4/2.2/ZN | | | | |
| | 1.5x1x0.5/0 | गोटा | 1,364.00 | 1,364.00 | 1,405.00 |
| | 2x1x0.5/1 | " | 1,878.00 | 1,878.00 | 1,934.00 |
| | 3x1x0.5/2 | " | 2,661.00 | 2,661.00 | 2,741.00 |
| | 4x1x0.5/3 | " | 3,357.00 | 3,357.00 | 3,458.00 |
| | 1.5x1x1/0 | " | 1,983.00 | 1,983.00 | 2,042.00 |
| | 2x1x1/1 | " | 2,661.00 | 2,661.00 | 2,741.00 |
| | 3x1x1/2 | " | 3,756.00 | 3,756.00 | 3,869.00 |
| | 4x1x1/3 | " | 4,730.00 | 4,730.00 | 4,872.00 |
| | C) MBG/10x12/2.7/3.4/2.2/ZN+PVC(1mm thick) | | | | |
| | 1.5x1x0.5/0 | गोटा | 2,011.00 | 2,011.00 | 2,071.00 |
| | 2x1x0.5/1 | " | 2,743.00 | 2,743.00 | 2,825.00 |
| | 3x1x0.5/2 | " | 4,023.00 | 4,023.00 | 4,144.00 |
| | 4x1x0.5/3 | " | 5,303.00 | 5,303.00 | 5,462.00 |
| | 1.5x1x1/0 | " | 2,926.00 | 2,926.00 | 3,014.00 |
| | 2x1x1/1 | " | 4,023.00 | 4,023.00 | 4,144.00 |
| | 3x1x1/2 | " | 5,851.00 | 5,851.00 | 6,027.00 |
| | 4x1x1/3 | " | 7,680.00 | 7,680.00 | 7,910.00 |
| | D) MJG/10x12/3.0/3.9/2.4/ZN | | | | |
| | 3x1.5x0.5/2 | गोटा | 4,546.00 | 4,546.00 | 4,682.00 |
| | 4x1.5x0.5/3 | " | 5,756.00 | 5,756.00 | 5,929.00 |
| | 5x1.5x0.5/4 | " | 7,135.00 | 7,135.00 | 7,349.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|--|------|-----------------|-----------------|-----------------|
| | 6x1.5x0.5/5 | ” | 8,531.00 | 8,531.00 | 8,787.00 |
| | 3x1.5x1/2 | ” | 6,402.00 | 6,402.00 | 6,594.00 |
| | 4x1.5x1/3 | ” | 8,071.00 | 8,071.00 | 8,313.00 |
| | 5x1.5x1/4 | ” | 9,977.00 | 9,977.00 | 10,276.00 |
| | 6x1.5x1/5 | ” | 11,868.00 | 11,868.00 | 12,224.00 |
| | 3x2x0.5/2 | ” | 5,756.00 | 5,756.00 | 5,929.00 |
| | 4x2x0.5/3 | ” | 7,270.00 | 7,270.00 | 7,488.00 |
| | 5x2x0.5/4 | ” | 9,024.00 | 9,024.00 | 9,295.00 |
| | 6x2x0.5/5 | ” | 10,778.00 | 10,778.00 | 11,101.00 |
| | 3x2x1/2 | ” | 7,918.00 | 7,918.00 | 8,156.00 |
| | 4x2x1/3 | ” | 9,960.00 | 9,960.00 | 10,259.00 |
| | 5x2x1/4 | ” | 12,311.00 | 12,311.00 | 12,680.00 |
| | 6x2x1/5 | ” | 14,643.00 | 14,643.00 | 15,082.00 |
| | E) MJG/10x12/2.7/3.4/2.2/ZN | | | | |
| | 3x1.5x0.5/2 | गोटा | 3,792.00 | 3,792.00 | 3,906.00 |
| | 4x1.5x0.5/3 | ” | 4,782.00 | 4,782.00 | 4,925.00 |
| | 5x1.5x0.5/4 | ” | 5,929.00 | 5,929.00 | 6,107.00 |
| | 6x1.5x0.5/5 | ” | 7,077.00 | 7,077.00 | 7,289.00 |
| | 3x1.5x1/2 | ” | 5,321.00 | 5,321.00 | 5,481.00 |
| | 4x1.5x1/3 | ” | 6,695.00 | 6,695.00 | 6,896.00 |
| | 5x1.5x1/4 | ” | 8,278.00 | 8,278.00 | 8,526.00 |
| | 6x1.5x1/5 | ” | 9,860.00 | 9,860.00 | 10,156.00 |
| | 3x2x0.5/2 | ” | 4,782.00 | 4,782.00 | 4,925.00 |
| | 4x2x0.5/3 | ” | 6,051.00 | 6,051.00 | 6,233.00 |
| | 5x2x0.5/4 | ” | 7,495.00 | 7,495.00 | 7,720.00 |
| | 6x2x0.5/5 | ” | 8,938.00 | 8,938.00 | 9,206.00 |
| | 3x2x1/2 | ” | 6,573.00 | 6,573.00 | 6,770.00 |
| | 4x2x1/3 | ” | 8,278.00 | 8,278.00 | 8,526.00 |
| | 5x2x1/4 | ” | 10,225.00 | 10,225.00 | 10,532.00 |
| | 6x2x1/5 | ” | 12,172.00 | 12,172.00 | 12,537.00 |
| | F) MJG/10x12/2.7/3.4/2.2/ZN+PVC (1mm thick) | | | | |
| | 3x1.5x0.5/2 | गोटा | 5,486.00 | 5,486.00 | 5,651.00 |
| | 4x1.5x0.5/3 | ” | 7,223.00 | 7,223.00 | 7,440.00 |
| | 5x1.5x0.5/4 | ” | 8,960.00 | 8,960.00 | 9,229.00 |
| | 6x1.5x0.5/5 | ” | 10,697.00 | 10,697.00 | 11,018.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|---|-------|-----------------|-----------------|-----------------|
| | 3x1.5x1/2 | „ | 7,680.00 | 7,680.00 | 7,910.00 |
| | 4x1.5x1/3 | „ | 10,057.00 | 10,057.00 | 10,359.00 |
| | 5x1.5x1/4 | „ | 12,434.00 | 12,434.00 | 12,807.00 |
| | 6x1.5x1/5 | „ | 14,811.00 | 14,811.00 | 15,255.00 |
| | 3x2x0.5/2 | „ | 6,948.00 | 6,948.00 | 7,156.00 |
| | 4x2x0.5/3 | „ | 9,143.00 | 9,143.00 | 9,417.00 |
| | 5x2x0.5/4 | „ | 11,337.00 | 11,337.00 | 11,677.00 |
| | 6x2x0.5/5 | „ | 13,531.00 | 13,531.00 | 13,937.00 |
| | 3x2x1/2 | „ | 9,508.00 | 9,508.00 | 9,793.00 |
| | 4x2x1/3 | „ | 12,434.00 | 12,434.00 | 12,807.00 |
| | 5x2x1/4 | „ | 15,359.00 | 15,359.00 | 15,820.00 |
| | 6x2x1/5 | „ | 18,285.00 | 18,285.00 | 18,834.00 |
| | G) Sack Gabions/Cylindrical Gabions | | | | |
| | 1.5x0.74dia (SG/10x12/3.0/3.9/2.4/ZN) | गोटा | 1,973.00 | 1,973.00 | 2,032.00 |
| | 1.5x0.74dia (SG/10x12/2.7/3.4/2.2/ZN) | „ | 1,663.00 | 1,663.00 | 1,713.00 |
| | 1.5x0.74dia (SG/10x12/2.7/3.4/2.2/ZN+PVC (1mm thick)) | „ | 2,107.00 | 2,107.00 | 2,170.00 |
| | H) Wire Mesh Nettings | | | | |
| | WMN/10x12/3.0/3.9/2.4/ZN | व.मी. | 240.00 | 275.00 | 283.00 |
| | WMN/10x12/2.7/3.4/2.2/ZN | „ | 210.00 | 240.00 | 247.00 |
| | WMN/10x12/2.7/3.4/2.2/ZN+PVC (1mm thick) | „ | 300.00 | 345.00 | 355.00 |
| | I) MTS/10x12/2.7/3.4/2.2/ZN+PVC (1mm thick) | | | | |
| | 3x2x0.5 | गोटा | 4,206.00 | 4,206.00 | 4,332.00 |
| | 3x2x0.5 | „ | 5,486.00 | 5,486.00 | 5,651.00 |
| | J) MGTS/10x12/2.7/3.4/2.2/ZN+PVC (1mm thick) | | | | |
| | 3x2x0.63 | गोटा | 9,540.00 | 9,540.00 | 9,826.00 |
| | 3x2x0.61 | „ | 8,418.00 | 8,418.00 | 8,671.00 |
| | 3x2x0.76 | „ | 9,496.00 | 9,496.00 | 9,781.00 |
| | 3x2x0.80 | „ | 9,496.00 | 9,496.00 | 9,781.00 |
| | 3x2x0.60 | „ | 8,141.00 | 8,141.00 | 8,385.00 |
| | 3x2x0.83 | „ | 9,496.00 | 9,496.00 | 9,781.00 |
| | 3x2x0.91 | „ | 10,155.00 | 10,155.00 | 10,460.00 |
| | K) MRM/6x8/2.2/2.7/2.2/ZN | | | | |
| | 3x2x0.17 | गोटा | 3,665.20 | 3,665.20 | 3,775.00 |
| | 4x2x0.17 | „ | 4,748.70 | 4,748.70 | 4,891.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|-----------|---|---------|-----------------|-----------------|-----------------|
| | 5x2x0.17 | „ | 5,811.30 | 5,811.30 | 5,986.00 |
| | 6x2x0.17 | „ | 6,912.40 | 6,912.40 | 7,120.00 |
| | 3x2x0.23 | „ | 3,988.60 | 3,988.60 | 4,108.00 |
| | 4x2x0.23 | „ | 5,166.70 | 5,166.70 | 5,322.00 |
| | 5x2x0.23 | „ | 10,781.10 | 10,781.10 | 11,105.00 |
| | 6x2x0.23 | „ | 7,503.10 | 7,503.10 | 7,728.00 |
| | 3x2x0.30 | „ | 4,330.70 | 4,330.70 | 4,461.00 |
| | 4x2x0.30 | „ | 5,583.60 | 5,583.60 | 5,751.00 |
| | 5x2x0.30 | „ | 6,894.80 | 6,894.80 | 7,102.00 |
| | 6x2x0.23 | „ | 8,165.30 | 8,165.30 | 8,410.00 |
| | Note: | | | | |
| | MBG = Maccaferi Box Gabion | | | | |
| | MJG = Maccaferi Jumbo Gabion | | | | |
| | MRM = Maccaferi Reno Mattress | | | | |
| | WMN = Wire Mesh Netting | | | | |
| | MTS=Maccaferi Terramesh System | | | | |
| | MGTS=Maccaferi Gremm Terramesh System | | | | |
| | 10x12/3.0/3.9/2.4/ZN = Mesh type/Mesh wire dia./Selvedge wire dia./Lacing wire dia./Type of coating | | | | |
| | ZN = Heavy galvanized | | | | |
| | PVC = PVC coated | | | | |
| 59 | Equipment Hired Rate Based on DoR (shall be as below until DoR rate is not updated) | | | | |
| | a) Asphalt Plant* (Upto 10 ton) | Per hr. | 400.00 | 400.00 | |
| | b) Asphalt Plant* (Bram millar upto 10 ton/hr) | „ | 500.00 | 500.00 | |
| | b) Asphalt Plant* (40 ton/ hour) | | | | |
| | c) Asphalt Paver | „ | 1,400.00 | 1,400.00 | |
| | d) Asphalt, Mixer (Bel mix) | „ | 1,000.00 | 1,000.00 | |
| | e) Broom Road, Towed | „ | 260.00 | 260.00 | |
| | f) Boring Rig | „ | 1,200.00 | 1,200.00 | |
| | g) Air compressor 150 to 275 CPM | „ | 250.00 | 250.00 | |
| | h) Crane Mobile 5 to 10 ton | „ | 3,100.00 | 3,100.00 | |
| | i) Crane Mobile (10+ to 15 ton) | „ | 3,500.00 | 3,500.00 | |
| | j) Crusher Stone (50 to 100HP) | „ | | | |
| | k) Cutter Concrete | „ | 250.00 | 250.00 | |
| | l) Dozer Wheel (150+ to 230 HP) HonomagD66c D66d | „ | | | |
| | l) Dozer Wheel (150+ to 225 HP) | „ | | | |
| | m) Dozer, Track (120 to 180 HP) | „ | | | |
| | n) Dozer, Track (180+ to 240 H) | „ | | | |
| | o) Bitumin Distributer (4 to 6 KL) | „ | 1,300.00 | 1,300.00 | |

As per DOR
Equipment
Hire Rate



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|---|---------|-----------------|-----------------|-----------------|
| | p) Rock Drill (Engine) | " | | | |
| | q) Rock Drill (Pneumatic) | " | 130.00 | 130.00 | |
| | r) Mini Dumper (Upto 1CUM) | " | | | |
| | s) Mini Dumper (1 CUM+) | " | | | |
| | t) Excavator, Wheel (Upto 110 HP) | " | | | |
| | u) Excavator, Track (Upto 110 HP) | " | | | |
| | v) Fork Lift Truck (Upto 2.5 ton) | " | | | |
| | w) Generaor* (Upto 10 KVA) | " | | | |
| | x) Generator* (10+ to 30 KVA) | " | | | |
| | y) Generator* (30 to 50 KVA) | " | | | |
| | z) Generator* (420 KVA) | " | | | |
| | aa) Grador motor (80 to 145 HP) | " | | | |
| | bb) Hopper Gritter | " | | | |
| | cc) Chips spreader tail gate mounted | " | | | |
| | dd) Bitumin heater (Upto 2 KL) | " | 180.00 | 180.00 | |
| | ee) Loader, Wheel (1 to 1.75 CUM)-JCB | " | 1,000.00 | 1,000.00 | |
| | ff) Loader, Wheel (!.75+ to 2.5 Cum) | " | | | |
| | gg) Back Hoe Loader (Upto 85 HP) | " | | | |
| | hh) Mixer Concrete | " | | | |
| | ii) Maintainer (Upto 75 HP) | " | | | |
| | jj) Water Pump (Upto 6" DIA) | Per hr. | | | |
| | kk) Pile Driver* (up to 10 ton) | Per hr. | | | |
| | ll) Roller 3, Wheel (Upto 12 ton) | Per hr. | 500.00 | 500.00 | |
| | mm) Roller, Pneumatic (Upto 20 ton) | Per hr. | 1,200.00 | 1,200.00 | |
| | nn) Roller, Vib Pedestrian (Upto 0.5 ton) | " | 400.00 | 400.00 | |
| | oo) Roller, Vib Sheep Foot (Upto 10 ton) | " | 700.00 | 700.00 | |
| | pp) Roller, Vib, Self Prop (Upto 3 ton) | " | 550.00 | 550.00 | |
| | qq) Roller, Vib, Self Prop (3 ton+) | " | | | |
| | rr) Roller, Vib, towed (Upto 7 ton) | " | | | |
| | ss) Spreader chips, Self propeeled | " | 1,500.00 | 1,500.00 | |
| | tt) Sprayer, Emulsion (Upto 1 KL) | " | 260.00 | 260.00 | |
| | uu) Truck, Flat Bed/ Crane (Upto 7 ton) | " | 800.00 | 800.00 | |
| | vv) Truck, Flat Bed (Upto 150HP) | " | 450.00 | 450.00 | |
| | ww) Truck, Tipper (Upto 150 HP) | " | 450.00 | 450.00 | |
| | xx) Truck Tipper (From 150 HP+) | " | 1,100.00 | 1,100.00 | |
| | yy) Mini Truck | " | 300.00 | 300.00 | |
| | zz) Trailer, Tractor (10+ to 25 ton) | " | 2,200.00 | 2,200.00 | |
| | aaa) Trailer, Tractor (25 ton+) | " | 2,700.00 | 2,700.00 | |
| | bbb) Water Tanker (Upto 8 KL) | " | 550.00 | 550.00 | |
| | ccc) Trailer | " | 140.00 | 140.00 | |

As per DOR
Equipment
Hire Rate

सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|-----------|---|------|-----------------|-----------------|--------------------------------------|
| | ddd) Tractor (Upto 85 HP) | „ | 300.00 | 300.00 | As per DOR Equipment Hire Rate |
| | Tractor with triler | „ | 440.00 | 440.00 | |
| | eee) Vibrator (Engine) | „ | 120.00 | 120.00 | |
| | fff) Compactor, Hand Towed (Upto 200 Kg) | „ | 80.00 | 80.00 | |
| | ggg) Compactor, Hand Towed (350 to 450 Kg) | „ | 130.00 | 130.00 | |
| | hhh) Welding, Arc (10 to 30 KVA) | „ | 1,150.00 | 1,150.00 | |
| 60 | Road furniture/goods/other materials from DoR | | | | |
| | i) Retro-reflective traffic sign | Sqm | 21,231.00 | 21,231.00 | 21,231.00 |
| | ii) Painted traffic sign | „ | 6,242.00 | 6,242.00 | 6,242.00 |
| | iii) Normal cats eye | no. | 1,085.00 | 1,085.00 | 1,085.00 |
| | iv) Solar power road stud | „ | 4,320.00 | 4,320.00 | 4,320.00 |
| | v) Traffic signal (Circular or Arrow) | „ | | | |
| | vi) Traffic signal control unit | „ | | | |
| | vii) Thermoplastic road paint | Kg. | 248.00 | 248.00 | 248.00 |
| | viii) Glass bead | Kg. | 239.00 | 239.00 | 239.00 |
| | ix) Traffic Jacket | no. | 3,000.00 | 3,000.00 | 3,000.00 |
| | x) Traffic cone | no. | 1,500.00 | 1,500.00 | 1,500.00 |
| | xi) Planting Board | Sqm | 500.00 | 500.00 | 500.00 |
| | xii) Traffic reflective signage (Price without stand pipe) | Sqm | 16,415.00 | 16,415.00 | 16,415.00 |
| | xiii) Super bond XS (Anti-strpping agent) | Kg. | 600.00 | 600.00 | 600.00 |
| | xiv) Special addittive CZ-500 | Kg. | 710.00 | 710.00 | 710.00 |
| | xv) Safety Helmate (special) | no. | 300.00 | 300.00 | 300.00 |
| | xvi) Safety Helmate (General) | no. | 150.00 | 150.00 | 150.00 |
| | xvii) Gumboot | pair | 1,050.00 | 1,050.00 | 1,050.00 |
| | xviii) Reflector Jacket | no. | 500.00 | 500.00 | 500.00 |
| | xix) Raised Pavement Markers (102*100*50 mm) | no. | | | 740.00 |
| | xx) Flexible Median Markers (180*120*6.5 mm) | no. | | | 595.00 |
| | xxi) Metal Reflective Delineator | no. | | | 2,725.00 |
| | xxii) Retro Reflective Signage Board | no. | | | |
| | a. IRC small sign Boards (Type 11) | no. | | | 2,160.00 |
| | b. Overhead Gantry, Cantilever, Big Shoulder Mounted Board, Toll plaza etc. (Type 11) | no. | | | 2,330.00 |
| | c. IRC small sign boards (Type 4) | no. | | | 2,000.00 |
| | d. Overhead Gantry, Cantilever, Big Shoulder Mounted Board, Toll plaza etc. (Type 4) | no. | | | 2,090.00 |
| | | | | | |
| | Geosynthetics | | | | |
| A) | Geo-textile (Needle Punched Nonwoven) | | | | |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|-----------|--|------|-----------------|-----------------|-----------------|
| 1 | MacTex: MXC N20.2 (120g/sqm) | Sqm | 71.00 | 71.00 | 71.00 |
| 2 | MacTex: MXC N30.2 (150g/sqm) | Sqm | 78.00 | 78.00 | 78.00 |
| 3 | MacTex: MXC N40.2 (200g/sqm) | Sqm | 115.00 | 115.00 | 115.00 |
| 4 | Geobags (MacBags) 1m x 0.7m (300g/sqm) | Sqm | 250.00 | 250.00 | 250.00 |
| B) | Geomembrane: High Density Polythlene Geo-membrane | | | | |
| 1 | Machine SDH-100 (Thickness: 1mm) | Sqm | 633.00 | 633.00 | 633.00 |
| 2 | Machine SDH-200 (Thickness: 2mm) | Sqm | 1,265.00 | 1,265.00 | 1,265.00 |
| C) | Drainage Composite | | | | |
| 1 | MACDRAIN W110M Specification: Thickness (at 2kPa): 10mm One side non woven geotextile and otherside polymeric geomembrane | Sqm | 1,487.00 | 1,487.00 | 1,487.00 |
| 2 | MACDRAIN W1061 Specification: Thickness (at 2kPa): 7mm both sides non woven geotextile | Sqm | 1,185.00 | 1,185.00 | 1,185.00 |
| D) | Erosion Control Blanket: BioMat | | 1,185.00 | 1,185.00 | 1,185.00 |
| | BIOMAC CC 045 (450g/sqm) | Sqm | 266.00 | 266.00 | 266.00 |
| | BIOMAC CC 060 (600g/sqm) | Sqm | 305.00 | 305.00 | 305.00 |
| E) | Geo Mat | | | | |
| | MACMAT 12.1 (280g/sqm) Polymer: Polypropylene; Thickness: 12mm | Sqm | 629.00 | 629.00 | 629.00 |
| | MacMat R1 6822 GN (Steel Reinforced Geo Mat) | Sqm | 1,996.00 | 1,996.00 | 1,996.00 |
| | MacMat R1 6822 GO (Steel Reinforced Geo Mat) | Sqm | 2,347.00 | 2,347.00 | 2,347.00 |
| F) | Geogrid: Strip Bonded GeoGrids With High Tenacity Polyester Core | | | | |
| | Paralink 100 (UTS: 100 kN/m) | Sqm | 414.00 | 414.00 | 414.00 |
| | Paralink 200 (UTS: 200 kN/m) | Sqm | 517.00 | 517.00 | 517.00 |
| | Paralink 300 (UTS: 300 kN/m) | Sqm | 705.00 | 705.00 | 705.00 |
| | Paralink 400 (UTS: 400 kN/m) | Sqm | 882.00 | 882.00 | 882.00 |
| | Paralink 500 (UTS: 500 kN/m) | Sqm | 1,078.00 | 1,078.00 | 1,078.00 |
| | Paralink 600 (UTS: 600 kN/m) | Sqm | 1,303.00 | 1,303.00 | 1,303.00 |
| | Paralink 700 (UTS: 700 kN/m) | Sqm | 1,719.00 | 1,719.00 | 1,719.00 |
| | Paralink 800 (UTS: 800 kN/m) | Sqm | 2,082.00 | 2,082.00 | 2,082.00 |
| | Paralink 900 (UTS: 900 kN/m) | Sqm | 2,544.00 | 2,544.00 | 2,544.00 |
| | Paralink 1000 (UTS: 1000 kN/m) | Sqm | 2,845.00 | 2,845.00 | 2,845.00 |
| | Paralink 1200 (UTS: 1200 kN/m) | Sqm | 3,572.00 | 3,572.00 | 3,572.00 |
| 61 | Concrete Pillar (Size 4''*4'') Readymade | | | | |
| | Length 7' | गोटा | 1,200.00 | 1,200.00 | 1,200.00 |
| | Length 5' | गोटा | 600.00 | 600.00 | 600.00 |
| | Length 3' | गोटा | 300.00 | 300.00 | 300.00 |
| 62 | Security System | | | | |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|-----------|--|------|-----------------|-----------------|-----------------|
| | Steel Security Gate supply | | | | |
| | Metal detector (black Scorpion Company) | गोटा | 16,995.00 | 16,995.00 | 16,995.00 |
| | Access Controller (Taiwanese) | गोटा | 28,840.00 | 28,840.00 | 28,840.00 |
| | Access Controller (Chainese) | गोटा | 13,905.00 | 13,905.00 | 13,905.00 |
| | Steel Security Door | | | | |
| | Single leaf :- 50 mm, 70 mm, 100mm | Sqm | 8,683.00 | 8,683.00 | 8,683.00 |
| | Half leaf : - 50 mm, 70 mm, 100mm | Sqm | 9,930.00 | 9,930.00 | 9,930.00 |
| | Double leaf : - 50 mm, 70 mm, 100mm | Sqm | 10,419.00 | 10,419.00 | 10,419.00 |
| | Security System | | | | |
| | i) Short range wireless intruder Alarm (including Host Unit-1, PIR motion detector-1, Door Sensor-1, Remote Controller -2) (घर कम्पाउण्ड सुरक्षा प्रविधि) | गोटा | 34,333.00 | 34,333.00 | 34,333.00 |
| | ii) Long range distance wireless intruder Alarm system (including Host Unit-1, PIR motion detector-3, Remote Controller -2) (अफिस तथा ब्यापारिक सुरक्षा प्रविधि) | गोटा | | | |
| | iii) Access Controller with record using Card and Pin (with 10 piece RFID Card.) | गोटा | 20,600.00 | 20,600.00 | 20,600.00 |
| | iv) Access Controller without record using Card and Pin (with 5 piece RFID Card.) | गोटा | 12,875.00 | 12,875.00 | 12,875.00 |
| | v) Finger print access system with software | गोटा | 36,050.00 | 36,050.00 | 36,050.00 |
| | vi) Security from Panic Alarm | गोटा | 36,050.00 | 36,050.00 | 36,050.00 |
| | vii) GPS (Global Positioning System) Device with software | गोटा | 25,749.00 | 25,749.00 | 25,749.00 |
| 63 | Bridge Materials | | | | |
| | i))Elastometric bearing Pad | | | | |
| | Fix Type | no. | 20,554.00 | 20,554.00 | 20,554.00 |
| | Free Type | no. | 48,489.00 | 48,489.00 | 48,489.00 |
| | v)Expansion Joint Works | | | | |
| | Single strip seal | m | 9,328.00 | 9,328.00 | 9,328.00 |
| | Slab seal(320*50) | m | 19,277.00 | 19,277.00 | 19,277.00 |
| | Rubber seal (5mm thick, 150mm wide) | m | 310.00 | 310.00 | 310.00 |
| | v) Φ 26 mm thimble | Pc | 361.00 | 361.00 | 361.00 |
| | vi) Φ 32 mm thimble | Pc | 618.00 | 618.00 | 618.00 |
| | vii) Φ 36 mm thimble | Pc | 1,326.00 | 1,326.00 | 1,326.00 |
| | viii) Φ 40 mm thimble | Pc | 1,545.00 | 1,545.00 | 1,545.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|-----------|--|----------------|-----------------|-----------------|-----------------|
| | ix) Φ 13 mm Bulldog grip | Pc | 72.00 | 72.00 | 72.00 |
| | x) Φ 26 mm Bulldog grip | Pc | 361.00 | 361.00 | 361.00 |
| | xi) Φ 32 mm Bulldog grip | Pc | 541.00 | 541.00 | 541.00 |
| | xii) Φ 36 mm Bulldog grip | Pc | 670.00 | 670.00 | 670.00 |
| | xiii) Φ 40 mm Bulldog grip | Pc | 670.00 | 670.00 | 670.00 |
| | xiv) Steel wire Rope (Right hand ordinary lay, VVSC wire strand core, Tensile strength of wire 1570 N/mm ² , Performed, 'A' Heavy Galvanized coating Nondrying lubrication oil and prestretched | | | | |
| | xv) Wire mesh netting | m ² | 412.00 | 412.00 | 412.00 |
| | xvi) Sign Board with Fittings (Size - 60cm X 90cm) | Pc | 6,695.00 | 6,695.00 | 6,695.00 |
| | xvii) Bolts, Nuts & Washers (Galvanised 4.6 grade) | Kg | 258.00 | 258.00 | 258.00 |
| | xvii) Bolts, Nuts & Washers (Hotdip friction Grip) | Kg | 361.00 | 361.00 | 361.00 |
| | High tensile friction grip nut bolts | kg | 335.00 | 335.00 | 335.00 |
| | Galvanization | | | | |
| | Zinc Above 98.5% purity | kg | 309.00 | 309.00 | 309.00 |
| | Premix of Zinc amonium chloride | kg | 595.00 | 595.00 | 595.00 |
| | Hydraucloric acid | Lit | 41.00 | 41.00 | 41.00 |
| 64 | बोटविरुवा सम्बन्धि | | | | |
| 1 | बाँस गानो | प्रति विरुवा | 450.00 | 450.00 | 450.00 |
| 2 | बाँसकटिङ्ग विरुवा | प्रति विरुवा | 275.00 | 275.00 | 275.00 |
| 3 | बाँस बिउ बाट उमारेको विरुवा | प्रति विरुवा | 100.00 | 100.00 | 106.00 |
| 4 | निगालो राइजोम | प्रति विरुवा | 60.00 | 60.00 | 60.00 |
| 5 | अलैची गानो | प्रति विरुवा | 20.00 | 20.00 | 20.00 |
| 6 | अलैची विरुवा | प्रति विरुवा | 25.00 | 25.00 | 25.00 |
| 7 | अम्रिसो राइजोम | प्रति विरुवा | 15.00 | 15.00 | 15.00 |
| 8 | नेपियर कटिङ्ग | प्रति विरुवा | 8.00 | 8.00 | 8.00 |
| 9 | कुरिलो तरकारी | प्रति विरुवा | 20.00 | 20.00 | 20.00 |
| 10 | कुरिलो जरा प्रयोग हुने थैला रहित | प्रति विरुवा | 15.00 | 15.00 | 15.00 |
| 11 | कुरिलो जरा प्रयोग हुने थैला सहित | प्रति विरुवा | 25.00 | 25.00 | 25.00 |
| 12 | चिराइतो थैला रहित ,अश्वगन्ध | प्रति विरुवा | 15.00 | 15.00 | 15.00 |
| 13 | चिराइतो थैला सहित | प्रति विरुवा | 25.00 | 25.00 | 25.00 |
| 14 | डाले घाँस (बडहर,सिरिस,टाँकी डवडवे,निमारो,कुटुमि) | प्रति विरुवा | 20.00 | 20.00 | 22.00 |
| 15 | लप्सी ग्राफटिङ्ग | प्रति विरुवा | 70.00 | 70.00 | 70.00 |
| 16 | लप्सी विरुवा | प्रति विरुवा | 20.00 | 20.00 | 22.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|--|--------------|-----------------|-----------------|-----------------|
| 17 | अन्य विरुवा (उत्तिस,चिलाउने,बकाइनो,सल्ला, सिशौ मसला आदी) | प्रति विरुवा | 20.00 | 20.00 | 22.00 |
| 18 | सजावटका विरुवा(कल्की,धुपि, जाकरण्डा आदी) | प्रति विरुवा | 20.00 | 20.00 | |
| 19 | ओखर दाते,थैलामा | प्रति विरुवा | 150.00 | 150.00 | 150.00 |
| 20 | ओखर हाडे थैलामा | प्रति विरुवा | 45.00 | 45.00 | 45.00 |
| 21 | चाँप,निम,पारिजात आदी | प्रति विरुवा | 30.00 | 30.00 | 30.00 |
| 22 | एन बी २१ घाँस | प्रति विरुवा | 2.00 | 2.00 | 2.00 |
| 23 | वेल विरुवा दुइ वर्षे | प्रति विरुवा | 60.00 | 60.00 | 60.00 |
| 24 | अमला दुइ वर्षे थैलामा बिउबाट | प्रति विरुवा | 50.00 | 50.00 | 50.00 |
| 25 | अमला दुइ वर्षे थैलामा हाइब्रिड | प्रति विरुवा | 125.00 | 125.00 | 125.00 |
| 26 | लोक्ता, अर्गेली, बिष | प्रति विरुवा | 20.00 | 20.00 | 20.00 |
| 27 | सुगन्धवाला जटामसी | प्रति विरुवा | 10.00 | 10.00 | 10.00 |
| 28 | अशोक, काँगियो आदि | प्रति विरुवा | 125.00 | 125.00 | 125.00 |
| 29 | अनार १ बर्ष लोकल | प्रति विरुवा | 45.00 | 45.00 | 45.00 |
| 30 | अनार कलमी २ वर्षे | प्रति विरुवा | 165.00 | 165.00 | 165.00 |
| 31 | वेत | प्रति विरुवा | 25.00 | 25.00 | 25.00 |
| 32 | कदम सिमल,सतिशाल/विजय साल कैलामी | प्रति विरुवा | 20.00 | 20.00 | 22.00 |
| 33 | रुद्राक्ष दुइ वर्षे | प्रति विरुवा | 275.00 | 275.00 | 275.00 |
| 34 | रुद्राक्ष तीन वर्षे ४ फीट अग्लो | प्रति विरुवा | 600.00 | 600.00 | 600.00 |
| 35 | रक्तचन्दन रातो | प्रति विरुवा | 250.00 | 250.00 | 250.00 |
| 36 | रक्तचन्दन सेतो | प्रति विरुवा | 150.00 | 150.00 | 150.00 |
| 37 | श्रीखण्ड | प्रति विरुवा | 100.00 | 100.00 | 100.00 |
| 38 | सुगन्ध कोकिला | प्रति विरुवा | 50.00 | 50.00 | 50.00 |
| 39 | तेजपात | प्रति विरुवा | 50.00 | 50.00 | 50.00 |
| 40 | गिन्को माइलोवा थैलामा | प्रति विरुवा | 1,600.00 | 1,600.00 | 1,600.00 |
| 41 | पौलो निया थैलामा | प्रति विरुवा | 150.00 | 150.00 | 150.00 |
| 42 | जैतुन विरुवा थैलामा | प्रति विरुवा | 60.00 | 60.00 | 60.00 |
| 43 | टिमुर थैलामा | प्रति विरुवा | 80.00 | 80.00 | 80.00 |
| 44 | अन्य जडि वुटी तथा गैहकाठ विरुवाह (हरौ,बररो मला,रिडो,मजिनो,जटामसी, ठूलो ओखती आदी) | प्रति विरुवा | 25.00 | 25.00 | 25.00 |
| 45 | बोधिचित्त १ वर्षे | प्रति विरुवा | 250.00 | 250.00 | 250.00 |
| 46 | बोधिचित्त २ वर्षे | प्रति विरुवा | 500.00 | 500.00 | 500.00 |
| 47 | बोधिचित्त ३ वर्षे | प्रति विरुवा | 700.00 | 700.00 | 700.00 |
| 48 | लौठ सल्ला २ वर्षे | प्रति विरुवा | 100.00 | 100.00 | 100.00 |
| 49 | लौठ सल्ला ३ वर्षे | प्रति विरुवा | 135.00 | 135.00 | 135.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|-------------------------------------|--------------|-----------------|-----------------|-----------------|
| 50 | सतुवा | प्रति विरुवा | 65.00 | 65.00 | 65.00 |
| 51 | नास्पाती | प्रति विरुवा | 50.00 | 50.00 | 50.00 |
| 52 | आरु | प्रति विरुवा | 50.00 | 50.00 | 50.00 |
| 53 | आरुवखडा | प्रति विरुवा | 50.00 | 50.00 | 50.00 |
| 54 | हलुवावेद | प्रति विरुवा | 50.00 | 50.00 | 50.00 |
| 55 | किवि एक वर्षे | प्रति विरुवा | 125.00 | 125.00 | 125.00 |
| 56 | किवि दुइ वर्षे | प्रति विरुवा | 200.00 | 200.00 | 200.00 |
| 57 | सुन्तला लोकल १ वर्षे | प्रति विरुवा | 45.00 | 50.00 | 50.00 |
| 58 | सुन्तला लोकल २ वर्षे | प्रति विरुवा | 160.00 | 160.00 | 160.00 |
| 59 | जुनार लोकल | प्रति विरुवा | 50.00 | 50.00 | 50.00 |
| 60 | जुनार कलमी | प्रति विरुवा | 100.00 | 100.00 | 100.00 |
| 61 | कागती लोकल | प्रति विरुवा | 55.00 | 55.00 | 55.00 |
| 62 | कागती कलमी २ वर्षे बाह्रमासे | प्रति विरुवा | 200.00 | 200.00 | 200.00 |
| 63 | मुन्तला | प्रति विरुवा | 60.00 | 60.00 | 60.00 |
| 64 | आप लोकल | प्रति विरुवा | 65.00 | 65.00 | 65.00 |
| 65 | आँप अम्रपाली, माल्दह, दशहरी २ वर्षे | प्रति विरुवा | 110.00 | 110.00 | 110.00 |
| 66 | लीची लोकल | प्रति विरुवा | 75.00 | 75.00 | 75.00 |
| 67 | लिच्ची ग्राफ्टीड २ वषे | प्रति विरुवा | 175.00 | 175.00 | 175.00 |
| 68 | केरा | प्रति विरुवा | 20.00 | 20.00 | 20.00 |
| 69 | अम्वा लोकल | प्रति विरुवा | 40.00 | 40.00 | 40.00 |
| 70 | अम्वा कलमी विकास १ के.जी . | प्रति विरुवा | 200.00 | 200.00 | 200.00 |
| 71 | एभोकाडो एक वर्षे | प्रति विरुवा | 65.00 | 65.00 | 65.00 |
| 72 | एभोकाडो दुइ वर्षे | प्रति विरुवा | 200.00 | 200.00 | 200.00 |
| 73 | मकाडामीया | प्रति विरुवा | 200.00 | 200.00 | 200.00 |
| 74 | पिकानट | प्रति विरुवा | 300.00 | 300.00 | 300.00 |
| 75 | एप्पल वयर | प्रति विरुवा | 150.00 | 150.00 | 150.00 |
| 76 | जामुन | प्रति विरुवा | | 125.00 | 125.00 |
| 77 | कफि | प्रति विरुवा | 22.00 | 22.00 | 22.00 |
| 78 | हेज ८ इनच सम्म पोली थैलो | प्रति विरुवा | 60.00 | 60.00 | 60.00 |
| 79 | कार्पेट दुबो | ब.फी. | 50.00 | 50.00 | 50.00 |
| 80 | कार्पेट दुबो छापे ज्याला | ब.फी. | 30.00 | 30.00 | 30.00 |
| 81 | सिजनल फूल ८ इनच पोली | प्रति विरुवा | 30.00 | 30.00 | 30.00 |
| 82 | गुलाब फूल ८ इनच पोली | प्रति विरुवा | 200.00 | 200.00 | 200.00 |
| 65 | सजावटका ठूला विरुवाहरु | | | | |
| 1 | ४ फीट सम्मको उचाइ | प्रति विरुवा | 450.00 | 450.00 | 450.00 |
| 2 | ५ फीट सम्मको उचाइ | प्रति विरुवा | 625.00 | 625.00 | 625.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|-----------|-----------------------------|--------------|-----------------|-----------------|-----------------|
| 3 | ६ फीट सम्मको उचाइ | प्रति विरुवा | 775.00 | 775.00 | 775.00 |
| 4 | ६ फीट भन्दा बढि उचाइ | प्रति विरुवा | 875.00 | 875.00 | 875.00 |
| 5 | ५ फीट सम्मको करविर | प्रति विरुवा | 625.00 | 625.00 | 625.00 |
| 6 | ५ फीट सम्मको समी | प्रति विरुवा | 775.00 | 775.00 | 775.00 |
| 7 | ५ फीट सम्मको गोल्डन धुपी | प्रति विरुवा | 775.00 | 775.00 | 775.00 |
| 8 | ५ फीट सम्मको कपुर | प्रति विरुवा | 625.00 | 625.00 | 625.00 |
| 9 | ५ फीट सम्मको चाँप | प्रति विरुवा | 625.00 | 625.00 | 625.00 |
| 10 | ५ फीट सम्मको रुद्राक्ष | प्रति विरुवा | 625.00 | 625.00 | 625.00 |
| 66 | विउ सम्बन्धि लागि | | | | |
| 1 | वडहर | प्रति के.जि | 330.00 | 330.00 | 330.00 |
| 2 | सुगन्धकोकिला | प्रति के.जि | 2,200.00 | 2,200.00 | 2,200.00 |
| 3 | बोहोरी | प्रति के.जि | 3,250.00 | 3,250.00 | 3,250.00 |
| 4 | अश्वगन्ध | प्रति के.जि | 4,950.00 | 4,950.00 | 4,950.00 |
| 5 | शिरिष | प्रति के.जि | 1,100.00 | 1,100.00 | 1,100.00 |
| 6 | रुद्राक्षे | प्रति के.जि | 500.00 | 500.00 | 500.00 |
| 7 | कोइरालो | प्रति के.जि | 1,000.00 | 1,000.00 | 1,000.00 |
| 8 | श्रीखण्ड | प्रति के.जि | 7,000.00 | 7,000.00 | 7,000.00 |
| 9 | टाँकी कोइरालो | प्रति के.जि | 1,000.00 | 1,000.00 | 1,000.00 |
| 10 | कपूर | प्रति के.जि | 4,900.00 | 4,900.00 | 4,900.00 |
| 11 | राईखन््यू | प्रति के.जि | 8,650.00 | 8,650.00 | 8,650.00 |
| 12 | रक्तचन्दन | प्रति के.जि | 7,000.00 | 7,000.00 | 7,000.00 |
| 13 | निमारो | प्रति के.जि | 5,500.00 | 5,500.00 | 5,500.00 |
| 14 | मयूरपखिधुपि | प्रति के.जि | 5,000.00 | 5,000.00 | 5,000.00 |
| 15 | दुधिलो | प्रति के.जि | 8,200.00 | 8,200.00 | 8,200.00 |
| 16 | धुपिसल्ला | प्रति के.जि | 4,500.00 | 4,500.00 | 4,500.00 |
| 17 | ईपिल ईपिल | प्रति के.जि | 550.00 | 550.00 | 550.00 |
| 18 | विरेन्द्रफुल | प्रति के.जि | 5,500.00 | 5,500.00 | 5,500.00 |
| 19 | खयर | प्रति के.जि | 1,750.00 | 1,750.00 | 1,750.00 |
| 20 | कागियो | प्रति के.जि | 5,500.00 | 5,500.00 | 5,500.00 |
| 21 | उत्तिस | प्रति के.जि | 1,650.00 | 1,650.00 | 1,650.00 |
| 22 | कल्की | प्रति के.जि | 5,500.00 | 5,500.00 | 5,500.00 |
| 23 | मसला | प्रति के.जि | 3,550.00 | 3,550.00 | 3,550.00 |
| 24 | अशोक | प्रति के.जि | 2,750.00 | 2,750.00 | 2,750.00 |
| 25 | टिक | प्रति के.जि | 1,000.00 | 1,000.00 | 1,000.00 |
| 26 | गेलमोहर | प्रति के.जि | 900.00 | 900.00 | 900.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|----------------------------|-------------|-----------------|-----------------|-----------------|
| 27 | गोब्रेसल्ला | प्रति के.जि | 4,100.00 | 4,100.00 | 4,100.00 |
| 28 | चाँप | प्रति के.जि | 550.00 | 550.00 | 550.00 |
| 29 | चिलाउने | प्रति के.जि | 3,500.00 | 3,500.00 | 3,500.00 |
| 30 | पैयु | प्रति के.जि | 920.00 | 920.00 | 920.00 |
| 31 | खोटेसल्ला | प्रति के.जि | 4,600.00 | 4,600.00 | 4,600.00 |
| 32 | लाँकुरी | प्रति के.जि | 2,700.00 | 2,700.00 | 2,700.00 |
| 33 | पाटेसल्ला | प्रति के.जि | 4,350.00 | 4,350.00 | 4,350.00 |
| 34 | सजिवन | प्रति के.जि | 1,100.00 | 1,100.00 | 1,100.00 |
| 35 | सिसौ | प्रति के.जि | 800.00 | 800.00 | 800.00 |
| 36 | लप्सी | प्रति के.जि | 545.00 | 545.00 | 545.00 |
| 37 | कदम | प्रति के.जि | 5,500.00 | 5,500.00 | 5,500.00 |
| 38 | हाडेओखर | प्रति के.जि | 775.00 | 775.00 | 775.00 |
| 39 | सिमल | प्रति के.जि | 3,300.00 | 3,300.00 | 3,300.00 |
| 40 | दाँतेओखर | प्रति के.जि | 1,300.00 | 1,300.00 | 1,300.00 |
| 41 | तेजपात | प्रति के.जि | 1,600.00 | 1,600.00 | 1,600.00 |
| 42 | वाँस/ निगालो | प्रति के.जि | 6,300.00 | 6,300.00 | 6,300.00 |
| 43 | सतिसाल | प्रति के.जि | 1,950.00 | 1,950.00 | 1,950.00 |
| 44 | भटमासे | प्रति के.जि | 1,550.00 | 1,550.00 | 1,550.00 |
| 45 | कुरिलो | प्रति के.जि | 6,400.00 | 6,400.00 | 6,400.00 |
| 46 | धैचा | प्रति के.जि | 375.00 | 375.00 | 375.00 |
| 47 | चिराईतो | प्रति के.जि | 15,015.00 | 15,015.00 | 15,015.00 |
| 48 | स्टाईलो | प्रति के.जि | 1,155.00 | 1,155.00 | 1,155.00 |
| 49 | हर्रो/ वर्रो | प्रति के.जि | 950.00 | 950.00 | 950.00 |
| 50 | मलासेस् | प्रति के.जि | 865.00 | 865.00 | 865.00 |
| 51 | रिद्धा | प्रति के.जि | 550.00 | 550.00 | 550.00 |
| 52 | जैघाँस | प्रति के.जि | 115.00 | 115.00 | 115.00 |
| 53 | राजबृक्ष | प्रति के.जि | 825.00 | 825.00 | 825.00 |
| 54 | अन्य डालेघाँस | प्रति के.जि | 2,230.00 | 2,230.00 | 2,230.00 |
| 55 | निम | प्रति के.जि | 700.00 | 700.00 | 700.00 |
| 56 | अन्य भूईघाँस | प्रति के.जि | 875.00 | 875.00 | 875.00 |
| 57 | चिउरी | प्रति के.जि | 450.00 | 450.00 | 450.00 |
| 58 | अन्य जडि वुटी तथा गैहकाठ | प्रति के.जि | 5,500.00 | 5,500.00 | 5,500.00 |
| 59 | विजयसाल | प्रति के.जि | 3,000.00 | 3,000.00 | 3,000.00 |
| 60 | अमला | प्रति के.जि | 6,000.00 | 6,000.00 | 6,000.00 |
| 61 | टिमूर | प्रति के.जि | 7,100.00 | 7,100.00 | 7,100.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|--|--------------|-----------------|-----------------|-----------------|
| 62 | जैतुन | प्रति के.जि | 17,200.00 | 17,200.00 | 17,200.00 |
| 63 | बोधिचित्त | प्रति दाना | 135.00 | 135.00 | 135.00 |
| 64 | जामुन | प्रति के.जि | | 500.00 | 500.00 |
| 67 | नर्सरीका लागी आवश्यक सामान | | | | |
| 1 | २०० गेजको विरुवा उमाने कालो चार प्वाल भएको विभिन्न साइजको पोलिथिन थैला | प्रति के जि | 330.00 | 330.00 | 330.00 |
| 2 | माटो भने खाली बोरा | गोटा | 18.00 | 18.00 | 18.00 |
| 68 | जिल्ला वन कार्यलयबाट गरीने कार्यहरु | | | | |
| 1 | टुसा विरुवा रोपण, ४ देखि ९ फिट | प्रती विरुवा | 150.00 | 150.00 | 150.00 |
| 69 | गोलीया काठ र दाउरा कटान मुछान | | | | |
| १ | कटान मुछान | क्यु.फी. | 36.00 | 35.00 | 35.00 |
| २ | बोक्रा भिकने | क्यु.फी. | 16.00 | 15.00 | 15.00 |
| ३ | तान्ने | क्यु.फी. | 36.00 | 35.00 | 35.00 |
| ४ | लोडिड | क्यु.फी. | 31.00 | 30.00 | 30.00 |
| ५ | अन लोडिड | क्यु.फी. | 16.00 | 15.00 | 15.00 |
| ६ | पाइलीड | क्यु.फी. | 26.00 | 25.00 | 25.00 |
| 70 | काठ ढुवानी (घाटगद्दी प्रयोजन) | | | | |
| १ | कटान स्थल बाट २ की.मी. सम्म | क्यु.फी. | 42.00 | 40.00 | 40.00 |
| २ | कटान स्थल बाट २ की.मी. देखि ५ की.मी. सम्म | क्यु.फी. | 52.00 | 45.00 | 45.00 |
| ३ | कटान स्थल बाट ५ की.मी. देखि १० की.मी. सम्म | क्यु.फी. | 68.00 | 55.00 | 55.00 |
| 71 | दाउरा संकलन,ढुवानी चट्ट निर्माण (२० फी x ५ फी) | | | | |
| १ | संकलन कटान मुछान | चट्ट | 3,400.00 | 3,400.00 | 3,400.00 |
| २ | लोडिड | चट्ट | 2,700.00 | 2,700.00 | 2,700.00 |
| ३ | ढुवानी ५ की.मी.सम्म घाटगद्दी प्रयोजन को लागी | चट्ट | 4,000.00 | 4,000.00 | 4,000.00 |
| ४ | अन लोडिड | चट्ट | 1,400.00 | 1,400.00 | 1,400.00 |
| ५ | चट्ट निर्माण | चट्ट | 1,400.00 | 1,400.00 | 1,400.00 |
| 71 | कृषि बोट विरुवा औजार उपकरण सम्बन्धि | | | | |
| 1 | सेराना मौरी घर स्टैन्ड सहितको सेट | थान | 7,000.00 | 7,000.00 | 7,000.00 |
| 1 | मौरी फ्रेम सेरेना (मौरी सहित) | प्रति फ्रेम | 1,000.00 | 1,000.00 | 1,000.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|----------------------|---|-----------------|-----------------|-----------------|-----------------|
| 2 | मेलिफेरा मौरी घर | गोटा | 5,500.00 | 5,500.00 | 5,500.00 |
| 3 | क्यारिङ्ग केच | गोटा | 2,000.00 | 2,000.00 | 2,000.00 |
| 4 | धुवादानी | गोटा | 700.00 | 700.00 | 700.00 |
| 5 | मौरी टोपी | गोटा | 500.00 | 500.00 | 500.00 |
| 6 | मौरी पञ्जा | गोटा | 400.00 | 400.00 | 400.00 |
| 7 | हुल समाउने भोला | गोटा | 400.00 | 400.00 | 400.00 |
| 8 | रानी ढोका | गोटा | 100.00 | 100.00 | 100.00 |
| 9 | रानी पिँजडा | गोटा | 100.00 | 100.00 | 100.00 |
| 10 | मौरी बुरुश | गोटा | 600.00 | 600.00 | 600.00 |
| 11 | मौरी घर स्ट्याण्ड | गोटा | 600.00 | 600.00 | 600.00 |
| 12 | आधार चाका बनाउने मेशिन | गोटा | 7,000.00 | 7,000.00 | 7,000.00 |
| 13 | फ्रेम फिडर | गोटा | 300.00 | 300.00 | 300.00 |
| 14 | रानु छेक्ने पाता | गोटा | 800.00 | 800.00 | 800.00 |
| 15 | घार वेल्ड | गोटा | 500.00 | 500.00 | 500.00 |
| 16 | घार खोल्ने औजार | गोटा | 200.00 | 200.00 | 200.00 |
| 17 | फिडर बट्टा | गोटा | 50.00 | 50.00 | 50.00 |
| 18 | आधार चाका | के.जि. | 1,600.00 | 1,600.00 | 1,600.00 |
| 19 | डिपिङ्ग रड | गोटा | 100.00 | 100.00 | 100.00 |
| 20 | कोष छिल्ने काँटा | गोटा | 600.00 | 600.00 | 600.00 |
| 21 | मह मदानी सेराना | गोटा | 8,000.00 | 8,000.00 | 8,000.00 |
| 22 | बुड कक्ष | गोटा | 1,200.00 | 1,200.00 | 1,200.00 |
| 23 | सुपर कक्ष | गोटा | 1,000.00 | 1,000.00 | 1,000.00 |
| 24 | इनरकभर | गोटा | 200.00 | 200.00 | 200.00 |
| 25 | छानो | गोटा | 700.00 | 700.00 | 700.00 |
| 26 | डमीवोर्ड | गोटा | 100.00 | 100.00 | 100.00 |
| 27 | फ्रेम बुड कक्ष | गोटा | 70.00 | 70.00 | 70.00 |
| 28 | मौरी गोला | प्रति फ्रेम | 1,000.00 | 1,000.00 | 1,000.00 |
| 29 | मेटल विन ५ पिसको एक सेट (ए. सेट) | सेट | 16,500.00 | 16,500.00 | 16,500.00 |
| 30 | मेटल विन ५ पिसको एक सेट (बी. सेट) | सेट | 13,750.00 | 13,750.00 | 13,750.00 |
| 31 | मेटल विन ५ पिसको एक सेट (सी. सेट) | सेट | 11,000.00 | 11,000.00 | 11,000.00 |
| 32 | प्लाष्टिक टनेल ७० जी.एस.एम. (५मि× १२मि) | थान | 4,000.00 | 4,000.00 | 4,000.00 |
| 33 | प्लाष्टिक पोखरी २५० जि.एस.एम. | प्रति लीटर | 1.00 | 1.00 | 1.00 |
| 72 | विजु विरुवा | | | | |
| 34 | अलैची | गोटा | 10.00 | 10.00 | 10.00 |
| 35 | मौरिगाको विरुवा १ फिट भन्दा माथिको विरुवा | प्रति बोट | 100.00 | 100.00 | 100.00 |
| 36 | झागनफलको २ फिट भन्दा माथिको विरुवा | प्रति बोट | 250.00 | 250.00 | 250.00 |
| 37 | च्याउको बिऊ पाकेट प्रति २०० ग्राम | प्रति २०० ग्राम | 50.00 | 50.00 | 50.00 |
| खाद्यान्न बीऊ | | | | | |
| 35 | धानको बीऊ (खुमल ४, ६, १०, ११) | के.जि. | 100.00 | 100.00 | 100.00 |
| 36 | मोटा धानको बीऊ उन्नत | के.जि. | 80.00 | 80.00 | 80.00 |

सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|--|-----------|-----------------|-----------------|--------------------------------------|
| 37 | मकैको बीऊ उन्नत (हाईब्रिड बाहेक) | के.जि. | 120.00 | 120.00 | 120.00 |
| 38 | गहुँको बीऊ उन्नत | के.जि. | 100.00 | 100.00 | 100.00 |
| 73 | डोजर /Excavator ले माटो खन्ने कार्य | | | | |
| 1 | Ordinary soil/ Hard Soil/ Boulder Mix Soil | CuM | 65.70 | 65.70 | As per DOR Equipment Hire Rate |
| 2 | Ordinary Rock/ Soft Rock | CuM | 123.30 | 123.30 | |
| 3 | Medium Rock | CuM | 398.70 | 398.70 | |
| 4 | Hard Rock | CuM | 597.60 | 597.60 | |
| 74 | पशुसेवा कार्यालय सम्बन्धी | | | | |
| | घाँसका विउवेर्नाहरु | | | | |
| १ | जै | के.जि. | 100.00 | 100.00 | 100.00 |
| २ | भैच | के.जि. | 150.00 | 150.00 | 150.00 |
| ३ | केराउ | के.जि. | 130.00 | 130.00 | 130.00 |
| ४ | मिन्दुला | के.जि. | 375.00 | 375.00 | 375.00 |
| ५ | टियोसेन्टि | के.जि. | 150.00 | 150.00 | 150.00 |
| ६ | स्टाइलो | के.जि. | 850.00 | 850.00 | 850.00 |
| ७ | मोलासेस | के.जि. | 375.00 | 375.00 | 375.00 |
| ८ | भटमासे | के.जि. | 1,425.00 | 1,425.00 | 1,425.00 |
| | स्लिप तथा वेर्नाहरु | | | | |
| १ | डालेघाँसका बोट विरुवा | गोटा | 12.00 | 12.00 | 12.00 |
| २ | भुइँघाँसका स्लिप तथा सेटस | सेट/स्लिप | 6.00 | 6.00 | 6.00 |
| ३ | अम्रिसो गाना | गाना | 7.00 | 7.00 | 7.00 |
| ४ | नेपीएर कटिड | विरुवा | 9.00 | 9.00 | 9.00 |
| ५ | सुपर नेपियर | गोटा | 12.00 | 12.00 | 12.00 |
| ६ | किम्बूको कटिग विरुवा | गोटा | 10.00 | 10.00 | 10.00 |
| | पशुपन्छी सम्बन्धी | | | | |
| १ | कमर्सियल १ दिने चल्ला | गोटा | 90.00 | 90.00 | 90.00 |
| २ | ब्रोइलर १ दिने चल्ला | गोटा | 80.00 | 80.00 | 80.00 |
| ३ | गिरिराज चल्ला ४ हप्ते | गोटा | 200.00 | 200.00 | 200.00 |
| ४ | स्थानीय कुखुरा भाले | गोटा | 1,000.00 | 1,000.00 | 1,000.00 |
| ५ | स्थानीय कुखुरा पोथी | गोटा | 800.00 | 800.00 | 800.00 |
| ६ | प्रजननको स्थानीय बोका | के.जि. | 1,000.00 | 1,000.00 | 1,000.00 |
| ७ | प्रजननको ५०% क्रस बोयर बोका | के.जि. | 2,000.00 | 2,000.00 | 2,000.00 |
| ८ | प्रजननको ७५% क्रस बोयर बोका | के.जि. | 2,500.00 | 2,500.00 | 2,500.00 |
| ९ | प्रजननको ७५% भन्दा माथी क्रस बोयर बोका | के.जि. | 3,000.00 | 3,000.00 | 3,000.00 |



सिभिल कार्यहरु (Civil works)

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ |
|--------|-------------------------------------|---------|-----------------|-----------------|-----------------|
| १० | प्रजननको स्थानीय खरी बाखा | के.जि. | 560.00 | 560.00 | 560.00 |
| ११ | प्रजननको पाठी खरी बाखा | के.जि. | 600.00 | 600.00 | 600.00 |
| १२ | प्रजननको जमुनापारी क्रस बाखा | के.जि. | 600.00 | 600.00 | 600.00 |
| १३ | प्रजननयोग्य सांढे | गोटा | 50,000.00 | 50,000.00 | 50,000.00 |
| १४ | प्रजननको राँगो मुराक्रस | गोटा | 150,000.00 | 150,000.00 | 150,000.00 |
| १५ | बंगुरका पाठापाठि ४० दिने | गोटा | 5,500.00 | 5,500.00 | 5,500.00 |
| १६ | मुराक्रस लईनो भैसी | गोटा | 150,000.00 | 150,000.00 | 150,000.00 |
| १७ | मुराक्रस थोरै पाडी- १८ महिना सम्मको | गोटा | 40,000.00 | 40,000.00 | 40,000.00 |
| १८ | मुराक्रस पाडा मासुको लागि | के.जि. | 400.00 | 400.00 | 400.00 |
| १९ | जर्सी गाई लैना | गोटा | 100,000.00 | 100,000.00 | 100,000.00 |
| २० | होलिष्टियन गाई लैना | गोटा | 120,000.00 | 120,000.00 | 120,000.00 |
| | पशु औजार तथा उपकरणहरु | | | | |
| १ | लिक्विड नाइट्रोजन कन्टेनर ५० लिटरको | गोटा | 115,000.00 | 115,000.00 | 115,000.00 |
| २ | लिक्विड नाइट्रोजन कन्टेनर ३० लिटरको | गोटा | 90,000.00 | 90,000.00 | 90,000.00 |
| ३ | सिमेन रेफ्रि २ लिटरको | गोटा | 42,000.00 | 42,000.00 | 42,000.00 |
| ४ | ए.आइ गन डयूल स्ट्र | गोटा | 4,500.00 | 4,500.00 | 4,500.00 |
| ५ | ए.आइ.सिथ ५० पिस | प्याकेट | 750.00 | 750.00 | 750.00 |
| ६ | ए.आइ.ग्लोब १०० पिस | प्याकेट | 1,200.00 | 1,200.00 | 1,200.00 |
| ७ | सर्जिकल डेलिभरि सेट | सेट | 16,500.00 | 16,500.00 | 16,500.00 |

पुण्य विक्रम पौडेल
प्रमुख जिल्ला अधिकारी



Sanitary Works

काभ्रेपलाञ्चोक

आ.ब. ०६०/०६१



निर्णय नं.: ४ काभ्रेपलाञ्चोक जिल्लाको सदरमुकाम धुलिखेल र आसपासका नगरपालिका क्षेत्रभित्र ०८०/०८१ को लागि सेनीटररी काय संग सम्बन्धीत निम्न अनुसार विवरण भएका सामग्री हरुको निम्न अनुसारको दर रेट (मु.अ.कर) बाहेक) निर्धारण गर्ने निर्णय गरीयो । (पाना नं: १ देखि ६२ सम्म)

SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|---|------|--------------|--------------|--------------|--------|
| 1 | Porcelain Clay Sanitaryware (Hindware, Paryware, Somany, cera or eqv. कम्पनीका सामानहरु) | | | | | |
| | White glazed porcelain pan | | | | | |
| | i) 530mm size white glazed without siphon | सेट | 2,524.00 | 2,524.00 | 2,524.00 | |
| | ii) 500 mm size white glazed without siphon | " | 2741.00 | 2741.00 | 2,741.00 | |
| | iii) 580 mm size orrisa Pan | " | 3371.00 | 3371.00 | 3,371.00 | |
| | iii) 580 mm size white glazed Indian pan | " | 1049.00 | 1049.00 | 1,049.00 | |
| | iv) Siphon 'p' or 's' type | " | 590.00 | 590.00 | 590.00 | |
| | v) Asian Pan 51x40 Rectangular | " | 2524.00 | 2524.00 | 2,524.00 | |
| | Porcelain Clay Cistern | | | | | |
| | ii) White glazed porcelain clay 10 lit. Cistern cover only. | " | 3559.00 | 3559.00 | 3559.00 | |
| | iii) White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate) | " | 667.00 | 667.00 | 667.00 | |
| | iii) White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate) | " | 3698.00 | 3698.00 | 3698.00 | |
| | Commode | | | | | |
| | i) White glaze porcelain clay regular commode with 'p' trap | सेट | 1587.00 | 1587.00 | 1587.00 | |
| | ii) White glazed porcelain clay EWC regular commode with 's' \ p trap | " | 1825.00 | 1825.00 | 1825.00 | |
| | iii)(b) White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.(Hindware, Paryware, Somany, cera or eqv.) | " | 18119.00 | 18119.00 | 18119.00 | |
| | iv) White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.(Hindware, Paryware, Somany, cera or eqv.) | " | 28875.00 | 28875.00 | 28875.00 | |
| | iv) White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.(Bolan, Tita, Akwa or eqv.) | " | 20389.00 | 20389.00 | 20389.00 | |
| | viii)(c) White glazed porcelain clay Ewc wall mounted commode without cistern all complete set.(Bolan, Tita, Akwa or eqv.) | " | 5252.00 | 5252.00 | 5252.00 | |
| | ix) White glazed porcelain clay Ewc floor mounted commode without cistern all complete set. | " | 8656.00 | 8656.00 | 8656.00 | |

SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|--|------|--------------|--------------|--------------|--------|
| | x) 600 to 900 mm Grab bar | सेट | 6062.00 | 6062.00 | 6062.00 | |
| | Bidet set | | | | | |
| | i) Porcelain clay white glaze Bidet. | सेट | 3692.00 | 3692.00 | 3692.00 | 0.00 |
| | Urinal set | | | | | |
| | i) Porcelain clay white glaze large flat back urinal 61×41×38 cm size (Hindware, Paryware, Somany, cera or eqv.) | सेट | 4174.00 | 4174.00 | 4174.00 | 0.00 |
| | ii) Porcelain clay small Urinal (46.5×35.5×26.5) cm size (Hindware, Paryware, Somany, cera or eqv.) | | 1880.00 | 1880.00 | 1880.00 | |
| | iv) White glazed porcelain clay corner Urinal (35×35×44)cm size with complete set.(Hindware, Paryware, Somany, cera or eqv.) | " | 1619.00 | 1619.00 | 1619.00 | |
| | vi) Wall mounted Urinal with sensor complete set.(Duravit, Grohe, American standard and equivalent) | " | 100291 | 100291 | 100291 | |
| | Porcelain Clay Urinal Squatting Plate | | | | | |
| | i) white glaze squatting plate Small Size (45×35)cm | सेट | 1212.00 | 1212.00 | 1212.00 | |
| | ii) Porcelain clay white glaze squatting plate large size | " | 1454.00 | 1454.00 | 1454.00 | |
| | iii) Porcelain clay super color squatting plate large size. | " | 2831.00 | 2831.00 | 2831.00 | |
| | iv) Urinal Spreader | " | 915.00 | 915.00 | 915.00 | |
| | Wash basin | | | | | |
| | i) Porcelain clay white glaze wash basin (500×400) cm size regular. | सेट | 1095.00 | 1095.00 | 1095.00 | |
| | iii) Porcelain clay white glaze wash basin (50×40) cm | " | 1481.00 | 1481.00 | 1481.00 | |
| | iv) Do but wash basin (45×32)cm | " | 1065.00 | 1065.00 | 1065.00 | |
| | vi) white glazed porcelain clay Corner basin 40x40 complete set | सेट | 1201.00 | 1201.00 | 1201.00 | |
| | vii) white glazed porcelain clay U-counter basin complete.(Duravit, Grohe, American standard or equiv) | " | 8348.00 | 8348.00 | 8348.00 | |
| | ix) white glazed porcelain clay 0-counter wash basin, complete.(Duravit, Grohe, American standard or equiv) | " | 13776.00 | 13776.00 | 13776.00 | |

SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|---|------|--------------|--------------|--------------|--------|
| | x)(a) White glazed porcelain clay Semi pedestal large counter wash basin 750*500 mm with complete set.(Duravit, Grohe, American standard or equivalent) | " | 9785.00 | 9785.00 | 9785.00 | |
| | x)(b) White glazed porcelain clay Semi pedestal large counter wash basin 750*500 mm with complete set. | सेट | 6232.00 | 6232.00 | 6232.00 | |
| | d) White glaze porcelain clay Basin for disable with grab bar all complete | सेट | 20549.00 | 20549.00 | 20549.00 | |
| | Pedestal: | | | | | |
| | i) Porcelain clay white glaze pedestal | " | 1378.00 | 1378.00 | 1378.00 | |
| | iii) White glazed Porcelain clay half pedestal complete set. | " | 1670.00 | 1670.00 | 1670.00 | |
| | iv) First color glazed Porcelain clay half pedestal complete set. | " | 1973.00 | 1973.00 | 1973.00 | |
| | v) Two piece pedestal with Basin" complete set.(Duravit, Grohe, American standard or equivalent) | " | 13313.00 | 13313.00 | 13313.00 | |
| | Urinal Partition | | | | | |
| | White glaze porcelain clay (68×30)cm division plate | " | 1741.00 | 1741.00 | 1741.00 | |
| | Lab sink | | | | | |
| | i) Porcelain clay white glaze large size | " | 2222.00 | 2222.00 | 2222.00 | |
| | ii) Porcelain clay white glaze small size | " | 1653.00 | 1653.00 | 1653.00 | |
| | iii) Porcelain clay janitor sink 58×71×43.5 size | " | 27553.00 | 27553.00 | 27553.00 | |
| | Kitchen sink | | | | | |
| | i) Porcelain clay large | सेट | 3763.00 | 3763.00 | 3763.00 | |
| | ii) Porcelain clay small | " | 3409.00 | 3409.00 | 3409.00 | |
| | iii) drain board white 53x45 | " | 1304.00 | 1304.00 | 1304.00 | |
| | iii) Soap dish | " | 661.00 | 661.00 | 661.00 | |
| | iv) White glaze foot rest | " | 419.00 | 419.00 | 419.00 | |
| | v) White glaze Toilet paper holder | " | 1157.00 | 1157.00 | 1157.00 | |
| 2 | PVC Cistern Set | | | | | |
| | i) single flush | सेट | 1973.00 | 1973.00 | 1973.00 | |
| | ii) Deluxe single flush | " | 2204.00 | 2204.00 | 2204.00 | |
| | iii) Dual flush 6/3 lit. cistern complete set. | " | 2966.00 | 2966.00 | 2966.00 | |
| | iv) concealed cistern with plate complete set.(Viega, Geberit, American standard or equivalent) | " | 16862.00 | 16862.00 | 16862.00 | |
| | v) 32 mm pvc bottle trap set. | पिस | 476.00 | 476.00 | 476.00 | |
| | vi) 1.5x45 cm pvc pipe connector set. | " | 143.00 | 143.00 | 143.00 | |
| | vi) Bakelite toilet seat cover set. | " | 276.00 | 276.00 | 276.00 | |
| 3 | Stainless Steel Accessories etc. | | | | | |

SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|--|------|--------------|--------------|--------------|--------|
| | Stainless steel Deep sink 45×45×30 size | " | 18185.00 | 18185.00 | 18185.00 | |
| | Stainless steel Orissa pan LP 210 size | " | 8486.00 | 8486.00 | 8486.00 | |
| | Stainless steel wash basin model 251 12" round size with pedestal | " | 13262.00 | 13262.00 | 13262.00 | |
| | Stainless steel wash basin 500 mm model 277 with complete set | " | 10276.00 | 10276.00 | 10276.00 | |
| | Stainless steel commode S trap with self closing complete set | " | 17554.00 | 17554.00 | 17554.00 | |
| | Wall mixer (single lever) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent) | पिस | 14634.00 | 14634.00 | 14634.00 | |
| | Bath tub (single lever)with hand shower(Grohe, Hansgrohe, American standard or equivalent) | " | 18432.00 | 18432.00 | 18432.00 | |
| | External Shower Wall mixer (single control) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent) | पिस | 25764.00 | 25764.00 | 25764.00 | |
| | Wall mixer (single control) bath faucet with hand shower(conceal system)(Grohe, Hansgrohe, American standard or equivalent) | " | 15952.00 | 15952.00 | 15952.00 | |
| | Wall mixer (single control) shower faucet (conceal system)(Jaquare, Somany, Essel or equivalent) | " | 4182.00 | 4182.00 | 4182.00 | |
| | conceal mixer faucet(Jaquare, Somany, Essel or equivalent) | " | 6455.00 | 6455.00 | 6455.00 | |
| | Stainless steel Angle valve(Grohe, Hansgrohe, American standard or equivalent) | " | 827.00 | 827.00 | 827.00 | |
| | Stainless steel two way Angle valve(Jaquare, Somany, Essel or equivalent) | " | 1157.00 | 1157.00 | 1157.00 | |
| | Stainless steel bowl 19"×16" diamond board 37" long | " | 2673.00 | 2673.00 | 2673.00 | |
| | Stainless steel bowl with diamond board 37" long | " | 3660.00 | 3660.00 | 3660.00 | |
| | Stainless steel bowl with ordinary board 37" long | " | 2314.00 | 2314.00 | 2314.00 | |
| | Stainless steel double bowl with double drain board 36" * 18 "size | " | 13917.00 | 13917.00 | 13917.00 | |
| | Stainless steel double bowl with single drain board ordinary | " | 5786.00 | 5786.00 | 5786.00 | |
| | Stainless steel p trap bottle trap for basin | " | 2324.00 | 2324.00 | 2324.00 | |
| | Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent) | " | 8408.00 | 8408.00 | 8408.00 | |
| | Stainless steel Kitchen sink faucet(Jaquar, Somany, Essel or equivalent) | " | 5565.00 | 5565.00 | 5565.00 | |
| | Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent) | " | 8408.00 | 8408.00 | 8408.00 | |



SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|--|------|--------------|--------------|--------------|--------|
| | Stainless steel 1500mm flexible hose pipe(connection pipe) | " | 1462.00 | 1462.00 | 1462.00 | |
| | Stainless steel Hose ringer 1200 mm | " | 1274.00 | 1274.00 | 1274.00 | |
| | Stainless steel commode spray with hose pipe (Grohe, hansgrohe, American standard or equivalent) | " | 1798.00 | 1798.00 | 1798.00 | |
| | Stainless steel basin mixer(single control)(Grohe, hansgrohe, American standard or equivalent) | पिस | 6943.00 | 6943.00 | 6943.00 | |
| | Stainless steel single faucet for basin(Jaquar, Somany, Essel or equivalent) | " | 4425.00 | 4425.00 | 4425.00 | |
| | Stainless steel Sink 700*450*200 | पिस | 24246.00 | 24246.00 | 24246.00 | |
| | Stainless steel Sink table top 1200*600*300 | " | 33504.00 | 33504.00 | 33504.00 | |
| | Steel Split clamp with washer all complete | " | | | | |
| | 75 mm dia | lk; | 331.00 | 331.00 | 331.00 | |
| | 110 mm dia | " | 441.00 | 441.00 | 441.00 | |
| | 160 mm dia | " | 771.00 | 771.00 | 771.00 | |
| | Stainless steel telephonic shower(Jaquare, Somany, Essel or equivalent) | गोटा | 1240.00 | 1240.00 | 1240.00 | |
| | Stainless steel shower with sliding bar(Jaquare, Somany, Essel or equivalent) | " | 2976.00 | 2976.00 | 2976.00 | |
| | Stainless steel shower with sliding bar(Grohe, hansgrohe, American standard or equivalent) | " | 9785.00 | 9785.00 | 9785.00 | |
| | Stainless steel bottle trap (Viega, Somany, Jaquar or equivalent) | " | 647.00 | 647.00 | 647.00 | |
| | Stainless steel towel bar 450 mm | " | 1240.00 | 1240.00 | 1240.00 | |
| | Stainless steel water tank fitting with all complete set (304 grade steel) | | | | | |
| | Capacity 500 ltr | गोटा | 12124.00 | 12124.00 | 12124.00 | |
| | Capacity 1000 ltr | गोटा | 17699.00 | 17699.00 | 17699.00 | |
| | Capacity 1500 ltr | गोटा | 27212.00 | 27212.00 | 27212.00 | |
| | Capacity 2000 ltr | गोटा | 32743.00 | 32743.00 | 32743.00 | |
| | Capacity 3000 ltr | गोटा | | | | |
| | Capacity 4000 ltr | गोटा | | | | |
| | Capacity 5000 ltr | गोटा | | | | |
| | Sinks Other Types: | | | | | |
| | Scrub sink | | | | | |
| | a) 1.2 mts (18" deep+6" splash) | सेट | 4313.00 | 4313.00 | 4313.00 | |
| | b) 1.5 mts (18" deep+6" splash) | " | 3401.00 | 3401.00 | 3401.00 | |
| | c) 1.0 mts (18" deep+6" splash) | " | | | | |
| | d) 0.9 mts (18" deep+6" splash) | " | 7465.00 | 7465.00 | 7465.00 | |
| | a) 1.2 mts (21" deep+6" splash) | " | 6756.00 | 6756.00 | 6756.00 | |
| | b) 1.5 mts (21" deep+6" splash) | " | 19397.00 | 19397.00 | 19397.00 | |
| | c) 1.0 mts (21" deep+6" splash) | " | 7164.00 | 7164.00 | 7164.00 | |
| | d) 0.9 mts (21" deep+6" splash) | " | 5731.00 | 5731.00 | 5731.00 | |

SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|--|------|--------------|--------------|--------------|--------|
| | Table Top with Sink | | | | | |
| | 42"x24"x12" deep+ 6" splash with | | 35267.00 | 35267.00 | 35267.00 | |
| | 18"x24" drain and 24"x18"x12" sink | | 6062.00 | 6062.00 | 6062.00 | |
| | a) without frame and legs | सेट | 1459.00 | 1459.00 | 1459.00 | |
| | b) with s.s. frame and legs | " | | | | |
| | Deep Scrub Sink | | 4786.00 | 4786.00 | 4786.00 | |
| | 28"x28"x24" deep+ 6" splash with | | 5012.00 | 5012.00 | 5012.00 | |
| | 24"x24"x24" sink | | 6418.00 | 6418.00 | 6418.00 | |
| | a) without frame and legs | सेट | | | | |
| | b) with s.s. frame and legs | " | 510.00 | 510.00 | 510.00 | |
| | Super lab sink | | 510.00 | 510.00 | 510.00 | |
| | i) super lab sink large size | सेट | 567.00 | 567.00 | 567.00 | |
| | ii) super lab sink small size | सेट | 680.00 | 680.00 | 680.00 | |
| | Super kitchen sink | | 1246.00 | 1246.00 | 1246.00 | |
| | i) super kitchen sink large size | सेट | 510.00 | 510.00 | 510.00 | |
| | ii) super kitchen sink small size | " | 1133.00 | 1133.00 | 1133.00 | |
| 4 | Modern Sanitaryware: Grohe, Hansgrohe, American Standard or eqv. | | 976.00 | 976.00 | 976.00 | |
| | iv) Hand dryer Germany | सेट | 19397.00 | 19397.00 | 19397.00 | |
| | v) Hand Dryer Chinese | " | 7164.00 | 7164.00 | 7164.00 | |
| | vi) Indian Mark Brand Flush valve | " | 5731.00 | 5731.00 | 5731.00 | |
| | xii) Auto sensor for basin - Grohe, hansgrohe, American standard or equiv. | " | 35267.00 | 35267.00 | 35267.00 | |
| | xv) European pattern liquid soap container stainless steel | " | 6062.00 | 6062.00 | 6062.00 | |
| | xvii) Looking Mirror Modi guard 450x600mm (18"x 24") | " | 1459.00 | 1459.00 | 1459.00 | |
| | European Pattern C.P. Grab Bar for disable | | | | | |
| | a) 30cm long bend type | सेट | 4786.00 | 4786.00 | 4786.00 | |
| | b) 45 cm long bend type | " | 5012.00 | 5012.00 | 5012.00 | |
| | c) 60 cm long bend type | " | 6418.00 | 6418.00 | 6418.00 | |
| 5 | C.P. Accessories(jaquar, somany, essel or equivalent) | | | | | |
| | 1) Toilet paper holder | सेट | 510.00 | 510.00 | 510.00 | |
| | 2) Soap dish | " | 510.00 | 510.00 | 510.00 | |
| | 3) Towel rod ½"×18" size | " | 510.00 | 510.00 | 510.00 | |
| | 4) Towel rod ¾" ×24" size | " | 567.00 | 567.00 | 567.00 | |
| | 5) Glass shelf | " | 680.00 | 680.00 | 680.00 | |
| | 6) C.P. bottle trap | " | 1246.00 | 1246.00 | 1246.00 | |
| | 7) 32 mm×60cm long C.P flush pipe | " | 510.00 | 510.00 | 510.00 | |
| | 8) 15 mm flush cock push type | " | 1133.00 | 1133.00 | 1133.00 | |
| | 9) 15 mm dia. C.P. shower arm | " | 976.00 | 976.00 | 976.00 | |
| | 10) 15 mm dia. C.P. spreader | " | 940.00 | 940.00 | 940.00 | |
| | 11) 15 mm dia. C.P. wall mixture | " | 5435.00 | 5435.00 | 5435.00 | |
| | i) 3" dia. Shower rose , revolving type | " | 906.00 | 906.00 | 906.00 | |
| | ii) 4" dia. Shower rose , revolving type | " | 1020.00 | 1020.00 | 1020.00 | |
| | iii) Shower rose ordinary | " | 567.00 | 567.00 | 567.00 | |

SANITARY WORK

| सि.नं. | निर्माण सामाग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|---|------|--------------|--------------|--------------|--------|
| | iv) Shower rod 12" long | " | 283.00 | 283.00 | 283.00 | |
| | C.P. 15 mm dia. Angle Valve | " | 1244.00 | 1244.00 | 1244.00 | |
| | C.P. 15 mm dia Concealed Stop Cock | " | 1807.00 | 1807.00 | 1807.00 | |
| | C.P. 15mm Bib Cock | " | 1361.00 | 1361.00 | 1361.00 | |
| | C.P. 15 mm dia swan neck Pillar Cock | " | 1331.00 | 1331.00 | 1331.00 | |
| | C.P. 15 mm dia Stop Cock | " | 1331.00 | 1331.00 | 1331.00 | |
| | C.P. 15 mm dia Sink Cock | " | 1309.00 | 1309.00 | 1309.00 | |
| | C.P. 15 mm dia Sink Mixture | सेट | 4472.00 | 4472.00 | 4472.00 | |
| | C.P. 32 mm dia Flush Valve | " | 5404.00 | 5404.00 | 5404.00 | |
| | C.P. 32 mm dia Waste Coupling for basin | " | 424.00 | 424.00 | 424.00 | |
| | C.P. 32 mm dia Waste Coupling for Urinal | " | 689.00 | 689.00 | 689.00 | |
| | C.P. Basin Mixture | " | 4640.00 | 4640.00 | 4640.00 | |
| | 15 mm dia Bath Tub Spout with Wall Hinge | " | 1731.00 | 1731.00 | 1731.00 | |
| | C.P. Exclusive Shower Arm with Hinge | " | 2014.00 | 2014.00 | 2014.00 | |
| | 15 mm bath tub spout with bottom attachment of telephonic shower | " | 4169.00 | 4169.00 | 4169.00 | |
| | 15 mm wall mixture lever type telephonic shower of flexible type heavy. | सेट | 6849.00 | 6849.00 | 6849.00 | |
| | C.P. flexible pipe | गोटा | 181.00 | 181.00 | 181.00 | |
| | C.P. Grating | " | 50.00 | 50.00 | 50.00 | |
| | i) 4" dia. | " | 62.00 | 62.00 | 62.00 | |
| | ii) 5" dia. | " | 929.00 | 929.00 | 929.00 | |
| | i) C.P. Toilet Paper Holder | " | 1042.00 | 1042.00 | 1042.00 | |
| | ii) C.P. Soap Dish(Polyurethane) | " | 1578.00 | 1578.00 | 1578.00 | |
| | iii) C.P. Towel Rod 18" | " | 1663.00 | 1663.00 | 1663.00 | |
| | iv) C.P. Towel Rod 24" | " | 2260.00 | 2260.00 | 2260.00 | |
| | v) C.P. Glass Shelf 22" | " | 812.00 | 812.00 | 812.00 | |
| | vi) C.P. Coat Hook Double | " | | | | |
| 6 | C.P. बाट निर्मित सामाग्रीहरू(jaquar, somany, essel or equivalent) | " | | | | |
| | i) C.P. Toilet Paper Holder | " | 1017.00 | 1017.00 | 1017.00 | |
| | ii) C.P. Soap Dish(Polyurethane) | " | 885.00 | 885.00 | 885.00 | |
| | iv) C.P. Towel Rod 24" | " | 1725.00 | 1725.00 | 1725.00 | |
| | v) C.P. Glass Shelf 22" | " | 2344.00 | 2344.00 | 2344.00 | |
| | vi) C.P. Coat Hook Double | " | 796.00 | 796.00 | 796.00 | |
| | ix) C.P. Angle Cock | " | 0.00 | 0.00 | 0.00 | |
| | 15mm C.P. Angle Cock | " | 973.00 | 973.00 | 973.00 | |
| | 15 mm C.P. Angle Cock Long Thread | " | 1035.00 | 1035.00 | 1035.00 | |
| | x) C.P. Conceal Stop Cock | " | | | | |
| | i) 15 mm Reduced body | " | 1193.00 | 1193.00 | 1193.00 | |
| | ii) 15 mm Extra Heavy Body | " | 1460.00 | 1460.00 | 1460.00 | |
| | xi) C.P. Bib Cock | " | | | | |
| | i) 15mm C.P. Auto Closing Bib Cock With Aerator | " | 2743.00 | 2743.00 | 2743.00 | |
| | ii) 15mm C.P. Bib Cock | " | 1000.00 | 1000.00 | 1000.00 | |

**SANITARY WORK**

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|---|------|--------------|--------------|--------------|--------|
| | iii) 15mm C.P. Bib Cock with nozzle | " | | | | |
| | xii) C.P. Pillar Cock | " | 1107.00 | 1107.00 | 1107.00 | |
| | i) 15 mm C.P. Pillar Cock With Aerator | " | 0.00 | 0.00 | 0.00 | |
| | ii) 15mm Auto Closing Pillar Cock With Aerator | " | 1326.00 | 1326.00 | 1326.00 | |
| | i) 15mm C.P. Sink Cock | " | 2653.00 | 2653.00 | 2653.00 | |
| | ii) C.P. Sink Mixer | " | 1680.00 | 1680.00 | 1680.00 | |
| | iii) 15 mm C.P. Sink Mixer With Revolving Spout | " | 4164.00 | 4164.00 | 4164.00 | |
| | xv) C.P. Bottle Trap 32mm | " | 3629.00 | 3629.00 | 3629.00 | |
| | 32 mm C.P. Conceal Flush Valve Dual Flow | गोटा | 1945.00 | 1945.00 | 1945.00 | |
| | xvii) C.P. Waste Coupling | गोटा | 4068.00 | 4068.00 | 4068.00 | |
| | 32 mm C.P. Waste Coupling H/T | गोटा | | | | |
| | 32 mm C.P. Waste Coupling F/T | गोटा | 468.00 | 468.00 | 468.00 | |
| | xviii) 15 mm Urinal Auto-Closing Valve with Built-in Control Cock | गोटा | 468.00 | 468.00 | 468.00 | |
| | xix) 15 mm C.P. Wall Mixer | गोटा | 2829.00 | 2829.00 | 2829.00 | |
| | 15 mm C.P. Wall Mixer With Lower Bend Pipe | गोटा | | | | |
| | | | 4686.00 | 4686.00 | 4686.00 | |
| | 15 mm C.P. Wall Mixer With Upper Bend Pipe | गोटा | | | | |
| | | | 4686.00 | 4686.00 | 4686.00 | |
| | xx) C.P. Basin Mixer | " | | | | |
| | 15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses | " | 3891.00 | 3891.00 | 3891.00 | |
| | 15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses | " | 4086.00 | 4086.00 | 4086.00 | |
| | xxi) 15mm Bath Tub Spout with wall flange | " | | | | |
| | 15mm Bath Tub Spout with wall Flange | " | 1326.00 | 1326.00 | 1326.00 | |
| | 15mm Bath Tub Spout with button | " | 2122.00 | 2122.00 | 2122.00 | |
| | xxii) C.P. Casted Shower Arm with Flange | " | | | | |
| | 15 mm Casted Shower Arm Light | " | 707.00 | 707.00 | 707.00 | |
| | 15 mm Casted Shower Arm Heavy | " | 1149.00 | 1149.00 | 1149.00 | |
| | xxiii) 15 mm Telephonic Hand Shower | | | | | |
| | With 1.50 m. PVC Tube | " | 1881.00 | 1881.00 | 1881.00 | |
| | With 1.5 Flexible Tube | " | 2918.00 | 2918.00 | 2918.00 | |
| | xxiv) Other accessories | | 298.00 | 298.00 | 298.00 | |
| | 15mm Wall Mixer Single Lever for Telephonic Shower Arrangement | गोटा | 4834.00 | 4834.00 | 4834.00 | |
| | 15 mm Braided Hose for E.W.C. | " | 298.00 | 298.00 | 298.00 | |
| | 15 mm Health Faucet (Commode Spray) | " | 1146.00 | 1146.00 | 1146.00 | |
| | 15 mm pillar cock with 200 mm extended lever handle | " | 1515.00 | 1515.00 | 1515.00 | |
| | 15 mm Bib cock with 200 mm extended lever handle | " | 1598.00 | 1598.00 | 1598.00 | |



SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|--|------|--------------|--------------|--------------|--------|
| | Single lever surgical purpose elbow action basin mixer with extended operating lever | " | 5956.00 | 5956.00 | 5956.00 | |
| | Single lever surgical purpose elbow action Sink mixer with extended operating lever | " | 5776.00 | 5776.00 | 5776.00 | |
| | Sensor mixer for wash basin (Battery operated) | " | 20481.00 | 20481.00 | 20481.00 | |
| | Wall mounted Sensor mixer for operation theater (Battery operated) | " | 20481.00 | 20481.00 | 20481.00 | |
| | Sensor conceal type flushing valve for Western commode (battery operated) | " | 16221.00 | 16221.00 | 16221.00 | |
| | Sensor valve for Urinal | " | 10651.00 | 10651.00 | 10651.00 | |
| | Basin cock Sensor | " | 14418.00 | 14418.00 | 14418.00 | |
| | 15mm U shaped sink cock | " | 1712.00 | 1712.00 | 1712.00 | |
| | Sink Mixture with U shape swinging spout | " | 3358.00 | 3358.00 | 3358.00 | |
| | 15mm metallic Health Faucet (Commode) | " | 2171.00 | 2171.00 | 2171.00 | |
| 7 | Electric & Solar Geyser | | | | | |
| | i) 10 lit. cap. electric water heater | गोटा | 11241.00 | 11241.00 | 11241.00 | |
| | ii) 25 lit cap. " " " | " | 17331.00 | 17331.00 | 17331.00 | |
| | iii) 35 lit cap " " " | " | 21546.00 | 21546.00 | 21546.00 | |
| | iv) 50 lit cap " " " | " | 25762.00 | 25762.00 | 25762.00 | |
| | iv) Gas water heater with cylinder | " | 8816.00 | 8816.00 | 8816.00 | |
| | vi) 200 lit cap. 3 panel solar heater with fittings | " | | | | |
| | vii) 300 lit cap. 3 panel solar heater with fittings | " | | | | |
| | viii) 400 lit cap. 4 panel solar heater with fittings | " | | | | |
| | x) 500 lit cap. 4 panel solar heater with fittings | " | | | | |
| | xi) 15.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete American. | सेट | | | | |
| 8 | C.I. Manhole Cover including frame. | | | | | |
| 8.1 | Square Frame (in outer dia) | | | | | |
| | Medium Duty | | | | | |
| | i) 10" x 10" (4 Kg.) | सेट | 669.00 | 669.00 | 669.00 | |
| | ii) 12" x 12" (5 Kg.) | " | 836.00 | 836.00 | 836.00 | |
| | iii) 14" x 14" (7 Kg.) | " | 1171.00 | 1171.00 | 1171.00 | |
| | v) 16" x 16" (10 Kg.) | " | 1673.00 | 1673.00 | 1673.00 | |
| | vi) 18" x 18" (14 Kg.) | " | 2509.00 | 2509.00 | 2509.00 | |
| | viii) 20" x 20" (16 Kg.) | " | 2677.00 | 2677.00 | 2677.00 | |
| | ix) 22" x 22" (20 Kg.) | " | 3346.00 | 3346.00 | 3346.00 | |
| | x) 24" x 24" (24 Kg.) | " | 4294.00 | 4294.00 | 4294.00 | |
| | xi) 27" x 27" (31 Kg.) | " | 5186.00 | 5186.00 | 5186.00 | |
| | Heavy Duty | | | | | |
| | iii) 14" x 14" (14 Kg.) | " | 2342.00 | 2342.00 | 2342.00 | |
| | ix) 22" x 22" (22 Kg.) | " | 3681.00 | 3681.00 | 3681.00 | |
| | xi) 27" x 27" (45 Kg.) | " | 7528.00 | 7528.00 | 7528.00 | |



SANITARY WORK

| सि.नं. | निर्माण सामाग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|---|------|--------------|--------------|--------------|--------|
| 8.2 | Rounded Manhole Cover (Outer dia.) | | | | | |
| | Medium class | | | | | |
| | i) 18" dia. Round Manhole cover with square frame (60 Kg.) | सेट | 9092.00 | 9092.00 | 9092.00 | |
| | ii) 20" dia. Round Manhole cover with square frame (70 Kg.) | " | 12123.00 | 12123.00 | 12123.00 | |
| | iii) 20" dia. Round Manhole cover with square frame (100 Kg.) | " | 15154.00 | 15154.00 | 15154.00 | |
| | iv) 22" dia. Medium class. (125 Kg.) | " | 19397.00 | 19397.00 | 19397.00 | |
| | v) 22" dia. Heavy class. (208Kg.) | " | 28974.00 | 28974.00 | 28974.00 | |
| | vi) 24" dia. Medium class. (40 Kg.) | " | 6207.00 | 6207.00 | 6207.00 | |
| | vii) 24" dia. Heavy class (Load Test 8 Ton) (50 Kg.) | " | 7759.00 | 7759.00 | 7759.00 | |
| | viii) 24" Round Manhole cover with square frame (IS:1726) (70 Kg.) | " | 11153.00 | 11153.00 | 11153.00 | |
| | ix) 26" Round Manhole cover with square frame (IS:1726) (85 Kg.) | " | 13578.00 | 13578.00 | 13578.00 | |
| | x) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.) | " | 17942.00 | 17942.00 | 17942.00 | |
| | xi) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.) | सेट | 17942.00 | 17942.00 | 17942.00 | |
| 8.3 | C.I. Tank Cover Locking Types | | | | | |
| | Round | | | | | |
| | 18" (8 Kg.) | सेट | 1673.00 | 1673.00 | 1673.00 | |
| | 20" (12 Kg.) | " | 2454.00 | 2454.00 | 2454.00 | |
| | 22" (14 Kg.) | " | 2788.00 | 2788.00 | 2788.00 | |
| | 24" (16 Kg.) | " | 3346.00 | 3346.00 | 3346.00 | |
| | 28" (24 Kg.) | " | 5019.00 | 5019.00 | 5019.00 | |
| | Square | | | | | |
| | 18" x 18" (13 Kg.) | सेट | 2788.00 | 2788.00 | 2788.00 | |
| | 24" x 24" (50 Kg.) | " | 10038.00 | 10038.00 | 10038.00 | |
| | Rectangular | | | | | |
| | 18" x 24" (27 Kg.) | सेट | 5577.00 | 5577.00 | 5577.00 | |
| 8.4 | C.I. Gully Gratings & Jali | | | | | |
| | Round Jali Strip Medium Duty | | | | | |
| | 4" | सेट | 100.00 | 100.00 | 100.00 | |
| | 5" | " | 134.00 | 134.00 | 134.00 | |
| | 6" | " | 178.00 | 178.00 | 178.00 | |
| | 10" | " | 613.00 | 613.00 | 613.00 | |
| | Square Jali Strip Medium Duty | | | | | |
| | 4" x 4" | सेट | 89.00 | 89.00 | 89.00 | |
| | 5" x 5" | " | 112.00 | 112.00 | 112.00 | |
| | 6" x 6" | " | 134.00 | 134.00 | 134.00 | |

SANITARY WORK

| सि.नं. | निर्माण सामाग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|---|--------|--------------|--------------|--------------|--------|
| | 9" x 9" | " | | | | |
| | 10" x 10" | " | 390.00 | 390.00 | 390.00 | |
| | 12" x 12" | " | 502.00 | 502.00 | 502.00 | |
| | | " | 725.00 | 725.00 | 725.00 | |
| | C.I. Gully Gratings | | | | | |
| | i) 15"×18" Medium (18 Kg.) | सेट | 3681.00 | 3681.00 | 3681.00 | |
| | ii) 15"×18" Heavy (25 Kg.) | सेट | 5019.00 | 5019.00 | 5019.00 | |
| | Grit Cover | | | | | |
| | फलामे एङ्गलको फ्रेममा फलामे पत्तिको जाली बनाई फेब्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम (विभिन्न साइजमा) | के.जी. | 162.00 | 162.00 | 162.00 | |
| | Aluminum Grating 4" dia. | गोटा | 42.00 | 42.00 | 42.00 | |
| | 9 G.I. Water Tank (17 Gauge) | | | | | |
| | i) 100 gls | गोटा | 8317.00 | 8317.00 | 8317.00 | |
| | ii) 200 gls | " | 13066.00 | 13066.00 | 13066.00 | |
| | iii) 300 gls | " | 16434.00 | 16434.00 | 16434.00 | |
| | iv) 400 gls | " | 19730.00 | 19730.00 | 19730.00 | |
| | v) 500 gls | " | 23036.00 | 23036.00 | 23036.00 | |
| | G.I. Water Tank (16 BWG TATA Sheet) | | | | | |
| | i) 100 gls | गोटा | 8773.00 | 8773.00 | 8773.00 | |
| | ii) 200 gls | " | 13267.00 | 13267.00 | 13267.00 | |
| | iii) 300 gls | " | 17615.00 | 17615.00 | 17615.00 | |
| | iv) 400 gls | " | 21106.00 | 21106.00 | 21106.00 | |
| | v) 500 gls | " | 24597.00 | 24597.00 | 24597.00 | |
| | 10 Roof Top PVC Water Tank | | | | | |
| | i) 200 lit – 5000 lit cap. | लिट्र | 11.00 | 11.00 | 11.00 | |
| | ii) 5000 lit – 10,000 lit cap | " | 12.00 | 12.00 | 12.00 | |
| | iii) Horizontal PVC water tank | " | 12.00 | 12.00 | 12.00 | |
| | 11 Water Pumps/Hand Pumps | | | | | |
| | Indian Mark-III , Deep Well Hand Pump | | | | | |
| | 6 No. hand pump | गोटा | 1582.00 | 1582.00 | 1582.00 | |
| | Water Pump : | | | | | |
| | i) ½ H.P. Water Pump (Multi stage pump) | सेट | 10885.00 | 10885.00 | 10885.00 | |
| | ii) ½ H.P. Water Pump mono block type | सेट | 6258.00 | 6258.00 | 6258.00 | |
| | iii) 1.0 H.P. water pump Multistage | सेट | 14258.00 | 14258.00 | 14258.00 | |
| | iv) 1.0 H.P. water pump (mono block type) | सेट | 9465.00 | 9465.00 | 9465.00 | |
| | v) 2.0 H.P. water pump | सेट | 22587.00 | 22587.00 | 22587.00 | |
| | vi) 2.0 H.P. 3 phase water pump | " | 23847.00 | 23847.00 | 23847.00 | |
| | vii) 5.0 HP 3 phase water pump | " | 28656.00 | 28656.00 | 28656.00 | |
| | Jet Water Pump | | | | | |
| | i) 1.10 H.P. | सेट | 21630.00 | 21630.00 | 21630.00 | |
| | ii) Double Stage jet 1.10 H.P. | | 25956.00 | 25956.00 | 25956.00 | |
| | ii) 1.5 H.P. | " | 29201.00 | 29201.00 | 29201.00 | |
| | Super Sunction | | | | | |
| | i) ½ H.P | सेट | 8922.00 | 8922.00 | 8922.00 | |
| | ii) 0.75 H.P. | " | 8328.00 | 8328.00 | 8328.00 | |
| | iii) 1.0 H.P. | " | 14276.00 | 14276.00 | 14276.00 | |



SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|---|-------|--------------|--------------|--------------|--------|
| | Water Pump (Grundfoss, pentair, Pedrello or equiv) | | | | | |
| | i) 1.0 H.P. Single pump set with Boaster (Pressure Pump) with 25 lit. Pressure Tank. | सेट | 18202.00 | 18202.00 | 18202.00 | |
| | ii) 2 H.P. single pump set " " | " | 29233.00 | 29233.00 | 29233.00 | |
| | Fire pump | | | | | |
| | Submersible Pump (Italian) | | | | | |
| | i) 1.0 H.P. | " | 26089.00 | 26089.00 | 26089.00 | |
| | ii) 2.0 H.P. | " | 48397.00 | 48397.00 | 48397.00 | |
| | Electric Water Pump (Chinese) | | | | | |
| | i) ½ H.P. | " | 1703.00 | 1703.00 | 1703.00 | |
| | ii) ¾ H.P. | " | 2219.00 | 2219.00 | 2219.00 | |
| | iii) 1.0 H.P. | " | 3270.00 | 3270.00 | 3270.00 | |
| | Submersible Pump Sarvo/Bimal or equivalent | | | | | |
| | i) ½ H.P open well type | " | 16655.00 | 16655.00 | 16655.00 | |
| | ii) 1.1 H.P open well type | " | 24388.00 | 24388.00 | 24388.00 | |
| | iii) 1.5 H.P open well type | " | 29741.00 | 29741.00 | 29741.00 | |
| | Vertical Submersible Pump Sarvo/Bimal or equivalent | | | | | |
| | i) 1.1 H.P. | " | 27254.00 | 27254.00 | 27254.00 | |
| | iii) 1.5 H.P. | " | 32932.00 | 32932.00 | 32932.00 | |
| 12 | Fire fighting equipment and accessories (safeguard india or equiv) | | | | | |
| | swinging nose nozzle with 20mm hydraulic rubber branded nose length 30m winding up to 170° U-shape hose reel carrier with drum set | सेट | | | | |
| | Gun metal two way collection head with 63 mm dia Instantaneous type inlet with built in check meter fore fine bridge connection to under ground tank or to fine reel minimax | सेट | | | | |
| | IS 5290, hose box size 30"×24"×10", 63 mm hose reel with 30m length or (15×2m) Gun metal branch pope with nozzles coupling set, (Hose box 5063, hose pipe = 7500, nozzles coupling 2500, landing valve = 8500 | " | | | | |
| | Stainless steel Horizontal monoblock of pressure 70 m head with 30 mm inlet and outlet 25 mm built in pressure device and thermal over load protection, 0.75 kw single phase | " | | | | |
| 13 | Fire extinguisher ABC stored Pressure | | | | | |
| | आपतकालिन आगलागी हुँदा प्रयोग गरिने सामग्री ९ कबाभनगबचम प्लमष्व यच भत्रगष्वबभिलत० | | | | | |
| | i) 1 kg size ABC stored pressure type Fire extinguisher | गोटा | | | | |
| | ii) 2 kg size ABC " " " | गोटा | | | | |
| | iii) 3.0kg size ABC " " " | " | | | | |
| | iii) 5.0kg size ABC " " " | " | | | | |
| | iv) ABC store pressure type 1.0kg cap of fire extinguisher refill | युनिट | | | | |



SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|-----------|---|--------|--------------|--------------|--------------|--------|
| | v) ABC sore pressure type 2.0kg cap of fire extinguisher re-fill | " | | | | |
| | vi) ABC sore pressure type 5 kg cap of fire extinguisher re-fill | " | | | | |
| | vii) 4.5 kg size ABC stored pressure type fire extinguisher | " | | | | |
| | viii) 2.5 kg size ABC " " " | " | | | | |
| | ix) Co ₂ Type fire extinguisher 6.80 lit . | " | | | | |
| | x) Foam type fire extinguisher 9 lit capacity | गोटा | | | | |
| 14 | Insulation for hot water pipe 'Acroflex' | | | | | |
| | 15mm Insulation 6 mm wall thickness | र.मी | | | | |
| | 20mm Insulation 6 mm wall thickness | " | | | | |
| | 25mm Insulation 6 mm wall thickness | " | | | | |
| | 32mm Insulation 6 mm wall thickness ' | " | | | | |
| 15 | ACRYLIC GLASS SHELF | | | | | |
| | i) Acrylic glass shelf best quality | सेट | | | | |
| | ii) Acrylic glass shelf ordinary | " | | | | |
| | iii) Shower curtain | " | | | | |
| 16 | Water Purification System | | | | | |
| | Euro Guard Water purification system (one litre per minute) | युनिट | | | | |
| | Euro-guard water purification system (hi-flow 3 lit/min) | " | | | | |
| | AQUA-ALO water purifier (1.0 lit/min) | " | | | | |
| | AQUA-power water purifier | " | | | | |
| | RO feed pump | सेट | | | | |
| | Fire Sprinkler | " | | | | |
| | Supply, installation, testing and commisioning of Aeration system (FRP Tray type) | " | | | | |
| | Supply, installation, testing and commisioning of Dual Media Filter (DMF) FRP vessel with multiport valve, filter media and required accessories complete set (144"x14" Ø) | " | | | | |
| | Supply, installation, testing and commisioning of Dosing Pump 0.5 HP (Groundfos or equivalent) | " | | | | |
| | Filter Media for existing filtration system | | | | | |
| | Pebbles | के.जी. | | | | |
| | Coarse silix | " | | | | |
| | Gravel | " | | | | |
| | Golden sand | " | | | | |
| | Anthracite | " | | | | |
| | MNo ₂ | " | | | | |
| | Activated Carbon | " | | | | |
| | Motor starter switch | " | | | | |
| | Pressure sensor switch for water tank(Italian) | " | | | | |



SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|--|------|--------------|--------------|--------------|--------|
| 17 | विभिन्न साइजको Bath tub .fiber (Duravit, grohe, American standard or equiv) | | | | | |
| | a) Bath tub – 3'6" Medium | सेट | | | | |
| | Bath tub – 3'6" Heavy | " | | | | |
| | b) Bath tub – 4'0" Medium | " | 6705.00 | 6705.00 | 6705.00 | |
| | Bath tub 4'0" Heavy | " | 7787.00 | 7787.00 | 7787.00 | |
| | c) Bath Tub – 4'6" Medium | " | 8111.00 | 8111.00 | 8111.00 | |
| | Bath tub – 4'6" Heavy | " | 8137.00 | 8137.00 | 8137.00 | |
| | d) Bath tub – 5'0" Medium | " | 8868.00 | 8868.00 | 8868.00 | |
| | Bath tub 5'0" Heavy | " | 29355.00 | 29355.00 | 29355.00 | |
| | e) Bath Tub – 5'6" Medium | " | 7957.00 | 7957.00 | 7957.00 | |
| | Bath tub – 5'6" Heavy | " | 9373.00 | 9373.00 | 9373.00 | |
| | f) Bath Tub – 6'0" Medium | " | 12875.00 | 12875.00 | 12875.00 | |
| | Bath tub – 6'0" Heavy | " | 36823.00 | 36823.00 | 36823.00 | |
| 18 | Shower Tray 3'0"×3'0" | रोटा | 500.00 | 500.00 | 500.00 | |
| | Pipes and fittings | | | | | |
| 19 | PPR Pipe (Poly propylene random co-polymer pipe Panchakanya , Nepatop or Eqv.) | | | | | |
| | 1) PP-R Pipe (PN-10) | | | | | |
| | 20mm outer, 1.9 mm thick, 0.107 kg/m | र.मि | 63.00 | 63.00 | 63.00 | |
| | 25mm " 2.3 mm thick 0.164kg/m | " | 95.00 | 95.00 | 95.00 | |
| | 32mm 2.9 mm thick 0.26kg/m | " | 152.00 | 152.00 | 152.00 | |
| | 40mm 3.7 mm thick 0.412kg/m | " | 239.00 | 239.00 | 239.00 | |
| | 50mm 4.6 mm thick 0.638kg/m | " | 372.00 | 372.00 | 372.00 | |
| | 63 mm 8.6 mm thick 0.638kg/m | " | 588.00 | 588.00 | 588.00 | |
| | 75 mm | " | 820.00 | 820.00 | 820.00 | |
| | 90 mm | " | 1181.00 | 1181.00 | 1181.00 | |
| | 110 mm | " | 1751.00 | 1751.00 | 1751.00 | |
| | 2) PP-R Pipe (PN-16) | | | | | |
| | 20mm 2.80 mm thick 0.148kg/m | " | 84.00 | 84.00 | 84.00 | |
| | 25mm 3.50 mm thick 0.26kg/m | " | 131.00 | 131.00 | 131.00 | |
| | 32mm 3.7 mm thick 0.230kg/m | " | 209.00 | 209.00 | 209.00 | |
| | 40mm 5.50 mm thick 0.575kg/m | " | 335.00 | 335.00 | 335.00 | |
| | 50mm 6.90 mm thick 0.896kg/m | " | 521.00 | 521.00 | 521.00 | |
| | 63 mm 4.6 mm thick 0.638kg/m | " | 820.00 | 820.00 | 820.00 | |
| | 75 mm | र.मि | 1169.00 | 1169.00 | 1169.00 | |
| | 90 mm | " | 1670.00 | 1670.00 | 1670.00 | |
| | 110 mm | " | 2501.00 | 2501.00 | 2501.00 | |
| | 3) PP-R Pipe (PN-20) | | | | | |
| | 20mm 3.4 mm thick 0.172 kg/m | " | 100.00 | 100.00 | 100.00 | |
| | 25mm 4.20 mm thick 0.266kg/m | " | 155.00 | 155.00 | 155.00 | |
| | 32mm 5.40 mm thick 0.434kg/m | " | 252.00 | 252.00 | 252.00 | |
| | 40mm 6.70 mm thick 0.671kg/m | " | 390.00 | 390.00 | 390.00 | |
| | 50mm 8.30 mm thick 1.04kg/m | " | 605.00 | 605.00 | 605.00 | |
| | 63mm 8.6mm thick 1.04kg/m | " | 960.00 | 960.00 | 960.00 | |
| | 75 mm | " | 1361.00 | 1361.00 | 1361.00 | |
| | 90 mm | " | 1955.00 | 1955.00 | 1955.00 | |
| | 110 mm | " | 2915.00 | 2915.00 | 2915.00 | |

SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|---------------------------------|------|--------------|--------------|--------------|--------|
| | PP-R Pipe Accessories : | | | | | |
| | Elbow (90⁰) | | | | | |
| | 20mm | | | | | |
| | 25mm | गोटा | 13.00 | 13.00 | 13.00 | |
| | 32mm | " | 27.00 | 27.00 | 27.00 | |
| | 40mm | गोटा | 45.00 | 45.00 | 45.00 | |
| | 50mm | गोटा | 95.00 | 95.00 | 95.00 | |
| | 63 mm | " | 159.00 | 159.00 | 159.00 | |
| | 75 mm | " | 280.00 | 280.00 | 280.00 | |
| | 90 mm | " | 526.00 | 526.00 | 526.00 | |
| | 110 mm | " | 888.00 | 888.00 | 888.00 | |
| | Equal Tee | " | 1653.00 | 1653.00 | 1653.00 | |
| | 20mm | | | | | |
| | 25mm | " | 18.00 | 18.00 | 18.00 | |
| | 32mm | " | 32.00 | 32.00 | 32.00 | |
| | 40mm | " | 56.00 | 56.00 | 56.00 | |
| | 50mm | " | 109.00 | 109.00 | 109.00 | |
| | 63mm | " | 185.00 | 185.00 | 185.00 | |
| | 75 mm | " | 337.00 | 337.00 | 337.00 | |
| | 90 mm | " | 584.00 | 584.00 | 584.00 | |
| | 110 mm | " | 1069.00 | 1069.00 | 1069.00 | |
| | Coupler | " | 1858.00 | 1858.00 | 1858.00 | |
| | 20mm | | | | | |
| | 25mm | गोटा | 11.00 | 11.00 | 11.00 | |
| | 32mm | " | 13.00 | 13.00 | 13.00 | |
| | 40mm | " | 27.00 | 27.00 | 27.00 | |
| | 50mm | " | 52.00 | 52.00 | 52.00 | |
| | 63 mm | " | 86.00 | 86.00 | 86.00 | |
| | 75 mm | " | 151.00 | 151.00 | 151.00 | |
| | 90 mm | " | 292.00 | 292.00 | 292.00 | |
| | 110 mm | " | 432.00 | 432.00 | 432.00 | |
| | 45 Degree Elbow | " | 788.00 | 788.00 | 788.00 | |
| | 20 mm | | | | | |
| | 25 mm | " | 18.00 | 18.00 | 18.00 | |
| | 32 mm | " | 30.00 | 30.00 | 30.00 | |
| | 40 mm | " | 46.00 | 46.00 | 46.00 | |
| | 50 mm | " | 86.00 | 86.00 | 86.00 | |
| | 63 mm | " | 144.00 | 144.00 | 144.00 | |
| | 75 mm | " | 238.00 | 238.00 | 238.00 | |
| | 90 mm | " | 467.00 | 467.00 | 467.00 | |
| | 110 mm | गोटा | 788.00 | 788.00 | 788.00 | |
| | Union (Plastic) | | | | | |
| | 20mm | गोटा | 70.00 | 70.00 | 70.00 | |
| | 25mm | " | 119.00 | 119.00 | 119.00 | |
| | 32mm | " | 192.00 | 192.00 | 192.00 | |
| | 40mm | " | 290.00 | 290.00 | 290.00 | |
| | 50mm | " | 456.00 | 456.00 | 456.00 | |
| | 63mm | " | 544.00 | 544.00 | 544.00 | |
| | Reducing Coupler | " | | | | |

SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|------------------------------|------|--------------|--------------|--------------|--------|
| | 25mm*20mm | | | | | |
| | 32mm*20mm | " | 14.00 | 14.00 | 14.00 | |
| | 32mm*25mm | " | 19.00 | 19.00 | 19.00 | |
| | 40mm*20mm | " | 21.00 | 21.00 | 21.00 | |
| | 40mm*25mm | " | 31.00 | 31.00 | 31.00 | |
| | 40mm*32mm | " | 37.00 | 37.00 | 37.00 | |
| | 50mm*20mm | " | 44.00 | 44.00 | 44.00 | |
| | 50mm*25mm | " | 58.00 | 58.00 | 58.00 | |
| | 50mm*32mm | " | 64.00 | 64.00 | 64.00 | |
| | 50mm*40mm | गोटा | 69.00 | 69.00 | 69.00 | |
| | 63mm*32mm | गोटा | 76.00 | 76.00 | 76.00 | |
| | 63mm*40mm | गोटा | 117.00 | 117.00 | 117.00 | |
| | 63mm*50mm | गोटा | 122.00 | 122.00 | 122.00 | |
| | 75mm*40mm | गोटा | 131.00 | 131.00 | 131.00 | |
| | 75mm*50mm | गोटा | 195.00 | 195.00 | 195.00 | |
| | 75mm*63mm | " | 239.00 | 239.00 | 239.00 | |
| | 90mm*50mm | " | 241.00 | 241.00 | 241.00 | |
| | 90mm*63mm | " | 483.00 | 483.00 | 483.00 | |
| | 90mm*75mm | " | 521.00 | 521.00 | 521.00 | |
| | 110mm*75mm | " | 614.00 | 614.00 | 614.00 | |
| | 110mm*90mm | " | 818.00 | 818.00 | 818.00 | |
| | Reducing Tee | | 949.00 | 949.00 | 949.00 | |
| | 25*20*25 mm | | | | | |
| | 32*20*32 mm | " | 26.00 | 26.00 | 26.00 | |
| | 32*25*32 mm | " | 42.00 | 42.00 | 42.00 | |
| | 40*20*40 mm | " | 45.00 | 45.00 | 45.00 | |
| | 40*25*40 mm | " | 66.00 | 66.00 | 66.00 | |
| | 40*32*40 mm | " | 69.00 | 69.00 | 69.00 | |
| | 50*20*50 mm | " | 76.00 | 76.00 | 76.00 | |
| | 50*25*50 mm | " | 88.00 | 88.00 | 88.00 | |
| | 50*32*50 mm | " | 93.00 | 93.00 | 93.00 | |
| | 50*40*50 mm | " | 515.00 | 515.00 | 515.00 | |
| | 63*32*63 mm | " | 161.00 | 161.00 | 161.00 | |
| | 63*40*63 mm | " | 199.00 | 199.00 | 199.00 | |
| | 63*50*63 mm | " | 193.00 | 193.00 | 193.00 | |
| | 75*50*75 mm | " | 214.00 | 214.00 | 214.00 | |
| | 75*63*75 mm | " | 439.00 | 439.00 | 439.00 | |
| | 90*63*90 mm | " | 458.00 | 458.00 | 458.00 | |
| | 90*75*90 mm | " | 926.00 | 926.00 | 926.00 | |
| | 110*75*110 mm | " | 993.00 | 993.00 | 993.00 | |
| | 110*90*110 mm | " | 1622.00 | 1622.00 | 1622.00 | |
| | Reducing Elbow | | 1700.00 | 1700.00 | 1700.00 | |
| | 25mm*20mm | | | | | |
| | 32mm*20mm | " | 22.00 | 22.00 | 22.00 | |
| | 32mm*25mm | " | 32.00 | 32.00 | 32.00 | |
| | High Footed Pipe Clip | | 41.00 | 41.00 | 41.00 | |
| | 20mm | गोटा | 14.00 | 14.00 | 14.00 | |
| | 25mm | " | 17.00 | 17.00 | 17.00 | |
| | 32mm | " | 22.00 | 22.00 | 22.00 | |
| | 40mm | " | 25.00 | 25.00 | 25.00 | |



SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|-----------------------------|------|--------------|--------------|--------------|--------|
| | 50mm | | | | | |
| | 63 mm | " | 34.00 | 34.00 | 34.00 | |
| | Low Footed Pipe Clip | " | 39.00 | 39.00 | 39.00 | |
| | 20mm | | | | | |
| | 25mm | " | 7.00 | 7.00 | 7.00 | |
| | 32mm | " | 8.00 | 8.00 | 8.00 | |
| | 40mm | " | 14.00 | 14.00 | 14.00 | |
| | 50mm | " | 19.00 | 19.00 | 19.00 | |
| | 63 mm | " | 30.00 | 30.00 | 30.00 | |
| | "Y" type Pipe Clip | " | 38.00 | 38.00 | 38.00 | |
| | 20mm | | | | | |
| | 25mm | " | 25.00 | 25.00 | 25.00 | |
| | 32mm | " | 25.00 | 25.00 | 25.00 | |
| | 40 mm | " | 34.00 | 34.00 | 34.00 | |
| | End Plug (short) | | 48.00 | 48.00 | 48.00 | |
| | 20mm | | | | | |
| | 25mm | गोटा | 14.00 | 14.00 | 14.00 | |
| | 32mm | गोटा | 22.00 | 22.00 | 22.00 | |
| | End Plug with Ring | गोटा | 34.00 | 34.00 | 34.00 | |
| | 20mm | | | | 0.00 | |
| | End Plug (long) | " | 25.00 | 25.00 | 25.00 | |
| | 20mm | | | | | |
| | End Cap | " | 10.00 | 10.00 | 10.00 | |
| | 20mm | | | | | |
| | 25mm | " | 14.00 | 14.00 | 14.00 | |
| | 32mm | " | 22.00 | 22.00 | 22.00 | |
| | 40mm | " | 34.00 | 34.00 | 34.00 | |
| | 50mm | " | 53.00 | 53.00 | 53.00 | |
| | 63 mm | " | 88.00 | 88.00 | 88.00 | |
| | 75 mm | " | 164.00 | 164.00 | 164.00 | |
| | Cross Tee | " | 246.00 | 246.00 | 246.00 | |
| | 20mm | | | | | |
| | 25mm | " | 25.00 | 25.00 | 25.00 | |
| | 32mm | " | 36.00 | 36.00 | 36.00 | |
| | Short Passover | " | 64.00 | 64.00 | 64.00 | |
| | 20mm | | | | | |
| | 25mm | " | 70.00 | 70.00 | 70.00 | |
| | 32mm | " | 99.00 | 99.00 | 99.00 | |
| | Long Bypass | " | 143.00 | 143.00 | 143.00 | |
| | 20mm | | | | | |
| | 25mm | " | 93.00 | 93.00 | 93.00 | |
| | 32mm | " | 135.00 | 135.00 | 135.00 | |
| | Male Tee | " | 191.00 | 191.00 | 191.00 | |
| | 20mmx1/2" | | | | | |
| | 25mmx1/2" | " | 145.00 | 145.00 | 145.00 | |
| | 25mmx3/4" | " | 142.00 | 142.00 | 142.00 | |
| | 32mmx1/2" | " | 176.00 | 176.00 | 176.00 | |
| | 32mmx3/4" | " | 219.00 | 219.00 | 219.00 | |
| | 32mmx1" | " | 224.00 | 224.00 | 224.00 | |
| | | " | 401.00 | 401.00 | 401.00 | |

SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|----------------------------|------|--------------|--------------|--------------|--------|
| | Female Tee | | | | | |
| | 20mmx1/2" | | | | | |
| | 25mmx1/2" | गोटा | 108.00 | 108.00 | 108.00 | |
| | 25mmx3/4" | " | 122.00 | 122.00 | 122.00 | |
| | 32mmx1/2" | " | 160.00 | 160.00 | 160.00 | |
| | 32mmx3/4" | " | 181.00 | 181.00 | 181.00 | |
| | 32mmx1" | " | 200.00 | 200.00 | 200.00 | |
| | Male elbow | " | 323.00 | 323.00 | 323.00 | |
| | 20mmx1/2" | | | | | |
| | 25mmx1/2" | " | 139.00 | 139.00 | 139.00 | |
| | 25mmx3/4" | " | 143.00 | 143.00 | 143.00 | |
| | 32mmx1/2" | " | 174.00 | 174.00 | 174.00 | |
| | 32mmx3/4" | " | 188.00 | 188.00 | 188.00 | |
| | 32mmx1" | " | 205.00 | 205.00 | 205.00 | |
| | Female elbow | " | 396.00 | 396.00 | 396.00 | |
| | 20mmx1/2" | | | | | |
| | 25mmx1/2" | " | 105.00 | 105.00 | 105.00 | |
| | 25mmx3/4" | " | 148.00 | 148.00 | 148.00 | |
| | 32mmx1/2" | " | 136.00 | 136.00 | 136.00 | |
| | 32mmx3/4" | " | 200.00 | 200.00 | 200.00 | |
| | 32mmx1" | " | 229.00 | 229.00 | 229.00 | |
| | Male Coupling | " | 281.00 | 281.00 | 281.00 | |
| | 20mmx1/2" | | | | | |
| | 20mmx3/4" | गोटा | 136.00 | 136.00 | 136.00 | |
| | 25mmx1/2" | " | 163.00 | 163.00 | 163.00 | |
| | 25mmx3/4" | " | 130.00 | 130.00 | 130.00 | |
| | 32mmx1/2" | " | 164.00 | 164.00 | 164.00 | |
| | 32mmx3/4" | " | 182.00 | 182.00 | 182.00 | |
| | 32mmx1" | " | 23.00 | 23.00 | 23.00 | |
| | 40mmx1-1/4" | " | 385.00 | 385.00 | 385.00 | |
| | 50mmx1-1/2" | " | 548.00 | 548.00 | 548.00 | |
| | 63mmx2" | " | 828.00 | 828.00 | 828.00 | |
| | 75mmx2-1/2" | " | 1201.00 | 1201.00 | 1201.00 | |
| | Female Coupling | " | 329.00 | 329.00 | 329.00 | |
| | 20mmx1/2" | | | | | |
| | 20mmx3/4" | " | 102.00 | 102.00 | 102.00 | |
| | 25mmx1/2" | " | 125.00 | 125.00 | 125.00 | |
| | 25mmx3/4" | " | 114.00 | 114.00 | 114.00 | |
| | 32mmx1/2" | " | 128.00 | 128.00 | 128.00 | |
| | 32mmx3/4" | " | 123.00 | 123.00 | 123.00 | |
| | 32mmx1" | " | 131.00 | 131.00 | 131.00 | |
| | 40mmx1-1/4" | " | 300.00 | 300.00 | 300.00 | |
| | 50mmx1-1/2" | " | 482.00 | 482.00 | 482.00 | |
| | 63mmx2" | " | 626.00 | 626.00 | 626.00 | |
| | 75mmx2-1/2" | " | 922.00 | 922.00 | 922.00 | |
| | Male Union | " | 1822.00 | 1822.00 | 1822.00 | |
| | 20mmx1/2" | | | | | |
| | 25mmx3/4" | " | 245.00 | 245.00 | 245.00 | |
| | 32mmx1" | " | 352.00 | 352.00 | 352.00 | |
| | | " | 506.00 | 506.00 | 506.00 | |

SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|----------------------------------|------|--------------|--------------|--------------|--------|
| | 40mmx1 ^{1/4} " | | | | | |
| | 50mmx1/2" | " | 977.00 | 977.00 | 977.00 | |
| | 63mmx2" | " | 1342.00 | 1342.00 | 1342.00 | |
| | Female Union | " | 3117.00 | 3117.00 | 3117.00 | |
| | 20mmx1/2" | | 0.00 | 0.00 | | |
| | 25mmx3/4" | रोटा | 238.00 | 238.00 | 238.00 | |
| | 32mmx1" | " | 345.00 | 345.00 | 345.00 | |
| | 40mmx1 ^{1/4} " | " | 487.00 | 487.00 | 487.00 | |
| | 50mmx1/2" | " | 746.00 | 746.00 | 746.00 | |
| | 63mmx2" | " | 1253.00 | 1253.00 | 1253.00 | |
| | Stop Valve | " | 2372.00 | 2372.00 | 2372.00 | |
| | a) 20 mm | | | | | |
| | b) 25 mm | " | 288.00 | 288.00 | 288.00 | |
| | c) 32 mm | " | 381.00 | 381.00 | 381.00 | |
| | d) 40mm | " | 462.00 | 462.00 | 462.00 | |
| | e)50 mm | " | 610.00 | 610.00 | 610.00 | |
| | f) 63 mm | " | 1013.00 | 1013.00 | 1013.00 | |
| | Male base elbow | | 1461.00 | 1461.00 | 1461.00 | |
| | 20mm x 1/2" | " | | | | |
| | 25mm x 3/4" | " | 139.00 | 139.00 | 139.00 | |
| | Female base elbow | | 180.00 | 180.00 | 180.00 | |
| | 20mm x 1/2" | " | | | | |
| | 25mm x 1/2" | " | 147.00 | 147.00 | 147.00 | |
| | 25mm x 3/4" | " | 175.00 | 175.00 | 175.00 | |
| | Metal Ball valve (double) | | 162.00 | 162.00 | 162.00 | |
| | 20mmx1/2" | " | | | | |
| | 25mmx3/4" | " | 657.00 | 657.00 | 657.00 | |
| | 32mmx1" | रोटा | 887.00 | 887.00 | 887.00 | |
| | 40mmx1-1/4" | " | 1284.00 | 1284.00 | 1284.00 | |
| | 50mmx1-1/2" | " | 3257.00 | 3257.00 | 3257.00 | |
| | Metal Ball valve (Single) | | 4586.00 | 4586.00 | 4586.00 | |
| | 20mmx1/2" | " | | | | |
| | 25mmx3/4" | " | 648.00 | 648.00 | 648.00 | |
| | 32mmx1" | " | 872.00 | 872.00 | 872.00 | |
| | Conceal Valve (Lux) | | 1274.00 | 1274.00 | 1274.00 | |
| | 20mm | " | | | | |
| | Conceal Valve (Nor) | | 755.00 | 755.00 | 755.00 | |
| | 20mm | " | 0.00 | 0.00 | 0.00 | |
| | Ball Valve (Plastic) | | 719.00 | 719.00 | 719.00 | |
| | 20mm | " | | | | |
| | 25mm | " | 112.00 | 112.00 | 112.00 | |
| | 32mm | " | 151.00 | 151.00 | 151.00 | |
| | 40mm | " | 244.00 | 244.00 | 244.00 | |
| | 50mm | " | 478.00 | 478.00 | 478.00 | |
| | 63 mm | " | 614.00 | 614.00 | 614.00 | |
| | Ball Valve (Brass) | | 1091.00 | 1091.00 | 1091.00 | |
| | 20mm | " | | | | |
| | 25mm | " | 311.00 | 311.00 | 311.00 | |
| | 32mm | " | 441.00 | 441.00 | 441.00 | |
| | | " | 738.00 | 738.00 | 738.00 | |

SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|--|------|--------------|--------------|--------------|--------|
| | 40mm | | | | | |
| 20 | CPVC Pipes & Fittings for hot and cold water distribution system CPVC means Chlorinated Poly Vinyl Chloride as per ASTM are as per ASTM F 442, CPVC SOLVENT are as per ASTM F-493 2846 (Flowguard, actual achieved class material or eqv.) CPVC Pipe SDR 13.5 (22.5 Kg/cm ²) | | 1762.00 | 1762.00 | 1762.00 | |
| | 1/2" dia | Rm | 115.00 | 115.00 | 115.00 | |
| | 3/4" dia | Rm | 160.00 | 160.00 | 160.00 | |
| | 1" dia | " | 210.00 | 210.00 | 210.00 | |
| | 1-1/4" dia | " | 261.00 | 261.00 | 261.00 | |
| | 1-1/2" dia | " | 366.00 | 366.00 | 366.00 | |
| | 2" dia | " | 559.00 | 559.00 | 559.00 | |
| | CPVC Pipe SDR 11 (28.1 Kg/cm²) | | | | | |
| | 1/2" dia | " | 133.00 | 133.00 | 133.00 | |
| | 3/4" dia | " | 178.00 | 178.00 | 178.00 | |
| | 1" dia | " | 248.00 | 248.00 | 248.00 | |
| | 1-1/4" dia | " | 300.00 | 300.00 | 300.00 | |
| | 1-1/2" dia | " | 417.61 | 417.61 | 417.61 | |
| | 2" dia | " | 677.37 | 677.37 | 677.37 | |
| | CPVC Pipe SDR 11.0 (Hilltake, Panchakanya, Mangalam flow life or eqv.) | | | | | |
| | 1/2" dia | Rm | 125.68 | 125.68 | 125.68 | |
| | 3/4" dia | " | 168.17 | 168.17 | 168.17 | |
| | 1" dia | " | 234.40 | 234.40 | 234.40 | |
| | 1-1/4" dia | " | 288.65 | 288.65 | 288.65 | |
| | 1-1/2" dia | " | 402.34 | 402.34 | 402.34 | |
| | 2" dia | " | 679.01 | 679.01 | 679.01 | |
| | CPVC Ball Valve (CTS Sockets) | | | | | |
| | 1/2" | गोटा | 365.42 | 365.42 | 365.42 | |
| | 3/4" | गोटा | 485.98 | 485.98 | 485.98 | |
| | 1" | गोटा | 587.69 | 587.69 | 587.69 | |
| | 1-1/4" | " | 1371.28 | 1371.28 | 1371.28 | |
| | 1-1/2" | " | 1642.52 | 1642.52 | 1642.52 | |
| | 2" | " | 2117.20 | 2117.20 | 2117.20 | |
| | CPVC Reducer Brass Coupling | गोटा | | | | |
| | 3/4" X 1/2" | " | 137.93 | 137.93 | 137.93 | |
| | 1" X 1/2" | " | 180.84 | 180.84 | 180.84 | |
| | CPVC Tee | गोटा | | | | |
| | 1/2" | " | 36.01 | 36.01 | 36.01 | |
| | 3/4" | " | 76.63 | 76.63 | 76.63 | |
| | 1" | " | 117.24 | 117.24 | 117.24 | |
| | 1-1/4" | " | 219.92 | 219.92 | 219.92 | |
| | 1-1/2" | " | 320.30 | 320.30 | 320.30 | |
| | 2" | " | 686.57 | 686.57 | 686.57 | |
| | CPVC Reducer Tee | | | | | |
| | 1/2" x 1/2" x 3/4" | गोटा | 70.50 | 70.50 | 70.50 | |
| | 3/4" x 3/4" x 1/2" | " | 107.28 | 107.28 | 107.28 | |

SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|---|------|--------------|--------------|--------------|--------|
| | 3/4" x 1/2" x 3/4" | " | 134.10 | 134.10 | 134.10 | |
| | 3/4" x 1/2" x 1/2" | " | 153.25 | 153.25 | 153.25 | |
| | 1" x 1" x 3/4" | " | 160.91 | 160.91 | 160.91 | |
| | 1-1/2" x 1-1/2" x 1" | " | 250.57 | 250.57 | 250.57 | |
| | 2" x 2" x 1" | " | 436.00 | 436.00 | 436.00 | |
| | 1-1/4" x 1-1/4" x 1/2" | " | 141.76 | 141.76 | 141.76 | |
| | 1-1/4" x 1-1/4" x 1" | " | 153.25 | 153.25 | 153.25 | |
| | 2" x 2" x 1/2" | " | 428.34 | 428.34 | 428.34 | |
| | 1" x 1" x 1/2" | गोटा | 99.61 | 99.61 | 99.61 | |
| | CPVC Brass FPT Tee | | | | | |
| | 1/2" x 1/2" x 1/2" | गोटा | 120.30 | 120.30 | 120.30 | |
| | 3/4" x 3/4" x 1/2" | " | 124.90 | 124.90 | 124.90 | |
| | 1" x 1" x 1/2" | " | 138.69 | 138.69 | 138.69 | |
| | 1-1/4" x 1-1/4" x 1-1/4" | " | 501.13 | 501.13 | 501.13 | |
| | 1-1/4" x 1-1/4" x 1/2" | " | 272.02 | 272.02 | 272.02 | |
| | CPVC Elbow 90° | | | | | |
| | 1/2" | गोटा | 25.29 | 25.29 | 25.29 | |
| | 3/4" | " | 52.11 | 52.11 | 52.11 | |
| | 1" | " | 95.02 | 95.02 | 95.02 | |
| | 1-1/4" | " | 179.30 | 179.30 | 179.30 | |
| | 1-1/2" | " | 267.42 | 267.42 | 267.42 | |
| | 2" | " | 572.40 | 572.40 | 572.40 | |
| | CPVC Reducer Elbow 90° | | | | | |
| | 3/4" X 1/2" | गोटा | 52.87 | 52.87 | 52.87 | |
| | CPVC Brass FPT Elbow 90° | | | | | |
| | 1/2" x 1/2" | " | 83.52 | 83.52 | 83.52 | |
| | 3/4" x 1/2" | " | 97.32 | 97.32 | 97.32 | |
| | 3/4" x 3/4" | " | 111.11 | 111.11 | 111.11 | |
| | 1" X 1/2" | " | 214.55 | 214.55 | 214.55 | |
| | 1" X 1" | " | 596.15 | 596.15 | 596.15 | |
| | 1-1/4" x 1-1/4" | " | 773.92 | 773.92 | 773.92 | |
| | CPVC Elbow 45° | | | | | |
| | 1/2" | गोटा | 29.88 | 29.88 | 29.88 | |
| | 3/4" | " | 54.40 | 54.40 | 54.40 | |
| | 1" | " | 77.39 | 77.39 | 77.39 | |
| | 1-1/4" | " | 136.39 | 136.39 | 136.39 | |
| | 1-1/2" | " | 196.93 | 196.93 | 196.93 | |
| | 2" | " | 426.81 | 426.81 | 426.81 | |
| | CPVC Male Adapter (CPVC Threads) | | | | | |
| | 1/2" | गोटा | 22.22 | 22.22 | 22.22 | |
| | 3/4" | " | 39.08 | 39.08 | 39.08 | |
| | 1" | " | 59.00 | 59.00 | 59.00 | |
| | 1-1/4" | " | 105.74 | 105.74 | 105.74 | |
| | 1-1/2" | " | 148.65 | 148.65 | 148.65 | |
| | 2" | " | 290.41 | 290.41 | 290.41 | |



SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|---|------|--------------|--------------|--------------|--------|
| | CPVC Reducing Male Adapter (CPVC Threads) | | | | | |
| | 3/4" x 1/2" | गोटा | | | | |
| | | " | 40.61 | 40.61 | 40.61 | |
| | CPVC Male Adapters (Brass Threads) | | | | | |
| | 1/2" | " | 206.12 | 206.12 | 206.12 | |
| | 3/4" | " | 266.66 | 266.66 | 266.66 | |
| | 1" | " | 421.44 | 421.44 | 421.44 | |
| | 1-1/4" | " | 925.64 | 925.64 | 925.64 | |
| | 1-1/2" | " | 1080.43 | 1080.43 | 1080.43 | |
| | 2" | " | 2223.69 | 2223.69 | 2223.69 | |
| | CPVC Reducing Male Adapter (Brass Threads) | | | | | |
| | 3/4" x 1/2" | " | 229.11 | 229.11 | 229.11 | |
| | CPVC Female Adapter (CPVC Threads) | | | | | |
| | 1/2" | गोटा | 30.65 | 30.65 | 30.65 | |
| | 3/4" | गोटा | 51.34 | 51.34 | 51.34 | |
| | 1" | गोटा | 76.63 | 76.63 | 76.63 | |
| | CPVC Female Adapters Brass Threads | | | | | |
| | 1/2" | गोटा | 197.70 | 197.70 | 197.70 | |
| | 3/4" | " | 268.96 | 268.96 | 268.96 | |
| | 1" | " | 349.41 | 349.41 | 349.41 | |
| | 1-1/4" | " | 917.21 | 917.21 | 917.21 | |
| | 1-1/2" | " | 1019.89 | 1019.89 | 1019.89 | |
| | 2" | " | 1993.81 | 1993.81 | 1993.81 | |
| | CPVC Caps | | | | | |
| | 1/2" | " | 13.03 | 13.03 | 13.03 | |
| | 3/4" | " | 24.52 | 24.52 | 24.52 | |
| | 1" | " | 36.78 | 36.78 | 36.78 | |
| | 1-1/4" | " | 72.03 | 72.03 | 72.03 | |
| | 1-1/2" | " | 105.74 | 105.74 | 105.74 | |
| | 2" | " | 225.28 | 225.28 | 225.28 | |
| | CPVC Union | | | | | |
| | 1/2" | " | 270.49 | 270.49 | 270.49 | |
| | 3/4" | " | 397.69 | 397.69 | 397.69 | |
| | 1" | " | 471.25 | 471.25 | 471.25 | |
| | 1-1/4" | " | 862.04 | 862.04 | 862.04 | |
| | 1-1/2" | " | 942.50 | 942.50 | 942.50 | |
| | 2" | " | 1352.45 | 1352.45 | 1352.45 | |
| | CPVC Cross Tee | | | | | |
| | 1/2" | गोटा | 49.04 | 49.04 | 49.04 | |
| | 3/4" | गोटा | 105.74 | 105.74 | 105.74 | |
| | CPVC Step Over Bend | | | | | |
| | 1/2" | " | 62.83 | 62.83 | 62.83 | |
| | 3/4" | " | 104.21 | 104.21 | 104.21 | |
| | CPVC Ball Valve (CTS Sockets) | | | | | |
| | 1/2" | " | 661.28 | 661.28 | 661.28 | |
| | 3/4" | " | 805.34 | 805.34 | 805.34 | |
| | 1" | " | 921.04 | 921.04 | 921.04 | |

SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|--|------|--------------|--------------|--------------|--------|
| | 1-1/4" | " | | | | |
| | 1-1/2" | " | 1878.87 | 1878.87 | 1878.87 | |
| | 2" | " | 2390.73 | 2390.73 | 2390.73 | |
| | CPVC Flow Guard Adhesive Solution | | | | | |
| | 50ML | " | 199.23 | 199.23 | 199.23 | |
| | 118ML | " | 329.49 | 329.49 | 329.49 | |
| | 237ML | " | 532.55 | 532.55 | 532.55 | |
| | 473ML | " | 838.29 | 838.29 | 838.29 | |
| | 946ML | " | 1471.22 | 1471.22 | 1471.22 | |
| | Plastic Strap | | | | | |
| | 1/2" | " | 4.60 | 4.60 | 4.60 | |
| | 3/4" | " | 5.36 | 5.36 | 5.36 | |
| | 1" | " | 7.66 | 7.66 | 7.66 | |
| | 1-1/4" | " | 11.49 | 11.49 | 11.49 | |
| | 1-1/2" | " | 14.56 | 14.56 | 14.56 | |
| | 2" | गोटा | 18.39 | 18.39 | 18.39 | |
| | Metal Strap | | | | | |
| | 1/2" | गोटा | 13.03 | 13.03 | 13.03 | |
| | 3/4" | " | 16.09 | 16.09 | 16.09 | |
| | 1" | " | 20.69 | 20.69 | 20.69 | |
| | 1-1/4" | " | 24.52 | 24.52 | 24.52 | |
| | 1-1/2" | " | 26.82 | 26.82 | 26.82 | |
| | 2" | " | 29.12 | 29.12 | 29.12 | |
| | Tee Holder | | | | | |
| | 1/2" X 1/2" X 1/2" | " | 5.36 | 5.36 | 5.36 | 0.00 |
| | 3/4" X 3/4" X 1/2" | " | 7.66 | 7.66 | 7.66 | |
| | Elbow Holder | | | | | |
| | 1/2" X 1/2" | " | 5.36 | 5.36 | 5.36 | 0.00 |
| | 1/2" X 3/4" | " | 6.90 | 6.90 | 6.90 | |
| | Snap Fix Repair Coupling | | | | | |
| | 1/2" | " | 229.11 | 229.11 | 229.11 | |
| | 3/4" | " | 248.27 | 248.27 | 248.27 | |
| | End plug threaded 1/2" | " | 11.49 | 11.49 | 11.49 | |
| 21 | MS SEAMLESS PIPES | | | | | |
| | PIPES: ASTM-A-106 Gr.'B'/SA-106-1(Gr.'B'/SA-53/API 5L Gr.'B'/IS:1239 (Part MS PIPE SEAMLESS SIZE OD (MM) | | | | | |
| | 21.3 mm OD 1/2" SCH.40, 2.77 mm thickness | RM. | 411.30 | 411.30 | 411.30 | |
| | 26.7mm OD 3/4" SCH.40, 2.87 mm thickness | RM. | 493.20 | 493.20 | 493.20 | |
| | 33.4 mm OD 1" SCH.40, 3.38mm thickness | RM. | 618.30 | 618.30 | 618.30 | |
| | 42.2mm OD 1.1/4" SCH.40, 3.56mm thickness | RM. | 763.20 | 763.20 | 763.20 | |
| | 48.3 mm OD 1.5" SCH.40, 3.68 mm thickness | RM. | 873.00 | 873.00 | 873.00 | |
| | 60.3mm OD 2" SCH.40, 3.91 mm thickness | RM. | 1121.40 | 1121.40 | 1121.40 | |
| | 73mm OD 3" SCH.40,5.16 .mm thickness | " | 1722.60 | 1722.60 | 1722.60 | |
| | 88.9mm OD 3.5" SCH.40, 5.49 mm thickness | " | 2254.50 | 2254.50 | 2254.50 | |
| | 101.6mm OD 4" SCH.40, 5.74 mm thickness | " | 2914.20 | 2914.20 | 2914.20 | |

SANITARY WORK

| सि.नं. | निर्माण सामाग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|-----------|---|------|--------------|--------------|--------------|--------|
| | 114.3mm OD 5" SCH.40, 6.02 mm thickness | " | 3210.30 | 3210.30 | 3210.30 | |
| | 141.3mm OD 6" SCH.40, 6.557 mm thickness | " | 4347.00 | 4347.00 | 4347.00 | |
| | 168.3mm OD 4" SCH.40, 7.11 mm thickness | " | 5643.00 | 5643.00 | 5643.00 | |
| 22 | ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN) | | | | | |
| | Single Socket (R/R) | Mtr | 410.40 | 410.40 | 410.40 | |
| | Single Socket (R/R) | " | 762.30 | 762.30 | 762.30 | |
| | Single Socket (R/R) | " | 820.80 | 820.80 | 820.80 | |
| | Single Socket Self Fit | " | 1058.40 | 1058.40 | 1058.40 | |
| | Single Socket Self Fit | " | 1294.20 | 1294.20 | 1294.20 | |
| | Single Socket Self Fit | " | 1778.40 | 1778.40 | 1778.40 | |
| | Single Socket Self Fit | " | 2092.50 | 2092.50 | 2092.50 | |
| | Single Socket Self Fit | " | 2794.50 | 2794.50 | 2794.50 | |
| | Single Socket Self Fit | " | 3330.90 | 3330.90 | 3330.90 | |
| | Long Radius Bend - 45 Degree | Pc | 1082.70 | 1082.70 | 1082.70 | |
| | Long Radius Bend - 45 Degree | " | 1977.30 | 1977.30 | 1977.30 | |
| | Long Radius Bend - 45 Degree | " | 3569.40 | 3569.40 | 3569.40 | |
| | Long Radius Bend - 45 Degree | " | 6921.00 | 6921.00 | 6921.00 | |
| | Long Radius Bend - 60 Degree | Pcs. | 1193.40 | 1193.40 | 1193.40 | |
| | Long Radius Bend - 60 Degree | " | 2186.10 | 2186.10 | 2186.10 | |
| | Long Radius Bend - 60 Degree | " | 4010.40 | 4010.40 | 4010.40 | |
| | Long Radius Bend - 60 Degree | " | 7593.30 | 7593.30 | 7593.30 | |
| | Long Radius Bend - 90 Degree | " | 585.00 | 585.00 | 585.00 | |
| | Long Radius Bend - 90 Degree | " | 1413.00 | 1413.00 | 1413.00 | |
| | Long Radius Bend - 90 Degree | " | 2606.40 | 2606.40 | 2606.40 | |
| | Long Radius Bend - 90 Degree | " | 4873.50 | 4873.50 | 4873.50 | |
| | Long Radius Bend - 90 Degree | " | 8980.20 | 8980.20 | 8980.20 | |
| | Fab. Coupler | " | 168.30 | 168.30 | 168.30 | |
| | Fab. Coupler | " | 404.10 | 404.10 | 404.10 | |
| | Fab. Coupler | " | 869.40 | 869.40 | 869.40 | |
| | Fab. Coupler | " | 1700.10 | 1700.10 | 1700.10 | |
| | Fab. Coupler | " | 3126.60 | 3126.60 | 3126.60 | |
| | End Cap | " | 360.00 | 360.00 | 360.00 | |
| | End Cap | " | 592.20 | 592.20 | 592.20 | |
| | End Cap | " | 945.00 | 945.00 | 945.00 | |
| | End Cap | " | 1379.70 | 1379.70 | 1379.70 | |
| | Equal Tee | " | 10303.20 | 10303.20 | 10303.20 | |
| | Equal Tee | " | 5929.20 | 5929.20 | 5929.20 | |
| | Equal Tee | " | 3291.30 | 3291.30 | 3291.30 | |
| | Gully Trap with grating | " | 962.10 | 962.10 | 962.10 | |
| | Rodding Point | " | 569.70 | 569.70 | 569.70 | |
| | Adjustable Bend 7 Degree to 37.5 Degree | " | 608.40 | 608.40 | 608.40 | |
| | Adjustable Bend 7 Degree to 87.5 Degree | " | 834.30 | 834.30 | 834.30 | |
| | Inspection Chamber Body | Pcs. | 2999.70 | 2999.70 | 2999.70 | |
| | Inspection Chamber Riser | Pcs. | 1490.40 | 1490.40 | 1490.40 | |

SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|-----------|---|------|--------------|--------------|--------------|--------|
| | Inspection Chamber Lid with Cover | Pcs. | 2828.70 | 2828.70 | 2828.70 | |
| | Inspection Chamber Body | " | 8283.60 | 8283.60 | 8283.60 | |
| | Inspection Chamber Riser | " | 2634.30 | 2634.30 | 2634.30 | |
| | Inspection Chamber Lid with Cover | " | 4394.70 | 4394.70 | 4394.70 | |
| 23 | GEBERIT | | | | | |
| | Geberit Products | | | | | |
| | Concealled Cisterns 9cm | " | 7431.30 | 7431.30 | 7431.30 | |
| | Concealled Cisterns Kombo fix 8cm | " | 9102.60 | 9102.60 | 9102.60 | |
| | Dual Flush Actuator Plate Shiny Chrome | " | 3645.90 | 3645.90 | 3645.90 | |
| | Concealled Cisterns 12cm | " | 9140.40 | 9140.40 | 9140.40 | |
| | Dual Flush Actuator Plate Shiny Chrome | " | 3645.90 | 3645.90 | 3645.90 | |
| | Traps for Wash Basins | " | 1004.40 | 1004.40 | 1004.40 | |
| | Sensor for Urinal 9V DC | " | 25764.30 | 25764.30 | 25764.30 | |
| | Sensor for Urinal 230V AC | " | 25764.30 | 25764.30 | 25764.30 | |
| | control box for urinal sensor | " | 7077.60 | 7077.60 | 7077.60 | |
| | Sensor Faucet Cold / Mixed water 6V DC | " | 32158.80 | 32158.80 | 32158.80 | |
| | Sensor Faucet Cold / Mixed water 230V AC | " | 32158.80 | 32158.80 | 32158.80 | |
| 24 | PVC Lead Free White Pipes SCHEDULE 40 | | | | | |
| | "LEAD FREE" PVC PLUMBING SYSTEMS (100% SAFE FOR DRINKING WATER) PVC PIPES are as per ASTM D 1785, PVC FITTINGS are as per ASTM D 2466, PVC BRASS SCH 80 FITTINGS are as per ASTM D 2467, PVC SOLVENT as per ASTM D 2564 | | | | | |
| | PVC Lead Free White Pipes SCH 40 (..... Kg/cm2) | m. | | | | |
| | 1/2" dia. (42.19 Kg/cm2) | " | 114.00 | 114.00 | 114.00 | |
| | 3/4" dia. (33.75 Kg/cm2) | " | 147.00 | 147.00 | 147.00 | |
| | 1" dia. (31.64 Kg/cm2) | " | 226.00 | 226.00 | 226.00 | |
| | 1-1/4" dia. (26.01 Kg/cm2) | " | 279.00 | 279.00 | 279.00 | |
| | 1-1/2" dia. (23.20 Kg/cm2) | " | 342.00 | 342.00 | 342.00 | |
| | 2" dia. (19.69 Kg/cm2) | " | 485.00 | 485.00 | 485.00 | |
| | 2-1/2" dia. (21.09 Kg/cm2) | " | 678.00 | 678.00 | 678.00 | |
| | 3" dia. (18.28 Kg/cm2) | " | 856.00 | 856.00 | 856.00 | |
| | 4" dia. (15.47 Kg/cm2) | " | 1256.00 | 1256.00 | 1256.00 | |
| | 6" dia. (12.66 Kg/cm2) | " | 2616.00 | 2616.00 | 2616.00 | |
| | PVC Tee - Soc | गोटा | | | | |
| | 1/2" | " | 32.00 | 32.00 | 32.00 | |
| | 3/4" | " | 44.00 | 44.00 | 44.00 | |
| | 1" | " | 69.00 | 69.00 | 69.00 | |
| | 1-1/4" | " | 109.00 | 109.00 | 109.00 | |
| | 1-1/2" | " | 143.00 | 143.00 | 143.00 | |
| | 2" | " | 221.00 | 221.00 | 221.00 | |
| | 2-1/2" | " | 633.00 | 633.00 | 633.00 | |
| | 3" | " | 831.00 | 831.00 | 831.00 | |
| | 4" | " | 1503.00 | 1503.00 | 1503.00 | |
| | 6" | " | 8336.00 | 8336.00 | 8336.00 | |
| | PVC Reducer Tee - Soc | गोटा | 5565.00 | 5565.00 | 5565.00 | |



SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|--|------|--------------|--------------|--------------|--------|
| | 3/4 x 1/2 | गोटा | 63.00 | 63.00 | 63.00 | |
| | 1 x 1/2 | गोटा | 97.00 | 97.00 | 97.00 | |
| | 1 x 3/4 | गोटा | 97.00 | 97.00 | 97.00 | |
| | 1-1/2 X 1/2 | गोटा | 329.00 | 329.00 | 329.00 | |
| | 1-1/2 X 3/4 | गोटा | 329.00 | 329.00 | 329.00 | |
| | 1-1/2 X 1 | " | 329.00 | 329.00 | 329.00 | |
| | 1-1/2 X 1-1/4 | " | 329.00 | 329.00 | 329.00 | |
| | 2 X 1/2 | " | 406.00 | 406.00 | 406.00 | |
| | 2 X 3/4 | " | 406.00 | 406.00 | 406.00 | |
| | 2 X 1 | " | 406.00 | 406.00 | 406.00 | |
| | 2 X 1-1/4 | " | 406.00 | 406.00 | 406.00 | |
| | 2 X 1-1/2 | " | 406.00 | 406.00 | 406.00 | |
| | 2-1/2 X 1/2 | " | 1043.00 | 1043.00 | 1043.00 | |
| | 2-1/2 X 3/4 | " | 1043.00 | 1043.00 | 1043.00 | |
| | 2-1/2 X 1 | " | 1043.00 | 1043.00 | 1043.00 | |
| | 2-1/2 X 1-1/4 | " | 1043.00 | 1043.00 | 1043.00 | |
| | 2-1/2 X 1-1/2 | " | 1043.00 | 1043.00 | 1043.00 | |
| | 2-1/2 X 2 | " | 1043.00 | 1043.00 | 1043.00 | |
| | 3 X 1/2 | " | 1523.00 | 1523.00 | 1523.00 | |
| | 3 X 3/4 | " | 1523.00 | 1523.00 | 1523.00 | |
| | 3 X 1 | " | 1523.00 | 1523.00 | 1523.00 | |
| | 3 X 1-1/4 | गोटा | 1523.00 | 1523.00 | 1523.00 | |
| | 3 X 1-1/2 | " | 1523.00 | 1523.00 | 1523.00 | |
| | 3 X 2 | " | 1523.00 | 1523.00 | 1523.00 | |
| | 3 X 2-1/2 | " | 1523.00 | 1523.00 | 1523.00 | |
| | 6 X 1-1/4 | " | 8007.00 | 8007.00 | 8007.00 | |
| | 6 X 1-1/2 | " | 8007.00 | 8007.00 | 8007.00 | |
| | 6 X 2 | " | 8007.00 | 8007.00 | 8007.00 | |
| | 6 X 2-1/2 | " | 8007.00 | 8007.00 | 8007.00 | |
| | 6 X 3 | " | 8007.00 | 8007.00 | 8007.00 | |
| | 6 X 4 | " | 8007.00 | 8007.00 | 8007.00 | |
| | PVC Brass Tee - Soc x Fipt SCH 80 | | | | | |
| | 1/2" | गोटा | 161.00 | 161.00 | 161.00 | |
| | 3/4" | " | 292.00 | 292.00 | 292.00 | |
| | 3/4" X 1/2" | " | 237.00 | 237.00 | 237.00 | |
| | 1" X 1/2" | " | 420.00 | 420.00 | 420.00 | |
| | PVC 90° Elbow - Soc | | | | | |
| | 1/2" | गोटा | 26.00 | 26.00 | 26.00 | |
| | 3/4" | " | 30.00 | 30.00 | 30.00 | |
| | 1" | " | 53.00 | 53.00 | 53.00 | |
| | 1-1/4" | " | 93.00 | 93.00 | 93.00 | |
| | 1-1/2" | " | 109.00 | 109.00 | 109.00 | |
| | 2" | " | 167.00 | 167.00 | 167.00 | |
| | 2-1/2" | " | 496.00 | 496.00 | 496.00 | |
| | 3" | " | 594.00 | 594.00 | 594.00 | |



SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|--|------|--------------|--------------|--------------|--------|
| | 4" | " | 1216.00 | 1216.00 | 1216.00 | |
| | 6" | " | 5121.00 | 5121.00 | 5121.00 | |
| | PVC Brass 90° Elbow Soc x Fipt SCH 80 | | | | | |
| | 1/2" | रोटा | 173.00 | 173.00 | 173.00 | |
| | 3/4" | " | 243.00 | 243.00 | 243.00 | |
| | 3/4" X 1/2" | " | 250.00 | 250.00 | 250.00 | |
| | PVC 45° Elbow - Soc | रोटा | | | | |
| | 1/2" | " | 55.00 | 55.00 | 55.00 | |
| | 3/4" | " | 86.00 | 86.00 | 86.00 | |
| | 1" | " | 102.00 | 102.00 | 102.00 | |
| | 1-1/4" | " | 143.00 | 143.00 | 143.00 | |
| | 1-1/2" | " | 180.00 | 180.00 | 180.00 | |
| | 2" | " | 234.00 | 234.00 | 234.00 | |
| | 2-1/2" | " | 669.00 | 669.00 | 669.00 | |
| | 3" | " | 1040.00 | 1040.00 | 1040.00 | |
| | 4" | " | 1866.00 | 1866.00 | 1866.00 | |
| | 6" | " | 5135.00 | 5135.00 | 5135.00 | |
| | PVC Coupling - Soc | | | | | |
| | 1/2" | रोटा | 17.00 | 17.00 | 17.00 | |
| | 3/4" | " | 26.00 | 26.00 | 26.00 | |
| | 1" | " | 41.00 | 41.00 | 41.00 | |
| | 1-1/4" | " | 56.00 | 56.00 | 56.00 | |
| | 1-1/2" | " | 76.00 | 76.00 | 76.00 | |
| | 2" | " | 117.00 | 117.00 | 117.00 | |
| | 2-1/2" | " | 247.00 | 247.00 | 247.00 | |
| | 3" | " | 386.00 | 386.00 | 386.00 | |
| | 4" | " | 604.00 | 604.00 | 604.00 | |
| | 6" | " | 2420.00 | 2420.00 | 2420.00 | |
| | PVC Reducer Coupling - Soc | | | | | |
| | 3/4 X 1/2 | रोटा | 42.00 | 42.00 | 42.00 | |
| | 1 X 3/4 | " | 73.00 | 73.00 | 73.00 | |
| | 1-1/2 X 1-1/4 | " | 131.00 | 131.00 | 131.00 | |
| | 2 X 1-1/2 | " | 208.00 | 208.00 | 208.00 | |
| | 4 x 2 | " | 1392.00 | 1392.00 | 1392.00 | |
| | 4 X 3 | " | 1392.00 | 1392.00 | 1392.00 | |
| | 6 X 4 | " | 2895.00 | 2895.00 | 2895.00 | |
| | PVC Reducer Bushing - (Flush Style) | | | | | |
| | 3/4 X 1/2 | रोटा | 35.00 | 35.00 | 35.00 | |
| | 1 X 1/2 | " | 50.00 | 50.00 | 50.00 | |
| | 1 X 3/4 | " | 50.00 | 50.00 | 50.00 | |
| | 1-1/4 X 1/2 | " | 86.00 | 86.00 | 86.00 | |
| | 1-1/4 X 3/4 | " | 86.00 | 86.00 | 86.00 | |
| | 1-1/4 X 1 | " | 86.00 | 86.00 | 86.00 | |
| | 1-1/2 X 1/2 | " | 90.00 | 90.00 | 90.00 | |
| | 1-1/2 X 3/4 | " | 90.00 | 90.00 | 90.00 | |



SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|--|------|--------------|--------------|--------------|--------|
| | 1-1/2 X 1 | " | 90.00 | 90.00 | 90.00 | |
| | 1-1/2 X 1-1/4 | " | 90.00 | 90.00 | 90.00 | |
| | 2 X 1/2 | " | 165.00 | 165.00 | 165.00 | |
| | 2 X 3/4 | " | 165.00 | 165.00 | 165.00 | |
| | 2 X 1 | " | 165.00 | 165.00 | 165.00 | |
| | 2 X 1-1/4 | " | 165.00 | 165.00 | 165.00 | |
| | 2 X 1-1/2 | " | 165.00 | 165.00 | 165.00 | |
| | 2-1/2 X 1-1/4 | " | 232.00 | 232.00 | 232.00 | |
| | 2-1/2 X 1-1/2 | गोटा | 232.00 | 232.00 | 232.00 | |
| | 2-1/2 X 2 | गोटा | 232.00 | 232.00 | 232.00 | |
| | 3 X 1-1/2 | गोटा | 344.00 | 344.00 | 344.00 | |
| | 3 X 2 | गोटा | 344.00 | 344.00 | 344.00 | |
| | 3 X 2-1/2 | गोटा | 344.00 | 344.00 | 344.00 | |
| | 4 X 2 | " | 676.00 | 676.00 | 676.00 | |
| | 4 X 3 | " | 676.00 | 676.00 | 676.00 | |
| | 6 X 2 | " | 2271.00 | 2271.00 | 2271.00 | |
| | 6 X 3 | " | 2271.00 | 2271.00 | 2271.00 | |
| | 6 X 4 | " | 2271.00 | 2271.00 | 2271.00 | |
| | PVC Cap - Soc | | | | | |
| | 1/2" | गोटा | 24.00 | 24.00 | 24.00 | |
| | 3/4" | " | 30.00 | 30.00 | 30.00 | |
| | 1" | " | 42.00 | 42.00 | 42.00 | |
| | 1-1/4" | " | 60.00 | 60.00 | 60.00 | |
| | 1-1/2" | " | 66.00 | 66.00 | 66.00 | |
| | 2" | " | 79.00 | 79.00 | 79.00 | |
| | 2-1/2" | " | 254.00 | 254.00 | 254.00 | |
| | 3" | " | 278.00 | 278.00 | 278.00 | |
| | 4" | गोटा | 633.00 | 633.00 | 633.00 | |
| | 6" | " | 2498.00 | 2498.00 | 2498.00 | |
| | PVC Union - Soc With EPDM O-Ring Seal | | | | | |
| | 1/2" | गोटा | 254.00 | 254.00 | 254.00 | |
| | 3/4" | " | 291.00 | 291.00 | 291.00 | |
| | 1" | " | 298.00 | 298.00 | 298.00 | |
| | 1-1/4" | " | 960.00 | 960.00 | 960.00 | |
| | 1-1/2" | " | 1001.00 | 1001.00 | 1001.00 | |
| | 2" | " | 1350.00 | 1350.00 | 1350.00 | |
| | 2-1/2" | " | 1889.00 | 1889.00 | 1889.00 | |
| | 3" | " | 3018.00 | 3018.00 | 3018.00 | |
| | 4" | " | 4178.00 | 4178.00 | 4178.00 | |
| | PVC Male Adaptor - Soc x MBSP | | | | | |
| | 1/2" | गोटा | 46.00 | 46.00 | 46.00 | |
| | 3/4" | " | 54.00 | 54.00 | 54.00 | |
| | 1" | " | 71.00 | 71.00 | 71.00 | |
| | 1-1/4" | " | 87.00 | 87.00 | 87.00 | |
| | 1-1/2" | " | 121.00 | 121.00 | 121.00 | |
| | 2" | " | 156.00 | 156.00 | 156.00 | |

SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|--|------|--------------|--------------|--------------|--------|
| | 2-1/2" | " | 545.00 | 545.00 | 545.00 | |
| | 3" | " | 648.00 | 648.00 | 648.00 | |
| | 4" | " | 1025.00 | 1025.00 | 1025.00 | |
| | 6" | " | 2359.00 | 2359.00 | 2359.00 | |
| | PVC Brass Male Adapter - Soc x Mipt SCH 80 | | | | | |
| | 1/2" | गोटा | 262.00 | 262.00 | 262.00 | |
| | 3/4" | " | 350.00 | 350.00 | 350.00 | |
| | 1" | " | 527.00 | 527.00 | 527.00 | |
| | PVC Female Adaptor - Soc x FBSP | | | | | |
| | 1/2" | " | 59.00 | 59.00 | 59.00 | |
| | 3/4" | " | 61.00 | 61.00 | 61.00 | |
| | 1" | " | 64.00 | 64.00 | 64.00 | |
| | 1-1/4" | " | 167.00 | 167.00 | 167.00 | |
| | 1-1/2" | " | 245.00 | 245.00 | 245.00 | |
| | 2" | " | 238.00 | 238.00 | 238.00 | |
| | PVC Brass Female Adapter - Soc x Fipt SCH 80 | | | | | |
| | 1/2" | गोटा | 220.00 | 220.00 | 220.00 | |
| | 3/4" | " | 311.00 | 311.00 | 311.00 | |
| | 1" | " | 399.00 | 399.00 | 399.00 | |
| | PVC Ball Valve - Soc | | | | | |
| | 1/2" | " | 881.00 | 881.00 | 881.00 | |
| | 3/4" | " | 1048.00 | 1048.00 | 1048.00 | |
| | 1" | " | 1466.00 | 1466.00 | 1466.00 | |
| | 1-1/4" | " | 1985.00 | 1985.00 | 1985.00 | |
| | 1-1/2" | " | 3027.00 | 3027.00 | 3027.00 | |
| | 2" | " | 3828.00 | 3828.00 | 3828.00 | |
| | 2-1/2" | " | 6323.00 | 6323.00 | 6323.00 | |
| | 3" | " | 10018.00 | 10018.00 | 10018.00 | |
| | 4" | " | 16556.00 | 16556.00 | 16556.00 | |
| | 6" | गोटा | 35961.00 | 35961.00 | 35961.00 | |
| | PVC Adhesive Solution (Med. Bonded 705) | | | | | |
| | 118ML | " | 306.00 | 306.00 | 306.00 | |
| | 237ML | " | 439.00 | 439.00 | 439.00 | |
| | 473ML | " | 795.00 | 795.00 | 795.00 | |
| | 946ML | " | 1308.00 | 1308.00 | 1308.00 | |
| | PVC Adhesive Solution (Heavy Bonded 717) | | | | | |
| | 118ML | " | 492.00 | 492.00 | 492.00 | |
| | 237ML | " | 649.00 | 649.00 | 649.00 | |
| | 473ML | " | 1138.00 | 1138.00 | 1138.00 | |
| | 946ML | " | 1969.00 | 1969.00 | 1969.00 | |
| | 25 Rainwater Collection System sintex or Prince Brand Roof) | | | | | |
| | 140 mm Dia. | | | | | |
| | ROOF WATER PIPES (HALF ROUND) | | | | | |
| | To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length. | | Rm. | 159.00 | 159.00 | 159.00 |



SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|---|------|--------------|--------------|--------------|--------|
| | JOINT BRACKET To connect two lengths of roof water | Pc. | 257.00 | 257.00 | 257.00 | |
| | RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe. | Pc. | 352.00 | 352.00 | 352.00 | |
| | 90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners. | Pc. | 432.00 | 432.00 | 432.00 | |
| | 90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe. | Pc. | 432.00 | 432.00 | 432.00 | |
| | SHORT STOP END To close the end of roof water pipe line. | Pc. | 95.00 | 95.00 | 95.00 | |
| | STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe. | Pc. | 305.00 | 305.00 | 305.00 | |
| | SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line. | Pc. | 77.00 | 77.00 | 77.00 | |
| | TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them. | Pc. | 50.00 | 50.00 | 50.00 | |
| | CLAMP To ensure perfect fixing between pipe and fittings. | Pc. | 32.00 | 32.00 | 32.00 | |
| | RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports. | Pc. | 77.00 | 77.00 | 77.00 | |
| | RUBBER GASKET To provide leak proof joints. | Pc. | 30.00 | 30.00 | 30.00 | |
| | 75 mm dia. | | | | 0.00 | |
| | PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall. | Pc. | 63.00 | 63.00 | 63.00 | |
| | RUBBER SEALS To ensure, leak proof joint of single socket elbow. | Pc. | 38.00 | 38.00 | 38.00 | |
| | SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe. | Pc. | 126.00 | 126.00 | 126.00 | |
| | 180 mm dia. | | | | | |
| | ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length. | Pc. | 302.00 | 302.00 | 302.00 | |
| | JOINT BRACKET To connect two lengths of roof water | Pc. | 358.00 | 358.00 | 358.00 | |
| | RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe. | Pc. | 518.00 | 518.00 | 518.00 | |
| | 90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners. | Pc. | 592.00 | 592.00 | 592.00 | |

SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|--|------|--------------|--------------|--------------|--------|
| | 90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe. | Pc. | 592.00 | 592.00 | 592.00 | |
| | SHORT STOP END To close the end of roof water pipe line. | Pc. | 140.00 | 140.00 | 140.00 | |
| | STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe. | Pc. | 424.00 | 424.00 | 424.00 | |
| | SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line. | Pc. | 108.00 | 108.00 | 108.00 | |
| | TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them. | Pc. | 91.00 | 91.00 | 91.00 | |
| | CLAMP To ensure perfect fixing between pipe and fittings. | Pc. | 51.00 | 51.00 | 51.00 | |
| | RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports. | Pc. | 110.00 | 110.00 | 110.00 | |
| | RUBBER GASKET To provide leak proof joints. | Pc. | 41.00 | 41.00 | 41.00 | |
| | 110 mm dia. | | | | | |
| | PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall. | Pc. | 68.00 | 68.00 | 68.00 | |
| | RUBBER SEALS To ensure, leak proof joint of single socket elbow. | Pc. | 44.00 | 44.00 | 44.00 | |
| | SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe. | Pc. | 243.00 | 243.00 | 243.00 | |
| | 250 mm dia. | | | | | |
| | ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length. | Pc. | 585.00 | 585.00 | 585.00 | |
| | JOINT BRACKET To connect two lengths of roof water | Pc. | 614.00 | 614.00 | 614.00 | |
| | RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe. | Pc. | 965.00 | 965.00 | 965.00 | |
| | 90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners. | Pc. | 1387.00 | 1387.00 | 1387.00 | |
| | 90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe. | Pc. | 1387.00 | 1387.00 | 1387.00 | |
| | SHORT STOP END To close the end of roof water pipe line. | Pc. | 302.00 | 302.00 | 302.00 | |
| | STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe. | Pc. | 802.00 | 802.00 | 802.00 | |

SANITARY WORK

| सि.नं. | निर्माण सामाग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|--|----------|--------------|--------------|--------------|--------|
| | SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line. | Pc. | 300.00 | 300.00 | 300.00 | |
| | TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them. | Pc. | 164.00 | 164.00 | 164.00 | |
| | CLAMP To ensure perfect fixing between pipe and fittings. | Pc. | 122.00 | 122.00 | 122.00 | |
| | RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports. | Pc. | 318.00 | 318.00 | 318.00 | |
| | RUBBER GASKET To provide leak proof joints. | Pc. | 166.00 | 166.00 | 166.00 | |
| | 160 mm dia. | | | | | |
| | PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall. | Pc. | 82.00 | 82.00 | 82.00 | |
| | RUBBER SEALS To ensure, leak proof joint of single socket elbow. | Pc. | 191.00 | 191.00 | 191.00 | |
| | SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe. | Pc. | 437.00 | 437.00 | 437.00 | |
| | | | | | | |
| | ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM and Ashirvad SWR Systems | | | | | |
| | ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY | | | | | |
| | FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm | per mtr. | 247.00 | 247.00 | 247.00 | |
| | FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8 | " | 438.00 | 438.00 | 438.00 | |
| | FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4 | " | 262.00 | 262.00 | 262.00 | |
| | FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8 | " | 470.00 | 470.00 | 470.00 | |
| | FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm | " | 447.00 | 447.00 | 447.00 | |
| | FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8 | " | 673.00 | 673.00 | 673.00 | |
| | FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4 | " | 473.00 | 473.00 | 473.00 | |
| | FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8 | " | 696.00 | 696.00 | 696.00 | |
| | FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia | " | 959.00 | 959.00 | 959.00 | |
| | FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 | " | 1196.00 | 1196.00 | 1196.00 | |
| | FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2 | " | 1022.00 | 1022.00 | 1022.00 | |
| | FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4 | " | 1350.00 | 1350.00 | 1350.00 | |
| | | | | | | |
| | ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY | | | | | |
| | DWV Bend 45 Degree 75 mm size | pcs | 140.00 | 140.00 | 140.00 | |
| | DWV Bend 87.5 Degree | pcs | 177.00 | 177.00 | 177.00 | |

SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|--|----------|--------------|--------------|--------------|--------|
| | DWV Bend 87.5 Degree with Door | pcs | 81.00 | 81.00 | 81.00 | |
| | DWV Socket Plug | pcs | 189.00 | 189.00 | 189.00 | |
| | DWV Cleansing Pipe | pcs | 114.00 | 114.00 | 114.00 | |
| | DWV Coupler | pcs | 202.00 | 202.00 | 202.00 | |
| | DWV Single Tee | pcs | 222.00 | 222.00 | 222.00 | |
| | DWV Single Tee with Door | pcs | 349.00 | 349.00 | 349.00 | |
| | DWV Cross Tee | pcs | 491.00 | 491.00 | 491.00 | |
| | DWV Cross Tee with Door | pcs | 361.00 | 361.00 | 361.00 | |
| | DWV Double 'Y' | pcs | 481.00 | 481.00 | 481.00 | |
| | DWV Double 'Y' with Door | pcs | 226.00 | 226.00 | 226.00 | |
| | DWV Single 'Y' | pcs | 288.00 | 288.00 | 288.00 | |
| | DWV Single 'Y' with Door | " | 12.00 | 12.00 | 12.00 | |
| | DWV Pipe Clip | " | 25.00 | 25.00 | 25.00 | |
| | DWV Vent Cowel | " | 230.00 | 230.00 | 230.00 | |
| | DWV Bend 45 Degree 110mm size | " | 282.00 | 282.00 | 282.00 | |
| | DWV Bend 87.5 Degree | " | 323.00 | 323.00 | 323.00 | |
| | DWV Bend 87.5 Degree with Door | " | 103.00 | 103.00 | 103.00 | |
| | DWV Socket Plug | " | 370.00 | 370.00 | 370.00 | |
| | DWV Cleansing Pipe | " | 206.00 | 206.00 | 206.00 | |
| | DWV Coupler | " | 684.00 | 684.00 | 684.00 | |
| | DWV Double 'Y' | " | 808.00 | 808.00 | 808.00 | |
| | DWV Double 'Y' with Door | " | 566.00 | 566.00 | 566.00 | |
| | DWV Cross Tee | " | 642.00 | 642.00 | 642.00 | |
| | DWV Cross Tee with Door | " | 370.00 | 370.00 | 370.00 | |
| | DWV Single Tee | " | 437.00 | 437.00 | 437.00 | |
| | DWV Single Tee with Door | " | 453.00 | 453.00 | 453.00 | |
| | DWV Single 'Y' | pcs | 475.00 | 475.00 | 475.00 | |
| | DWV Single 'Y' with Door | " | 47.00 | 47.00 | 47.00 | |
| | DWV Vent Cowel | " | 161.00 | 161.00 | 161.00 | |
| | DWV Reducer 110*75 mm | " | 36.00 | 36.00 | 36.00 | |
| | DWV Pipe Clip 110mm size | " | 436.00 | 436.00 | 436.00 | |
| | DWV W.C. Connectore (Straight type) | " | 348.00 | 348.00 | 348.00 | |
| | DWV W.C. Connectore (Bend type) | " | 174.00 | 174.00 | 174.00 | |
| | DWV Nahani Trap - 3" Height without Jali 75 mm | " | 24.00 | 24.00 | 24.00 | |
| | DWV Nahani Trap Jali | " | 539.00 | 539.00 | 539.00 | |
| | DWV P-Trap with Leap Ring 10*110 mm | " | 773.00 | 773.00 | 773.00 | |
| | DWV P-Trap with Leap Ring 25*110 mm | " | 232.00 | 232.00 | 232.00 | |
| | DWV Multi Floor Trap 4" w/o Jali 75 mm | " | 470.00 | 470.00 | 470.00 | |
| | DWV Reducer 60*110 mm | " | 449.00 | 449.00 | 449.00 | |
| | DWV Coupler 160mm size | " | 1077.00 | 1077.00 | 1077.00 | |
| | DWV Single Tee | " | 1157.00 | 1157.00 | 1157.00 | |
| | DWV Single Tee with Door | " | 2016.00 | 2016.00 | 2016.00 | |
| | DWV Single 'Y' | " | 2118.00 | 2118.00 | 2118.00 | |
| | DWV Single 'Y' with Door | " | 742.00 | 742.00 | 742.00 | |
| | DWV Bend 87.5 Degree | " | 988.00 | 988.00 | 988.00 | |
| | DWV Bend 87.5 Degree with Door | " | 864.00 | 864.00 | 864.00 | |
| | DWV Bend 45 Degree | " | | | | |
| | FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR | | | | | |
| | FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm | per mtr. | 584.00 | 584.00 | 584.00 | |
| | FOAMCORE Single Socket (R/R) (3mtrs length) SN-8 | " | 606.00 | 606.00 | 606.00 | |

SANITARY WORK

| सि.नं. | निर्माण सामाग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|---|----------|--------------|--------------|--------------|--------|
| | FOAMCORE Double Socket (R/R) (3mtrs length) SN-8 | " | 630.00 | 630.00 | 630.00 | |
| | FOAMCORE Single Socket Self Fit (3mtrs length) SN-8 | " | 593.00 | 593.00 | 593.00 | |
| | FOAMCORE Double Socket Self Fit (3mtrs length) SN-8 | " | 604.00 | 604.00 | 604.00 | |
| | FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm | " | 1078.00 | 1078.00 | 1078.00 | |
| | FOAMCORE Single Socket (R/R) (3mtrs length) SN-4 | " | 1120.00 | 1120.00 | 1120.00 | |
| | FOAMCORE Double Socket (R/R) (3mtrs length) SN-4 | " | 1163.00 | 1163.00 | 1163.00 | |
| | FOAMCORE Single Socket Self Fit (3mtrs length) SN-4 | per mtr. | 1096.00 | 1096.00 | 1096.00 | |
| | FOAMCORE Double Socket Self Fit (3mtrs length) SN-4 | per mtr. | 1116.00 | 1116.00 | 1116.00 | |
| | FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm | per mtr. | 1688.00 | 1688.00 | 1688.00 | |
| | FOAMCORE Single Socket Self Fit (3mtrs length) SN-4 | " | 1718.00 | 1718.00 | 1718.00 | |
| | FOAMCORE Double Socket Self Fit (3mtrs length) SN-4 | " | 1746.00 | 1746.00 | 1746.00 | |
| | FOAMCORE Plain Both End (3mtrs length) SN-4 | " | 2801.00 | 2801.00 | 2801.00 | |
| | FOAMCORE Single Socket Self Fit (3mtrs length) SN-4 | " | 2849.00 | 2849.00 | 2849.00 | |
| | FOAMCORE Double Socket Self Fit (3mtrs length) SN-4 | " | 2899.00 | 2899.00 | 2899.00 | |
| | FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm | " | 3709.00 | 3709.00 | 3709.00 | |
| | FOAMCORE Single Socket Self Fit (3mtrs length) SN-2 | " | 3773.00 | 3773.00 | 3773.00 | |
| | FOAMCORE Double Socket Self Fit (3mtrs length) SN-2 | " | 3838.00 | 3838.00 | 3838.00 | |
| | FOAMCORE Plain Both End (3mtrs length) SN-4 | per mtr. | 4583.00 | 4583.00 | 4583.00 | |
| | FOAMCORE Single Socket Self Fit (3mtrs length) SN-4 | per mtr. | 4663.00 | 4663.00 | 4663.00 | |
| | FOAMCORE Double Socket Self Fit (3mtrs length) SN-4 | " | 4743.00 | 4743.00 | 4743.00 | |
| | | | | | | |
| | FOAMCORE Plain Both End (6mtrs length) SN-8 | " | 583.00 | 583.00 | 583.00 | |
| | FOAMCORE Single Socket (R/R) (6mtrs length) SN-8 | " | 598.00 | 598.00 | 598.00 | |
| | FOAMCORE Double Socket (R/R) (6mtrs length) SN-8 | " | 613.00 | 613.00 | 613.00 | |
| | FOAMCORE Single Socket Self Fit (6mtrs length) SN-8 | " | 594.00 | 594.00 | 594.00 | |
| | FOAMCORE Double Socket Self Fit (6mtrs length) SN-8 | " | 605.00 | 605.00 | 605.00 | |
| | FOAMCORE Plain Both End (6mtrs length) SN-4 | " | 1077.00 | 1077.00 | 1077.00 | |
| | FOAMCORE Single Socket (R/R) (6mtrs length) SN-4 | " | 1109.00 | 1109.00 | 1109.00 | |
| | FOAMCORE Double Socket (R/R) (6mtrs length) SN-4 | " | 1139.00 | 1139.00 | 1139.00 | |
| | FOAMCORE Single Socket Self Fit (6mtrs length) SN-4 | " | 1097.00 | 1097.00 | 1097.00 | |
| | FOAMCORE Double Socket Self Fit (6mtrs length) SN-4 | " | 1116.00 | 1116.00 | 1116.00 | |

SANITARY WORK

| सि. नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|-----------|---|--------|--------------|--------------|--------------|--------|
| | FOAMCORE Plain Both End (6mtrs length) SN-4 | " | 1688.00 | 1688.00 | 1688.00 | |
| | FOAMCORE Single Socket Self Fit (6mtrs length) SN-4 | " | 1718.00 | 1718.00 | 1718.00 | |
| | FOAMCORE Double Socket Self Fit (6mtrs length) SN-4 | " | 1747.00 | 1747.00 | 1747.00 | |
| | FOAMCORE Plain Both End (6mtrs length) SN-4 | " | 2801.00 | 2801.00 | 2801.00 | |
| | FOAMCORE Single Socket Self Fit (6mtrs length) SN-4 | " | 2849.00 | 2849.00 | 2849.00 | |
| | FOAMCORE Double Socket Self Fit (6mtrs length) SN-4 | " | 2898.00 | 2898.00 | 2898.00 | |
| | FOAMCORE Plain Both End (6mtrs length) SN-2 | " | 3709.00 | 3709.00 | 3709.00 | |
| | FOAMCORE Single Socket Self Fit (6mtrs length) SN-2 | " | 3773.00 | 3773.00 | 3773.00 | |
| | FOAMCORE Double Socket Self Fit (6mtrs length) SN-2 | " | 3838.00 | 3838.00 | 3838.00 | |
| | FOAMCORE Plain Both End (6mtrs length) SN-4 | " | 4583.00 | 4583.00 | 4583.00 | |
| | FOAMCORE Single Socket Self Fit (6mtrs length) SN-4 | " | 4663.00 | 4663.00 | 4663.00 | |
| | FOAMCORE Double Socket Self Fit (6mtrs length) SN-4 | " | 4743.00 | 4743.00 | 4743.00 | |
| | ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR | | | | | |
| | DWV Coupler SN-8 110mm | per pc | 294.00 | 294.00 | 294.00 | |
| | DWV Coupler SN-4 160 mm | per pc | 708.00 | 708.00 | 708.00 | |
| | DWV Coupler SN-4 200 mm | per pc | 1447.00 | 1447.00 | 1447.00 | |
| | DWV Coupler SN-4 250 mm | " | 2697.00 | 2697.00 | 2697.00 | |
| | DWV Coupler SN-2 315mm | " | 4338.00 | 4338.00 | 4338.00 | |
| | DWV Coupler SN-4 315 mm | " | 4736.00 | 4736.00 | 4736.00 | |
| | DWV Long Radius Bend - 90 Degree SN-8 110mm | " | 1001.00 | 1001.00 | 1001.00 | |
| | DWV Long Radius Bend - 90 Degree SN-4 160 mm | " | 2787.00 | 2787.00 | 2787.00 | |
| | DWV Long Radius Bend - 90 Degree SN-4 200mm | " | 5205.00 | 5205.00 | 5205.00 | |
| | DWV Long Radius Bend - 90 Degree SN-4 250 mm | per pc | 11668.00 | 11668.00 | 11668.00 | |
| | DWV Long Radius Bend - 90 Degree SN-4 315 mm | " | 27705.00 | 27705.00 | 27705.00 | |
| 26 | Multilayer Composite Pipe (Sanghai, or eqv.) | | | | | |
| | Cold Water Pipe (White) | | | | | |
| | 12-16 mm ½" | Rm | 101.00 | 101.00 | 101.00 | |
| | 14-18 mm ½" | " | 111.00 | 111.00 | 111.00 | |
| | 16-20 mm ½" | " | 119.00 | 119.00 | 119.00 | |
| | 20-25 mm ¾" | " | 180.00 | 180.00 | 180.00 | |
| | 26-32 mm 1" | " | 281.00 | 281.00 | 281.00 | |
| | 32-40 mm 1¼" | " | 446.00 | 446.00 | 446.00 | |
| | 41-50 mm 1½" | " | 653.00 | 653.00 | 653.00 | |
| | Hot Water Pipe (Orange) | | | | | |
| | 12-16 mm ½" | Rm | 111.00 | 111.00 | 111.00 | |
| | 14-18 mm ½" | " | 123.00 | 123.00 | 123.00 | |
| | 16-20 mm ½" | " | 141.00 | 141.00 | 141.00 | |

SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|--------------------------------------|------|--------------|--------------|--------------|--------|
| | 20-25 mm ¾" | " | 208.00 | 208.00 | 208.00 | |
| | 26-32 mm 1" | " | 302.00 | 302.00 | 302.00 | |
| | 32-40 mm 1¼" | " | 465.00 | 465.00 | 465.00 | |
| | Gas Lines Pipe (Yellow) | | | | | |
| | 12-16 mm ½" | Rm | 87.00 | 87.00 | 87.00 | |
| | 14-18 mm ½" | " | 87.00 | 87.00 | 87.00 | |
| | MULTILAYER COMPOSITE Fittings | | | | | |
| | a. Equal Straight Union | | | | | |
| | ½"ø (16mm ø) | गोटा | 133.00 | 133.00 | 133.00 | |
| | ½"ø (18mm ø) | " | 140.00 | 140.00 | 140.00 | |
| | ½"ø (20mm ø) | " | 154.00 | 154.00 | 154.00 | |
| | ¾" ø (25 mm ø) | " | 225.00 | 225.00 | 225.00 | |
| | 1" ø (32 mm ø) | " | 351.00 | 351.00 | 351.00 | |
| | 1¼" ø (40 mm ø) | " | 1296.00 | 1296.00 | 1296.00 | |
| | 1½" ø (50 mm ø) | " | 1958.00 | 1958.00 | 1958.00 | |
| | b. Unequal Straight Union | | | | | |
| | 25 - 16 mm ø | " | 252.00 | 252.00 | 252.00 | |
| | 25 - 18 mm ø | " | 261.00 | 261.00 | 261.00 | |
| | 25 - 20 mm ø | " | 275.00 | 275.00 | 275.00 | |
| | 32 - 16 mm ø | " | 388.00 | 388.00 | 388.00 | |
| | 32 - 18 mm ø | " | 356.00 | 356.00 | 356.00 | |
| | 32 - 20 mm ø | " | 383.00 | 383.00 | 383.00 | |
| | 32 - 25 mm ø | " | 410.00 | 410.00 | 410.00 | |
| | 40 - 32 mm ø | " | 1121.00 | 1121.00 | 1121.00 | |
| | 50 - 20 mm ø | " | 1634.00 | 1634.00 | 1634.00 | |
| | 50 - 32 mm ø | " | 1958.00 | 1958.00 | 1958.00 | |
| | 50 - 40 mm ø | " | 1845.00 | 1845.00 | 1845.00 | |
| | c. Male Union | | | | | |
| | 16mm x ½"M | गोटा | 95.00 | 95.00 | 95.00 | |
| | 18mm x ½"M | " | 110.00 | 110.00 | 110.00 | |
| | 20mm x ½"M | " | 126.00 | 126.00 | 126.00 | |
| | 25mm x ½"M | " | 153.00 | 153.00 | 153.00 | |
| | 25mm x ¾"M | " | 194.00 | 194.00 | 194.00 | |
| | 25mm x 1"M | गोटा | 248.00 | 248.00 | 248.00 | |
| | 32mm x ¾"M | " | 284.00 | 284.00 | 284.00 | |
| | 32mm x 1"M | " | 311.00 | 311.00 | 311.00 | |
| | 32mm x 1½"M | " | 315.00 | 315.00 | 315.00 | |
| | 40mm x 1"M | " | 995.00 | 995.00 | 995.00 | |
| | 40mm x 1½"M | " | 1030.00 | 1030.00 | 1030.00 | |
| | 50mm x 1"M | " | 1563.00 | 1563.00 | 1563.00 | |
| | 50mm x 1¼"M | " | 1590.00 | 1590.00 | 1590.00 | |
| | 50mm x 1½"M | " | 2160.00 | 2160.00 | 2160.00 | |
| | 50mm x 2"M | " | 1623.00 | 1623.00 | 1623.00 | |
| | d. Female Straight Union | | | | | |
| | 16mm x ½"F | गोटा | 104.00 | 104.00 | 104.00 | |
| | 18mm x ½"F | " | 113.00 | 113.00 | 113.00 | |
| | 20mm x ½"F | " | 122.00 | 122.00 | 122.00 | |
| | 25mm x ½"F | " | 162.00 | 162.00 | 162.00 | |


SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|-------------------------|----------------------------|------|--------------|--------------|--------------|--------|
| | 25mm x ¾"F | " | 194.00 | 194.00 | 194.00 | |
| | 25mm x 1"F | " | 198.00 | 198.00 | 198.00 | |
| | 32mm x ½"F | " | 203.00 | 203.00 | 203.00 | |
| | 32mm x ¾"F | " | 207.00 | 207.00 | 207.00 | |
| | 32mm x 1"F | " | 293.00 | 293.00 | 293.00 | |
| | 40mm x 1½"F | " | 1168.00 | 1168.00 | 1168.00 | |
| | 50mm x 1¼"F | " | 1575.00 | 1575.00 | 1575.00 | |
| | 50mm x 1½"F | " | 2160.00 | 2160.00 | 2160.00 | |
| | 50mm x 2"F | " | 1638.00 | 1638.00 | 1638.00 | |
| e. Equal Elbow | | | | | | |
| | ½"ø (16mm ø) | गोटा | 126.00 | 126.00 | 126.00 | |
| | ½"ø (18mm ø) | " | 153.00 | 153.00 | 153.00 | |
| | ½"ø (20mm ø) | " | 207.00 | 207.00 | 207.00 | |
| | ¾" ø (25 mm ø) | " | 315.00 | 315.00 | 315.00 | |
| | 1" ø (32 mm ø) | " | 509.00 | 509.00 | 509.00 | |
| | 1¼" ø (40 mm ø) | " | 1656.00 | 1656.00 | 1656.00 | |
| | 1½" ø (50 mm ø) | " | 2565.00 | 2565.00 | 2565.00 | |
| f. Unequal Elbow | | | | | | |
| | 40 - 32 mm ø | " | 1836.00 | 1836.00 | 1836.00 | |
| | 50 - 20 mm ø | " | 2115.00 | 2115.00 | 2115.00 | |
| | 50 - 40 mm ø | " | 2156.00 | 2156.00 | 2156.00 | |
| g. Female Elbow | | | | | | |
| | 16mm x ½"F | गोटा | 167.00 | 167.00 | 167.00 | |
| | 18mm x ½"F | गोटा | 185.00 | 185.00 | 185.00 | |
| | 20mm x ½"F | गोटा | 203.00 | 203.00 | 203.00 | |
| | 25mm x ½"F | गोटा | 225.00 | 225.00 | 225.00 | |
| | 25mm x ¾"F | गोटा | 279.00 | 279.00 | 279.00 | |
| | 25mm x 1"F | गोटा | 306.00 | 306.00 | 306.00 | |
| | 32mm x ¾"F | गोटा | 329.00 | 329.00 | 329.00 | |
| | 32mm x 1"F | गोटा | 410.00 | 410.00 | 410.00 | |
| | 50mm x 1¼"F | गोटा | 2115.00 | 2115.00 | 2115.00 | |
| h. Male Elbow | | | | | | |
| | 25mm x ¾"M | गोटा | 225.00 | 225.00 | 225.00 | |
| | 25mm x 1"M | गोटा | 293.00 | 293.00 | 293.00 | |
| | 32mm x ¾"M | गोटा | 221.00 | 221.00 | 221.00 | |
| | 32mm x 1"M | गोटा | 374.00 | 374.00 | 374.00 | |
| | 40mm x 1"M | गोटा | 1215.00 | 1215.00 | 1215.00 | |
| | 50mm x 1"M | गोटा | 1732.00 | 1732.00 | 1732.00 | |
| i. Equal Tee | | | | | | |
| | ½"ø (16mm ø) | गोटा | 225.00 | 225.00 | 225.00 | |
| | ½"ø (18mm ø) | गोटा | 252.00 | 252.00 | 252.00 | |
| | ½"ø (20mm ø) | गोटा | 315.00 | 315.00 | 315.00 | |
| | ¾" ø (25 mm ø) | गोटा | 455.00 | 455.00 | 455.00 | |
| | 1" ø (32 mm ø) | गोटा | 711.00 | 711.00 | 711.00 | |
| | 1¼" ø (40 mm ø) | गोटा | 2658.00 | 2658.00 | 2658.00 | |
| | 1½" ø (50 mm ø) | गोटा | 3884.00 | 3884.00 | 3884.00 | |
| j. Unequal Tee | | | | | | |
| | 20 mm x 16 mm x 20 mm | गोटा | 203.00 | 203.00 | 203.00 | |
| | 20 mm x 18 mm x 20 mm | गोटा | 225.00 | 225.00 | 225.00 | |



SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|------------------------------------|------|--------------|--------------|--------------|--------|
| | 25 mm x 16 mm x 25 mm | गोटा | 338.00 | 338.00 | 338.00 | |
| | 25 mm x 18 mm x 25 mm | गोटा | 383.00 | 383.00 | 383.00 | |
| | 25 mm x 20 mm x 25 mm | गोटा | 396.00 | 396.00 | 396.00 | |
| | 32 mm x 16 mm x 32 mm | गोटा | 653.00 | 653.00 | 653.00 | |
| | 32 mm x 18 mm x 32 mm | गोटा | 675.00 | 675.00 | 675.00 | |
| | 32 mm x 20 mm x 32 mm | गोटा | 702.00 | 702.00 | 702.00 | |
| | 32 mm x 25 mm x 32 mm | गोटा | 720.00 | 720.00 | 720.00 | |
| | 40 mm x 32 mm x 32 mm | गोटा | 1967.00 | 1967.00 | 1967.00 | |
| | 40 mm x 32 mm x 40 mm | गोटा | 2278.00 | 2278.00 | 2278.00 | |
| | 50 mm x 20 mm x 50 mm | गोटा | 3105.00 | 3105.00 | 3105.00 | |
| | 50 mm x 32 mm x 32 mm | गोटा | 2047.00 | 2047.00 | 2047.00 | |
| | 50 mm x 32 mm x 50 mm | गोटा | 3137.00 | 3137.00 | 3137.00 | |
| | 50 mm x 40 mm x 40 mm | गोटा | 3147.00 | 3147.00 | 3147.00 | |
| | 50 mm x 40 mm x 50 mm | गोटा | 3595.00 | 3595.00 | 3595.00 | |
| | k. Female Tee | | | | | |
| | 16mm x 1/2"F x 16mm | गोटा | 225.00 | 225.00 | 225.00 | |
| | 18mm x 1/2"F x 18mm | गोटा | 234.00 | 234.00 | 234.00 | |
| | 20mm x 1/2"F x 20mm | गोटा | 252.00 | 252.00 | 252.00 | |
| | 25mm x 1/2"F x 25mm | गोटा | 237.00 | 237.00 | 237.00 | |
| | 25mm x 3/4"F x 25mm | गोटा | 261.00 | 261.00 | 261.00 | |
| | 25mm x 1"F x 25mm | गोटा | 338.00 | 338.00 | 338.00 | |
| | 32mm x 1/2"F x 32mm | गोटा | 365.00 | 365.00 | 365.00 | |
| | 32mm x 3/4"F x 32mm | गोटा | 374.00 | 374.00 | 374.00 | |
| | 32mm x 1"F x 32mm | गोटा | 507.00 | 507.00 | 507.00 | |
| | 40mm x 3/4"F x 32mm | गोटा | 1496.00 | 1496.00 | 1496.00 | |
| | 50mm x 3/4"F x 40mm | गोटा | 2219.00 | 2219.00 | 2219.00 | |
| | l. Equal Ball Valve Union | | | | | |
| | 1/2"ø (16mm ø) | गोटा | 262.00 | 262.00 | 262.00 | |
| | 1/2"ø (18mm ø) | गोटा | 291.00 | 291.00 | 291.00 | |
| | 1/2"ø (20mm ø) | गोटा | 383.00 | 383.00 | 383.00 | |
| | 3/4" ø (25 mm ø) | गोटा | 635.00 | 635.00 | 635.00 | |
| | 1" ø (32 mm ø) | गोटा | 882.00 | 882.00 | 882.00 | |
| | 1 1/4" ø (40 mm ø) | गोटा | 2882.00 | 2882.00 | 2882.00 | |
| | 1 1/2" ø (50 mm ø) | गोटा | 4159.00 | 4159.00 | 4159.00 | |
| | m. Female Ball Valve Union | | | | | |
| | 16mm x 1/2"F | गोटा | 244.00 | 244.00 | 244.00 | |
| | 18mm x 1/2"F | गोटा | 280.00 | 280.00 | 280.00 | |
| | 20mm x 1/2"F | गोटा | 313.00 | 313.00 | 313.00 | |
| | 20mm x 3/4"F | गोटा | 351.00 | 351.00 | 351.00 | |
| | 25mm x 3/4"F | गोटा | 653.00 | 653.00 | 653.00 | |
| | 25mm x 1"F | गोटा | 666.00 | 666.00 | 666.00 | |
| | 32mm x 1"F | गोटा | 702.00 | 702.00 | 702.00 | |
| | n. Plug | | | | | |
| | 1 1/4" ø (40 mm ø) | गोटा | 1440.00 | 1440.00 | 1440.00 | |
| | 1 1/2" ø (50 mm ø) | गोटा | 1980.00 | 1980.00 | 1980.00 | |
| | p. Wall Plated Female Elbow | | | | | |
| | 16mm x 1/2"F | गोटा | 189.00 | 189.00 | 189.00 | |
| | 18mm x 1/2"F | गोटा | 207.00 | 207.00 | 207.00 | |
| | 20mm x 1/2"F | गोटा | 225.00 | 225.00 | 225.00 | |





SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|---|--------|--------------|--------------|--------------|--------|
| | q. Nipple | | | | | |
| | N 1/2F*1/2F | गोटा | 49.00 | 49.00 | 49.00 | |
| | N 1/2M*1/2M | गोटा | 49.00 | 49.00 | 49.00 | |
| | N 3/4F*1/2F | गोटा | 68.00 | 68.00 | 68.00 | |
| | N 1F*1/2F | गोटा | 77.00 | 77.00 | 77.00 | |
| | N 1F*3/4F | गोटा | 87.00 | 87.00 | 87.00 | |
| | N 3/4M*1/2M | गोटा | 68.00 | 68.00 | 68.00 | |
| | N 1M*1/2M | गोटा | 77.00 | 77.00 | 77.00 | |
| | N 1M*3/4M | गोटा | 87.00 | 87.00 | 87.00 | |
| | N 1/2F*1/2M | गोटा | 59.00 | 59.00 | 59.00 | |
| | N 1/2F*3/4M | गोटा | 68.00 | 68.00 | 68.00 | |
| | N 1/2F*1M | गोटा | 107.00 | 107.00 | 107.00 | |
| | N 1/2M*3/4F | गोटा | 68.00 | 68.00 | 68.00 | |
| | N 1/2M*1F | गोटा | 112.00 | 112.00 | 112.00 | |
| | N 3/4F*3/4M | गोटा | 87.00 | 87.00 | 87.00 | |
| | N 3/4F*1M | गोटा | 96.00 | 96.00 | 96.00 | |
| | N 3/4M*1F | गोटा | 127.00 | 127.00 | 127.00 | |
| 27 | Supplying laying & jointing of Nepal Plastic (Blue colour slotted)Pvc pipe for different size of Ordinary Boring work by manually | | | | | |
| | a.1) 1.5" Pvc pipe ordinary Boring with necessary materials etc. upto 150' | र.मि | 486.00 | 486.00 | 486.00 | |
| | a.2) Failure chagre per well | संख्या | 1350.00 | 1350.00 | 1350.00 | |
| | b.1) 2" Pvc pipe ordinary Boring with necessary materials etc. upto 150' | र.मि | 693.00 | 693.00 | 693.00 | |
| | b.2) Failure chagre per well | संख्या | 3600.00 | 3600.00 | 3600.00 | |
| | c.1) 3" Pvc pipe ordinary Boring with necessary materials etc. upto 150' | र.मि | 1323.00 | 1323.00 | 1323.00 | |
| | c.2) Failure chagre per well | संख्या | 4680.00 | 4680.00 | 4680.00 | |
| | d.1) 4" Pvc pipe ordinary Boring with necessary materials etc. | र.मि | 1873.00 | 1873.00 | 1873.00 | |
| | d.2) Failure chagre per well | संख्या | 5400.00 | 5400.00 | 5400.00 | |
| | Submercible pump installation fixing position with GI touching wire all complete work | संख्या | 1575.00 | 1575.00 | 1575.00 | |
| 28 | R.C.C. Hume Pipe & Hume Pipe Collar PIPES | | | | | |
| | a) NP-2 | | | | | |
| | 150 mm dia. | र.मि | 510.00 | 510.00 | 535.00 | |
| | 200 mm dia. | र.मि | 670.00 | 670.00 | 703.00 | |
| | 250 mm dia. | र.मि | 830.00 | 830.00 | 871.00 | |
| | 300 mm dia. | र.मि | 1130.00 | 1130.00 | 1186.00 | |
| | 350 mm dia. | र.मि | 1250.00 | 1250.00 | 1312.00 | |
| | 375 mm dia. | र.मि | 1370.00 | 1370.00 | 1438.00 | |
| | 400 mm dia. | र.मि | 1570.00 | 1570.00 | 1648.00 | |
| | 450 mm dia. | र.मि | 1670.00 | 1670.00 | 1753.00 | |
| | 500 mm dia. | र.मि | 1870.00 | 1870.00 | 1963.00 | |
| | 600 mm dia. | र.मि | 2470.00 | 2470.00 | 2593.00 | |
| | 700 mm dia. | र.मि | 3220.00 | 3220.00 | 3381.00 | |
| | 750 mm dia. | र.मि | 3480.00 | 3480.00 | 3654.00 | |
| | 800 mm dia. | र.मि | 3880.00 | 3880.00 | 4074.00 | |



SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|--------------------------------|------|--------------|--------------|--------------|--------|
| | 900 mm dia. | र.मि | 5250.00 | 5250.00 | 5512.00 | |
| | 1000 mm dia. | र.मि | 6120.00 | 6120.00 | 6426.00 | |
| | 1200 mm dia. | र.मि | 7460.00 | 7460.00 | 7833.00 | |
| | 1500 mm dia. | र.मि | 15690.00 | 15690.00 | 16474.00 | |
| | b) NP-3 | | | | | |
| | 150 mm dia. | र.मि | 1140.00 | 1140.00 | 1197.00 | |
| | 200 mm dia. | र.मि | 1520.00 | 1520.00 | 1596.00 | |
| | 250 mm dia. | र.मि | 1910.00 | 1910.00 | 2005.00 | |
| | 300 mm dia. | र.मि | 2740.00 | 2740.00 | 2877.00 | |
| | 350 mm dia. | र.मि | 3070.00 | 3070.00 | 3223.00 | |
| | 375 mm dia. | र.मि | 3290.00 | 3290.00 | 3454.00 | |
| | 400 mm dia. | र.मि | 3500.00 | 3500.00 | 3675.00 | |
| | 450 mm dia. | र.मि | 3930.00 | 3930.00 | 4126.00 | |
| | 500 mm dia. | र.मि | 4380.00 | 4380.00 | 4599.00 | |
| | 600 mm dia. | र.मि | 5410.00 | 5410.00 | 5680.00 | |
| | 700 mm dia. | र.मि | 6540.00 | 6540.00 | 6867.00 | |
| | 750 mm dia. | र.मि | 7510.00 | 7510.00 | 7885.00 | |
| | 800 mm dia. | र.मि | 8190.00 | 8190.00 | 8599.00 | |
| | 900 mm dia. | र.मि | 10630.00 | 10630.00 | 11161.00 | |
| | 1000 mm dia. | र.मि | 11810.00 | 11810.00 | 12400.00 | |
| | 1200 mm dia. | र.मि | 14050.00 | 14050.00 | 14752.00 | |
| | 1500 mm dia. | र.मि | 22080.00 | 22080.00 | 23184.00 | |
| | R.C.C. Hume Pipe Collar | | | | | |
| | a) NP-2 | | | | | |
| | 150 mm dia. | गोटा | 130.00 | 130.00 | 136.00 | |
| | 200 mm dia. | र.मि | 170.00 | 170.00 | 178.00 | |
| | 250 mm dia. | र.मि | 210.00 | 210.00 | 220.00 | |
| | 300 mm dia. | र.मि | 280.00 | 280.00 | 294.00 | |
| | 350 mm dia. | र.मि | 310.00 | 310.00 | 325.00 | |
| | 375 mm dia. | र.मि | 340.00 | 340.00 | 357.00 | |
| | 400 mm dia. | र.मि | 390.00 | 390.00 | 409.00 | |
| | 450 mm dia. | र.मि | 420.00 | 420.00 | 441.00 | |
| | 500 mm dia. | र.मि | 470.00 | 470.00 | 493.00 | |
| | 600 mm dia. | र.मि | 620.00 | 620.00 | 651.00 | |
| | 700 mm dia. | र.मि | 800.00 | 800.00 | 840.00 | |
| | 750 mm dia. | र.मि | 870.00 | 870.00 | 913.00 | |
| | 800 mm dia. | र.मि | 970.00 | 970.00 | 1018.00 | |
| | 900 mm dia. | र.मि | 1310.00 | 1310.00 | 1375.00 | |
| | 1000 mm dia. | र.मि | 1530.00 | 1530.00 | 1606.00 | |
| | 1200 mm dia. | र.मि | 1870.00 | 1870.00 | 1963.00 | |
| | 1500 mm dia. | र.मि | 3920.00 | 3920.00 | 4116.00 | |
| | b) NP-3 | | | | | |
| | 150 mm dia. | र.मि | 290.00 | 290.00 | 304.00 | |
| | 200 mm dia. | र.मि | 380.00 | 380.00 | 399.00 | |
| | 250 mm dia. | र.मि | 480.00 | 480.00 | 504.00 | |
| | 300 mm dia. | र.मि | 680.00 | 680.00 | 714.00 | |
| | 350 mm dia. | र.मि | 770.00 | 770.00 | 808.00 | |
| | 375 mm dia. | | 820.00 | 820.00 | 861.00 | |
| | 400 mm dia. | गोटा | 870.00 | 870.00 | 913.00 | |

 पृथ्वी विजय पांडे

SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|-----------|--|------|--------------|--------------|--------------|--------|
| | 450 mm dia. | र.मि | 980.00 | 980.00 | 1029.00 | |
| | 500 mm dia. | र.मि | 1100.00 | 1100.00 | 1155.00 | |
| | 600 mm dia. | र.मि | 1350.00 | 1350.00 | 1417.00 | |
| | 700 mm dia. | र.मि | 1630.00 | 1630.00 | 1711.00 | |
| | 750 mm dia. | र.मि | 1880.00 | 1880.00 | 1974.00 | |
| | 800 mm dia. | र.मि | 2050.00 | 2050.00 | 2152.00 | |
| | 900 mm dia. | र.मि | 2660.00 | 2660.00 | 2793.00 | |
| | 1000 mm dia. | र.मि | 2950.00 | 2950.00 | 3097.00 | |
| | 1200 mm dia. | र.मि | 3510.00 | 3510.00 | 3685.00 | |
| | 1500 mm dia. | र.मि | 5520.00 | 5520.00 | 5796.00 | |
| | R.C.C. Spigot Hume Pipe (Socket system) | | | | | |
| | a) NP-2 | | | | | |
| | 150 mm dia. | र.मि | | | | |
| | 200 mm dia. | र.मि | | | | |
| | 250 mm dia. | र.मि | | | | |
| | 300 mm dia. | र.मि | | | | |
| | 350 mm dia. | र.मि | | | | |
| | 400 mm dia. | र.मि | | | | |
| | 450 mm dia. | र.मि | | | | |
| | 500 mm dia. | र.मि | | | | |
| | 600 mm dia. | र.मि | | | | |
| | 700 mm dia. | र.मि | | | | |
| | 750 mm dia. | र.मि | | | | |
| | 800 mm dia. | र.मि | | | | |
| | 900 mm dia. | र.मि | | | | |
| | 1000 mm dia. | र.मि | | | | |
| | 1200 mm dia. | र.मि | | | | |
| | b) NP-3 | र.मि | 1290.00 | 1290.00 | 1354.00 | |
| | 150 mm dia. | र.मि | 1750.00 | 1750.00 | 1837.00 | |
| | 200 mm dia. | र.मि | 2190.00 | 2190.00 | 2299.00 | |
| | 250 mm dia. | र.मि | 3150.00 | 3150.00 | 3307.00 | |
| | 300 mm dia. | र.मि | | | | |
| | 350 mm dia. | र.मि | 4030.00 | 4030.00 | 4231.00 | |
| | 400 mm dia. | र.मि | 4520.00 | 4520.00 | 4746.00 | |
| | 450 mm dia. | र.मि | 5040.00 | 5040.00 | 5292.00 | |
| | 500 mm dia. | र.मि | 6230.00 | 6230.00 | 6541.00 | |
| | 600 mm dia. | र.मि | 7520.00 | 7520.00 | 7896.00 | |
| | 700 mm dia. | र.मि | 9420.00 | 9420.00 | 9891.00 | |
| | 800 mm dia. | र.मि | 12220.00 | 12220.00 | 12831.00 | |
| | 900 mm dia. | र.मि | 13580.00 | 13580.00 | 14259.00 | |
| | 1000 mm dia. | र.मि | 16160.00 | 16160.00 | 16968.00 | |
| | 1200 mm dia. | र.मि | 25980.00 | 25980.00 | 27279.00 | |
| | 1400 mm dia. | र.मि | 29970.00 | 29970.00 | 31468.00 | |
| | 1600 mm dia. | र.मि | 39920.00 | 39920.00 | 41916.00 | |
| | 1800 mm dia. | र.मि | | | | |
| 29 | High Density Polythene Pipe NS-40 | | | | | |
| | Pipes of different sizes, series & pressure | | | | | |



SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|---------------------------------------|------|--------------|--------------|--------------|--------|
| | HDP Pipe 16 mm to 315 mm | kg | 255.00 | | | |
| | HDP Pipe avobe 315 mm dia | kg | 255.00 | | | |
| 29.1 | 2.5Kg/cm² Series II | | | | | |
| | 63 mm (0.403 Avg.wt Kg/m) | Rm | 102.77 | | | |
| | 75 mm (0.557 Avg.wt Kg/m) | " | 142.04 | | | |
| | 90 mm (0.799 Avg.wt Kg/m) | " | 203.75 | | | |
| | 110 mm (1.185 Avg.wt Kg/m) | " | 302.18 | | | |
| | 125 mm (1.530 Avg.wt Kg/m) | " | 390.15 | | | |
| | 140 mm (1.897 Avg.wt Kg/m) | " | 483.74 | | | |
| | 160 mm (2.453 Avg.wt Kg/m) | " | 625.52 | | | |
| | 180 mm (3.148 Avg.wt Kg/m) | " | 802.74 | | | |
| | 200 mm (3.875 Avg.wt Kg/m) | " | 988.13 | | | |
| | 225 mm (4.822 Avg.wt Kg/m) | " | 1229.61 | | | |
| | 250 mm (6.012 Avg.wt Kg/m) | " | 1533.06 | | | |
| | 280 mm (7.471 Avg.wt Kg/m) | " | 1905.11 | | | |
| | 315 mm (9.417 Avg.wt Kg/m) | " | 2401.34 | | | |
| | 355 mm (11.957 Avg.wt Kg/m) | " | 3324.05 | | | |
| | 400 mm (15.221 Avg.wt Kg/m) | " | 4231.44 | | | |
| | 450 mm (19.163 Avg.wt Kg/m) | " | 5327.31 | | | |
| 29.2 | 4 Kg/cm² Series III | | | | | |
| | 40 mm (0.251 Avg.wt Kg/m) | Rm | 64.01 | | | |
| | 50 mm (0.378 Avg.wt Kg/m) | " | 96.39 | | | |
| | 63 mm (0.585 Avg.wt Kg/m) | " | 149.18 | | | |
| | 75 mm (0.846 Avg.wt Kg/m) | " | 215.73 | | | |
| | 90 mm (1.220 Avg.wt Kg/m) | " | 311.10 | | | |
| | 110 mm (1.703 Avg.wt Kg/m) | " | 434.27 | | | |
| | 125 mm (2.289 Avg.wt Kg/m) | " | 434.27 | | | |
| | 140 mm (2.901 Avg.wt Kg/m) | " | 583.70 | | | |
| | 160 mm (3.773 Avg.wt Kg/m) | " | 739.76 | | | |
| | 180 mm (4.762 Avg.wt Kg/m) | " | 962.12 | | | |
| | 200 mm (5.890 Avg.wt Kg/m) | " | 1214.31 | | | |
| | 225 mm (7.445 Avg.wt Kg/m) | " | 1501.95 | | | |
| | 250 mm (9.187 Avg.wt Kg/m) | " | 1898.48 | | | |
| | 280 mm (11.455 Avg.wt Kg/m) | " | 2342.69 | | | |
| | 315 mm (14.508 Avg.wt Kg/m) | " | 2921.03 | | | |
| | 355 mm (18.382 Avg.wt Kg/m) | " | 3699.54 | | | |
| | 400 mm (23.343 Avg.wt Kg/m) | " | 5110.20 | | | |
| | 450mm (29.351Avg.wt Kg/m) | " | 6489.35 | | | |
| | | | 8159.58 | | | |
| 29.3 | 6 Kg/cm² Series IV | | | | | |
| | 32 mm (0.226 Avg.wt Kg/m) | Rm | 57.63 | | | |
| | 40 mm (0.350 Avg.wt Kg/m) | " | 89.25 | | | |
| | 50 mm (0.542 Avg.wt Kg/m) | " | 138.21 | | | |
| | 63 mm (0.850 Avg.wt Kg/m) | " | 216.75 | | | |
| | 75 mm (1.191 Avg.wt Kg/m) | " | 303.71 | | | |
| | 90 mm (1.717 Avg.wt Kg/m) | " | 437.84 | | | |

आर्थिक वर्ष
२०७९/८० को
काठमाण्डौ
जिल्लाको दर रेट
अनुसार हुने

आर्थिक वर्ष
२०८०/८१ को
काठमाण्डौ
जिल्लाको दर रेट
अनुसार हुने




SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत | | |
|--------|---|------|--------------|--|--|---------|---------|--|
| | 110 mm (2.545 Avg.wt Kg/m) | ” | 648.98 | | | | | |
| | 125 mm (3.293 Avg.wt Kg/m) | ” | 839.72 | | | | | |
| | 140 mm (4.150 Avg.wt Kg/m) | ” | 1058.25 | | | | | |
| | 160 mm (5.355 Avg.wt Kg/m) | ” | 1365.53 | | | | | |
| | 180 mm (6.800 Avg.wt Kg/m) | ” | 1734.00 | | | | | |
| | 200 mm (8.391 Avg.wt Kg/m) | ” | 2139.71 | | | | | |
| | 225 mm (10.544 Avg.wt Kg/m) | Rm | 2688.72 | | | | | |
| | 250 mm (13.041 Avg.wt Kg/m) | Rm | 3325.46 | | | | | |
| | 280 mm (16.327 Avg.wt Kg/m) | Rm | 4163.39 | | | | | |
| | 315 mm (20.694 Avg.wt Kg/m) | Rm | 5276.97 | | | | | |
| | 355 mm (26.243 Avg.wt Kg/m) | Rm | 7295.55 | | | | | |
| | 400 mm (33.309 Avg.wt Kg/m) | | 9259.90 | | | | | |
| | 450 mm (42.065 Avg.wt Kg/m) | | 11694.07 | | | | | |
| 29.4 | 10 Kg/cm² Series VI | | | | | | | |
| | 16 mm (0.092 Avg.wt Kg/m) | Rm | 23.46 | आर्थिक वर्ष २०७९/८० को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने | आर्थिक वर्ष २०७९/८० को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने | | | |
| | 20 mm (0.134 Avg.wt Kg/m) | ” | 34.17 | | | | | |
| | 25 mm (0.202 Avg.wt Kg/m) | ” | 51.51 | | | | | |
| | 32 mm (0.334 Avg.wt Kg/m) | ” | 85.17 | | | | | |
| | 40 mm (0.514 Avg.wt Kg/m) | ” | 131.07 | | | | | |
| | 50 mm (0.796 Avg.wt Kg/m) | ” | 202.98 | | | | | |
| | 63 mm (1.269 Avg.wt Kg/m) | ” | 323.60 | | | | | |
| | 75 mm (1.782 Avg.wt Kg/m) | ” | 454.41 | | | | | |
| | 90 mm (2.568 Avg.wt Kg/m) | ” | 654.84 | | | | | |
| | 110 mm (3.801 Avg.wt Kg/m) | ” | 969.26 | | | | | |
| | 125 mm (4.962 Avg.wt Kg/m) | ” | 1265.31 | | | | | |
| | 140 mm (6.209 Avg.wt Kg/m) | ” | 1583.30 | | | | | |
| | 160 mm (8.079 Avg.wt Kg/m) | ” | 2060.15 | | | | | |
| | 180 mm (10.256 Avg.wt Kg/m) | ” | 2615.28 | | | | | |
| | 200 mm (12.620 Avg.wt Kg/m) | ” | 3218.10 | | | | | |
| | 225 mm (16.014 Avg.wt Kg/m) | ” | 4083.57 | | | | | |
| | 250 mm (19.757 Avg.wt Kg/m) | ” | 5038.04 | | | | | |
| | 280 mm (24.708 Avg.wt Kg/m) | ” | 6300.54 | | | | | |
| | 315 mm (31.16 Avg.wt Kg/m) | ” | 7945.80 | | | | | |
| | 355 mm (39.635 Avg.wt Kg/m) | ” | 11018.53 | | | | | |
| | 400 mm (50.344 Avg.wt Kg/m) | ” | 13995.63 | | | | | |
| | 450 mm (63.598 Avg.wt Kg/m) | ” | 17680.24 | | | | | |
| 29.5 | HDPE Double-Wall Corrugated Pipes (Hilltake or equivalent) | | | | | | | |
| | 100mm | Rm | 500.00 | | | 525.00 | 551.00 | |
| | 150mm | ” | 1000.00 | | | 1050.00 | 1103.00 | |
| | 200mm | ” | 1500.00 | 1600.00 | 1680.00 | | | |
| | 250mm | ” | 1900.00 | 2025.00 | 2126.00 | | | |
| | 300mm | ” | 3160.00 | 3350.00 | 3518.00 | | | |
| | 400mm | ” | 4070.00 | 4325.00 | 4541.00 | | | |
| | 500mm | ” | 4860.00 | 5150.00 | 5408.00 | | | |
| | 600mm | ” | 8370.00 | 8875.00 | 9319.00 | | | |
| | 800mm | ” | 13875.00 | 14700.00 | 15435.00 | | | |



SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|--|------|--------------|--------------|--------------|--------|
| | 1000mm | ” | 20900.00 | 22150.00 | 23258.00 | |
| 29.6 | HDPE Sockets (3.5mm thick) of different sizes | | | | | |
| | i. 4 " | गोटा | 190.00 | 190.00 | 199.00 | |
| | ii. 5 " | ” | 325.00 | 325.00 | 341.00 | |
| | iii. 6 " | ” | 480.00 | 480.00 | 504.00 | |
| | iv. 7 " | ” | 740.00 | 740.00 | 777.00 | |
| | v. 8 " | ” | 940.00 | 940.00 | 987.00 | |
| | vi. 9 " | ” | 1100.00 | 1100.00 | 1155.00 | |
| | vii. 10 " | ” | 1450.00 | 1450.00 | 1522.00 | |
| | viii. 11 " | ” | 2400.00 | 2400.00 | 2520.00 | |
| | ix. 12 " | ” | 2650.00 | 2650.00 | 2782.00 | |
| 30 | UPVC (Pipe NS 206/046) | | | | | |
| 30.1 | A) pipe 2.5 kg /cm² pressure | र.मी | | | | |
| | a) 90 mm | ” | 141.00 | 141.00 | 141.00 | |
| | b) 110 mm | ” | 209.00 | 209.00 | 209.00 | |
| | c) 125 mm | ” | 266.00 | 266.00 | 266.00 | |
| | d) 140 mm | ” | 328.00 | 328.00 | 328.00 | |
| | e) 160 mm | ” | 429.00 | 429.00 | 429.00 | |
| | f) 180 mm | ” | 549.00 | 549.00 | 549.00 | |
| | g) 200 mm | ” | 671.00 | 671.00 | 671.00 | |
| 30.2 | B) PVC Pipe 4 kg / cm² | र.मी | | | | |
| | a) 63mm | ” | 112.00 | 112.00 | 112.00 | |
| | b) 75 mm | ” | 154.00 | 154.00 | 154.00 | |
| | c) 90 mm | ” | 219.00 | 219.00 | 219.00 | |
| | d) 110 mm | ” | 301.00 | 301.00 | 301.00 | |
| | e) 125 mm | ” | 415.00 | 415.00 | 415.00 | |
| | f) 140 mm | ” | 527.00 | 527.00 | 527.00 | |
| | g) 160 mm | र.मी | 683.00 | 683.00 | 683.00 | |
| | h) 180 mm | ” | 877.00 | 877.00 | 877.00 | |
| | i) 200 mm | ” | 1064.00 | 1064.00 | 1064.00 | |
| 30.3 | C) PVC Pipe 6 Kg/ cm² pressure | र.मी | | | | |
| | a) 40 mm | ” | 66.00 | 66.00 | 66.00 | |
| | b) 50 mm | ” | 99.00 | 99.00 | 99.00 | |
| | c) 63 mm | ” | 159.00 | 159.00 | 159.00 | |
| | d) 75 mm | ” | 222.00 | 222.00 | 222.00 | |
| | e) 90 mm | र.मी | 320.00 | 320.00 | 320.00 | |
| | f) 110 mm | र.मी | 462.00 | 462.00 | 462.00 | |
| | g) 125 mm | र.मी | 616.00 | 616.00 | 616.00 | |
| | h) 140 mm | ” | 766.00 | 766.00 | 766.00 | |
| | i) 160 mm | ” | 982.00 | 982.00 | 982.00 | |
| | j) 180 mm | ” | 1252.00 | 1252.00 | 1252.00 | |
| | k) 200 mm | ” | 1534.00 | 1534.00 | 1534.00 | |
| 30.4 | C) PVC Pipe 10 Kg/ cm² pressure | र.मी | | | | |
| | a) 20 mm | ” | 25.00 | 25.00 | 25.00 | |
| | b) 25 mm | ” | 40.00 | 40.00 | 40.00 | |
| | c) 32mm | ” | 65.00 | 65.00 | 65.00 | |


 कर्मचारी मंडल



SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|-------------|-----------------------------------|------|--------------|--------------|--------------|--------|
| | a) 40 mm | " | 98.00 | 98.00 | 98.00 | |
| | b) 50 mm | " | 155.00 | 155.00 | 155.00 | |
| | c) 63 mm | " | 246.00 | 246.00 | 246.00 | |
| | d) 75 mm | " | 351.00 | 351.00 | 351.00 | |
| | e) 90 mm | " | 501.00 | 501.00 | 501.00 | |
| | f) 110 mm | " | 742.00 | 742.00 | 742.00 | |
| | g) 125 mm | " | 950.00 | 950.00 | 950.00 | |
| | h) 140 mm | " | 1199.00 | 1199.00 | 1199.00 | |
| | i) 160 mm | " | 1542.00 | 1542.00 | 1542.00 | |
| | j) 180 mm | " | 1966.00 | 1966.00 | 1966.00 | |
| | k) 200 mm | " | 2431.00 | 2431.00 | 2431.00 | |
| 30.5 | UPVC fittings : | | | | | |
| | Coupler | | | | | |
| | 50 mm | गोटा | 31.00 | 31.00 | 31.00 | |
| | 75 mm | " | 75.00 | 75.00 | 75.00 | |
| | 110 mm | " | 128.00 | 128.00 | 128.00 | |
| | Bend 87.5 degree | | | | | |
| | 50 mm | गोटा | 46.00 | 46.00 | 46.00 | |
| | 75 mm | " | 108.00 | 108.00 | 108.00 | |
| | 110 mm | " | 200.00 | 200.00 | 200.00 | |
| | Bend 45 degree | | | | | |
| | 50 mm | गोटा | 45.00 | 45.00 | 45.00 | |
| | 75 mm | " | 88.00 | 88.00 | 88.00 | |
| | 110 mm | " | 158.00 | 158.00 | 158.00 | |
| | Single Tee | | | | | |
| | 50 mm | गोटा | 68.00 | 68.00 | 68.00 | |
| | 75 mm | " | 147.00 | 147.00 | 147.00 | |
| | 110 mm | " | 279.00 | 279.00 | 279.00 | |
| | Pipe clip | | | | | |
| | 50 mm | गोटा | 14.00 | 14.00 | 14.00 | |
| | 75 mm | " | 28.00 | 28.00 | 28.00 | |
| | 110 mm | " | 37.00 | 37.00 | 37.00 | |
| | Bend 87.5 degree with door | | | | | |
| | 75 mm | गोटा | 139.00 | 139.00 | 139.00 | |
| | 110 mm | " | 242.00 | 242.00 | 242.00 | |
| | Single Tee with door | | | | | |
| | 75 mm | गोटा | 198.00 | 198.00 | 198.00 | |
| | 110 mm | " | 369.00 | 369.00 | 369.00 | |
| | Double Tee | | | | | |
| | 75 mm | गोटा | 322.00 | 322.00 | 322.00 | |
| | 110 mm | गोटा | 510.00 | 510.00 | 510.00 | |
| | Double Tee with door | | | | | |
| | 75 mm | गोटा | 427.00 | 427.00 | 427.00 | |
| | 110 mm | " | 662.00 | 662.00 | 662.00 | |



SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|---|------|--------------|--------------|--------------|--------|
| | Vent cowl | | | | | |
| | 75 mm | गोटा | 53.00 | 53.00 | 53.00 | |
| | 110 mm | " | 87.00 | 87.00 | 87.00 | |
| | Socket plug | | | | | |
| | 75 mm | गोटा | 66.00 | 66.00 | 66.00 | |
| | 110 mm | " | 108.00 | 108.00 | 108.00 | |
| | Single "Y" | | | | | |
| | 75 mm | गोटा | 168.00 | 168.00 | 168.00 | |
| | 110 mm | " | 363.00 | 363.00 | 363.00 | |
| | Single "Y" with door | | | | | |
| | 75 mm | गोटा | 230.00 | 230.00 | 230.00 | |
| | 110 mm | " | 438.00 | 438.00 | 438.00 | |
| | Double "Y" | | | | | |
| | 75 mm | गोटा | 253.00 | 253.00 | 253.00 | |
| | 110 mm | " | 499.00 | 499.00 | 499.00 | |
| | Double "Y" with door | | | | | |
| | 75 mm | गोटा | 325.00 | 325.00 | 325.00 | |
| | 110 mm | " | 523.00 | 523.00 | 523.00 | |
| | Cleaning pipe | | | | | |
| | 75 mm | " | 147.00 | 147.00 | 147.00 | |
| | 110 mm | " | 284.00 | 284.00 | 284.00 | |
| | Reducer | | | | | |
| | 110x 75 mm | " | 131.00 | 131.00 | 131.00 | |
| | 75X50 mm | " | 69.00 | 69.00 | 69.00 | |
| | P -Trap | | | | | |
| | 125mmx110mm | " | 539.00 | 539.00 | 539.00 | |
| | 110mmx110mm | " | 505.00 | 505.00 | 505.00 | |
| | 75mmx75mm | " | 193.00 | 193.00 | 193.00 | |
| | Multi-Floor -Trap | | | | | |
| | 110mmx75mm | " | 280.00 | 280.00 | 280.00 | |
| | Nahani-Trap | | | | | |
| | 110mmx75mm | " | 255.00 | 255.00 | 255.00 | |
| | W.C. Connector (bent type) | " | 261.00 | 261.00 | 261.00 | |
| | Square tile with jali | " | 84.00 | 84.00 | 84.00 | |
| | Round jali | " | 38.00 | 38.00 | 38.00 | |
| | End cap 50mm | " | 25.00 | 25.00 | 25.00 | |
| 31.0 | G.I Pipe threaded , 6 m. length With Cap | | | | | |
| | a) Light class | | | | | |
| | i. ½ " (15 mm) | र.मी | 160.00 | | | |
| | ii. ¾" (20 mm) | " | 218.00 | | | |
| | iii. 1" (25 mm) | " | 302.00 | | | |
| | iv. 1 ¼" (32 mm) | " | 387.00 | | | |
| | v. 1 ½ " (40 mm) | " | 477.00 | | | |
| | vi. 2" (50 mm) | र.मी | 603.00 | | | |



SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत | |
|---------------------------|--|------|--------------|--|--|--------|--|
| vii. | 2 ½" (65 mm) | र.मी | 832.00 | आर्थिक वर्ष २०७९/८० को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने | आर्थिक वर्ष २०८०/८१ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने | | |
| viii. | 3" (80 mm) | " | 975.00 | | | | |
| ix. | 4" (100 mm) | " | 1395.00 | | | | |
| x. | 5" (125 mm) | " | 2232.00 | | | | |
| xi. | 6" (150 mm) | " | 2651.00 | | | | |
| xii. | 8" (200 mm) | " | 3805.00 | | | | |
| b) Medium class | | | | | | | |
| i. | ½" (15 mm) | र.मी | 186.00 | | | | |
| ii. | ¾" (20 mm) | " | 238.00 | | | | |
| iii. | 1" (25 mm) | " | 354.00 | | | | |
| iv. | 1 ¼" (32 mm) | " | 461.00 | | | | |
| v. | 1 ½" (40 mm) | र.मि | 529.00 | | | | |
| vi. | 2" (50 mm) | " | 724.00 | | | | |
| vii. | 2 ½" (65 mm) | " | 923.00 | | | | |
| viii. | 3" (80 mm) | " | 1145.00 | | | | |
| ix. | 4" (100 mm) | " | 1699.00 | | | | |
| x. | 5" (125 mm) | " | 2354.00 | | | | |
| xi. | 6" (150 mm) | " | 2844.00 | | | | |
| xii. | 8" (200 mm) | " | 4323.00 | | | | |
| c) Heavy duty | | | | | | | |
| i. | ½" (15 mm) | र.मि | 219.00 | आर्थिक वर्ष २०७९-८० को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने | आर्थिक वर्ष २०८०/८१ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने | | |
| ii. | ¾" (20 mm) | " | 278.00 | | | | |
| iii. | 1" (25 mm) | " | 414.00 | | | | |
| iv. | 1 ¼" (32 mm) | " | 529.00 | | | | |
| v. | 1 ½" (40 mm) | " | 610.00 | | | | |
| vi. | 2" (50 mm) | " | 889.00 | | | | |
| vii. | 2 ½" (65 mm) | " | 1115.00 | | | | |
| viii. | 3" (80 mm) | " | 1312.00 | | | | |
| ix. | 4" (100 mm) | " | 2034.00 | | | | |
| x. | 5" (125 mm) | " | 2635.00 | | | | |
| xi. | 6" (150 mm) | " | 2988.00 | | | | |
| xii. | 8" (200 mm) | " | 4582.00 | | | | |
| 32.0 | G.I. Pipe fittings ISI or NS Standard | | | | | | |
| a) G.M. Gate valve | | | | | | | |
| i. | ½" | गोटा | 882.20 | 882.20 | | | |
| ii. | ¾" | " | 1097.80 | 1097.80 | | | |
| iii. | 1" | " | 1768.80 | 1768.80 | | | |
| iv. | 1 ¼" | " | 2523.40 | 2523.40 | | | |
| v. | 1 ½" | " | 3177.90 | 3177.90 | | | |
| vi. | 2" | " | 5058.90 | 5058.90 | | | |
| vii. | 2 ½" | " | 10459.90 | 10459.90 | | | |
| viii. | 3" | " | 13005.30 | 13005.30 | | | |

SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|----------------------------|------|--------------|--------------|--------------|--------|
| ix. | 4" | " | 21301.50 | 21301.50 | | |
| | b) G.M Check valve | | | | | |
| i. | 1/2 " | गोटा | 818.40 | 818.40 | | |
| ii. | 3/4" | गोटा | 1100.00 | 1100.00 | | |
| iii. | 1" | गोटा | 1626.90 | 1626.90 | | |
| iv. | 1 1/4" | " | 2404.60 | 2404.60 | | |
| v. | 1 1/2 " | " | 2781.90 | 2781.90 | | |
| vi. | 2" | " | 4613.40 | 4613.40 | | |
| vii. | 2 1/2 " | " | 9373.10 | 9373.10 | | |
| viii. | 3" | " | 12519.10 | 12519.10 | | |
| ix. | 4" | " | 17692.40 | 17692.40 | | |
| | c) G.I. Ebow | | | | | |
| i. | 1/2 " | गोटा | 47.30 | 47.30 | | |
| ii. | 3/4" | " | 85.80 | 85.80 | | |
| iii. | 1" | " | 133.10 | 133.10 | | |
| iv. | 1 1/4" | " | 201.30 | 201.30 | | |
| v. | 1 1/2 " | " | 282.70 | 282.70 | | |
| vi. | 2" | " | 425.70 | 425.70 | | |
| vii. | 2 1/2 " | " | 738.10 | 738.10 | | |
| viii. | 3" | " | 1148.40 | 1148.40 | | |
| ix. | 4" | " | 1978.90 | 1978.90 | | |
| x. | 5" | " | 4897.20 | 4897.20 | | |
| xi. | 6" | " | 5893.80 | 5893.80 | | |
| | d) G.I. Tee | | | | | |
| i. | 1/2 " | गोटा | 73.70 | 73.70 | | |
| ii. | 3/4" | " | 116.60 | 116.60 | | |
| iii. | 1" | " | 169.40 | 169.40 | | |
| iv. | 1 1/4" | " | 271.70 | 271.70 | | |
| v. | 1 1/2 " | " | 376.20 | 376.20 | | |
| vi. | 2" | " | 614.90 | 614.90 | | |
| vii. | 2 1/2 " | " | 965.80 | 965.80 | | |
| viii. | 3" | " | 1305.70 | 1305.70 | | |
| ix. | 4" | " | 2371.60 | 2371.60 | | |
| x. | 5" | " | 6563.70 | 6563.70 | | |
| xi. | 6" | " | 7606.50 | 7606.50 | | |
| | e) G.I Union | | | | | |
| i. | 1/2 " | गोटा | 155.10 | 155.10 | | |
| ii. | 3/4" | " | 217.80 | 217.80 | | |
| iii. | 1" | " | 320.10 | 320.10 | | |
| iv. | 1 1/4" | " | 440.00 | 440.00 | | |
| v. | 1 1/2 " | " | 544.50 | 544.50 | | |
| vi. | 2" | " | 810.70 | 810.70 | | |
| vii. | 2 1/2 " | " | 1657.70 | 1657.70 | | |
| viii. | 3" | " | 2233.00 | 2233.00 | | |
| ix. | 4" | गोटा | 2942.50 | 2942.50 | | |

आर्थिक वर्ष २०८०/८१
को काठमाण्डौ जिल्लाको
दर रेट अनुसार हुने

SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत | |
|------------------------|----------------------------|------|--------------|--------------|--|--------|--|
| x. | 5" | " | 6563.70 | 6563.70 | आर्थिक वर्ष २०८०-८१ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने | | |
| xi. | 6" | " | 7940.90 | 7940.90 | | | |
| f) G.I. Socket | | | | | | | |
| i. | ½ " | गोटा | 42.90 | 42.90 | | | |
| ii. | ¾" | गोटा | 67.10 | 67.10 | | | |
| iii. | 1" | गोटा | 91.30 | 91.30 | | | |
| iv. | 1 ¼" | गोटा | 140.80 | 140.80 | | | |
| v. | 1 ½ " | गोटा | 190.30 | 190.30 | | | |
| vi. | 2" | गोटा | 280.50 | 280.50 | | | |
| vii. | 2 ½ " | " | 508.20 | 508.20 | | | |
| viii. | 3" | " | 749.10 | 749.10 | | | |
| ix. | 4" | " | 1296.90 | 1296.90 | | | |
| x. | 5" | " | 3239.50 | 3239.50 | | | |
| xi. | 6" | " | 4356.00 | 4356.00 | | | |
| g) C.I. Plug | | | | | | | |
| i. | ½ " | गोटा | 27.50 | 27.50 | | | |
| ii. | ¾" | " | 36.30 | 36.30 | | | |
| iii. | 1" | " | 45.10 | 45.10 | | | |
| iv. | 1 ¼" | " | 90.20 | 90.20 | | | |
| v. | 1 ½ " | " | 113.30 | 113.30 | | | |
| vi. | 2" | " | 136.40 | 136.40 | | | |
| vii. | 2 ½ " | " | 195.80 | 195.80 | | | |
| viii. | 3" | " | 400.40 | 400.40 | | | |
| ix. | 4" | " | 767.80 | 767.80 | | | |
| h) Hex Nipple | | | | | | | |
| i. | ½ " | गोटा | 51.70 | 51.70 | | | |
| ii. | ¾" | " | 79.20 | 79.20 | | | |
| iii. | 1" | " | 127.60 | 127.60 | | | |
| iv. | 1 ¼" | " | 199.10 | 199.10 | | | |
| v. | 1 ½ " | " | 251.90 | 251.90 | | | |
| vi. | 2" | " | 375.10 | 375.10 | | | |
| vii. | 2 ½ " | " | 687.50 | 687.50 | | | |
| viii. | 3" | " | 887.70 | 887.70 | | | |
| ix. | 4" | " | 1360.70 | 1360.70 | | | |
| j) Reducing Tee | | | | | | | |
| i. | ¾" | गोटा | 127.60 | 127.60 | | | |
| ii. | 1" | " | 187.00 | 187.00 | | | |
| iii. | 1 ¼" | " | 298.10 | 298.10 | | | |
| iv. | 1 ½ " | " | 413.60 | 413.60 | | | |
| v. | 2" | " | 675.40 | 675.40 | | | |
| vi. | 2 ½ " | " | 1063.70 | 1063.70 | | | |
| vii. | 3" | " | 1437.70 | 1437.70 | | | |
| viii. | 4" | " | 2626.80 | 2626.80 | | | |
| x. | 5" | " | 7227.00 | 7227.00 | | | |
| xi. | 6" | " | 8365.50 | 8365.50 | | | |



SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|----------------------------|------|--------------|--------------|--|--------|
| | i) Reducing Elbow | | | | | |
| i. | ¾" | गोटा | 94.60 | 94.60 | आर्थिक वर्ष २०८०-८१ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने | |
| ii. | 1" | " | 146.30 | 146.30 | | |
| iii. | 1 ¼" | " | 223.30 | 223.30 | | |
| iv. | 1 ½" | " | 313.50 | 313.50 | | |
| v. | 2" | " | 468.60 | 468.60 | | |
| vi. | 2 ½" | " | 809.60 | 809.60 | | |
| vii. | 3" | " | 1247.40 | 1247.40 | | |
| viii. | 4" | " | 2208.80 | 2208.80 | | |
| x. | 5" | " | 5387.80 | 5387.80 | | |
| xi. | 6" | " | 6483.40 | 6483.40 | | |
| | j) Reducing socket | | | | | |
| i. | ¾" | गोटा | 73.70 | 73.70 | | |
| ii. | 1" | " | 99.00 | 99.00 | | |
| iii. | 1 ¼" | " | 154.00 | 154.00 | | |
| iv. | 1 ½" | " | 206.80 | 206.80 | | |
| v. | 2" | " | 309.10 | 309.10 | | |
| vi. | 2 ½" | " | 552.20 | 552.20 | | |
| vii. | 3" | " | 788.70 | 788.70 | | |
| viii. | 4" | " | 1422.30 | 1422.30 | | |
| x. | 5" | " | 4066.70 | 4066.70 | | |
| xi. | 6" | " | 4781.70 | 4781.70 | | |
| | K) Short bend | | | | | |
| i. | ½" | गोटा | 127.60 | 127.60 | | |
| ii. | ¾" | " | 195.80 | 195.80 | | |
| iii. | 1" | " | 300.30 | 300.30 | | |
| iv. | 1 ¼" | " | 577.50 | 577.50 | | |
| v. | 1 ½" | " | 872.30 | 872.30 | | |
| vi. | 2" | " | 1277.10 | 1277.10 | | |
| vii. | 2 ½" | " | 3278.00 | 3278.00 | | |
| viii. | 3" | " | 5082.00 | 5082.00 | | |
| ix. | 4" | " | 7200.60 | 7200.60 | | |
| | l) Cross Tee | | | | | |
| i. | ½" | गोटा | 119.90 | 119.90 | | |
| ii. | ¾" | " | 170.50 | 170.50 | | |
| iii. | 1" | " | 268.40 | 268.40 | | |
| iv. | 1 ¼" | " | 466.40 | 466.40 | | |
| v. | 1 ½" | " | 559.90 | 559.90 | | |
| vi. | 2" | " | 907.50 | 907.50 | | |
| vii. | 2 ½" | " | 1531.20 | 1531.20 | | |
| viii. | 3" | " | 2218.70 | 2218.70 | | |
| ix. | 4" | " | 2995.30 | 2995.30 | | |
| | M) Tanki nipple | | | | | |
| i. | ½" | गोटा | 140.80 | 140.80 | | |
| ii. | ¾" | " | 195.80 | 195.80 | | |



SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|---|----------------------------|------|--------------|--------------|--------------|--------|
| iii. | 1" | " | 292.60 | 292.60 | | |
| iv. | 1 ¼" | " | 440.00 | 440.00 | | |
| v. | 1 ½" | " | 559.90 | 559.90 | | |
| vi. | 2" | गोटा | 907.50 | 907.50 | | |
| vii. | 2 ½" | " | 1746.80 | 1746.80 | | |
| viii. | 3" | " | 2326.50 | 2326.50 | | |
| ix. | 4" | " | 3086.60 | 3086.60 | | |
| G.I. Nipple Medium Class ISI or NS | | | | | | |
| 2" Long | | | 0.00 | 0.00 | | |
| i. | ½" | गोटा | 23.10 | 23.10 | | |
| ii. | ¾" | " | 34.10 | 34.10 | | |
| iii. | 1" | " | 46.20 | 46.20 | | |
| iv. | 1 ¼" | " | 62.70 | 62.70 | | |
| v. | 1 ½" | " | 75.90 | 75.90 | | |
| vi. | 2" | " | 116.60 | 116.60 | | |
| 3" Long | | | | | | |
| i. | ½" | गोटा | 34.10 | 34.10 | | |
| ii. | ¾" | " | 51.70 | 51.70 | | |
| iii. | 1" | " | 69.30 | 69.30 | | |
| iv. | 1 ¼" | " | 93.50 | 93.50 | | |
| v. | 1 ½" | " | 115.50 | 115.50 | | |
| vi. | 2" | " | 172.70 | 172.70 | | |
| vii. | 2 ½" | " | 237.60 | 237.60 | | |
| viii. | 3" | " | 346.50 | 346.50 | | |
| 4" Long | | | | | | |
| i. | ½" | गोटा | 46.20 | 46.20 | | |
| ii. | ¾" | " | 68.20 | 68.20 | | |
| iii. | 1" | " | 92.40 | 92.40 | | |
| iv. | 1 ¼" | " | 124.30 | 124.30 | | |
| v. | 1 ½" | " | 151.80 | 151.80 | | |
| vi. | 2" | " | 232.10 | 232.10 | | |
| vii. | 2 ½" | " | 317.90 | 317.90 | | |
| viii. | 3" | " | 463.10 | 463.10 | | |
| ix. | 4" | " | 595.10 | 595.10 | | |
| 6" Long | | | | | | |
| i. | ½" | गोटा | 69.30 | 69.30 | | |
| ii. | ¾" | " | 103.40 | 103.40 | | |
| iii. | 1" | " | 138.60 | 138.60 | | |
| iv. | 1 ¼" | " | 188.10 | 188.10 | | |
| v. | 1 ½" | " | 232.10 | 232.10 | | |
| vi. | 2" | " | 347.60 | 347.60 | | |
| vii. | 2 ½" | " | 475.20 | 475.20 | | |
| viii. | 3" | " | 679.80 | 679.80 | | |
| ix. | 4" | " | 840.40 | 840.40 | | |

आर्थिक वर्ष २०८०/८१
को काठमाण्डौ जिल्लाको
दर रेट अनुसार हुने



SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|---|------|--------------|--------------|--------------|--------|
| | 9" Long | | | | | |
| i. | 1/2 " | गोटा | 103.40 | 103.40 | | |
| ii. | 3/4 " | " | 152.90 | 152.90 | | |
| iii. | 1 " | " | 184.80 | 184.80 | | |
| iv. | 1 1/4 " | " | 281.60 | 281.60 | | |
| v. | 1 1/2 " | " | 378.40 | 378.40 | | |
| vi. | 2 " | " | 521.40 | 521.40 | | |
| vii. | 2 1/2 " | गोटा | 704.00 | 704.00 | | |
| viii. | 3 " | " | 1041.70 | 1041.70 | | |
| ix. | 4 " | " | 4464.90 | 4464.90 | | |
| | 12" Long | | | | | |
| i. | 1/2 " | गोटा | 138.60 | 138.60 | | |
| ii. | 3/4 " | " | 202.40 | 202.40 | | |
| iii. | 1 " | " | 229.90 | 229.90 | | |
| iv. | 1 1/4 " | " | 376.20 | 376.20 | | |
| v. | 1 1/2 " | " | 463.10 | 463.10 | | |
| vi. | 2 " | " | 694.10 | 694.10 | | |
| vii. | 2 1/2 " | " | 937.20 | 937.20 | | |
| viii. | 3 " | " | 1388.20 | 1388.20 | | |
| ix. | 4 " | " | 1657.70 | 1657.70 | | |
| | 18" Long | | | | | |
| i. | 1/2 " | गोटा | 207.90 | 207.90 | | |
| ii. | 3/4 " | " | 256.30 | 256.30 | | |
| iii. | 1 " | " | 346.50 | 346.50 | | |
| iv. | 1 1/4 " | " | 563.20 | 563.20 | | |
| v. | 1 1/2 " | " | 691.90 | 691.90 | | |
| vi. | 2 " | " | 1041.70 | 1041.70 | | |
| vii. | 2 1/2 " | " | 1408.00 | 1408.00 | | |
| viii. | 3 " | " | 2061.40 | 2061.40 | | |
| ix. | 4 " | " | 2514.60 | 2514.60 | | |
| | G.I./G.I. Flange | | | | | |
| i. | 1 1/4 " | गोटा | 883.30 | 883.30 | | |
| ii. | 1 1/2 " | " | 1086.80 | 1086.80 | | |
| iii. | 2 " | " | 1332.10 | 1332.10 | | |
| iv. | 2 1/2 " | " | 1557.60 | 1557.60 | | |
| v. | 3 " | " | 1734.70 | 1734.70 | | |
| vi. | 4 " | " | 2152.70 | 2152.70 | | |
| vii. | 5 " | " | 3077.80 | 3077.80 | | |
| viii. | 6 " | " | 3197.70 | 3197.70 | | |
| ix. | 8 " | " | 6369.00 | 6369.00 | | |
| | MS Flange set of different sizes | | | | | |
| i. | 4 " | गोटा | 2550.00 | 2550.00 | | |
| ii. | 5 " | " | 3540.00 | 3540.00 | | |
| iii. | 6 " | " | 3750.00 | 3750.00 | | |
| iv. | 7 " | " | 6325.00 | 6325.00 | | |

आर्थिक वर्ष २०८०/८१
को काठमाण्डौ जिल्लाको
दर रेट अनुसार हुने

कोशी
वि.कम.पौडेल



SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--|----------------------------|------|--------------|--------------|--------------|--------|
| v. | 8" | " | 8500.00 | 8500.00 | | |
| vi. | 10 " | " | 10500.00 | 10500.00 | | |
| vii. | 12" | " | 15050.00 | 15050.00 | | |
| G.I./HDP Flange | | | | | | |
| i. | 1 ¼" | गोटा | 951.50 | 951.50 | | |
| ii. | 1 ½ " | " | 1212.20 | 1212.20 | | |
| iii. | 2" | " | 1432.20 | 1432.20 | | |
| iv. | 2 ½ " | " | 1672.00 | 1672.00 | | |
| v. | 3" | " | 1787.50 | 1787.50 | | |
| vi. | 4" | " | 2205.50 | 2205.50 | | |
| vii. | 5" | " | 3077.80 | 3077.80 | | |
| viii. | 6" | " | 3213.10 | 3213.10 | | |
| ix. | 8" | " | 6991.60 | 6991.60 | | |
| HDP/HDP Flange set with adaptor | | | | | | |
| i. | 1 ¼" | गोटा | 951.50 | 951.50 | | |
| ii. | 1 ½ " | " | 1212.20 | 1212.20 | | |
| iii. | 2" | " | 1432.20 | 1432.20 | | |
| iv. | 2 ½ " | " | 1672.00 | 1672.00 | | |
| v. | 3" | गोटा | 1787.50 | 1787.50 | | |
| vi. | 4" | " | 2205.50 | 2205.50 | | |
| vii. | 5" | " | 3495.80 | 3495.80 | | |
| viii. | 6" | " | 3213.10 | 3213.10 | | |
| ix. | 8" | " | 6991.60 | 6991.60 | | |
| Brass tap ½" | | | | | | |
| i. | ½ " (Wt. 400 gm) | गोटा | 830.50 | 830.50 | | |
| ii. | ½ " ordinary | गोटा | 188.10 | 188.10 | | |
| Globe Valve (GM) | | | | | | |
| i. | ½ " | गोटा | 847.00 | 847.00 | | |
| ii. | ¾" | " | 1379.40 | 1379.40 | | |
| iii. | 1" | " | 1703.90 | 1703.90 | | |
| iv. | 1 ¼" | " | 2707.10 | 2707.10 | | |
| v. | 1 ½ " | गोटा | 3406.70 | 3406.70 | | |
| vi. | 2" | गोटा | 4253.70 | 4253.70 | | |
| vii. | 2 ½ " | गोटा | 8354.50 | 8354.50 | | |
| viii. | 3" | " | 13805.00 | 13805.00 | | |
| ix. | 4" | " | 22321.20 | 22321.20 | | |
| Float Valve | | | | | | |
| i. | ½ " | गोटा | 1039.50 | 1039.50 | | |
| ii. | ¾" | " | 1175.90 | 1175.90 | | |
| iii. | 1" | " | 1426.70 | 1426.70 | | |
| iv. | 1 ¼" | " | 2466.20 | 2466.20 | | |
| v. | 1 ½ " | " | 3704.80 | 3704.80 | | |
| vi. | 2" | " | 4932.40 | 4932.40 | | |
| C.I. Air valve (Heavy) | | | | | | |
| i. | ½ " | गोटा | 3443.00 | 3443.00 | | |

आर्थिक वर्ष २०८०/८१
को काठमाण्डौ जिल्लाको
दर रेट अनुसार हुने



SANITARY WORK


| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--|----------------------------|------|--------------|--------------|--------------|--------|
| ii. | ¾" | " | 4749.80 | 4749.80 | | |
| iii. | 1" | " | 5266.80 | 5266.80 | | |
| Brass Union with Adopter | | | | | | |
| i. | ½ " | गोटा | 224.40 | 224.40 | | |
| ii. | ¾" | " | 345.40 | 345.40 | | |
| iii. | 1" | " | 522.50 | 522.50 | | |
| iv. | 1 ¼" | " | 679.80 | 679.80 | | |
| v. | 1 ½ " | " | 1212.20 | 1212.20 | | |
| vi. | 2" | " | 1797.40 | 1797.40 | | |
| Saddle Ferrule | | | | | | |
| i. | 1 ½ " | गोटा | 324.50 | 324.50 | | |
| ii. | 2" | " | 429.00 | 429.00 | | |
| iii. | 2 ½ " | " | 1196.80 | 1196.80 | | |
| iv. | 3" | " | 1582.90 | 1582.90 | | |
| v. | 4" | " | 2257.20 | 2257.20 | | |
| Flow Regulating Valve (G.M.) | | | | | | |
| i. | ½" | गोटा | 1212.20 | 1212.20 | | |
| C.I Sluice Valve | | | | | | |
| i. | 1 ½ " | गोटा | 6275.50 | 6275.50 | | |
| ii. | 2" | " | 8371.00 | 8371.00 | | |
| iii. | 2 ½ " | " | 10455.50 | 10455.50 | | |
| iv. | 3" | गोटा | 12549.90 | 12549.90 | | |
| v. | 4" | " | 16728.80 | 16728.80 | | |
| v. | 5" | " | 25425.40 | 25425.40 | | |
| v. | 6" | " | 30514.00 | 30514.00 | | |
| v. | 8" | " | 42719.60 | 42719.60 | | |
| Cast Steel Gat Valve class 300 | | | | | | |
| i. | 1 ½ " | गोटा | 45000.00 | 45000.00 | | |
| ii. | 2" | गोटा | 50000.00 | 50000.00 | | |
| iii. | 2 ½ " | गोटा | 70000.00 | 70000.00 | | |
| iv. | 3" | गोटा | 90000.00 | 90000.00 | | |
| v. | 4" | गोटा | 130000.00 | 130000.00 | | |
| v. | 5" | गोटा | 175000.00 | 175000.00 | | |
| Cast Steel Non Return Valve class 300 | | | | | | |
| i. | 1 ½ " | गोटा | 45000.00 | 45000.00 | | |
| ii. | 2" | गोटा | 50000.00 | 50000.00 | | |
| iii. | 2 ½ " | गोटा | 70000.00 | 70000.00 | | |
| iv. | 3" | गोटा | 90000.00 | 90000.00 | | |
| v. | 4" | गोटा | 130000.00 | 130000.00 | | |
| v. | 5" | गोटा | 175000.00 | 175000.00 | | |
| Brass Ferrule Cock | | | | | | |
| i. | ½ " | गोटा | 1379.40 | 1379.40 | | |
| ii. | ¾" | " | 1797.40 | 1797.40 | | |
| iii. | 1" | " | 2638.90 | 2638.90 | | |

आर्थिक वर्ष २०८०/८१
को काठमाण्डौ जिल्लाको
दर गेट अनुसार हुने



SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|-------------|--|------|--------------|--------------|--------------|--------|
| | Ball valve | | | | | |
| | a) 15mm | गोटा | 470.80 | 470.80 | | |
| | b) 20 mm | " | 596.20 | 596.20 | | |
| | c) 25 mm | " | 799.70 | 799.70 | | |
| | d) 32 mm | " | 963.60 | 963.60 | | |
| | e) 40 mm | " | 1865.60 | 1865.60 | | |
| | f) 50 mm | " | 3062.40 | 3062.40 | | |
| 33.0 | Supplying of Rcc ring for construction of well | | | | | |
| 33.1 | Ring | | | | | |
| | i) 28" dia. R.C.C. ring 20 cm ht ,5 cm thick | गोटा | 638.00 | 638.00 | 657.00 | |
| | ii) 36" dia. R.C.C. ring 20 cm ht ,5 cm thick | " | 789.80 | 789.80 | 813.00 | |
| | iii) 42" dia. R.C.C. ring 20 cm ht ,5 cm thick | " | 918.50 | 918.50 | 946.00 | |
| | iv) 48" dia. R.C.C. ring 20 cm ht ,5 cm thick | " | 1216.60 | 1216.60 | 1253.00 | |
| 33.2 | Supplying & fixing of metal frame and Rcc cover | | | | | |
| | i) 28" dia. 60m thick R.C.C. ring cover with metal frame | गोटा | 1926.10 | 1926.10 | 1983.00 | |
| | i) 36" dia. 60m thick R.C.C. ring cover with metal frame | " | 2549.80 | 2549.80 | 2626.00 | |
| | i) 42" dia. 60m thick R.C.C. ring cover with metal frame | " | 2798.40 | 2798.40 | 2882.00 | |
| | i) 48" dia. 60m thick R.C.C. ring cover with metal frame | " | 3342.90 | 3342.90 | 3443.00 | |
| 32.0 | ईनार खन्नको लागि R.C.C. रिङ्ग आपूर्ति गरि माटो खन्ने ,आवश्यक फिल्टर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरू (२० देखि २५फीट सम्म को गहीराइमा ढक्कन बाहेक) | | | | | |
| | i) 28" dia. R.C.C. Ring | र.मी | 4409.90 | 4409.90 | 4542.00 | |
| | ii) 36" dia. R.C.C. Ring | " | 5596.80 | 5596.80 | 5764.00 | |
| | iii) 42" dia. R.C.C. Ring | " | 6514.20 | 6514.20 | 6709.00 | |
| | iv) 48" dia. R.C.C. Ring | " | 8035.50 | 8035.50 | 8276.00 | |
| 33.2 | २५ फीट देखि माथीको गहीराइ भएमा | | | | | |
| | ईनार खन्नको लागि R.C.C. रिङ्ग आपूर्ति गरि माटो खन्ने ,आवश्यक फिल्टर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरू (२५ फीट देखि माथीको गहीराइ भएमा मात्र ढक्कन बाहेक) | | | | | |
| | i) 28" dia. R.C.C. Ring | र.मी | 5918.00 | 5918.00 | 6095.00 | |
| | ii) 36" dia. R.C.C. Ring | " | 10006.70 | 10006.70 | 10306.00 | |
| | iii) 42" dia. R.C.C. Ring | " | 12112.10 | 12112.10 | 12475.00 | |
| | iv) 48" dia. R.C.C. Ring | " | 14550.80 | 14550.80 | 14987.00 | |
| 33.0 | Accessories for Deep boring works by machine . | | | | | |
| | i) MS Slotted pipe | Kg | | | | |
| | ii) Submersible pump with motor 15 hp per set, head 80 m.discharge 10 lps. with control pannel | Set | 272.80 | 272.80 | 272.80 | |



SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|---|------|--------------|--------------|--------------|--------|
| | iii) Submersible pump with motor 12.5 hp per set, head 80 m.discharge 8 lps.with control pannel | " | | | | |
| | iv) Submersible pump with motor 10 hp per set, head 70 m.discharge 7 lps. with control pannel | " | | | | |
| | v) Submersible pump with motor 7.5 hp per set, head 70 m.discharge 5 lps. with control pannel | " | | | | |
| | vi) 10 mm sq. submersible Cable three phase per meter | र.मि | | | | |
| | vii) 6 mm sq. submersible Cable three phase per meter | " | | | | |
| | viii) 4 mm sq. submersible Cable three phase per meter | " | | | | |
| | ix) 2.5 mm sq. submersible Cable three phase per meter | " | | | | |
| | x) Pannel Board Suitable for above pumps 20 H P | set | | | | |
| | xi) Pannel Board Suitable for above pumps 15 H P | " | | | | |
| | xii) Pannel Board Suitable for above pumps 12.50 H P | " | | | | |
| | xiii) Pannel Board Suitable for above pumps 10 H P | " | | | | |
| | xiv) Pannel Board Suitable for above pumps 7.5 H P | " | | | | |
| | xv) 10" dia flange and flange cover with nut bolt , thickness 10 mm | " | | | | |
| | xvi) 8" dia flange and flange cover with nut bolt , thickness 10 mm | " | | | | |
| | xvii) 6" dia flange and flange cover with nut bolt , thickness 10 mm | " | | | | |
| | xviii)10" MS collar (socket) suitable for above pipe thickness 7 mm | " | | | | |
| | xix) 8" MS collar (socket) suitable for above pipe thickness 6 mm | " | | | | |
| | xx) 6" MS collar (socket) suitable for above pipe thickness 6 mm | " | | | | |
| | xxi) 4" MS collar (socket) suitable for above pipe thickness 6 mm | " | | | | |
| | vi) 200 mm dia ms pipe of 7 mm thick | र.मि | | | | |
| | vi) 200 mm dia ms pipe of 7 mm thick Slotted pipe | " | | | | |
| | vi) 150 mm dia ms pipe of 5.4 mm thick | " | | | | |
| | vi) 150 mm dia ms pipe of 5.4 mm thick Slotted pipe | " | | | | |
| | Construction material for deep boring | | | | | |



SANITARY WORK

| सि.नं. | निर्माण सामाग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|-------------|---------------------------------------|------|--------------|--------------|--------------|--------|
| | Bentonite | Ton | | | | |
| | Barite | Ton | | | | |
| | Drill bit | nos | | | | |
| | Oxyzen gs | cy, | | | | |
| | Acetelyne gas | cy, | | | | |
| | Bucket | nos | | | | |
| | Liner | nos | | | | |
| | Piston rod | nos | | | | |
| | Gland packing | set | | | | |
| | swivel packing | Set | | | | |
| | V-packing | Set | | | | |
| | Valve / Steel ball | nos | | | | |
| | Valve sheat | nos | | | | |
| | Valve Packing | nos | | | | |
| | Machinery for Deep boring | | | | | |
| | Rig machine | Hrs | | | | |
| | Elec. Generetor | " | | | | |
| | Water truck | " | | | | |
| | Cargo truck | " | | | | |
| | Picup truck | " | | | | |
| | Water pump | " | | | | |
| | Electric logger | " | | | | |
| 34.0 | Sanitary Tools | | | | | |
| a | Adjustable spanner | | | | | |
| | 10" | Pc | 255.00 | 255.00 | 255.00 | |
| | 12" | Pc | 482.00 | 482.00 | 482.00 | |
| | 15" | Pc | 1388.00 | 1388.00 | 1388.00 | |
| | 18" | Pc | 1643.00 | 1643.00 | 1643.00 | |
| b | Blow Torch | | | | | |
| | 1/2 pint | Pc | 1434.00 | 1434.00 | 1434.00 | |
| | 1 pint | Pc | 1767.00 | 1767.00 | 1767.00 | |
| c | Building Trowel | Pc | 79.00 | 79.00 | 79.00 | |
| d | Chain Pipe wrench | | | | | |
| | 50mm | Pc | 1595.00 | 1595.00 | 1595.00 | |
| | 75mm | Pc | 1898.00 | 1898.00 | 1898.00 | |
| | 100mm | Pc | 2228.00 | 2228.00 | 2228.00 | |
| | 150mm | Pc | 3135.00 | 3135.00 | 3135.00 | |
| | 200mm | Pc | 5335.00 | 5335.00 | 5335.00 | |
| e | Chain Pulley in Ton | | | | | |
| | 3 ton | Pc | 17562.00 | 17562.00 | 17562.00 | |
| | 5 ton | Pc | 29005.00 | 29005.00 | 29005.00 | |
| f | Stone Chisel 1"x12" | Pc | 369.00 | 369.00 | 369.00 | |
| g | Die teeth oil with cane (250 ml size) | Pc | 283.00 | 283.00 | 283.00 | |
| h | Smooth steel file half round | | | | | |
| | 8" | Pc | 539.00 | 539.00 | 539.00 | |
| | 10" | Pc | 1031.00 | 1031.00 | 1031.00 | |
| i | Flat file 10" | Pc | 539.00 | 539.00 | 539.00 | |
| 10.0 | Hacksaw Blade | | | | | |
| | Single | Pc | 4.00 | 4.00 | 4.00 | |



SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|----------------------------|------|--------------|--------------|--------------|--------|
| | double | Pc | 9.00 | 9.00 | 9.00 | |
| j | Hacksaw Frame 6mm | Pc | 193.00 | 193.00 | 193.00 | |
| k | Handle die set | | | | | |
| | 25 mm | Pc | 3201.00 | 3201.00 | 3201.00 | |
| | 50 mm | Pc | 3626.00 | 3626.00 | 3626.00 | |
| | 60 mm | Pc | 9631.00 | 9631.00 | 9631.00 | |
| l | Heating Plate | | | | | |
| | 80 mm | Pc | 963.00 | 963.00 | 963.00 | |
| | 100 mm | Pc | 1105.00 | 1105.00 | 1105.00 | |
| | 125 mm | Pc | 1416.00 | 1416.00 | 1416.00 | |
| | 150 mm | Pc | 1688.00 | 1688.00 | 1688.00 | |
| | 200 mm | Pc | 2731.00 | 2731.00 | 2731.00 | |
| | 250 mm | Pc | 3308.00 | 3308.00 | 3308.00 | |
| | 300 mm | Pc | 3864.00 | 3864.00 | 3864.00 | |
| m | Iron Brush 12" | Pc | 74.00 | 74.00 | 74.00 | |
| n | Iron Pan (madium) | Pc | 261.00 | 261.00 | 261.00 | |
| o | Pick Axe 1.7 Kg. | Pc | 431.00 | 431.00 | 431.00 | |
| p | Pipe Cutter | | | | | |
| | 15-50 mm | Pc | 2039.00 | 2039.00 | 2039.00 | |
| | 65-80 mm | Pc | 3172.00 | 3172.00 | 3172.00 | |
| | 100 mm | Pc | 5099.00 | 5099.00 | 5099.00 | |
| | 125 mm | Pc | 5665.00 | 5665.00 | 5665.00 | |
| | 150 mm | Pc | 10084.00 | 10084.00 | 10084.00 | |
| q | Pipe Jack Machine (Heavy) | Pc | 32291.00 | 32291.00 | 32291.00 | |
| r | Pipe Vice | | | | | |
| | 2" | Pc | 2493.00 | 2493.00 | 2493.00 | |
| | 3" | Pc | 3626.00 | 3626.00 | 3626.00 | |
| | 4" | Pc | 5467.00 | 5467.00 | 5467.00 | |
| | 5" | Pc | 10140.00 | 10140.00 | 10140.00 | |
| s | Pipe Wrench | | | | | |
| | 10" | Pc | 317.00 | 317.00 | 317.00 | |
| | 12" | Pc | 589.00 | 589.00 | 589.00 | |
| | 14" | Pc | 702.00 | 702.00 | 702.00 | |
| | 18" | Pc | 1117.00 | 1117.00 | 1117.00 | |
| | 24" | Pc | 1541.00 | 1541.00 | 1541.00 | |
| | 36" | Pc | 5438.00 | 5438.00 | 5438.00 | |
| | 48" | Pc | 9631.00 | 9631.00 | 9631.00 | |
| t | Plumb Bob Line | Pc | 91.00 | 91.00 | 91.00 | |
| u | Rachet Die Set | | | | | |
| | 1/2"-1" | Pc | 4305.00 | 4305.00 | 4305.00 | |
| | 1 1/4" -2" | Pc | 8044.00 | 8044.00 | 8044.00 | |
| | 2 1/2"-3" | Pc | 17562.00 | 17562.00 | 17562.00 | |
| v | Round File 10" | Pc | 369.00 | 369.00 | 369.00 | |
| w | Screw Driver 12" | Pc | 204.00 | 204.00 | 204.00 | |
| x | Shovel 1.5 Kg | Pc | 369.00 | 369.00 | 369.00 | |
| y | Slide wrench | | | | | |
| | 10" | Pc | 363.00 | 363.00 | 363.00 | |
| | 12" | Pc | 487.00 | 487.00 | 487.00 | |
| | 15" | Pc | 1422.00 | 1422.00 | 1422.00 | |



SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|--------|--|------|--------------|--------------|--------------|--------|
| Z | Spade | Pc | 442.00 | 442.00 | 442.00 | |
| A | Spare Die Teeth | | | | | |
| | 15 mm | Pc | 589.00 | 589.00 | 589.00 | |
| | 20 mm | Pc | 589.00 | 589.00 | 589.00 | |
| | 25 mm | Pc | 589.00 | 589.00 | 589.00 | |
| | 32 mm | Pc | 935.00 | 935.00 | 935.00 | |
| | 40 mm | Pc | 1598.00 | 1598.00 | 1598.00 | |
| | 50 mm | Pc | 1615.00 | 1615.00 | 1615.00 | |
| | 65 mm | Pc | 1869.00 | 1869.00 | 1869.00 | |
| | 80 mm | Pc | 2096.00 | 2096.00 | 2096.00 | |
| B | Teflon Cover | | | | | |
| | 5'x5' | Pc | 312.00 | 312.00 | 312.00 | |
| | 7'x7' | Pc | 425.00 | 425.00 | 425.00 | |
| C | Teflon Cloth | m | 3428.00 | 3428.00 | 3428.00 | |
| D | Teflon Tape 10 mm roll | Roll | 18.00 | 18.00 | 18.00 | |
| E | Thermochrome Crayon | | | | | |
| | Indian | Pc | 765.00 | 765.00 | 765.00 | |
| | Germany | Pc | 1485.00 | 1485.00 | 1485.00 | |
| F | Tool Box (14"x8"x22") | Pc | 2102.00 | 2102.00 | 2102.00 | |
| 35 | Installation of waste water tretment Plant all complete work (sintex or equivalent company) (Waste water from toilet , Sink, Shower and other drain flows through Sewage Treatment Plant where scum float to the top and sludge substance heavier than water and effluent left between the scum and sludge layers flows through tank outlet to the soak pit or drain field ,MADE OF LLDPE material used in reducing BOD ad COD level Anerobic treatment) | | | | | |
| | 800 lts for 4 persons | nos | 71250.00 | 71250.00 | 71250.00 | |
| | 1200 lts for 6 people | nos | 88350.00 | 88350.00 | 88350.00 | |
| | 1600 lts for 10 persons | nos | 106400.00 | 106400.00 | 106400.00 | |
| | 1800 lts for 12 persons | nos | 125400.00 | 125400.00 | 125400.00 | |
| 36 | Irrigation Works excluding pipes including installation (Rainbird or equivalent) | | | | | |
| 1 | Supply flexible, kink resistant pressure compensating inline tubing and resistance to UV damage and algae growth brown in colour with discharge 0.9GPH XF series pressure rating 0.58 to 4.1 bar wall thickness 1.2mm | Rm | 150.00 | 150.00 | 150.00 | |
| 2 | Supply of Xeri bug emitter pressure compensating with selfpiercing barbs, flow rates 1.89LPH to 7.57LPH UV resistant colour coded with working pressure 1.0 to 3.5bar | Nos | 30.00 | 30.00 | 30.00 | |
| 3 | SPRINKLERS & ACCESSORIES | | | | | |
| | Unispray | No. | 660.00 | 660.00 | 660.00 | |



SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|----------|---|------|--------------|--------------|--------------|--------|
| | Providing of Pop up spray head having and two piece stem ratchet (0 to 360 degrees)nozzle capable of covering 1.2*8.5 Bars with a STRIP NOZZLE discharge rate of 0.075lps.The Spray Head body, stem, nozzle ,ratchet and screen shall be constructed f heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover 15SST | No. | 1200.00 | 1200.00 | 1200.00 | |
| | Providing of Shrub spray head having variable adjustable arc (0 to 360 degrees)nozzle capable of covering 4.5-5.4m at 2.0 Bars with a discharge rate of 0.23- 0.33lps.The Spray nozzle and screen shall be constructed heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover PA series | No. | 1200.00 | 1200.00 | 1200.00 | |
| | gear rotors 5004 | No. | 3100.00 | 3100.00 | 3100.00 | |
| | Providing of 1/2" Pop up Connecting Swing joint Assembly . The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43°C and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic. SA Series | No. | 390.00 | 390.00 | 390.00 | |
| | | | | | 0.00 | |
| | Providing of 3/4" Pop up Connecting Swing joint Assembly . The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43°C and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic. SA | No. | 480.00 | 480.00 | 480.00 | |
| | | | 0.00 | 0.00 | 0.00 | |
| | Providing and fixing of HDPE service saddle of varying size | | 850.00 | 850.00 | 850.00 | |
| | | | 0.00 | 0.00 | 0.00 | |
| 4 | VALVES & ACCESSORIES | | 0.00 | 0.00 | 0.00 | |
| | Providing and fixing PVC Ball Valve ,security pivot to maintain lever in space,double water tight joint,direct injection stem non mechanical ,with a base which permits maximum penetration into the valve of size 63mm. | No. | 1800.00 | 1800.00 | 1800.00 | |
| | Providing & fixing of a double acting Air release valve 3/4" made of high strength aluminium / plastic with fibre glass reinforced . The Air release valve shall be capable of both releasing and admitting air from and into the line. The working pressure shall be 5 bar. | No. | 2100.00 | 2100.00 | 2100.00 | |
| | 12" Rectangular Valve Box with greenlid and corrugated structure with unique shovel access slot and bolt hole knockout | No. | 7500.00 | 7500.00 | 7500.00 | |
| | 6"Round box. | No. | 1250.00 | 1250.00 | 1250.00 | |
| | Quick coupling valve made up of solid brass with locking cover corrosion resistant and stainless steel spring 3RC | No. | 13500.00 | 13500.00 | 13500.00 | |



SANITARY WORK

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|-----------|--|------|--------------|--------------|--------------|--------|
| | Key threads into top of QCV to provide water access 33DK | No. | 9750.00 | 9750.00 | 9750.00 | |
| 5 | European Pattern C.P. Grab Bar for disable | | | | | |
| | a) 30cm long bend type | गोटा | | | | |
| | b) 45 cm long bend type | गोटा | | | | |
| | c) 60 cm long bend type | गोटा | | | | |
| 37 | ईनार तथा ट्यूबवेल सम्बन्धी | | | | | |
| A | Deep Tube Well | | | | | |
| 1 | Pea Gravel | Cum | | | 3345.00 | |
| 2 | Gasket | no | | | 55.00 | |
| 3 | Bentonite | Kg | | | 35.00 | |
| 4 | Barite | Kg | | | 35.00 | |
| 5 | MS Casing pipe 10 inch | Kg | | | 128.00 | |
| 6 | MS Casing pipe 8 inch | Kg | | | 118.00 | |
| 7 | MS Casing pipe 6 inch | Kg | | | 118.00 | |
| 8 | Reducer 8/6 inch | No | | | 2710.00 | |
| 9 | Flange 8 inch | No | | | 4745.00 | |
| 10 | LCG Screen-6 inch | Mtr | | | 8476.00 | |
| 11 | Stainless steel Screen 6 inch | Mtr | | | 15244.00 | |
| B | Shallow Tube well | | | | | |
| 1 | 4" Dia MS pipe Threaded | Kg | | | 149.00 | |
| 2 | 4" Dia Bottle T (well leadT) | No | | | 3491.00 | |
| 3 | 4" Dia nipple 4" length | No | | | 329.00 | |
| 4 | 4" Dia heavy socket | No | | | 1323.00 | |
| 5 | 1.5" Dia Nipple 9" long | No | | | 309.00 | |
| 6 | 4" Dia Non- return valve | No | | | 5871.00 | |
| 7 | 4" CI Cap | No | | | 391.00 | |
| 8 | 1.5"CI Cap | No | | | 123.00 | |
| 9 | PVC screen making charge | Rm | | | 825.00 | |
| 10 | MS screen making charge | Rm | | | 2980.00 | |
| 11 | Noke making charge | No | | | 4050.00 | |
| 12 | Nylon Net | Mtr | | | 150.00 | |
| 13 | Shallow Tubewell Drilling Charge (Manual) | | | | | |
| a | Sludge Method | Rm | | | 1965.00 | |
| b | Hammering Method | Rm | | | 2915.00 | |
| C | Cost of Summercible Pumps | | | | | |
| i | 5HP Motor pump (4"Boring, Economic Head upto 50m) | No | | | 93215.00 | |
| ii | 6HP Motor pump (4"Boring, Economic Head upto 75m) | No | | | 105575.00 | |
| iii | 7.5HP Motor pump (6"Boring, Economic Head upto 100m) | No | | | 129265.00 | |
| iv | 10HP Motor pump (6"Boring, Economic Head upto 150m) | No | | | 192610.00 | |
| v | 15HP Motor pump (8"Boring, Economic Head upto 150m) | No | | | 285825.00 | |
| vi | 20HP Motor pump (10"Boring, Economic Head upto 150m) | No | | | 304107.00 | |
| vii | 25-30HP Motor pump (>10"Boring, Economic Head upto 200m) | No | | | 329085.00 | |
| D | 5HP Diesel pumpset | No | | | 54693.00 | |
| E | Flexible Submersible Copper Flat Cable | | | | | |
| | 4Sq.mm | Mtr | | | 793.00 | |



SANITARY WORK

| सि. नं. | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व. ०७८/०७९ | आ.व. ०७९/०८० | आ.व. ०८०/०८१ | कैफियत |
|----------|--|------|--------------|--------------|--------------|--------|
| | 6Sq.mm | Mtr | | | 906.00 | |
| | 10Sq.mm | Mtr | | | 1545.00 | |
| F | Making of Dug well for 40" RCC Ring with sinking for labour wadges only | | | | | |
| | upto depth 6m | Mtr | | | 4055.00 | |
| | depth 6m-9m | Mtr | | | 4680.00 | |
| | depth 9m-12m | Mtr | | | 5320.00 | |
| | depth 12m-15m | Mtr | | | 5950.00 | |
| | Above 15m | Mtr | | | 6580.00 | |
| G | CI Heavy Hand Pump (23kg) | set | | | 5050.00 | |
| H | Mechanical Equipments | | | | | |
| | 12mm dia. Touching Wire | Mtr | | | 440.00 | |
| | 5 Ton Capacity Chain Pully (ISO/ISI Standard) | set | | | 50600.00 | |
| | Mechanical jack | set | | | 56500.00 | |

पुष्प विजय पौडेल
 प्रमुख निजामा अधिकारी



Electrical Works

काभ्रेपलाञ्चोक

आ.ब. ०८०/०८१

निर्णय नं.: ३ काभ्रेपलान्चोक जिल्लाको सदरमुकाम धुलिखेल र आसपासका नगरपालिका क्षेत्रभित्र आ.ब. ०८०/०८१ को लागी बिद्युतिय कार्य संग सम्बन्धीत तपसिलमा उल्लेखीत विवरण भएका सामग्री हरुको निम्न अनुसारको दर रेट (मु.अ.कर बाहेक) निर्धारण गर्ने निर्णय गरीयो । (पाना नं: १ देखि २६ सम्म)

Electrical Works

| सि.नं | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व | आ.व | आ.व | कैफियत |
|-------|--|------|---------|---------|---------|--------|
| | | | ०७८/०७९ | ०७९/०८० | ०८०/०८१ | |
| 1 | Dyana White Plate series SWITCH SOCKET ANCHOR / CPL OR ISI EQUIVALENT | | | | | |
| | 1) One Gang one way switch | सेट | 58.00 | 58.00 | 58.00 | |
| | 2) One Gang two way switch | सेट | 69.00 | 69.00 | 69.00 | |
| | 3) One way bell switch | " | 72.00 | 72.00 | 72.00 | |
| | 4) Two gang one way switch | " | 96.00 | 96.00 | 96.00 | |
| | 5) Two gang one way switch with one bell push | " | 105.00 | 105.00 | 105.00 | |
| | 6) Two gang Full two way switch | " | 107.00 | 107.00 | 107.00 | |
| | 7) Three Gang one way switch | " | 127.00 | 127.00 | 127.00 | |
| | 8) Four gang one way switch | " | 161.00 | 161.00 | 161.00 | |
| | 9) Six gang one way switch | " | 253.00 | 253.00 | 253.00 | |
| | 10) Eight gang one way switch | " | 304.00 | 304.00 | 304.00 | |
| | 11) Dimmer single 300 watt | " | 309.00 | 309.00 | 309.00 | |
| | 12) Dimmer single 750 watt | " | 459.00 | 459.00 | 459.00 | |
| | 13) 5 Step humming free dimmer | " | 407.00 | 407.00 | 407.00 | |
| | 14) 16Amp 3 Pin Plug Top | " | 121.00 | 121.00 | 121.00 | |
| | 15) 1 switch with dimmer | " | 368.00 | 368.00 | 368.00 | |
| | 16) 6/16 Amp , 2/3 Pin Power sockets with switch & indicator | " | 151.00 | 151.00 | 151.00 | |
| | 17) 6/16 Amp , Power sockets with switch , indicator & safety shutter | " | 169.00 | 169.00 | 169.00 | |
| | 18) 20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket | " | 371.00 | 371.00 | 371.00 | |
| | 19)32A D.P. switch with fuse & indicator Surface Mounting | " | 206.00 | 206.00 | 206.00 | |
| | 20)6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator | " | 611.00 | 611.00 | 611.00 | |
| | 21) Blanking plate single | " | 40.00 | 40.00 | 40.00 | |
| | 22) Telephone socket single | " | 118.00 | 118.00 | 118.00 | |
| | 23) Telephone socket Double | " | 169.00 | 169.00 | 169.00 | |
| | 24) Angle / bottom holder | " | 35.00 | 35.00 | 35.00 | |
| | 25) Ceiling Rose | " | 35.00 | 35.00 | 35.00 | |
| | 26) Buzzer | " | 97.00 | 97.00 | 97.00 | |
| | 27) Musical bell | " | 222.00 | 222.00 | 222.00 | |
| | 28) T.V. antena single Socket | " | 82.00 | 82.00 | 82.00 | |
| | 29) 6A 2/3 Pin unshuttered multi switch socket | " | 128.00 | 128.00 | 128.00 | |
| | 30) RJ 45 Computer Socket for modem | " | 234.00 | 234.00 | 234.00 | |
| | 31)CAT-5 Computer Socket for modem | " | 0.00 | 0.00 | 0.00 | |
| | 32) Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm) | " | 35.00 | 35.00 | 35.00 | |



Electrical Works


| सि.नं | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व | आ.व | आ.व | कैफियत |
|-------|--|------|---------|---------|---------|--------|
| | | | ०७८/०७९ | ०७९/०८० | ०८०/०८१ | |
| | 33) Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50 | " | 63.00 | 63.00 | 63.00 | |
| | 34) Flush Mounting metallic Box for Plate Series switch / socket 78 x 205 x 50 | " | 98.00 | 98.00 | 98.00 | |
| | 35) Switch / socket outlet, Plate series having round switch buttons & white surrounding plate, suitable to fix on box size 3"x3" . ORANGE, CLIPSAL or Equivalent | | | | | |
| | 10A 1gang 1way Switch | Set | 83.00 | 83.00 | 83.00 | |
| | 10A 2gang 1way Switch | Set | 163.00 | 163.00 | 163.00 | |
| | 10A 3gang 1way Switch | " | 216.00 | 216.00 | 216.00 | |
| | 10A 4gang 1way Switch | " | 350.00 | 350.00 | 350.00 | |
| | 10A 5gang 1way Switch | " | 371.00 | 371.00 | 371.00 | |
| | 10A 6gang 1way Switch | " | 617.00 | 617.00 | 617.00 | |
| | 10A 1gang 2way Switch | " | 144.00 | 144.00 | 144.00 | |
| | 10A 2gang 2way Switch | " | 278.00 | 278.00 | 278.00 | |
| | 10A 3gang 2way Switch | " | 407.00 | 407.00 | 407.00 | |
| | 10A 4gang 2way Switch | " | 613.00 | 613.00 | 613.00 | |
| | T V Socket outlet | " | 299.00 | 299.00 | 299.00 | |
| | Telephone Socket | " | 268.00 | 268.00 | 268.00 | |
| | 13A Universal socket outlet | " | 464.00 | 464.00 | 464.00 | |
| | 13A Socket | " | 273.00 | 273.00 | 273.00 | |
| | 15A switched Socket outlet | " | 443.00 | 443.00 | 443.00 | |
| | 5A Socket | " | 340.00 | 340.00 | 340.00 | |
| | RJ 45 8way Computer Socket | " | 824.00 | 824.00 | 824.00 | |
| | TV and Telephone socket | " | 592.00 | 592.00 | 592.00 | |
| 2a | Modular Type Switch Socket set NORTH-WEST / SIEMENS/C&S/Legrand/ABB/Philips or ISI Equivalent | | | | | |
| | Seperate Module for Modular Switch & Socket | | | | | |
| | 1 1P – 6A 1 way switch | No. | | | | |
| | 2 1P – 6A 1 way switch Luminous | " | | | | |
| | 3 1P – 16A 1 way switch | " | | | | |
| | 4 1P – 16A 1 way switch Luminous | " | | | | |
| | 5 1P – 25A 1 way switch | " | | | | |
| | 6 1P – 25A 1 way switch Luminous | " | | | | |
| | 7 1P – 6A 2 way switch | " | | | | |
| | 8 1P – 16A 2 way switch | " | | | | |
| | 9 1P – 6A push button | " | | | | |
| | 10 1P – 6A push button Luminous | " | | | | |
| | 11 1 gang blanking module | " | | | | |
| | 12 2 gang blanking module | " | | | | |
| | FAN REGULATOR / DIMMER | | | | | |
| | 13 Step type fan regulator | No. | | | | |
| | 14 60 – 500 W dimmer | " | | | | |
| | 15 1000 W dimmer | " | | | | |

Electrical Works

| सि.नं | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व | आ.व | आ.व | कैफियत |
|-----------|---|------|---------|---------|---------|--------|
| | | | ०७८/०७९ | ०७९/०८० | ०८०/०८१ | |
| 2b | Modular Type Switch Socket NORTH-WEST / ROMA / WOODS Electrical U.K. OR ISI EQUIVALENT | | | | | |
| | 1) 1gang 1 Way Switch with frame & plate . | सेट | | | | |
| | 2) 2-gang 1-way ,, ,, | सेट | | | | |
| | 3) 3 gang 1way ,, ,, | सेट | | | | |
| | 4) 4 gang 1 way switch ,, | सेट | | | | |
| | 5) 5 gang 1 way ,, ,, | सेट | | | | |
| | 6) 6 gang 1way ,, ,, | सेट | | | | |
| | 7) TV socket ,, ,, | सेट | | | | |
| | 8) 1 gang 1 bell socket ,, | " | | | | |
| | 9) 5 amp power socket ,, | " | | | | |
| | 10) 15 amp ,, ,, | " | | | | |
| | 11) 15 amp flat power socket " | " | | | | |
| | 12) 1 gang 2 way switch " | " | | | | |
| | 13 key tag with 25 amp energy squaring switch with plate | " | | | | |
| | 14) 13 flat power socket | " | | | | |
| | 15) 1 gang 2 way switch | " | | | | |
| | 16) Modular S.P. MCB suitable to mounting on modular type Switch/socket frame and plate | " | | | | |
| | 17) MCB + socket unit for flush mounting comprising of a single pole MCB , a 25Amp socket & a 25 Amp plugtop with indicator | | | | | |
| | 18) Dimmer 300 W | | | | | |
| | 19) Dimmer 1000W | | | | | |
| | 20) RJ 45 computer Data Transfer socket with shutter | | | | | |
| | 21)Flexicord 3 pin 4 meter, NorthWest / Roma or eqv. | | | | | |
| 3 | METAL Junction BOX | | | | | |
| | 1) 4"x4" | गोटा | 100.00 | 100.00 | 100.00 | |
| | 2) 4"x6" | " | 150.00 | 150.00 | 150.00 | |
| | 3) 6"x8" | " | 237.00 | 237.00 | 237.00 | |
| | 4) 8"x10" | " | 349.00 | 349.00 | 349.00 | |
| | 5) 8"x12" | " | 349.00 | 349.00 | 349.00 | |
| 4 | PVC Junction Box | " | | | | |
| | 1) 4"x4" | गोटा | 31.00 | 31.00 | 31.00 | |
| | 2) 4"x6" | " | 31.00 | 31.00 | 31.00 | |
| | 3) 6"x8" | " | 46.00 | 46.00 | 46.00 | |
| | 4) 8"x10" | " | 67.00 | 67.00 | 67.00 | |
| | 5) 8" x12" | " | 129.00 | 129.00 | 129.00 | |
| | 6) Join box cover | " | 144.00 | 144.00 | 144.00 | |
| 5 | PVC Listy Double Lock { 6'length =1 no.(गोटा)} | | | | | |
| | 1) ½ " | र.मी | 31.00 | 31.00 | 31.00 | |



 3of26



 वि.स.म. मॉडेल

Electrical Works

| सि.नं | निर्माण सामग्रीहरूको विवरण | एकार्ड | आ.व | आ.व | आ.व | कैफियत |
|-----------|---|--------|---------|---------|---------|--------|
| | | | ०७८/०७९ | ०७९/०८० | ०८०/०८१ | |
| | 2) 3/4" | " | 46.00 | 46.00 | 46.00 | |
| | 3) 1" | " | 67.00 | 67.00 | 67.00 | |
| | 4) 1 1/2" | " | 129.00 | 129.00 | 129.00 | |
| | 5) 2" | " | 144.00 | 144.00 | 144.00 | |
| 6 | PVC Conduit Pipe | | 0.00 | 0.00 | 0.00 | |
| | 1) 1/2 " | र.मी | 31.00 | 31.00 | 31.00 | |
| | 2) 3/4" | " | 46.00 | 46.00 | 46.00 | |
| | 3) 1" | " | 67.00 | 67.00 | 67.00 | |
| 7 | Listy Pipe Accessories | | 0.00 | 0.00 | 0.00 | |
| | 1) 1/2"-2" size Shaddle | र.मी | 8.00 | 8.00 | 8.00 | |
| | 2) Grips (denmark) | गोटा | 6.00 | 6.00 | 6.00 | |
| | 3) Steel screws | गोटा | 2.00 | 2.00 | 2.00 | |
| | 4) PVC Tape | गोटा | 15.00 | 15.00 | 15.00 | |
| 8 | Distribution board (DB) | | | | | |
| | With busbar Neutral link Earth bar and Din Rail Conforming IS13032 , IS8632,Standard.Company or Equivalent | | | | | |
| | 1) 4 way SPN DB Double Cover | सेट | 1082.00 | 1082.00 | 1082.00 | |
| | 2) 6 way SPN DB " " | " | 1135.00 | 1135.00 | 1135.00 | |
| | 3) 8 way SPN DB " " | " | 1416.00 | 1416.00 | 1416.00 | |
| | 4) 12 way SPN DB " " | " | 1679.00 | 1679.00 | 1679.00 | |
| | 5) 16 way SPN DB " " | " | 1795.00 | 1795.00 | 1795.00 | |
| | 6) 3-4 way TPN DB Double Cover | " | 2668.00 | 2668.00 | 2668.00 | |
| | 7) 6 way TPN " " " | " | 2998.00 | 2998.00 | 2998.00 | |
| | 8) 8 way TPN " " " Vertical | " | 5799.00 | 5799.00 | 5799.00 | |
| | 9) 12 way TPN " " " Vertical | " | 7727.00 | 7727.00 | 7727.00 | |
| | 10) 50 Pair Telephone D.B.with crown tag | " | 5446.00 | 5446.00 | 5446.00 | |
| 9 | PVC Box for MCB | | | | | |
| | 1) 1-pole PVC box GPS | सेट | 81.00 | 81.00 | 81.00 | |
| | 2) 2- pole PVC " " | " | 81.00 | 81.00 | 81.00 | |
| | 3) 3 and 4-pole PVC " " | " | 130.00 | 130.00 | 130.00 | |
| 10 | Miniature Circuits Breaker (MCB) , ISI ordinary type or equivalent | | | | | |
| | 1) 6-32 amp MCB SP (single pole) | गोटा | 206.00 | 206.00 | 206.00 | |
| | 2) 6-32 amp MCB DP (Double pole) | " | 1030.00 | 1030.00 | 1030.00 | |
| | 3) 6-32 amp MCB TP (Triple pole) | " | 1710.00 | 1710.00 | 1710.00 | |
| | 4) 32 amp MCB TPN | " | 2472.00 | 2472.00 | 2472.00 | |
| | 5) 40-63 amp MCB SP | " | 0.00 | 0.00 | 0.00 | |
| | 6)40-63 amp MCB DP | " | 1648.00 | 1648.00 | 1648.00 | |
| | 7) 40-63 amp MCB TP | " | 2637.00 | 2637.00 | 2637.00 | |
| | 8) 40-63 amp MCB TPN | " | 3157.00 | 3157.00 | 3157.00 | |
| 11 | ISOLATOR ISI marked or Equivalent | | | | | |
| | 1) 40 Amp Isolator Single Pole | गोटा | | | | |
| | 2)63 Amp Isolator Single Pole | " | | | | |



Electrical Works

| सि.नं | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व | आ.व | आ.व | कैफियत |
|-----------|--|------|---------|---------|---------|--------|
| | | | ०७८/०७९ | ०७९/०८० | ०८०/०८१ | |
| | 3) 100 Amp Isolator Single Pole | " | | | | |
| | 4) 125 Amp Isolator Single Pole | " | | | | |
| | 5) 40 Amp Isolator Double Pole | गोटा | | | | |
| | 6)63 Amp Isolator double Pole | " | | | | |
| | 7) 100 Amp Isolator double Pole | " | | | | |
| | 8) 125 Amp Isolator double Pole | " | | | | |
| | 9) 40 Amp Isolator TriplePole | गोटा | | | | |
| | 10)63 Amp Isolator Triple Pole | गोटा | | | | |
| | 11) 100 Amp Isolator Triple Pole | गोटा | | | | |
| | 12) 125 Amp Isolator Triple Pole | गोटा | | | | |
| | 13) 40 Amp Isolator FourPole | गोटा | | | | |
| | 14)63 Amp Isolator Four Pole | गोटा | | | | |
| | 15) 100 Amp Isolator Four Pole | गोटा | | | | |
| | 16) 125 Amp Isolator Four Pole | गोटा | | | | |
| 12 | Residual Current Circuit Breaker ISI marked or Equivalent | | | | | |
| | 1) 25A to 40A ,(30mA,100,300mA) DP RCCB | गोटा | 2751.00 | 2751.00 | 2751.00 | |
| | 2)63A 30mA DP RCCB | गोटा | 3278.00 | 3278.00 | 3278.00 | |
| | 3)63A 100mA DP RCCB | गोटा | 3014.00 | 3014.00 | 3014.00 | |
| | 4)63A 300mA DP RCCB | गोटा | 3064.00 | 3064.00 | 3064.00 | |
| | 5) 25A to 40A ,(30mA,100,300mA) FP RCCB | गोटा | 3377.00 | 3377.00 | 3377.00 | |
| | 6)63A 30mA Four Pole RCCB | गोटा | 3706.00 | 3706.00 | 3706.00 | |
| | 7)63A 100mA Four Pole RCCB | गोटा | 3706.00 | 3706.00 | 3706.00 | |
| | 8)63A 300mA Four Pole RCCB | गोटा | 3706.00 | 3706.00 | 3706.00 | |
| 13 | Miniature circuit Brakets (MCB) 10 KA Siemens,MarlinGerlin ,GE or ISI marked Equavalent | | | | | |
| | 1) 0.5-4 AMP MCB 10 KA single pole | सेट | | | | |
| | 2) 6-32 AMP MCB 10 KA single pole | " | | | | |
| | 3) 6-32 AMP MCB 10 KA single pole | " | | | | |
| | 40 AMP MCB 10 KA single pole | " | | | | |
| | 4) 0.5 -4 AMP MCB Doble pole | " | | | | |
| | 4) 6-32 AMP MCB " " | " | | | | |
| | 5) 40A MCB DP | " | | | | |
| | 5) 63A MCB DP | " | | | | |
| | 5) 0.5-4 AMP MCB Triple pole | " | | | | |
| | 6) 6-32 AMP MCB " " | " | | | | |
| | 7) 40 AMP MCB " " | " | | | | |
| | 6) 50 AMP MCB " " | " | | | | |
| | 6) 63 AMP MCB " " | " | | | | |
| | 8) 6A to 32 A MCB Triple pole with neutral (TPN) | " | | | | |
| 14 | Moulded Case Circuit Breaker (GE , Seimens, Legrand or Equivalent) | | | | | |



Electrical Works

| सि.नं | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व | आ.व | आ.व | कैफियत |
|-------|---|------|----------|----------|----------|--------|
| | | | ०७८/०७९ | ०७९/०८० | ०८०/०८१ | |
| | 16AMP- 63AMP TP MCCB 16KA | सेट | 5665.00 | 5665.00 | 5665.00 | |
| | 80AMP TP MCCB 16KA | " | 5665.00 | 5665.00 | 5665.00 | |
| | 100AMP TP MCCB 16KA | | 6386.00 | 6386.00 | 6386.00 | |
| | 125AMP TP MCCB 16KA | " | 8240.00 | 8240.00 | 8240.00 | |
| | 160AMP TP MCCB 16KA | " | 9785.00 | 9785.00 | 9785.00 | |
| | 16AMP- 63AMP TP MCCB 25KA | " | 6386.00 | 6386.00 | 6386.00 | |
| | 80AMP TP MCCB 25KA | " | 7045.00 | 7045.00 | 7045.00 | |
| | 100AMP TP MCCB 25KA | " | 7045.00 | 7045.00 | 7045.00 | |
| | 125AMP TP MCCB 25KA | " | 11330.00 | 11330.00 | 11330.00 | |
| | 160AMP TP MCCB 25KA | " | 13390.00 | 13390.00 | 13390.00 | |
| | 200AMP TP MCCB 25KA(Adjustable) | " | 21115.00 | 21115.00 | 21115.00 | |
| | 200AMP TP MCCB 35KA(Adjustable) | " | 23175.00 | 23175.00 | 23175.00 | |
| | 250AMP TP MCCB 35KA(Adjustable) | " | 27295.00 | 27295.00 | 27295.00 | |
| | 400AMP TP MCCB 50KA(Adjustable) | " | 35535.00 | 35535.00 | 35535.00 | |
| | 630AMP TP MCCB 50KA(Adjustable) | " | 48410.00 | 48410.00 | 48410.00 | |
| | 800AMP TP MCCB 50KA(Adjustable) | " | 63963.00 | 63963.00 | 63963.00 | |
| | | | | | | |
| 15 | Air Circuit Breaker (ACB)(GE , Seimens , ABB or Equivalent) | | | | | |
| | Draw-Out 3 Pole 800 A (Micro Processor Release O/L,S/C Manual Operate) | सेट | | | | |
| | Draw-Out 3 Pole 1000A (Micro Processor Release O/L,S/C Manual Operate) | सेट | | | | |
| | Draw-Out 3 Pole 1250A (Micro Processor Release O/L,S/C Manual Operate) | " | | | | |
| | Draw-Out 3 Pole 1600A (Micro Processor Release O/L,S/C Manual Operate) | " | | | | |
| | Draw-Out 3 Pole 2000A (Micro Processor Release O/L,S/C Manual Operate) | " | | | | |
| | Draw-Out 3 Pole 2500A (Micro Processor Release O/L,S/C Manual Operate) | " | | | | |
| | Draw-Out 3 Pole 3200A (Micro Processor Release O/L,S/C Manual Operate) | " | | | | |
| | Draw-Out 3 Pole 4000A (Micro Processor Release O/L,S/C Manual Operate) | " | | | | |
| | | " | | | | |
| | Draw-Out 3 Pole 800 A (Micro Processor Release O/L,S/C Motor Wound Operate Operate) | " | | | | |
| | Draw-Out 3 Pole 1000A (Micro Processor Release O/L,S/C Motor Wound Operate Operate) | " | | | | |
| | Draw-Out 3 Pole 1250A (Micro Processor Release O/L,S/C Motor Wound Operate Operate) | " | | | | |
| | Draw-Out 3 Pole 1600A (Micro Processor Release O/L,S/C Motor Wound Operate Operate) | " | | | | |

6 of 26



Electrical Works

| सि.नं | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व | आ.व | आ.व | कैफियत |
|-----------|---|------|---------|---------|---------|--------|
| | | | ०७८/०७९ | ०७९/०८० | ०८०/०८१ | |
| | Draw-Out 3 Pole 2000A (Micro Processor Release O/L,S/C Motor Wound Operate Operate) | " | | | | |
| | Draw-Out 3 Pole 2500A (Micro Processor Release O/L,S/C Motor Wound Operate Operate) | " | | | | |
| | Draw-Out 3 Pole 3200A (Micro Processor Release O/L,S/C Motor Wound Operate Operate) | " | | | | |
| | Draw-Out 3 Pole 4000A (Micro Processor Release O/L,S/C Motor Wound Operate Operate) | " | | | | |
| | Draw-Out 4 Pole 800 A (Micro Processor Release O/L,S/C Manual Operate) | " | | | | |
| | Draw-Out 4 Pole 1000A (Micro Processor Release O/L,S/C Manual Operate) | " | | | | |
| | Draw-Out 4 Pole 1250A (Micro Processor Release O/L,S/C Manual Operate) | " | | | | |
| | Draw-Out 4 Pole 1600A (Micro Processor Release O/L,S/C Manual Operate) | " | | | | |
| | Draw-Out 4 Pole 2000A (Micro Processor Release O/L,S/C Manual Operate) | " | | | | |
| | Draw-Out 4 Pole 2500A (Micro Processor Release O/L,S/C Manual Operate) | " | | | | |
| | Draw-Out 4 Pole 3200A (Micro Processor Release O/L,S/C Manual Operate) | " | | | | |
| | Draw-Out 4 Pole 4000A (Micro Processor Release O/L,S/C Manual Operate) | " | | | | |
| | Draw-Out 4 Pole 800 A (Micro Processor Release O/L,S/C Motor Wound Operate Operate) | " | | | | |
| | Draw-Out 4 Pole 1000A (Micro Processor Release O/L,S/C Motor Wound Operate Operate) | " | | | | |
| | Draw-Out 4 Pole 1250A (Micro Processor Release O/L,S/C Motor Wound Operate Operate) | सेट | | | | |
| | Draw-Out 4 Pole 1600A (Micro Processor Release O/L,S/C Motor Wound Operate Operate) | " | | | | |
| | Draw-Out 4 Pole 2000A (Micro Processor Release O/L,S/C Motor Wound Operate Operate) | " | | | | |
| | Draw-Out 4 Pole 2500A (Micro Processor Release O/L,S/C Motor Wound Operate Operate) | " | | | | |
| | Draw-Out 4 Pole 3200A (Micro Processor Release O/L,S/C Motor Wound Operate Operate) | " | | | | |
| | Draw-Out 4 Pole 4000A (Micro Processor Release O/L,S/C Motor Wound Operate Operate) | " | | | | |
| 16 | Switch Gear ISI or equivalent. | | | | | |
| | 1) 16 AMP 415 DP Rewirable Mainswitch | गोटा | | | | |
| | 2) 32 AM 415V DP ,, ,, | " | | | | |
| | 3) 63 AMP 415V ,, ,, | " | | | | |



Electrical Works

| सि.नं | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व | आ.व | आ.व | कैफियत |
|-----------|---|------|---------|---------|---------|--------|
| | | | ०७८/०७९ | ०७९/०८० | ०८०/०८१ | |
| | 4) 100 AMP 415v ,, ,, | .. | | | | |
| | 5) 16 AMP 415 V DP HRC | .. | | | | |
| | 6) 32 AMP 415V DP ,, ,, | .. | | | | |
| | 7) 63 AMP 415v DP ,, ,, | .. | | | | |
| | 8) 100AMP 415V DP ,, ,, | गोटा | | | | |
| | 9) 200 AMP 415V ,, ,, | .. | | | | |
| | 10) 16 AMP 415V TP HRC | .. | | | | |
| | 11) 32 AMP 4/5 TP HRc ,, | .. | | | | |
| | 12) AMP 415V TP HRc ,, | .. | | | | |
| | 13) 100AMP 415V ,, | .. | | | | |
| | 14) 200 AMP 415 ,, ,, | .. | | | | |
| | 15) 300 AMP 415V ,, ,, | .. | | | | |
| | 16) 400 AMP 415V ,, | .. | | | | |
| | 17) 16AMP 415V Change over switch | .. | | | | |
| | 18) 32AMP 415V ,, | .. | | | | |
| | 19) 63AMP 415 ,, | .. | | | | |
| | 20) 100 AMP 415V ,, | .. | | | | |
| | 21) 200 AMP 415V ,, | .. | | | | |
| | 22) 300 AMP 415V | .. | | | | |
| | 23) 63AMP 415V Bus Bar Chamber | .. | | | | |
| | 24) 100 AMP 415V ,, | .. | | | | |
| | 25) 200 AMP 415V ,, | .. | | | | |
| | 26) 300 AMP 415V ,, | .. | | | | |
| 17 | GENERAL FITTINGS | | | | | |
| | Dome Light | | | | | |
| | 1) 6" Milky type decorative dome light | सेट | 180.00 | 180.00 | 185.00 | |
| | 2) 6 " Brass base decorative dome light | .. | 736.00 | 736.00 | 758.00 | |
| | 3) 8"Milky type decorative dome light | .. | 227.00 | 227.00 | 233.00 | |
| | 4) 8 " Brass base decorative dome light | .. | 876.00 | 876.00 | 902.00 | |
| | 5) 8" Silver cast Milky base Decorative Dome Light Homedec, DECON or ISI Eqv. | .. | 1107.00 | 1107.00 | 1140.00 | |
| | 6) 8" Silver cast Black Base base Decorative Dome Light Homedec, DECON or Eqv. | .. | 567.00 | 567.00 | 584.00 | |
| | 7) Decorative Ceillig luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL , Compact co. or Equivalent | .. | 1213.00 | 1213.00 | 1249.00 | |
| | 8) Wall bracket /spout light/mirror light bulk head ordinary . | .. | 232.00 | 232.00 | 238.00 | |
| | 9) Wall bracket/spot light/mirror light /bulk head medium decorative. | .. | 361.00 | 361.00 | 371.00 | |
| | 10) Wall bracket/spout light/mirror light bulk head best quality , Homedec , Decon or ISI Eqv. | .. | 824.00 | 824.00 | 848.00 | |
| | 11) 40-60 watt Down light (conceal light) | .. | 968.00 | 968.00 | 997.00 | |

Electrical Works

| सि.नं | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व | आ.व | आ.व | कैफियत |
|-----------|--|-------|----------|----------|----------|--------|
| | | | ०७८/०७९ | ०७९/०८० | ०८०/०८१ | |
| | 12) 1 x 18watt CFL Down light (conceal light) Complete Set | " | 1514.00 | 1514.00 | 1559.00 | |
| | 13) Dining lamp. | " | 1700.00 | 1700.00 | 1751.00 | |
| | 14) Chandlers 6-8 lamp Medium | " | 15090.00 | 15090.00 | 15542.00 | |
| | 15) Chandlers 3-5 lamp Medium | " | 10764.00 | 10764.00 | 11086.00 | |
| | 16) Mirror Light Euro Light | " | 464.00 | 464.00 | 477.00 | |
| | 17) Picture light Euro Light POO2 | " | 670.00 | 670.00 | 690.00 | |
| | 18) Wall spot Light E27 60W Euro or eqv. | " | 361.00 | 361.00 | 371.00 | |
| | Exit Liggth safety sign (8.24) w make samcon | सेट | 824.00 | 824.00 | 848.00 | |
| | Post top Lanterns Wipro,GE,C&S or Equivalent | | | | | |
| | 19) Bollard Garden light small Size Homedec, DECON Or ISI Eqv. | | 2575.00 | 2575.00 | 2652.00 | |
| | 20) Bollard Garden light medium Size Homedec, DECON Or ISI Eqv. | | 3090.00 | 3090.00 | 3182.00 | |
| | 21) Bollard Garden light Full Size Homedec, DECON Or ISI Eqv. | | 3476.00 | 3476.00 | 3580.00 | |
| | 22)8" Globe type Post top Lamp complet set Homedec, DECON Or ISI Eqv. | | 1416.00 | 1416.00 | 1458.00 | |
| | 23) 10" Globe type Post top Lamp complet set Homedec, DECON Or ISI Eqv. | | 2704.00 | 2704.00 | 2785.00 | |
| 18 | CEILING FANS & EXHAUST FANS, ALMONARD, / CROMPTION, BAJAJ CO. or equivalent | | | | | |
| | 1) 36" size ceiling Fan | गोटा | 2163.00 | 2163.00 | 2227.00 | |
| | 2) 42" size " " | " | 2266.00 | 2266.00 | 2333.00 | |
| | 3) 48" size " " | " | 2318.00 | 2318.00 | 2387.00 | |
| | 4) 56" size " " | " | 2575.00 | 2575.00 | 2652.00 | |
| | 5)6" Exhaust Fan | " | 1494.00 | 1494.00 | 1538.00 | |
| | 6) 9" Exhaust Fan | " | 1803.00 | 1803.00 | 1857.00 | |
| | 7) 16" size wall fan | " | 2833.00 | 2833.00 | 2917.00 | |
| | 8) 12"-15" size exhaust fan | " | 2575.00 | 2575.00 | 2652.00 | |
| 19 | BELL INDICATOR | | | | | |
| | 1) 4 way bell indicator with plate | सेट | 1255.00 | 1255.00 | 1255.00 | |
| | 2) 6 way " " " " | " | 2049.00 | 2049.00 | 2049.00 | |
| | 3) 8 way " " " " | " | 2851.00 | 2851.00 | 2851.00 | |
| | 4) 12 way " " " " | " | 4395.00 | 4395.00 | 4395.00 | |
| 20 | Materials For Earthing & Lightining Protection | | | | | |
| | 1) Copper plate | के.जी | 917.00 | 917.00 | 944.00 | |
| | 1) Copper plate (800×800×3.15)mm size | गोटा | | | | |
| | 2) Copper plate (650×650×3.15)mm size | गोटा | | | | |
| | 3)Copper Strip (25 x 3)mm (Appox 60"=1kg) | के.जी | 1082.00 | 1082.00 | 1114.00 | |
| | 4)Copper Strip (20 x 3)mm(Appro. 65"= 1 Kg) | के.जी | 1082.00 | 1082.00 | 1114.00 | |
| | 5)Copper Strip (12 x 3)mm (Appro. 118"= 1 Kg) | | 1082.00 | 1082.00 | 1114.00 | |



Electrical Works

| सि.नं | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व | आ.व | आ.व | कैफियत |
|-----------|---|-------|----------|----------|----------|--------|
| | | | ०७८/०७९ | ०७९/०८० | ०८०/०८१ | |
| | 6) Lightning rod copper conductor Air termination set | गोटा | 2730.00 | 2730.00 | 2811.00 | |
| | 7) 8 SWG bare copper wire | र. मी | 144.00 | 144.00 | 148.00 | |
| | 8) 29 mm Diameter GI Pipe of 1m length | र. मी | 252.00 | 252.00 | 259.00 | |
| | 9) 30 Cm x 30 Cm Cast Iron Cover for water pouring into pit | गोटा | 618.00 | 618.00 | 636.00 | |
| | 10) 5/16 nuts & bolt with spring washer cadmium maker | गोटा | 15.00 | 15.00 | 15.00 | |
| | 11) 1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length | गोटा | 196.00 | 196.00 | 201.00 | |
| | 12) Funnel with wire mesh | गोटा | 361.00 | 361.00 | 361.00 | |
| | 13) Charcol | व्याग | 309.00 | 309.00 | 309.00 | |
| | 14) Salt | के.जी | 12.00 | 12.00 | 12.00 | |
| 21 | STEEL TUBELAR POLE / WOODEN POLE | | | | | |
| | Steel Tubular Poles with welded plate on top and bottom (medium Gauge non Galvanized with folding System and accessories) | | | | | |
| a | 7 Mtr. (Bottom : 115 mm Dia 3300 mm height, 90mm Dia 2400mm height & 76 mm Dia , 1650mm height with overlapping of 200mm & 150 mm Respectively | No | 12057.00 | 12057.00 | 12057.00 | |
| b | Steel Tubular Poles 7 Mtr. (115 mm Dia. 3100 mm height, 90mm Dia 2300mm height &:76 mm Dia and 1600mm height) with welded plate on top and bottom (medium Gauge non Galvanized with welded joints) | No | 12484.00 | 12484.00 | 12484.00 | |
| | 8 Mtr. (Bottom : 139.7 mm Dia 4500 mm height, 114.3mm Dia 1750mm height & 88.9 mm Dia 1750mm height with firmly Welded or bolted (101kg Total Wt) | | | | | |
| c | 9 Mtr. (Bottom : 134 mm Dia. 3300 mm height, 115mm Dia2250mm height , 90 mm Dia 2250mm height & 76mm Dia. 1650 mm height with overlapping of 200mm, 150mm, 100mm Respectively | No | 12979.00 | 12979.00 | 12979.00 | |
| | 9 Mtr. (Bottom : 165.1 mm Dia.5000 mm height, 139.7mm Dia2000mm height , 114.3 mm Dia 2000mm height with firmly Welded or bolted with overlapping of 200mm, 150mm,Respectively (147 Kg Wt Total) | No | | | | |
| | 10 Mtr. (Bottom : 165.1 mm Dia.5200 mm height, 139.7mm Dia2400mm height , 114.3 mm Dia 2400mm height with firmly Welded or bolted with overlapping of 200mm, 150mm,Respectively (160 Kg Wt Total) | No | | | | Heavy |

Electrical Works

| सि.नं | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व | आ.व | आ.व | कैफियत |
|-------|---|------|---------|---------|---------|--------|
| | | | ०७८/०७९ | ०७९/०८० | ०८०/०८१ | |
| | 11 Mtr. (Bottom : 165.1 mm Dia.5600 mm height, 139.7mm Dia2700mm height , 114.3 mm Dia 2700mm height with firmly Welded or bolted with overlapping of 200mm, 150mm,Respectively (175 Kg Wt Total) | No | | | | |
| e | 7 mtr.length Wooden Pole (Treated) | No | 4996.00 | 4996.00 | 4996.00 | |
| f | 9 mtr.length Wooden Pole (Treated) | No | 6798.00 | 6798.00 | 6798.00 | |
| 22 | Modular ceiling Luminaries | | | | | |
| | Fluorescent Tube light (FTL) set including Tube, condenser,starter , lamp holder,channel/ batten made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block Manufactured By Wipro, Philips, GE or ISI equivalent Company . | | | | | |
| | | सेट | 464.00 | 464.00 | 464.00 | |
| | 1) 1x20 watt FTL (Patti fittings) | | 775.00 | 775.00 | 775.00 | |
| | 2) 1x40 watt FTL (Patti fittings) | | 876.00 | 876.00 | 876.00 | |
| | 3) 1x20 watt FTL (Mirrolta) | " | 1020.00 | 1020.00 | 1020.00 | |
| | 4) 1x40 watt FTL (Mirrolta) | " | 1159.00 | 1159.00 | 1159.00 | |
| | 5) 1x40 watt FTL box fittings | " | 1751.00 | 1751.00 | 1751.00 | |
| | 6) 2x40 watt FTL box fittings | " | 1782.00 | 1782.00 | 1782.00 | |
| | 7) 1x40 watt FTL Industrial channel | " | 2287.00 | 2287.00 | 2287.00 | |
| | 8) 2x40 watt FTL Industrial channel | " | | | | |
| | 9) 1x40 watt FTL, oplite with opal Arcylic dissuser . | " | 1854.00 | 1854.00 | 1854.00 | |
| | 10) 2x40 watt FTL, hoplite with opal Arcylic dissuser | " | 3090.00 | 3090.00 | 3090.00 | |
| | 11) 4x20 watt FTL, oplite with opal Arcylic dissuser | " | 5410.00 | 5410.00 | 5410.00 | |
| | 12) 4x20 watt FTL mirror optic. | " | 5410.00 | 5410.00 | 5410.00 | |
| | 13) 1x40 watt FTL mirr optic . | " | 3554.00 | 3554.00 | 3554.00 | |
| | 14) 2x40 watt FTL mirror optic. | " | 4326.00 | 4326.00 | 4326.00 | |
| | 15) 4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 luer Complete set | " | 9383.00 | 9383.00 | 9383.00 | |
| | 16) 3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling | " | 8245.00 | 8245.00 | 8245.00 | |
| | 17) 2 x 18 W CFL recessed/surface mounting mirror Optic Complete Set | सेट | 2678.00 | 2678.00 | 2678.00 | |
| | 18) 1 x11 W CFL mirror Optic complet set | सेट | 1833.00 | 1833.00 | 1833.00 | |
| | 19) 300/500 watt halogen lamp.Complete set | " | 2266.00 | 2266.00 | 2266.00 | |
| | 20) 1000 watt halogen lamp Complete Set | " | 6067.00 | 6067.00 | 6067.00 | |
| | 21) 150 watt HPSV lamp Complete Set | " | | | | |
| | 22) 250 watt HPSV lamp Complete Set | " | | | | |



Electrical Works

| सि.नं | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व | आ.व | आ.व | कैफियत |
|-----------|---|--------|----------|----------|----------|--------|
| | | | ०७८/०७९ | ०७९/०८० | ०८०/०८१ | |
| | 23) 3x36 W CFL -4 pin low glare fixture with paralite -P | " | | | | |
| 23 | LUMINARIES Accessories (Philips, Wipro,GE or ISI Eqv.) | | | | | |
| | 1) 500 watt halogen rod | गोटा | 232.00 | 232.00 | 232.00 | |
| | 2) 1000 watt halogen rod | गोटा | 278.00 | 278.00 | 278.00 | |
| | 70Watt SON Lamp (Sodium Vapour) | गोटा | 834.00 | 834.00 | 834.00 | |
| | 3) 150 watt sodium vapour bulb | गोटा | 1298.00 | 1298.00 | 1298.00 | |
| | 4) 250 watt sodium vapour bulb | गोटा | 1700.00 | 1700.00 | 1700.00 | |
| | 5) 20-40 watt FTL rod | " | 80.00 | 80.00 | 80.00 | |
| | 6) 20-40 watt FTL chowk. | " | 258.00 | 258.00 | 258.00 | |
| | 20-40W FTL Electronic Chowk with high power factor & instant flicker free start | " | 412.00 | 412.00 | 412.00 | |
| | 7) Acrlye cover for 4x20 FTL | " | 989.00 | 989.00 | 989.00 | |
| | 8) FTL starter | " | 19.00 | 19.00 | 19.00 | |
| | 9) 8 W to11W, C.F.L.Direct fit | " | 232.00 | 232.00 | 232.00 | |
| | 10) 13 to 22W , C.F.L.Direct fit | " | 299.00 | 299.00 | 299.00 | |
| | 11) 15-100 watt bulb.(ISI) | गोटा | 26.00 | 26.00 | 26.00 | |
| | PL-S 9W/86 (CFL) | " | 165.00 | 165.00 | 165.00 | |
| | PL-S 11W/86 (CFL) | " | 175.00 | 175.00 | 175.00 | |
| | PL-L 36W/86 (CFL) | " | 417.00 | 417.00 | 417.00 | |
| | 125W HPL-N (Mercury Vapour) | " | 371.00 | 371.00 | 371.00 | |
| | 250W HPL-N | " | 876.00 | 876.00 | 876.00 | |
| 24 | COPPER CONDUCTOR/WIRE/CABLE (PER COIL=91.44 RM) | | | | | |
| | 1) 1/18 size copper wire cable | क्वायल | 948.00 | 948.00 | 976.00 | |
| | 2) 3/22 " " " " | " | 1133.00 | 1133.00 | 1166.00 | |
| | 3) 3/20 " " " " | " | 1803.00 | 1803.00 | 1857.00 | |
| | 4) 7/22 " " " " | " | 2524.00 | 2524.00 | 2599.00 | |
| | 5) 7/20 " " " " | " | 4120.00 | 4120.00 | 4243.00 | |
| | 4) 7/18 " " " " | " | 6489.00 | 6489.00 | 6683.00 | |
| | 5) 7/16 " " " " | " | 13390.00 | 13390.00 | 13791.00 | |
| | 9) 19/68 " " " " | " | 18025.00 | 18025.00 | 18565.00 | |
| | 10) 19/16 " " " " | " | 36050.00 | 36050.00 | 37131.00 | |
| | 10) 2/20 " " " " | " | 1370.00 | 1370.00 | 1411.00 | |
| | 10) 2/22 " " " " | " | 927.00 | 927.00 | 954.00 | |
| | Multistrand Flexible wire | | | | | |
| | i) 1.0 mm PVC insulated Copper wire | क्वायल | 1030.00 | 1030.00 | 1060.00 | |
| | ii) 1.5 mm PVC insulated Copper wire | " | 1648.00 | 1648.00 | 1697.00 | |
| | iii) 2.5 mm PVC insulated Copper wire | " | 2421.00 | 2421.00 | 2493.00 | |
| | iv) 4.0 mm PVC insulated Copper wire | " | 3914.00 | 3914.00 | 4031.00 | |
| | vi) 6.0 mm PVC insulated Copper wire | " | 6180.00 | 6180.00 | 6365.00 | |
| | vii) 10.0mm PVC insulated Copper wire | " | 10300.00 | 10300.00 | 10609.00 | |
| 25 | Concentric cable | | | | | |
| | 1) 4mm size concentric cable | र.मी | 23.00 | 23.00 | 23.60 | |
| | 2) 6mm size " " | र.मी | 26.00 | 26.00 | 26.70 | |



Electrical Works

| सि.नं | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व | आ.व | आ.व | कैफियत |
|-----------|--|--------|----------|----------|-----------|--------|
| | | | ०७८/०७९ | ०७९/०८० | ०८०/०८१ | |
| | 3) 10mm size " " | र.मी | 39.00 | 39.00 | 40.10 | |
| | 4) 16mm size " " | र.मी | 67.00 | 67.00 | 69.00 | |
| | 5) 25mm size " " | र.मी | 89.00 | 89.00 | 91.60 | |
| | 6)RG6 Coaxial cable | र.मी | 23.00 | 23.00 | 23.60 | |
| | 7)RG59 Coaxial cable | र.मी | 26.00 | 26.00 | 26.70 | |
| | 8) UTP cat -5 networking cable | र.मी | 26.00 | 26.00 | 26.70 | |
| 26 | Telephone Drop wire/pair cable | | | | | |
| | 1) ² / ₂₀ Telephone drop wire | क्वायल | 989.00 | 989.00 | 1018.00 | |
| | 2) ² / ₂₂ " " | क्वायल | 670.00 | 670.00 | 690.00 | |
| | 3) 2- pair cable wire (2×2×0.45) mm Heavy | र.मी | 14.00 | 14.00 | 14.00 | |
| | 4) 3- pair cable wire (3×2×0.45) mm Heavy | र.मी | 20.00 | 20.00 | 20.00 | |
| | 5) 5- pair cable wire (5×2×0.45) mm Heavy | र.मी | 32.00 | 32.00 | 32.00 | |
| | 6) 10- pair cable wire (10×2×0.45) mm Heavy | र.मी | 62.00 | 62.00 | 63.00 | |
| | 7) 15- pair cable wire (15×2×0.45) mm Heavy | र.मी | 91.00 | 91.00 | 93.00 | |
| | 8) 20- pair cable wire (20×2×0.45) mm Heavy | र.मी | 119.00 | 119.00 | 122.00 | |
| | 9) 1mm drop wire | " | 10.00 | 10.00 | 10.00 | |
| | 10) 1-4 Line EPABX,Creative, Matrix Or Eqv. | सेट | 7648.00 | 7648.00 | 7877.00 | |
| | 11) 2-6 Line EPABX | " | 18411.00 | 18411.00 | 18963.00 | |
| | 12)3-8 Line EPABX | " | 20538.00 | 20538.00 | 21154.00 | |
| | 13) 4-12 Line EPABX | " | 36823.00 | 36823.00 | 37927.00 | |
| | 14)6-16 Line EPABX | " | 49569.00 | 49569.00 | 51056.00 | |
| | 15)8-24 Line EPABX | " | 84975.00 | 84975.00 | 87524.00 | |
| 16 | 8-48 Line EPABX | " | 90923.00 | 90923.00 | 93650.00 | |
| 17 | 8-72 Line EPABX | " | 97288.00 | 97288.00 | 100206.00 | |
| 27 | Other Accessories | | | | | |
| | 1) 6" size Dome light glass | गोटा | 65.00 | 65.00 | 66.00 | |
| | 2) 8" size " " " | " | 76.00 | 76.00 | 78.00 | |
| | 3) wall bracket glass | " | 65.00 | 65.00 | 66.00 | |
| | 4) Fan regulator | " | 271.00 | 271.00 | 279.00 | |
| 28 | Flush mounting Metal box for modular type switch & socket | | | | | |
| | 1) 1 gang metal box | सेट | | | | |
| | 2) 2 gang " " | " | | | | |
| | 3) 3 gang " " | " | | | | |
| | 4) 4 gang " " | " | | | | |
| | 5) 5 gang " " | " | | | | |
| | 6) 6 gang " " | " | | | | |
| | 7) 8 module metal box (4+4) =(78x230x60)mm | " | | | | |
| | 8) 8 module metal box (Horizontal) =(135x120x60)mm | " | | | | |
| | 9) 12 module metal box =(135x120x60)mm | " | | | | |
| | 10) TV socket metal box | " | | | | |
| | 11) Telephone socket metal box | " | | | | |



Electrical Works

| सि.नं | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व | आ.व | आ.व | कैफियत |
|-----------|---|------|---------|---------|---------|--------|
| | | | ०७८/०७९ | ०७९/०८० | ०८०/०८१ | |
| 29 | Moulded case circuit Breaker (MCCB) semins/Marlingerin / GE or ISI equavanent | | | | | |
| | 1) 16A to 63 Amp 18kA , 3 Pole MCCB | सेट | | | | |
| | 2) 80A to100 Amp 18 KA " " | " | | | | |
| | 3) 125 AMP 40 KA 3P MCCB | " | | | | |
| | 4) 160 AMP 40 KA " | " | | | | |
| | 5) 200 AMP 40 KA " | " | | | | |
| | 6) 250 AMP 40 KA " | " | | | | |
| | 7) 300 AMP 40 KA " | " | | | | |
| | 8) 400 AMP 45KA " | " | | | | |
| | 9) 630 AMP 45 KA " | " | | | | |
| | 10) 800 AMP 50 KA " | " | | | | |
| 30 | Panel board double door type with locking arrangement with 2 coat of red oxide metal prime & final coat of enamel paint (Three phase Neutral earthing) TPNE copper busbar including necessary accessories. | | | | | |
| | 1) 60/75/100 AMP, 9"×36"×48" size | सेट | | | | |
| | 2) 60/75/100 AMP "12×36"×48" size | सेट | | | | |
| | 3) 60/75/100 AMP 9"×48"×60" size | सेट | | | | |
| | 4) 60/75/100 AMP 12"×49"×60" size | सेट | | | | |
| | 5) 150/200 AMP 9"×38"×52" size | सेट | | | | |
| | 6) 150/200 AMP 12"×38"×52" size | सेट | | | | |
| | 7) 150/200 AMP 9"×42"×56" size | " | | | | |
| | 8) 150/200 AMP 12"×42"×56" size | " | | | | |
| | 9) 250/300AMP 12"×48"×60"size | " | | | | |
| | 10) 250/300AMP 12"×52"×62" size | " | | | | |
| | 11) 400 AMP 12"×52"×66" size | " | | | | |
| 31 | Distribution Board 3 Phase double door system with neutral and earth connector 2 coat of red oxide paint with 2 coat final paint of Nepal red. | | | | | |
| | 1) 4 Way TPN DB 14" x 16 " x 5" | सेट | | | | |
| | 2) 6 Way TPN DB 16" x 18 " x 5" | " | | | | |
| | 3) 8 Way TPN DB 18"x20"x5" | " | | | | |
| | 4) 10 Way TPN DB 20" x 22"x 5" | " | | | | |
| | 5) 12 Way TPN DB 22" x 24" x 5" | " | | | | |
| | 6) 14-16 Way TPN DB 24" x 26 x 5 " | " | | | | |
| 32 | Panel Board measurement instrument | | | | | |
| | 1) 0-500 volt meter | पिस | 1023.00 | 1023.00 | 1023.00 | |
| | 2) 60/100 Amp meter . | " | 979.00 | 979.00 | 979.00 | |
| | 3) Panel Indicator | " | 237.00 | 237.00 | 237.00 | |
| | 4) 2 Amp glass fuse with holder 12 mm size | " | 134.00 | 134.00 | 134.00 | |



Electrical Works

| सि.नं | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व | आ.व | आ.व | कैफियत |
|-----------|--|------|----------|----------|----------|--------|
| | | | ०७८/०७९ | ०७९/०८० | ०८०/०८१ | |
| | 5) AMP meter selector switch | " | 649.00 | 649.00 | 649.00 | |
| | 6) volt meter selector switch | " | 711.00 | 711.00 | 711.00 | |
| | 7) 60/100 Amp C.T. coil per set 3 Pcs | " | 1432.00 | 1432.00 | 1432.00 | |
| | 8)150-200AMP C.T coil. 3 PC / Set | गोटा | 1782.00 | 1782.00 | 1782.00 | |
| | 9) 250-300 AMP " " | " | 2421.00 | 2421.00 | 2421.00 | |
| | 10) 400/500/600AMP " " | " | 3554.00 | 3554.00 | 3554.00 | |
| | 11) Kilo watt hour energy meter single phase | पिस | 2271.00 | 2271.00 | 2271.00 | |
| | 12) Kilo watt hour energy meter 3 phase direct | " | 10228.00 | 10228.00 | 10228.00 | |
| 33 | Trailing Protected Industrial Plug IP44 | | | | | |
| | 1)16A 3P+E 400V Industrial plug | सेट | 541.00 | 541.00 | 541.00 | |
| | 2)32 A 3p +N+E " Plug | सेट | 803.00 | 803.00 | 803.00 | |
| | 3) 32 A 3P+N+E water tight Plug IP67 | सेट | 1545.00 | 1545.00 | 1545.00 | |
| 34 | Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door , Taiwan | सेट | 20600.00 | 20600.00 | 20600.00 | |
| 35 | Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door (Chinese) | सेट | 13905.00 | 13905.00 | 13905.00 | |
| 36 | CABLE SHOE | | | | | |
| | 1) 16 sq.mm cable shoe | गोटा | 64.00 | 64.00 | 64.00 | |
| | 2) 25 sq.mm " " | गोटा | 83.00 | 83.00 | 83.00 | |
| | 3) 35 sq.mm " " | गोटा | 64.00 | 64.00 | 64.00 | |
| | 4) 50 sq.mm " " | गोटा | 75.00 | 75.00 | 75.00 | |
| | 5) 70 sq.mm " " | गोटा | 92.00 | 92.00 | 92.00 | |
| | 6) 95 sq.mm " " | गोटा | 143.00 | 143.00 | 143.00 | |
| | 7) 150 sq.mm " " | गोटा | 215.00 | 215.00 | 215.00 | |
| | 8) 195 sq.mm " " | गोटा | 305.00 | 305.00 | 305.00 | |
| | 9) 250 sq.mm " " | " | 485.00 | 485.00 | 485.00 | |
| 37 | Copper Conductor Armoured Power Cables NS marked or eqv. | | | | | |
| | a) 2 Core | | | | | |
| | 1) 1.5 mm2 | र.मी | 103.00 | 103.00 | 103.00 | |
| | 2) 2.5 mm2 | " | 139.00 | 139.00 | 139.00 | |
| | 3) 4.0 mm2 | " | 191.00 | 191.00 | 191.00 | |
| | 4) 6.0 mm2 | " | 247.00 | 247.00 | 247.00 | |
| | 5) 10.0 mm2 | " | 371.00 | 371.00 | 371.00 | |
| | 6) 16.0 mm2 | " | 494.00 | 494.00 | 494.00 | |
| | 7) 25.0 mm2 | " | 721.00 | 721.00 | 721.00 | |
| | 8) 35.0 mm2 | " | 958.00 | 958.00 | 958.00 | |
| | 9) 50.0 mm2 | " | 1339.00 | 1339.00 | 1339.00 | |
| | b) 3 Core | | | | | |
| | 1) 1.5 mm2 | | 129.00 | 129.00 | 129.00 | |

Electrical Works

| सि.नं | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व | आ.व | आ.व | कैफियत |
|-------|---|------|----------|----------|----------|--------|
| | | | ०७८/०७९ | ०७९/०८० | ०८०/०८१ | |
| | 2) 2.5 mm2 | " | 180.00 | 180.00 | 180.00 | |
| | 3) 4.0 mm2 | " | 258.00 | 258.00 | 258.00 | |
| | 4) 6.0 mm2 | " | 330.00 | 330.00 | 330.00 | |
| | 5) 10.0 mm2 | " | 494.00 | 494.00 | 494.00 | |
| | 6) 16.0 mm2 | " | 690.00 | 690.00 | 690.00 | |
| | 7) 25.0 mm2 | " | 1051.00 | 1051.00 | 1051.00 | |
| | 8) 35.0 mm2 | " | 1391.00 | 1391.00 | 1391.00 | |
| | 9) 50.0 mm2 | " | 1906.00 | 1906.00 | 1906.00 | |
| | 10) 70.0 mm2 | " | 2678.00 | 2678.00 | 2678.00 | |
| | 11) 95.0 mm2 | " | 3605.00 | 3605.00 | 3605.00 | |
| | 12) 120.0 mm2 | " | 4532.00 | 4532.00 | 4532.00 | |
| | 13) 150.0 mm2 | " | 5562.00 | 5562.00 | 5562.00 | |
| | c) 3.5 Core | | | | | |
| | 1) 25.0 mm2 | र.मी | 1257.00 | 1257.00 | 1257.00 | |
| | 2) 35.0 mm2 | र.मी | 1597.00 | 1597.00 | 1597.00 | |
| | 3) 50.0 mm2 | र.मी | 2245.00 | 2245.00 | 2245.00 | |
| | 4) 70.0 mm2 | र.मी | 3090.00 | 3090.00 | 3090.00 | |
| | 5) 95.0 mm2 | र.मी | 4120.00 | 4120.00 | 4120.00 | |
| | 6) 120.0 mm2 | र.मी | 5408.00 | 5408.00 | 5408.00 | |
| | 7) 150.0 mm2 | र.मी | 6386.00 | 6386.00 | 6386.00 | |
| | 8) 185.0 mm2 | र.मी | 7931.00 | 7931.00 | 7931.00 | |
| | 9) 240.0 mm2 | र.मी | 10403.00 | 10403.00 | 10403.00 | |
| | 10) 300.0 mm2 | " | 13184.00 | 13184.00 | 13184.00 | |
| | 11) 400.0 mm2 | " | 17304.00 | 17304.00 | 17304.00 | |
| | d) 4 Core | | | | | |
| | 1) 1.5 mm2 | र.मी | 155.00 | 155.00 | 155.00 | |
| | 2) 2.5 mm2 | " | 221.00 | 221.00 | 221.00 | |
| | 3) 4.0 mm2 | " | 319.00 | 319.00 | 319.00 | |
| | 4) 6.0 mm2 | " | 412.00 | 412.00 | 412.00 | |
| | 5) 10.0 mm2 | " | 618.00 | 618.00 | 618.00 | |
| | 6) 16.0 mm2 | " | 901.00 | 901.00 | 901.00 | |
| | 7) 25.0 mm2 | " | 1339.00 | 1339.00 | 1339.00 | |
| | 8) 35.0 mm2 | " | 1803.00 | 1803.00 | 1803.00 | |
| | 9) 50.0 mm2 | " | 2575.00 | 2575.00 | 2575.00 | |
| | 10) 70.0 mm2 | " | 3502.00 | 3502.00 | 3502.00 | |
| | 11) 95.0 mm2 | " | 4738.00 | 4738.00 | 4738.00 | |
| | 12) 120.0 mm ² | " | 5974.00 | 5974.00 | 5974.00 | |
| | 13) 150.0 mm ² | " | 7416.00 | 7416.00 | 7416.00 | |
| | 14) 185.0 mm ² | " | 9064.00 | 9064.00 | 9064.00 | |
| | 15) 240.0 mm ² | " | 12360.00 | 12360.00 | 12360.00 | |
| | 16) 300.0 mm ² | " | 14832.00 | 14832.00 | 14832.00 | |
| | 17) 400.0 mm ² | " | 20085.00 | 20085.00 | 20085.00 | |
| 38 | Copper Conductor Unarmoured Power Cables NS marked or Eqv. | | | | | |



Electrical Works

| सि.नं | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व | आ.व | आ.व | कैफियत |
|--|----------------------------|------|---------|---------|---------|--------|
| | | | ०७८/०७९ | ०७९/०८० | ०८०/०८१ | |
| a) 1-core Copper Conductor Unarmoured | | | | | | |
| | 1) 10 sq. mm. | र.मी | 43.00 | 43.00 | 43.00 | |
| | 2) 16 sq. mm. | " | 65.00 | 65.00 | 65.00 | |
| | 3) 25 sq. mm. | " | 76.00 | 76.00 | 76.00 | |
| | 4) 35 sq. mm. | " | 91.00 | 91.00 | 91.00 | |
| | 5) 50 sq. mm. | " | 121.00 | 121.00 | 121.00 | |
| | 6) 70 sq. mm. | " | 158.00 | 158.00 | 158.00 | |
| | 7) 95 sq. mm. | " | 214.00 | 214.00 | 214.00 | |
| | 8) 120 sq. mm. | " | 260.00 | 260.00 | 260.00 | |
| | 9) 150 sq. mm. | " | 308.00 | 308.00 | 308.00 | |
| b) 2- core Copper Conductor Unarmoured | | | | | | |
| | 1) 1.5 sq.mm | र.मी | 72.00 | 72.00 | 72.00 | |
| | 2) 2.5 sq.mm | " | 103.00 | 103.00 | 103.00 | |
| | 3) 4 sq.mm | " | 144.00 | 144.00 | 144.00 | |
| | 4) 6 sq.mm | " | 196.00 | 196.00 | 196.00 | |
| | 5) 10 sq.mm | " | 309.00 | 309.00 | 309.00 | |
| | 6) 16 sq.mm | " | 427.00 | 427.00 | 427.00 | |
| | 7) 25 sq.mm | " | 659.00 | 659.00 | 659.00 | |
| | 8) 35 sq.mm | " | 896.00 | 896.00 | 896.00 | |
| | 9) 50 sq.mm | " | 1236.00 | 1236.00 | 1236.00 | |
| | 10) 70 sq.mm | " | 1236.00 | 1236.00 | 1236.00 | |
| | 11) 95 sq.mm | " | 2318.00 | 2318.00 | 2318.00 | |
| | 12) 120 sq.mm | " | 3039.00 | 3039.00 | 3039.00 | |
| | 13) 150 sq.mm | " | 3811.00 | 3811.00 | 3811.00 | |
| c) 3-core Copper Conductor Unarmoured | | | | | | |
| | 1) 1.5 sq.mm. | र.मी | 93.00 | 93.00 | 93.00 | |
| | 2) 2.5 sq.mm | र.मी | 134.00 | 134.00 | 134.00 | |
| | 3) 4 sq.mm | " | 196.00 | 196.00 | 196.00 | |
| | 4) 6 sq.mm | " | 278.00 | 278.00 | 278.00 | |
| | 5) 10 sq.mm | " | 438.00 | 438.00 | 438.00 | |
| | 6) 16 sq.mm | " | 639.00 | 639.00 | 639.00 | |
| | 7) 25 sq.mm | " | 979.00 | 979.00 | 979.00 | |
| | 8) 35 sq.mm | " | 1318.00 | 1318.00 | 1318.00 | |
| | 9) 50 sq.mm | " | 1854.00 | 1854.00 | 1854.00 | |
| | 10) 70 sq.mm | " | 2575.00 | 2575.00 | 2575.00 | |
| | 11) 95 sq.mm | " | 3502.00 | 3502.00 | 3502.00 | |
| | 12) 120 sq.mm | " | 4429.00 | 4429.00 | 4429.00 | |
| | 13) 150 sq.mm | र.मी | 5459.00 | 5459.00 | 5459.00 | |
| d) 3.5 core Copper Conductor Unarmoured | | | | | | |
| | 1) 25 sq.mm | र.मी | 1205.00 | 1205.00 | 1205.00 | |
| | 2) 35 sq.mm | " | 1545.00 | 1545.00 | 1545.00 | |
| | 3) 50 sq.mm | " | 2163.00 | 2163.00 | 2163.00 | |
| | 4) 70 sq.mm | " | 3013.00 | 3013.00 | 3013.00 | |
| | 5) 95 sq.mm | " | 4069.00 | 4069.00 | 4069.00 | |
| | 6) 120 sq.mm | " | 5356.00 | 5356.00 | 5356.00 | |



Electrical Works

| सि.नं | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व | आ.व | आ.व | कैफियत |
|-----------|--|------|----------|----------|----------|--------|
| | | | ०७८/०७९ | ०७९/०८० | ०८०/०८१ | |
| | 7) 150 sq.mm | " | 6335.00 | 6335.00 | 6335.00 | |
| | e) 4-core Copper Conductor Unarmoured | | | | | |
| | 1) 1.5 sq.mm | र.मी | 113.00 | 113.00 | 113.00 | |
| | 2) 2.5 sq.mm | " | 170.00 | 170.00 | 170.00 | |
| | 3) 4 sq.mm | " | 252.00 | 252.00 | 252.00 | |
| | 4) 6 sq.mm | " | 350.00 | 350.00 | 350.00 | |
| | 5) 10 sq.mm | " | 556.00 | 556.00 | 556.00 | |
| | 6) 16 sq.mm | " | 845.00 | 845.00 | 845.00 | |
| | 7) 25 sq.mm | " | 1318.00 | 1318.00 | 1318.00 | |
| | 8) 35 sq.mm | " | 1772.00 | 1772.00 | 1772.00 | |
| | 9) 50 sq.mm | " | 2472.00 | 2472.00 | 2472.00 | |
| | 10) 70 sq.mm | " | 3451.00 | 3451.00 | 3451.00 | |
| | 11) 95 sq.mm | " | 4687.00 | 4687.00 | 4687.00 | |
| | 12) 120 sq.mm | " | 5923.00 | 5923.00 | 5923.00 | |
| | 13) 150 sq.mm | " | 7365.00 | 7365.00 | 7365.00 | |
| | 14) 185 sq.mm | " | 9064.00 | 9064.00 | 9064.00 | |
| | 15) 240 Sq. mm | " | 12257.00 | 12257.00 | 12257.00 | |
| | 16) 300 Sq. mm | " | 14832.00 | 14832.00 | 14832.00 | |
| | 17) 400 Sq. mm | " | 20085.00 | 20085.00 | 20085.00 | |
| 39 | Aluminum conductor Armoured (Power) cable NS marked or eqv. | | | | | |
| | a) 2-core | | | | | |
| | 1) 1.5 sq.mm | र.मी | | | | |
| | 1) 2.5 sq.mm | र.मी | 93.00 | 93.00 | 93.00 | |
| | 2) 4 sq.mm | र.मी | 118.00 | 118.00 | 118.00 | |
| | 3) 6 sq.mm | र.मी | 134.00 | 134.00 | 134.00 | |
| | 4) 10 sq.mm | र.मी | 160.00 | 160.00 | 160.00 | |
| | 5) 16 sq.mm | र.मी | 180.00 | 180.00 | 180.00 | |
| | 6) 25 sq.mm | र.मी | 216.00 | 216.00 | 216.00 | |
| | 7) 35 sq.mm | र.मी | 247.00 | 247.00 | 247.00 | |
| | 8) 50 sq.mm | र.मी | 319.00 | 319.00 | 319.00 | |
| | 9) 70 sq.mm | र.मी | 397.00 | 397.00 | 397.00 | |
| | 10) 95 sq.mm | " | 505.00 | 505.00 | 505.00 | |
| | b) 3-core Aluminum conductor Armoured | | | | | |
| | 1) 2.5 sq.mm. | र.मी | 108.00 | 108.00 | 108.00 | |
| | 2) 4 sq.mm | " | 134.00 | 134.00 | 134.00 | |
| | 3) 6 sq.mm | " | 149.00 | 149.00 | 149.00 | |
| | 4) 10 sq.mm | " | 180.00 | 180.00 | 180.00 | |
| | 5) 16 sq.mm | " | 206.00 | 206.00 | 206.00 | |
| | 6) 25 sq.mm | " | 278.00 | 278.00 | 278.00 | |
| | 7) 35 sq.mm | " | 335.00 | 335.00 | 335.00 | |
| | 8) 50 sq.mm | " | 427.00 | 427.00 | 427.00 | |
| | 9) 70 sq.mm | " | 541.00 | 541.00 | 541.00 | |
| | 10) 95 sq.mm | " | 494.00 | 494.00 | 494.00 | |
| | 11) 120 sq.mm | " | 834.00 | 834.00 | 834.00 | |



Electrical Works

| सि.नं | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व | आ.व | आ.व | कैफियत |
|-----------|--|------|---------|---------|---------|--------|
| | | | ०७८/०७९ | ०७९/०८० | ०८०/०८१ | |
| | 12) 150 sq.mm | " | 1004.00 | 1004.00 | 1004.00 | |
| | 13) 185 sq.mm | " | 1236.00 | 1236.00 | 1236.00 | |
| | 14) 240 sq.mm | " | 1514.00 | 1514.00 | 1514.00 | |
| | 15) 300 sq.mm | " | 1854.00 | 1854.00 | 1854.00 | |
| | 16) 400 sq.mm | " | 2318.00 | 2318.00 | 2318.00 | |
| | c) 3.5 core Aluminum conductor Armoured | | | | | |
| | 1) 25 sq.mm. | र.मी | 319.00 | 319.00 | 319.00 | |
| | 2) 35 sq.mm | " | 371.00 | 371.00 | 371.00 | |
| | 3) 50 sq.mm | " | 489.00 | 489.00 | 489.00 | |
| | 4) 70 sq.mm | " | 628.00 | 628.00 | 628.00 | |
| | 5) 95 sq.mm | " | 803.00 | 803.00 | 803.00 | |
| | 6) 120 sq.mm | " | 979.00 | 979.00 | 979.00 | |
| | 7) 150 sq.mm | " | 1174.00 | 1174.00 | 1174.00 | |
| | 8) 185 sq.mm | " | 1421.00 | 1421.00 | 1421.00 | |
| | 9) 240 sq.mm | " | 1772.00 | 1772.00 | 1772.00 | |
| | 10) 300 sq.mm | " | 2215.00 | 2215.00 | 2215.00 | |
| | 11) 400 sq.mm | " | 2781.00 | 2781.00 | 2781.00 | |
| | d) 4-core Aluminum conductor Armoured | | | | | |
| | 1) 2.5 sq.mm | र.मी | 124.00 | 124.00 | 124.00 | |
| | 2) 4 sq.mm | " | 155.00 | 155.00 | 155.00 | |
| | 3) 6 sq.mm | " | 180.00 | 180.00 | 180.00 | |
| | 4) 10 sq.mm | " | 196.00 | 196.00 | 196.00 | |
| | 5) 16 sq.mm | " | 252.00 | 252.00 | 252.00 | |
| | 6) 25 sq.mm | " | 340.00 | 340.00 | 340.00 | |
| | 7) 35 sq.mm | " | 402.00 | 402.00 | 402.00 | |
| | 8) 50 sq.mm | " | 548.00 | 548.00 | 548.00 | |
| | 9) 70 sq.mm | " | 700.00 | 700.00 | 700.00 | |
| | 10) 95 sq.mm | " | 901.00 | 901.00 | 901.00 | |
| | 11) 120 sq.mm | " | 1082.00 | 1082.00 | 1082.00 | |
| | 12) 150 sq.mm | " | 1370.00 | 1370.00 | 1370.00 | |
| | 13) 185 sq.mm | " | 1627.00 | 1627.00 | 1627.00 | |
| | 14) 240sq.mm | " | 2039.00 | 2039.00 | 2039.00 | |
| | 15) 300 sq.mm | " | 2524.00 | 2524.00 | 2524.00 | |
| | 16) 400sq.mm | " | 3193.00 | 3193.00 | 3193.00 | |
| 40 | Aluminium conductor unarmoured (power) | | | | | |
| | a) 1-core | | | | | |
| | 1) 16 sq.mm | र.मी | 52.00 | 52.00 | 52.00 | |
| | 2) 25 sq.mm | " | 72.00 | 72.00 | 72.00 | |
| | 3) 35 sq.mm | " | 88.00 | 88.00 | 88.00 | |
| | 4) 50 sq.mm | " | 113.00 | 113.00 | 113.00 | |
| | 5) 70 sq.mm | " | 144.00 | 144.00 | 144.00 | |
| | 6) 95 sq.mm | " | 196.00 | 196.00 | 196.00 | |
| | 7) 120 sq.mm | " | 237.00 | 237.00 | 237.00 | |
| | 8) 150 sq.mm | " | 391.00 | 391.00 | 391.00 | |
| | 9) 185 sq.mm | " | 361.00 | 361.00 | 361.00 | |



Electrical Works

| सि.नं | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व | आ.व | आ.व | कैफियत |
|---|----------------------------|------|---------|---------|---------|--------|
| | | | ०७८/०७९ | ०७९/०८० | ०८०/०८१ | |
| 10) | 240 sq.mm | " | 443.00 | 443.00 | 443.00 | |
| 11) | 300 sq.mm | " | 536.00 | 536.00 | 536.00 | |
| b) 2-core Aluminium conductor unarmoured | | | | | | |
| 1) | 2.5 sq.mm | र.मी | 52.00 | 52.00 | 52.00 | |
| 2) | 4 sq.mm | " | 62.00 | 62.00 | 62.00 | |
| 3) | 6 sq.mm | " | 77.00 | 77.00 | 77.00 | |
| 4) | 10 sq.mm | " | 98.00 | 98.00 | 98.00 | |
| 5) | 16 sq.mm | " | 103.00 | 103.00 | 103.00 | |
| 6) | 25 sq.mm | " | 144.00 | 144.00 | 144.00 | |
| 7) | 35 sq.mm | " | 185.00 | 185.00 | 185.00 | |
| 8) | 50 sq.mm | " | 237.00 | 237.00 | 237.00 | |
| 9) | 70 sq.mm | " | 299.00 | 299.00 | 299.00 | |
| 10) | 95 sq.mm 2 core | " | 402.00 | 402.00 | 402.00 | |
| c) 3-core Aluminium conductor unarmoured | | | | | | |
| 1) | 2.5 sq.mm | र.मी | 62.00 | 62.00 | 62.00 | |
| 2) | 4 sq.mm | " | 72.00 | 72.00 | 72.00 | |
| 3) | 6 sq.mm | " | 88.00 | 88.00 | 88.00 | |
| 4) | 10 sq.mm | " | 124.00 | 124.00 | 124.00 | |
| 5) | 16 sq.mm | " | 144.00 | 144.00 | 144.00 | |
| 6) | 25 sq.mm | " | 206.00 | 206.00 | 206.00 | |
| 7) | 35 sq.mm | " | 258.00 | 258.00 | 258.00 | |
| 8) | 50 sq.mm | " | 340.00 | 340.00 | 340.00 | |
| 9) | 70 sq.mm | " | 453.00 | 453.00 | 453.00 | |
| 10) | 95 sq.mm | " | 597.00 | 597.00 | 597.00 | |
| 11) | 120 sq.mm | " | 742.00 | 742.00 | 742.00 | |
| 12) | 150 sq.mm | " | 886.00 | 886.00 | 886.00 | |
| 13) | 185 sq.mm | " | 1112.00 | 1112.00 | 1112.00 | |
| 14) | 240 sq.mm | " | 1380.00 | 1380.00 | 1380.00 | |
| 15) | 300 sq.mm | " | 1751.00 | 1751.00 | 1751.00 | |
| d) 3.5-core Aluminium conductor unarmoured | | | | | | |
| 1) | 25 sq.mm | र.मी | 258.00 | 258.00 | 258.00 | |
| 2) | 35 sq.mm | " | 309.00 | 309.00 | 309.00 | |
| 3) | 50 sq.mm | " | 412.00 | 412.00 | 412.00 | |
| 4) | 70 sq.mm | " | 567.00 | 567.00 | 567.00 | |
| 5) | 95 sq.mm | " | 742.00 | 742.00 | 742.00 | |
| 6) | 120 sq.mm | " | 927.00 | 927.00 | 927.00 | |
| 7) | 150 sq.mm | " | 1112.00 | 1112.00 | 1112.00 | |
| 8) | 185 sq.mm | " | 1391.00 | 1391.00 | 1391.00 | |
| 9) | 240 sq.mm | " | 1751.00 | 1751.00 | 1751.00 | |
| 10) | 300 sq.mm | " | 2163.00 | 2163.00 | 2163.00 | |
| e) 4-core Aluminium conductor unarmoured | | | | | | |
| 1) | 2.5 sq.mm | र.मी | 72.00 | 72.00 | 72.00 | |
| 2) | 4 sq.mm | " | 82.00 | 82.00 | 82.00 | |
| 3) | 6 sq.mm | " | 98.00 | 98.00 | 98.00 | |
| 4) | 10 sq.mm | " | 134.00 | 134.00 | 134.00 | |
| 5) | 16 sq.mm | " | 196.00 | 196.00 | 196.00 | |
| 6) | 25 sq.mm | " | 288.00 | 288.00 | 288.00 | |



Electrical Works

| सि.नं | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व | आ.व | आ.व | कैफियत |
|-----------|---|------|----------|----------|----------|--------|
| | | | ०७८/०७९ | ०७९/०८० | ०८०/०८१ | |
| | 7) 35 sq.mm | " | 350.00 | 350.00 | 350.00 | |
| | 8) 50 sq.mm | " | 484.00 | 484.00 | 484.00 | |
| | 9) 70 sq.mm | " | 639.00 | 639.00 | 639.00 | |
| | 10) 95 sq.mm | " | 845.00 | 845.00 | 845.00 | |
| | 11) 120 sq.mm | " | 1030.00 | 1030.00 | 1030.00 | |
| | 12) 150 sq.mm | " | 1288.00 | 1288.00 | 1288.00 | |
| | 13) 185 sq.mm | " | 1597.00 | 1597.00 | 1597.00 | |
| | 14) 240 sq.mm | " | 2009.00 | 2009.00 | 2009.00 | |
| | 15) 300 sq.mm | " | 2472.00 | 2472.00 | 2472.00 | |
| 41 | Electric and Hydraulic Barriers with Automatic Gate System | | | | | |
| a | Supply, delivery, installation and commissioning of Automated LIGHT Duty Electric and Hydraulic Barriers with Automatic SLIDING Gate System including Metal Gate all complete | गोटा | | | | |
| b | Supply, delivery, installation and commissioning of Automated LIGHT Duty Electric and Hydraulic Barriers with Automatic SWING Gate System including Metal Gate all complete | गोटा | | | | |
| c | Supply, delivery, installation and commissioning of Automated HEAVY Duty Electric and Hydraulic Barriers with Automatic SLIDING Gate System including Metal Gate all complete | गोटा | | | | |
| d | Supply, delivery, installation and commissioning of Automated HEAVY Duty Electric and Hydraulic Barriers with Automatic SWING Gate System including Metal Gate all complete | गोटा | | | | |
| 42 | Security Gate System | | | | | |
| a | Metal Detector (ब्लाक स्कोपियन कम्पनी) | गोटा | 16995.00 | 16995.00 | 16995.00 | |
| b | Walk Through gate (ब्लाक स्कोपियन कम्पनी) | गोटा | | | | |
| 43 | General Lightig , BAJAJ ,ANCHOR, C/G Eqv. | | | | | |
| i | 1 x 40 W FTL Patti fitting | सेट | 252.00 | 252.00 | 252.00 | |
| ii | 1 x 20 W FTL Patti fitting | सेट | 232.00 | 232.00 | 232.00 | |
| iii | 1 x 40 W FTL Box Fitting | सेट | 427.00 | 427.00 | 427.00 | |
| iv | 1 x 20 W FTL Box fitting | सेट | 417.00 | 417.00 | 417.00 | |
| v | 9/11W Mini mirror light with electronic Blast suitable for PL lamp | सेट | 355.00 | 355.00 | 355.00 | |
| 44 | GEWISS PVC Conduit product of Italy | | | | | |
| | RK Range | | | | | |
| 1 | 16 mm medium rigid conduit DX 25 316 | Mtr. | 88.00 | 88.00 | 88.00 | |
| 2 | 20 mm medium rigid conduit DX 25 320 | Mtr. | 124.00 | 124.00 | 124.00 | |
| 3 | 25 mm medium rigid conduit DX 25 325 | Mtr. | 175.00 | 175.00 | 175.00 | |
| 4 | 32 mm medium rigid conduit DX 25 332 | Mtr. | 252.00 | 252.00 | 252.00 | |
| 5 | 40 mm medium rigid conduit DX 25 340 | Mtr. | 345.00 | 345.00 | 345.00 | |
| 6 | 50 mm medium rigid conduit DX 25 350 | Mtr. | 530.00 | 530.00 | 530.00 | |



Electrical Works

| सि.नं | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व | आ.व | आ.व | कैफियत |
|-------|--|------|---------|---------|---------|--------|
| | | | ०७८/०७९ | ०७९/०८० | ०८०/०८१ | |
| 7 | 63 mm medium rigid conduit DX 25 363 | Mtr. | 999.00 | 999.00 | 999.00 | |
| 8 | 16 mm heavy rigid conduit DX 25 716 | Mtr. | 165.00 | 165.00 | 165.00 | |
| 9 | 20 mm heavy rigid conduit DX 25 720 | Mtr. | 216.00 | 216.00 | 216.00 | |
| 10 | 25 mm heavy rigid conduit DX 25 725 | Mtr. | 288.00 | 288.00 | 288.00 | |
| 11 | 32 mm heavy rigid conduit DX 25 732 | Mtr. | 433.00 | 433.00 | 433.00 | |
| 12 | 40 mm heavy rigid conduit DX 25 740 | Mtr. | 587.00 | 587.00 | 587.00 | |
| 13 | 50 mm heavy rigid conduit DX 25 750 | Mtr. | 793.00 | 793.00 | 793.00 | |
| 14 | 63 mm heavy rigid conduit DX 25 763 | Mtr. | 1488.00 | 1488.00 | 1488.00 | |
| 15 | 16 mm polymer cable gland GW 52 043 with fixing nut and screws | Mtr. | 196.00 | 196.00 | 196.00 | |
| 16 | 20 mm polymer cable gland GW 52 044 with fixing nut and screws | Mtr. | 247.00 | 247.00 | 247.00 | |
| 17 | 25 mm polymer cable gland GW 52 045 with fixing nut and screws | Mtr. | 376.00 | 376.00 | 376.00 | |
| 18 | 32 mm polymer cable gland GW 52 046 with fixing nut and screws | Mtr. | 623.00 | 623.00 | 623.00 | |
| 19 | 40 mm polymer cable gland GW 52 047 with fixing nut and screws | Mtr. | 747.00 | 747.00 | 747.00 | |
| 20 | 50 mm polymer cable gland GW 52 048 with fixing nut and screws | Mtr. | 963.00 | 963.00 | 963.00 | |
| 21 | 63 mm polymer cable gland GW 52 049 with fixing nut and screws | Mtr. | 1200.00 | 1200.00 | 1200.00 | |
| 22 | 16 mm shockproof polymer saddle collar clip GW 50 605 | Mtr. | 31.00 | 31.00 | 31.00 | |
| 23 | 20 mm shockproof polymer saddle collar clip GW 50 606 | Mtr. | 36.00 | 36.00 | 36.00 | |
| 24 | 25 mm shockproof polymer saddle collar clip GW 50 607 | Mtr. | 41.00 | 41.00 | 41.00 | |
| 25 | 32 mm shockproof polymer saddle collar clip GW 50 608 | Mtr. | 62.00 | 62.00 | 62.00 | |
| 26 | 40 mm shockproof polymer saddle collar clip GW 50 630 | Mtr. | 98.00 | 98.00 | 98.00 | |
| 27 | 50 mm shockproof polymer saddle collar clip GW 50 631 | Mtr. | 118.00 | 118.00 | 118.00 | |
| 28 | 16 mm conduit coupler DX 40 016 | Mtr. | 36.00 | 36.00 | 36.00 | |
| 29 | 20 mm conduit coupler DX 40 020 | Mtr. | 46.00 | 46.00 | 46.00 | |
| 30 | 25 mm conduit coupler DX 40 025 | Mtr. | 57.00 | 57.00 | 57.00 | |
| 31 | 32 mm conduit coupler DX 40 032 | Mtr. | 103.00 | 103.00 | 103.00 | |
| 32 | 40 mm conduit coupler DX 40 040 | Mtr. | 139.00 | 139.00 | 139.00 | |
| 33 | 50 mm conduit coupler DX 40 050 | Mtr. | 242.00 | 242.00 | 242.00 | |
| 34 | 63 mm conduit coupler DX 40 063 | Mtr. | 458.00 | 458.00 | 458.00 | |
| 35 | 16 mm tight bend DX 40 116 | Mtr. | 57.00 | 57.00 | 57.00 | |
| 36 | 20 mm tight bend DX 40 120 | Mtr. | 82.00 | 82.00 | 82.00 | |
| 37 | 25 mm tight bend DX 40 125 | Mtr. | 129.00 | 129.00 | 129.00 | |
| 38 | 32 mm tight bend DX 40 132 | Mtr. | 237.00 | 237.00 | 237.00 | |
| 39 | 40 mm tight bend DX 40 140 | Mtr. | 335.00 | 335.00 | 335.00 | |
| 40 | 50 mm tight bend DX 40 150 | Mtr. | 603.00 | 603.00 | 603.00 | |



Electrical Works

| सि.नं | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व | आ.व | आ.व | कैफियत |
|-------|---|--------|---------|---------|---------|--------|
| | | | ०७८/०७९ | ०७९/०८० | ०८०/०८१ | |
| 41 | 63 mm tight bend DX 40 163 | Mtr. | 2359.00 | 2359.00 | 2359.00 | |
| 42 | 4 way junction box DX 45 004 | Mtr. | 670.00 | 670.00 | 670.00 | |
| 43 | 7 way junction box DX 45 007 | Mtr. | 803.00 | 803.00 | 803.00 | |
| 44 | 10 way junction box DX 45 010 | Mtr. | 1020.00 | 1020.00 | 1020.00 | |
| 45 | Closing cap for junction box DX 47 000 | Mtr. | 118.00 | 118.00 | 118.00 | |
| 46 | 16 mm inspectionable T bend DX 40216 | " | 118.00 | 118.00 | 118.00 | |
| 47 | 20 mm inspectionable T bend DX 40220 | " | 149.00 | 149.00 | 149.00 | |
| 48 | 25 mm inspectionable T bend DX 40225 | " | 196.00 | 196.00 | 196.00 | |
| 49 | 32 mm inspectionable T bend DX 40232 | " | 237.00 | 237.00 | 237.00 | |
| 50 | 16 mm inspectionable bend DX 40 316 | " | 98.00 | 98.00 | 98.00 | |
| 51 | 20 mm inspectionable bend DX 40 320 | " | 118.00 | 118.00 | 118.00 | |
| 52 | 25 mm inspectionable bend DX 40 325 | " | 155.00 | 155.00 | 155.00 | |
| 53 | 32 mm inspectionable bend DX 40 332 | " | 185.00 | 185.00 | 185.00 | |
| 45 | GEWISS Cable Tray with Cover and Accessories BRN Range | | | | | |
| 1 | 65X35 mm2 hot deep galvanised steel cable tray MV 40 100 | R. Ft. | 819.00 | 819.00 | 819.00 | |
| 2 | 95X35 mm2 hot deep galvanised steel cable tray MV 40 101 | " | 973.00 | 973.00 | 973.00 | |
| 3 | 125X35 mm2 hot deep galvanised steel cable tray MV 40 102 | " | 1174.00 | 1174.00 | 1174.00 | |
| 4 | 155X35 mm2 hot deep galvanised steel cable tray MV 40 103 | " | 1318.00 | 1318.00 | 1318.00 | |
| 5 | 185X35 mm2 hot deep galvanised steel cable tray MV 40 104 | " | 1540.00 | 1540.00 | 1540.00 | |
| 6 | 215X35 mm2 hot deep galvanised steel cable tray MV 40 105 | " | 1710.00 | 1710.00 | 1710.00 | |
| 7 | 245X35 mm2 hot deep galvanised steel cable tray MV 40 106 | " | 2137.00 | 2137.00 | 2137.00 | |
| 8 | 305X35 mm2 hot deep galvanised steel cable tray MV 40 108 | " | 2513.00 | 2513.00 | 2513.00 | |
| 9 | 365X35 mm2 hot deep galvanised steel cable tray MV 40 110 | " | 3090.00 | 3090.00 | 3090.00 | |
| 10 | 395X35 mm2 hot deep galvanised steel cable tray MV 40 111 | " | 3281.00 | 3281.00 | 3281.00 | |
| 11 | 65X50 mm2 hot deep galvanised steel cable tray MV 40 120 | " | 984.00 | 984.00 | 984.00 | |
| 12 | 95X50 mm2 hot deep galvanised steel cable tray MV 40 121 | " | 1179.00 | 1179.00 | 1179.00 | |
| 13 | 125X50 mm2 hot deep galvanised steel cable tray MV 40 122 | " | 1298.00 | 1298.00 | 1298.00 | |
| 14 | 155X50 mm2 hot deep galvanised steel cable tray MV 40 123 | " | 1468.00 | 1468.00 | 1468.00 | |
| 15 | 185X50 mm2 hot deep galvanised steel cable tray MV 40 124 | " | 1663.00 | 1663.00 | 1663.00 | |
| 16 | 215X50 mm2 hot deep galvanised steel cable tray MV 40 125 | " | 1859.00 | 1859.00 | 1859.00 | |



Electrical Works

| सि.नं | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व | आ.व | आ.व | कैफियत |
|-----------|--|------|----------|----------|----------|--------|
| | | | ०७८/०७९ | ०७९/०८० | ०८०/०८१ | |
| 17 | 245X50 mm2 hot deep galvanised steel cable tray MV 40 126 | " | 2276.00 | 2276.00 | 2276.00 | |
| 18 | 305X50 mm2 hot deep galvanised steel cable tray MV 40 128 | " | 2657.00 | 2657.00 | 2657.00 | |
| 19 | 365X50 mm2 hot deep galvanised steel cable tray MV 40 130 | " | 3456.00 | 3456.00 | 3456.00 | |
| 20 | 395X50 mm2 hot deep galvanised steel cable tray MV 40 131 | " | 3749.00 | 3749.00 | 3749.00 | |
| 21 | 515X50 mm2 hot deep galvanised steel cable tray MV 40 135 | " | 4584.00 | 4584.00 | 4584.00 | |
| 22 | 95X65 mm2 hot deep galvanised steel cable tray MV 40 141 | " | 1313.00 | 1313.00 | 1313.00 | |
| 23 | 215X65 mm2 hot deep galvanised steel cable tray MV 40 145 | " | 2122.00 | 2122.00 | 2122.00 | |
| 24 | 305X65 mm2 hot deep galvanised steel cable tray MV 40 148 | " | 2781.00 | 2781.00 | 2781.00 | |
| 25 | 395X65 mm2 hot deep galvanised steel cable tray MV 40 151 | " | 3852.00 | 3852.00 | 3852.00 | |
| 26 | 515X65 mm2 hot deep galvanised steel cable tray MV 40 155 | " | 4836.00 | 4836.00 | 4836.00 | |
| 27 | 605X65 mm2 hot deep galvanised steel cable tray MV 40 157 | " | 5449.00 | 5449.00 | 5449.00 | |
| 28 | 125X80 mm2 hot deep galvanised steel cable tray MV 40 162 | " | 1494.00 | 1494.00 | 1494.00 | |
| 29 | 215X80 mm2 hot deep galvanised steel cable tray MV 40 165 | " | 2271.00 | 2271.00 | 2271.00 | |
| 30 | 305X80 mm2 hot deep galvanised steel cable tray MV 40 168 | " | 2884.00 | 2884.00 | 2884.00 | |
| 31 | 395X80 mm2 hot deep galvanised steel cable tray MV 40 171 | " | 4151.00 | 4151.00 | 4151.00 | |
| 32 | 515X80 mm2 hot deep galvanised steel cable tray MV 40 175 | " | 5016.00 | 5016.00 | 5016.00 | |
| 46 | Intrusion Detection System | | | | | |
| i | Main Controller CONTROL, FIRE/BURG COMMERCIAL VISTA- 128FBP | सेट | 38851.00 | 38851.00 | 38851.00 | |
| ii | Smoke & Heat Detector Wireless Smoke and Head Detector | सेट | 10545.00 | 10545.00 | 10545.00 | |
| iii | Door Contact Wireless Door Contact with transmitter | सेट | 2678.00 | 2678.00 | 2678.00 | |
| iv | Motion Detector Wireless Passive Infrared, Pet Immune Motion Detector | सेट | 4178.00 | 4178.00 | 4178.00 | |
| v | Panic Switch Wireless Panic Transmitter | सेट | 4921.00 | 4921.00 | 4921.00 | |
| vi | Key Wireless Key to Arm and Disarm the System | सेट | 4780.00 | 4780.00 | 4780.00 | |



Electrical Works

| सि.नं | निर्माण सामग्रीहरुको विवरण | एकाई | आ.व | आ.व | आ.व | कैफियत |
|-----------|---|------|----------|----------|----------|--------|
| | | | ०७८/०७९ | ०७९/०८० | ०८०/०८१ | |
| vii | Window Contact | सेट | 2812.00 | 2812.00 | 2812.00 | |
| | Wired door Contact with transmitter slim | | | | | |
| 47 | Automatic Motor Operator for water motor | | | | | |
| i | Upto 1/2 HP single phase motor | सेट | 4120.00 | 4120.00 | 4120.00 | |
| ii | Upto 1 HP single phase motor | सेट | 5665.00 | 5665.00 | 5665.00 | |
| iii | Upto 5 HP three phase motor | सेट | 9270.00 | 9270.00 | 9270.00 | |
| 48 | CCTV System | | | | | |
| 1 | Out door high speed Dome Integrated CAMERA Multi Protocol ,480 TVL,128 preset points , automatic surveillance,360 degrees horizontal rotation , AC 240V power supply , integrated heating system , highest angle speed 360 degree/ sec ,weather resistance, water resistance, robust type. | | | | | |
| i | CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom | सेट | 56650.00 | 56650.00 | 56650.00 | |
| ii | CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom | सेट | 58916.00 | 58916.00 | 58916.00 | |
| 2 | Indoor high speed Dome Integrated CAMERA | | | | | |
| i | CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom | सेट | 54384.00 | 54384.00 | 54384.00 | |
| ii | CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom | सेट | 56650.00 | 56650.00 | 56650.00 | |
| 3 | VISTA Box camera with adoptor, IR view distance 25mm Mirror shutter;with mirror image switchable,white balance; auto,Horizontal resolution ; 480 TV line , system signal; NTSC/PALBlacklight compression :ON/OFF(Switchable) , AGC; ON/OFF | सेट | 15450.00 | 15450.00 | 15450.00 | |
| 4 | 7" Sphirical Shilded with bracket included chip excluded Camera | | 8364.00 | 8364.00 | 8364.00 | |
| 6 | i) 8 Channel DVR MJPEG Compression Type 8 Channel ionput 2 Channel output USB2.0Interface , Hard Disc > 200G, Multi-Record ,Motion Detector Function , Remote Control | सेट | 33990.00 | 33990.00 | 33990.00 | |
| | ii) 16 Channel Alarm input , 16 Channel Record 8 channel Alarm output , Internate Explore, MPG-4 Record | सेट | 50985.00 | 50985.00 | 50985.00 | |
| 7 | 17" LCD Monitor SAMSUNG or Korean Eqv. | सेट | 10815.00 | 10815.00 | 10815.00 | |
| 49 | Electrical Equipments | | | | | |
| 1 | Earthing Materials (ISI or other International Standard) | | | | | |
| a | 6 mm thick 600mmm× 600 mm G.I. Plate | No. | 2829.00 | 2829.00 | 2829.00 | |
| b | Funneling Mechanism with cover (mild steel) | set | 618.00 | 618.00 | 618.00 | |
| c | 3.2 mm thick 600mmm× 600 mm Copper Plate | No. | 9517.00 | 9517.00 | 9517.00 | |

Electrical Works

| सि.नं | निर्माण सामग्रीहरूको विवरण | एकाई | आ.व | आ.व | आ.व | कैफियत |
|-------|--|------|---------|---------|---------|--------|
| | | | ०७८/०७९ | ०७९/०८० | ०८०/०८१ | |
| d | Copper wire (10 SWG) | Mtr. | 155.00 | 155.00 | 155.00 | |
| 2 | Service wire (Al) | | | | | |
| a. | 2.5 mm ² | Mtr. | 18.00 | 18.00 | 18.00 | |
| b. | 4.0 mm ² | Mtr. | 22.00 | 22.00 | 22.00 | |
| c. | 6.0 mm ² | Mtr. | 28.00 | 28.00 | 28.00 | |
| 3 | Lightening Arrester for 3 Phase . | | | | | |
| a. | 0.5 KV | Set | 1236.00 | 1236.00 | 1236.00 | |
| b. | 11 KV | Set | 4326.00 | 4326.00 | 4326.00 | |
| c. | Cross Arms V Channel. | No | 3090.00 | 3090.00 | 3090.00 | |
| 4 | Stay set with accessories. | | | | | |
| a. | GI wire | No | 1182.00 | 1182.00 | 1182.00 | |
| | GI wire | Kg | | | | |
| b. | GI Plate | No | 1185.00 | 1185.00 | 1185.00 | |
| c. | Gay Insulator. | No | 56.00 | 56.00 | 56.00 | |
| d. | Elbow | No | 103.00 | 103.00 | 103.00 | |
| e. | Rod , Nut | No | 445.00 | 445.00 | 445.00 | |
| f. | Grip | No | 49.00 | 49.00 | 49.00 | |
| | Turn Buckle, Anchor Rod,Plate with Nut/Bolt(except wire) | set | | | | |
| 5 | Overhead Insulators (0.4KV) | | | | | |
| a. | Sackle Insulator | No | 30.00 | 30.00 | 30.00 | |
| b. | D-Iron | No | 90.00 | 90.00 | 90.00 | |
| c. | Nut Bolt (3" with 8 mm Ø) | No | 31.00 | 31.00 | 31.00 | |
| d. | Nut Bolt (6" with 8 mm Ø) to clamp on Poles | No | 22.00 | 22.00 | 22.00 | |
| | Sackle Insulator with nut Bolt Set | Set | 15.00 | 15.00 | 15.00 | |
| 6 | Overhead Insulators with fixing accessories (11KV) | | 23.00 | 23.00 | 23.00 | |
| a. | Pin Insulator | No | 185.00 | 185.00 | 185.00 | |
| b. | Disc Insulator | No | 989.00 | 989.00 | 989.00 | |
| c. | Cross Arms V Channel. | No | 2719.00 | 2719.00 | 2719.00 | |
| 7 | Sqarrel ACSR conductor 20mm ² | Rm. | 17.00 | 17.00 | 17.00 | |
| 8 | weasel ACSR conductor 30 mm ² | Rm. | 25.00 | 25.00 | 25.00 | |
| 9 | Rabbit ACSR conductor 50 mm ² | Rm. | 41.00 | 41.00 | 41.00 | |
| 10 | Dog ACSR conductor 100 mm ² | Rm. | 82.00 | 82.00 | 82.00 | |
| 11 | Pulling Machine for Transmission line (Korean) | Set | | | | |
| 12 | Supply of aluminium ABC cable | | | | | |
| | 25mm square 4 core ABC cable | Rm. | 155.00 | 155.00 | 155.00 | |
| | 50 mm square 4 core ABC cable | Rm. | 258.00 | 258.00 | 258.00 | |
| | 95 mm square 4 core ABC cable | Rm. | 505.00 | 505.00 | 505.00 | |

घर र जग्गा भाडा तथा क्षतिपूर्ति / मुआब्जा
निर्धारण सम्बन्धमा



काभ्रेपलाञ्चोक

आ.ब. ०८० / ०८१



निर्णय नं . ५ : घर र जग्गा भाडा तथा क्षतिपूर्ति / मुआब्जा निर्धारण सम्बन्धमा

घर र जग्गा भाडा तथा क्षतिपूर्ति / मुआब्जा निर्धारण प्रयोजनको लागि विभिन्न प्रकारको घरको बनावट हेरी तपशिल बमोजिम दर कायम गर्ने निर्णय गरियो। (पाना नं १)

| सि न | घरको बनावट | इकाई | आ.व २०७८/०७९ को दर (रु) | आ.व २०७९/०८० को दर (रु) | आ.व २०८०/०८१ को दर (रु) | कैफियत |
|------|--|--------|----------------------------|-------------------------------|-------------------------------|--------|
| १ | भवनको निर्माण भित्र काचो,बाहिर पाको ईटामामाटोको जोडाइ भई छाना जस्ता ,झिगटी, टायल ,एसवेसटस सिट । | ब .फु. | १३९०।४० | १३९०।४० | १३५०।०० | |
| २ | भवनको निर्माण भित्र बाहिर पाको ईटामा माटोको जोडाइ भई छाना जस्ता ,झिगटी, टायल ,एसवेसटस सिट । | ब .फु. | १५७९।३६ | १५७९।३६ | १६९८।०० | |
| ३ | भवनको निर्माण भित्र बाहिर पाको ईटामा माटोको जोडाइ भई बाहिर भित्र सिमेन्ट प्लास्टर भई छाना जस्ता ,झिगटी ,टायल । | ब .फु. | १८७३।२० | १८७३।२० | १९३०।०० | |
| ४ | भवनको निर्माण भित्र बाहिर पाको ईटामा माटोको जोडाइ भई भित्र सिमेन्ट प्लास्टर भई छाना आर .वि .सी /आर सी .सी । | ब .फु. | १९६९।२० | १९६९।२० | २०३०।०० | |
| ५ | भवनको निर्माण भित्र बाहिर पाको ईटामा माटोको जोडाइ भई बाहिर भित्र सिमेन्ट प्लास्टर भई छाना,झिगटी ,टायल एसवेसटस सिट । | ब .फु. | १९२२।४० | १९२२।४० | १९८०।०० | |
| ६ | भवनको निर्माण भित्र बाहिर पाको ईटामा बज्रको जोडाइ र भित्र बाहिर सिमेन्ट प्लास्टर भई छाना जस्ता ,झिगटी, टायल ,एसवेसटस सिट । | ब .फु. | २०९०।४० | २०९०।४० | २१५३।०० | |
| ७ | भवनको निर्माण भित्र बाहिर पाको ईटामा माटोको जोडाइ भई भित्र सिमेन्ट प्लास्टर भई छाना आर .वि .सी /आर सी .सी । | ब .फु. | २१७५।६० | २१७५।६० | २२४०।०० | |
| ८ | भवनको निर्माण भित्र बाहिर पाको ईटामा सिमेन्टको जोडाइ भई छाना,झिगटी ,टायल एसवेसटस सिट । | ब .फु. | २१०७।२० | २१०७।२० | २१७०।०० | |
| ९ | भवनको निर्माण भित्र बाहिर पाको ईटामा सिमेन्ट जोडाइ भई भई छाना आर .वि .सी /आर सी .सी । | ब .फु. | २१८९।६० | २१८९।६० | २२४७।०० | |
| १० | आर सि.फ्रिम स्टकचर भवन । | ब .फु. | २३०४।०० | २३०४।०० | २३७३।०० | |
| ११ | काठैकाठको भवन भई छाना जस्ता , झिगटी, टायल , एसवेसटस सिट । | ब .फु. | २०९६।०० | २०९६।०० | २०७६।०० | |
| १२ | सि.जि.आई सिट प्रयोग गरी निर्माण भएको टहरा | ब .फु. | ८००।०० | ८००।०० | ८२०।०० | |

नोट : भवनको बनावट र फिनिशिंग तथा सामान / उपकरण जडान बारे बर्गिकरण

- क) भवनको भित्र wall putty गरि इमलसन पेन्टिङ्ग गरेको ।
- ख) भवनको बाहिर weather coat painting भएको ।
- ग) Lift जडान भएको ।
- घ) विधुतिकरण लागि उच्च स्तरीय सामग्रीको प्रयोग भएको
- ङ. प्यासेज,भरेङ्ग,मा मार्बल,पार्केटिङ्ग भएको
- च शौचालयमा टायल फिक्सर र सी पी फिटिङ्ग उच्च स्तरीय प्रयोग भएको
- छ (अग्नि नियन्त्रण प्रविधि) Fire House Reel / Extinguisher) जडान भएको।
- ज बेसमेन्टमा पार्किङ्ग सुबिधा भएको ।
- झ Raft foundation भएको .।

उल्लेखित माथिका सबै सुबिधा भएको भए क बर्ग र कम्तीमा ७ गाटा सुबिधा भएको ख बर्ग अन्यथा ग बर्ग मानिने छ । उल्ल यसाअनुसार वर्गीकृत गरिएको भवन को हकमा निम्नानुसारको दर कायम हुने छ :

- अ'ग' (बर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दर कायम हुने छ ।
- आ'ख' (बर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दरमा २० प्रतिशत थप गरिने छ ।
- इ 'क' (बर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दरमा ४० प्रतिशत थप गरिने छ ।

घरभाडा मुल्यांकन प्रयोजनको लागि निम्न मुख्य सडकको दायो र बायां निर्माण भएका घरहरुको हकमा Internal Rate of Return (IRR) ८ प्रतिशत र जग्गाको हकमा IRR ४ प्रतिशत कायम गर्ने र मुख्य सडक संग जोडिएका सहायक सडक र सो सहायक सडक बाट हाँगा फाटेका सडकको दायो र बायां निर्माण भएका घरहरुको हकमा IRR क्रमश घटाउदै : ४ प्रतिशत सम्म कायम गर्ने तथा जग्गा को हकमा IRR क्रमश घटाउदै : २ प्रतिशत कायम गर्ने निर्णय गरियो ।

मुख्य सडकहरु:

- १) अरनिको राजमार्ग, वि.पि. राजमार्ग अन्तर्गत पर्ने धुलिखेल र बनेपा भित्रका सडकहरु
- २) बनेपा पनौती सडक

पण्य विक्रम पौडेल