


# जिल्ला दररेट ,पाल्पा









आ.व. २०८०/२०८१








दररेट निर्धारण समिति , पाल्पा

आज मिति २०८०।३।२८ गते प्रमुख जिल्ला अधिकारी श्री बन्धु प्रसाद बास्तोलाज्यूको अध्यक्षतामा आ.ब.२०८०/०८१ को लागि जिल्ला दररेट निर्धारण समितिको बैठक देहायको उपस्थितिमा बसी निम्न बमोजिम निर्णय गरियो ।

उपस्थिति :

अध्यक्ष श्री बन्धु प्रसाद बास्तोला	प्रमुख जिल्ला अधिकारी	जिल्ला प्रशासन कार्यालय	
सदस्य श्री टंकनाथ खनाल	जिल्ला समन्वय प्रमुख	जिल्ला समन्वय समिति	
सदस्य श्री शसिन्द्र खाती	प्रमुख कोष नियन्त्रक	कोष तथा लेखा नियन्त्रक कार्यालय	
सदस्य श्री जनार्दन अधिकारी	जिल्ला समन्वय अधिकारी	जिल्ला समन्वय समिति	
सदस्य श्री कृष्ण नेपाल	अध्यक्ष	निर्माण व्यवसायी संघ	
सदस्य श्री शैलेन्द्र भट्टराई	अध्यक्ष	पाल्पा उद्योग वाणिज्य संघ	
सदस्य सचिव श्री गोविन्द प्रसाद गौतम	कार्यालय प्रमुख	शहरी विकास तथा भवन कार्यालय	

आमन्त्रित :

श्री भक्ति सरा राना	स.प्र.जि.अ.	जिल्ला प्रशासन कार्यालय	
श्री जीवन ज्ञवाली	प्र. प्र.अ.	तानसेन नगरपालिका	
श्री नारायण देव भट्टराई	डि.व.अ.	डिभिजन वन कार्यालय	
श्री राम प्रसाद श्रेष्ठ	ईन्जिनियर	तानसेन नगरपालिका	
श्री अरुण गुप्ता	का.प्र.	सडक पूर्वाधार विकास कार्यालय	
श्री विष्णु देव ठाकुर	ईन्जिनियर	खानेपानी तथा सरसफाई डिभिजन कार्यालय	
श्री गणेश भण्डारी	ईन्जिनियर	नेपाल विद्युत प्राधिकरण	

क.सं.	ज्यामी/दुवानी दर रेटको विवरण	प्रति इकाई	आ.व. ०७७/७८ स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्वीकृत दर रेट	कैफियत
क.	ज्याला दर रेट						
१	ज्यामी साधारण(अदक्ष), चौकिदार	व्यक्ति/दिन	६६०.०	६८०	७१५	७१५	
२	कुल्ली नाइके(मेठ)	व्यक्ति/दिन	६६५.०	६८५	७२०	७२०	
३	सिकमी,डकमी,नकमी,वज्रकमी,चित्रकारी,प्लम्बर,आराक सी	व्यक्ति/दिन	८८०.०	९००	९४५	९४५	
४	सभे हेल्पर(अर्द्धदक्ष)/ल्याब ब्याय	व्यक्ति/दिन	७४५.०	७६७	८०५	८०५	
५	ड्रिलर, बिषादी औषधीको काम गर्ने ज्यामी	व्यक्ति/दिन	७००.०	७२१	७५७	७५७	
६	नर्सरी नाइके/वन हेरालु	व्यक्ति/महिना	१५०००.०	१५०००	१५७५०	१५७५०	
७	इन्जिनियर	व्यक्ति/दिन	१२००.०	१२६५			
८	सब-इन्जिनियर	व्यक्ति/दिन	९४०.०	१००५			
९	असिस्टेन्ट सब-इन्जिनियर	व्यक्ति/दिन	८८७.०	९५०			
१०	सुपरभाइजर	व्यक्ति/दिन	८८७.०	९५०			
११	सुपरभाइजर सामान्य/खा.पा.स.टे ( एस.एल.सी.उत्तीर्ण)	व्यक्ति/दिन	८८७.०	९५०			
१२	डोजर अपरेटर	व्यक्ति/दिन	१०२५.०	१०९०			
१३	हलुका सवारी चालक	व्यक्ति/दिन	७५०.०	८१५			
१४	भारी सवारी चालक	व्यक्ति/दिन	८२०.०	८८५			
१५	सभेक्षक	व्यक्ति/दिन	९४०.०	१००५			
१६	अमिन	व्यक्ति/दिन	८८७.०	९५०			
१७	नापि कामदार (दक्ष)	व्यक्ति/दिन	७००.०	७६५	८०३	८०३	
१८	ब्लाष्टर	व्यक्ति/दिन	८८०.०	९४०	९८७	९८७	
१९	डोजर हेल्पर, स्टाफ मेन, रेन्जिङ्ग मेन, दुरी संभार कर्ता	व्यक्ति/दिन	६७०.०	७३५	७७२	७७२	
२०	इलेक्ट्रिसियन(हाउस वायरिङ्ग गर्ने),हाइटेन्सन/लोटेन्सन/ओभरहेडमा काम गर्ने दक्ष मिस्त्री, विद्युत दक्ष, सिनियर मेकानिक्स	व्यक्ति/दिन	८८०.०	९४५	९९२	९९२	
२१	मेतर, भरिया, विद्युत अर्द्धदक्ष	व्यक्ति/दिन	६८५.०	७५०	७८८	७८८	
२२	क्याम्प वर्कर, स्याम्पलर/टनेल, माइनिङ्ग सभे हेल्पर	व्यक्ति/दिन	६६०.०	७२५	७६१	७६१	
ख.	दुवानी दर रेट						
१	ट्रकबाट पिच बाटोमा दुवानी(सजिलो सामान)	क्वी./कि.मी.	२.२	२.४	२.७	२.७	
२	ट्रकबाट पिच बाटोमा दुवानी(असजिलो सामान)	क्वी./कि.मी.	२.९	३.१	३.५	३.५	
३	ट्रकबाट कच्ची बाटोमा दुवानी(सजिलो सामान)	क्वी./कि.मी.	३.१	३.४	३.७	३.७	
४	ट्रकबाट कच्ची बाटोमा दुवानी(असजिलो सामान)	क्वी./कि.मी.	३.७	४.१	४.५	४.५	
५	ट्रैक्टरबाट पिच बाटोमा दुवानी(सजिलो सामान)	क्वी./कि.मी.	२.४	२.७	२.९	२.९	
६	ट्रैक्टरबाट पिच बाटोमा दुवानी(असजिलो सामान)	क्वी./कि.मी.	३.७	४.१	४.५	४.५	
७	ट्रैक्टरबाट कच्ची बाटोमा दुवानी(सजिलो सामान)	क्वी./कि.मी.	३.४	३.७	४.१	४.१	
८	ट्रैक्टरबाट कच्ची बाटोमा दुवानी(असजिलो सामान)	क्वी./कि.मी.	४.१	४.५	४.९	४.९	
९	ट्रैक्टरबाट पिच बाटोमा दुवानी( जि आइ तथा एच डि पी पाइप तथा ग्याविन जाली )	क्वी./कि.मी.	१५.०	१६.५	१८.१	१८.१	
१०	ट्रैक्टरबाट कच्ची बाटोमा दुवानी(जि आइ तथा एच डि पी पाइप तथा ग्याविन जाली)	क्वी./कि.मी.	२१.३	२३.४	२५.७	२५.७	
११	ट्रैक्टरबाट पिच बाटोमा दुवानी( एच डि पी पाइप ६३ एम एम भन्दा मुनि)	क्वी./कि.मी.	१६.५	१८.२	२०.०	२०.०	

उपरोक्त पदहरूमा  
ज्यालादारीमा काम  
गराउने भएमा जुन  
पदमा काम गराउने  
हो सो को नेपाल  
सरकारको शुरु  
तलब मानलाई  
आधार मानी  
प्रतिदिनको ज्याला  
कायम गर्ने ।

बन्धु प्रसाद वास्नोला  
प्रमुख जिल्ला अधिकारी

क.सं.	ज्यामी/हुवानी दर रेटको विवरण	प्रति इकाई	आ.व. ०७७/७८ स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्वीकृत दर रेट	कैफियत
१२	ट्रक्टरबाट कच्ची बाटोमा हुवानी ( एच डि पी पाइप ६३ एम एम भन्दा मुनि)	ववी./कि.मी.	२३.१	२५.४	२८.०	२८.०	
१३	पैदल सजिलो सामान हुवानी	के.जी./कोष	३.४	३.७	३.७	३.७	
१४	पैदल असजिलो सामान हुवानी	के.जी./कोष	४.३	४.७	४.७	४.७	
१५	ह्युम पाइप हुवानी						
	० देखि ५० कि. मी. दुरी सम्मको			१५ प्रतिशत खरिद मूल्यको	१५ प्रतिशत खरिद मूल्यको	१५ प्रतिशत खरिद मूल्यको	
	५० देखि १०० कि. मी. दुरी सम्मको			२० प्रतिशत खरिद मूल्यको	२० प्रतिशत खरिद मूल्यको	२० प्रतिशत खरिद मूल्यको	
	१०० देखि २०० कि. मी. दुरी सम्मको			२५ प्रतिशत खरिद मूल्यको	२५ प्रतिशत खरिद मूल्यको	२५ प्रतिशत खरिद मूल्यको	
	२०० देखि ३०० कि. मी. दुरी सम्मको			३० प्रतिशत खरिद मूल्यको	३० प्रतिशत खरिद मूल्यको	३० प्रतिशत खरिद मूल्यको	
१६	विटुमिन १६५ के.जी. ट्रकमा लोड	प्रति ड्रम	६१.०	६१.०	६१.०	६१.०	
१७	विटुमिन १६५ के.जी. ट्रकमा अनलोड	प्रति ड्रम	३८.०	३८.०	३८.०	३८.०	
१८	सिमेन्टको बोरा लोड/अनलोड	बोरा	९.५	७.०	७.०	७.०	
१९	पोल हुवानी						
	८-९ मिटर लामो काठ वा स्तिलको पोल हुवानी	गोटा/कि.मी.	२३.५	१५.०	१७	१७	
	८-९ मिटर लामो पि.एस.सि (आर.सि.सि) पोल हुवानी	गोटा/कि.मी.	२८.५	१६.०	१८	१८	
	१०-११ मिटर लामो स्तिलको पोल हुवानी	गोटा/कि.मी.	२४.५	१७.०	१९	१९	
	कंक्रीट मिक्सर (लिफ्ट भएको)	प्रति घण्टा	८००.०	८००.०	८८०	८८०	
	कंक्रीट मिक्सर (लिफ्ट नभएको)	प्रति घण्टा	७००.०	७००.०	७७०	७७०	
	ट्रान्सफर्मर हुवानी	गोटा/कि.मी.		५००	५५०	५५०	
	११ के.भि. ट्रान्सफर्मर लोड	गोटा		२१००	२३१०	२३१०	
	११ के.भि. ट्रान्सफर्मर अनलोड	गोटा		२१००	२३१०	२३१०	
	३३ के.भि. ट्रान्सफर्मर लोड	गोटा		३०००	३३००	३३००	
	३३ के.भि. ट्रान्सफर्मर अनलोड	गोटा		३०००	३३००	३३००	
	पि.एस.सि. (आर.सि.सि)						
	पि.एस.सि. पोल लोड	गोटा		२३०	२३०	२३०	
	पि.एस.सि. पोल अनलोड	गोटा		२३०	२३०	२३०	
	स्टील ट्युबुलर पोल						
	स्टील ट्युबुलर पोल लोड	गोटा		८९	९७	९७	
	स्टील ट्युबुलर पोल अनलोड	गोटा		८९	९७	९७	
	ए.सि.एस.आर. तार						
	ए.सि.एस.आर. तार लोड	/कि.मी.		४००	४००	४००	
	ए.सि.एस.आर. तार अनलोड	/कि.मी.		३५०	३५०	३५०	
	विद्युतिय सामग्री लोड र अनलोड	/के.जि.			४०	४०	
२०	सुन्तलाजात फलफुल विकास केन्द्र						
	७"X९" पोलीब्यागमा राखेको विरुवा १-१.५ के.जी ( १ जनाले २५-३० वटा बोक्न सक्ने)	के.जी./कि.मी.			३.७	३.७	

शिव

नरपाल

Bhattarai

1.7.17

शिव

बालु प्रसाद वास्तोला  
प्रमुख जिल्ला अधिकारी

क.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्विकृत दर रेट	कैफियत
१	सिमेन्ट						
	नेपाली सिमेन्ट ५० के.जी.ओ पि सी	बोरा	७५२	६९८	६९८	५८५	
	नेपाली सिमेन्ट ५० के.जी. पि पि सी	बोरा	६६४	५३५	५३५	५००	
	सेतो सिमेन्ट	के.जी.	३५	५०	५०	५०	
	सिलिका सिमेन्ट admixture	के.जी.	३५०	३५०	३५०	३५०	
२	बालुवा						
	बालुवा (घोएको) crusher	घ.मी.	३४००	३४००	३४००	३४००	
	बालुवा (स्थानीय)	घ.मी.	१७००	१७००	१७००	१७००	
	बालुवा (रामपुर क्षेत्र मित्र)	घ.मी.	१३००	१३००	१३००	१३००	
३	गिट्टी						
	<२० एम.एम. साइजको(फोरुवा/कसरको)	घ.मी.	३४००	३४००	३४००	३४००	
	२०-४० एम.एम. साइजका(फोरुवा/कसरको)	घ.मी.	३३००	३३००	३३००	३३००	
	गिट्टी ४० एम.एम. साइज सम्मको (स्थानीय) खोलाको	घ.मी.	१७००	१७००	१७००	१७००	
	स्टोन डस्ट	घ.मी.	२३५०	२३५०	२३५०	२३५०	
	सब बेस ६३ एम.एम डाउन	घ.मी.	२०००	२०००	२०००	२०००	
४	फलामे छड तथा तार फलामे छड (टी.एम.टी र टोर स्टिल)						
	४-८ एम.एम. साइज	के.जी.	७६	७६	९४	९५	
	१०-२५ एम.एम. साइज	के.जी.	७५	७५	९२	९४	
	२५ एम.एम. साइजभन्दा माथि	के.जी.	७५	७५	९२	९५	
	वाइण्डिङ तार	के.जी.	९५	९५	१०७	१०७	
	W Beam क्रास वेरियर ३ मि.मि.	र.मी.	४७००	४८००	४८००	४८००	
	H.T. Strand (Prestressing multistrand cables, each comprising 19 mono-strand of 12.7 mm dia. 7-ply low relaxation, Class-II, HTS tendons)	मे.टन	१३१०००	१३२०००	१३२०००	१४५२००	
	Corrugated HDPE sheathing duct	र.मी.	३००	३०५	३०५	३०५	
	Tube anchorage set complete with bearing plate, permanent wedge etc.	गोटा	५४००	५४००	५४००	५४००	
५	काठ						
	साल काठ चिरान समेतको	घ.मी.	१६८०००	१७००००	१८७०००	१८७०००	
	सिसौ काठ चिरान समेतको	घ.मी.	९५०००	९५०००	१०४५००	१०४५००	
	अन्य कु काठ चिरान समेतको	घ.मी.	४२०००	४२०००	४६२००	४६२००	
६	ईटा चिम्नी भट्टाको						
	प्रथम श्रेणी	हजार	१५७५०	१५७५०	१५७५०	१६०००	
	चाइनिज मेसिनमेड	हजार	१५७५०	१५७५०	१५७५०	१६०००	
	टुका ईटा	घ.मी.	५२००	५२००	५२००	५२००	
	सुर्खी	घ.मी.	३२५०	३२५०	३२५०	३२५०	
	स्थानीय लोकल ईटा चिम्नीमा पकाएको (रामपुर क्षेत्र)	हजार	१३५००	१३५००	१३५००	१३५००	
	स्थानीय लोकल ईटा (रामपुर क्षेत्र)	हजार	९५००	९५००	९५००	९५००	
७	ढुंगा						
	फोरुवा(ब्लक स्टोन साइज)	घ.मी.	२४५०	२४५०	२४५०	२४५०	
	बण्ड स्टोन	घ.मी.	२५००	२५००	२५००	२५००	
	माटो (गारोको जोडाइमा प्रयोग हुने)	घ.मी.	३००	३००	३००	३००	
८	कर्कट पाता (नेपाल स्टेण्डर्ड) सादा						
	२४ गेज हेभि (०.५२ एम.एम.)	बण्डल	११६७२	११६७२	१२२५६	१२५०१	
	२४ गेज मेडियम (०.५० एम.एम.)	बण्डल	११२८८	११२८८	११८५२	१२०८९	
	२४ गेज लाइट (०.४५ एम.एम.)	बण्डल	९८१०	९८१०	१०३०१	१०५०७	
	२६ गेज हेभि (०.४९ एम.एम.)	बण्डल	९४३२	९४३२	९९०४	१०१०२	
	२६ गेज मिडियम (०.३८ एम.एम.)	बण्डल	८६७५	८६७५	९१०९	९२९९	
	२६ गेज लाइट (०.३५ एम.एम.)	बण्डल	८२८४	८२८४	८६९८	८८७२	
	२८ गेज हेभि (०.३९ एम.एम.)	बण्डल	७४८४	७४८४	७८५८	८०१५	
	२८ गेज मिडियम (०.२८ एम.एम.)	बण्डल	६८७४	६८७४	७२९८	७३६२	

Sharma

Sharma

Sharma



Sharma

बन्धु प्रसाद  
मुख जिल्ला अफिसर

क.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्वीकृत दर रेट	कीफियत
	२८ गेज लाइट (०.२६ एम.एम.)	वण्डल	६४५९	६४५९	६७८२	६९१८	
९	कर्कट पाता (नेपाल स्टेण्डर्ड) रगीन						
	२४ गेज हेभि (०.५२ एम.एम.)	वण्डल	१३९७४	१३९७४	१४६७३	१४९६७	
	२४ गेज मिडियम (०.५० एम.एम.)	वण्डल	१३५२९	१३५२९	१४२०५	१४४८९	
	२४ गेज लाइट (०.४५ एम.एम.)	वण्डल	१२४२४	१२४२४	१३०४५	१३३०६	
	२६ गेज हेभि (०.४१ एम.एम.)	वण्डल	११३१९	११३१९	११८८५	१२१२२	
	२६ गेज मिडियम (०.३८ एम.एम.)	वण्डल	१०७८१	१०७८१	११३२१	११५४७	
	२६ गेज लाइट (०.३५ एम.एम.)	वण्डल	१०२८१	१०२८१	१०७९५	११०११	
	२८ गेज हेभि (०.३१ एम.एम.)	वण्डल	९३२८	९३२८	९७९५	९९९१	
	२८ गेज मिडियम (०.२८ एम.एम.)	वण्डल	८७००	८७००	९१३५	९३१७	
	२८ गेज लाइट (०.२६ एम.एम.)	वण्डल	८२४२	८२४२	८६५४	८८२७	
१०	H-Span जस्ता पाता (३८ देखी ४३ एम एम ४५ इन्च चौडाइ भएको)	वण्डल			१८०५८	१८०५८	
११	Transparent Palstic Roofing Sheet 3mm thk.	वण्डल			१६२००	१६२००	
१२	EPS (Expanded Polystyrene) and Cement based Light Weight SandWich Panel with 4.5mm thick Calcium Silicate Board ( Non-Asbestos) as face Board on both sides ( Size 2270x610mm). EPS, Sand and cement are inner core material wherase Foam, 6 inch nails and metalic hooking (U& L ) and Joint Treatment with Fiber Mesh.						
	50mm thickness	व.मी			२१५२	२१५२	
	60mm thickness	व.मी			२९५९	२९५९	
	75mm thickness	व.मी			३५४१	३५४१	
	90mm thickness	व.मी			४१४३	४१४३	
	120mm thickness	व.मी			५००३	५००३	
१३	प्लेन सीट (नेपाल स्टेण्डर्ड)						
	२४ गेजको(सादा)( ३' X ८' साइजको )	गोटा	१३१०	१३१०	१३७५	१३७५	
	२६ गेजको(सादा)( ३' X ८' साइजको )	गोटा	१२०९	१२०९	१२६९	१२६९	
	२८ गेजको(रगीन)( ३' X ८' साइजको )	गोटा	८४६	८४६	८८८	८८८	
१४	शिशु तथा ऐना						
	३ एम.एम.	व.मी	६३०	६३०	६३०	६३०	
	४ एम.एम.	व.मी	७३५	७३५	७३५	७३५	
	५ एम.एम.	व.मी	९४५	९४५	९४५	९४५	
१५	प्लाईउड कमर्सियल/सनमाइका						
	३ एम.एम. प्लाईउड कमर्सियल	व.मी	२०५	२०५	२०५	२०५	
	४ एम.एम. प्लाईउड कमर्सियल	व.मी	२६०	२६०	२६०	२६०	
	६ एम.एम. प्लाईउड कमर्सियल	व.मी	३६८	३६८	३६८	३६८	
	१० एम.एम. प्लाईउड कमर्सियल	व.मी	७६०	७६०	७६०	७६०	
	१२ एम.एम. प्लाईउड कमर्सियल	व.मी	८१०	८१०	८१०	८१०	
	१९ एम.एम. प्लाईउड साधारण	व.मी				१४५३	
	१९ एम.एम. प्लाईउड वाटर प्रुफ	व.मी				१६८९	
	टिक प्लाई	व.मी	३६०	३६०	३६०	३६०	
	सनमाइका	व.मी	२००	२००	२००	२००	
	फोरमाइका	व.मी	३४०	३४०	३४०	३४०	
१६	Readymade Door						
	Plain 25 mm	व.मी	१८००	१८००	१८००	१८००	
	Plain 32 mm	व.मी	२०००	२०००	२०००	२०००	
	Teak both side 25mm	व.मी	१९००	१९००	१९००	१९००	
	Teak both side 32mm	व.मी	२३००	२३००	२३००	२३००	
	Flush Design 25mm	व.मी	३५००	३५००	३५००	३५००	
	Flush Design 32mm	व.मी	४०००	४०००	४०००	४०००	

वन्दु प्रसाद वास्तोला  
प्रमुख जिल्ला अधिकारी

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्विकृत दर रेट	कैफियत
१७	जाली (वायरमेस)						
	लामखुटे जाली (अल्युमिनियम)	व.मी	२३०	२३०	२५३	२५३	
	लामखुटे जाली (स्टील)	व.मी	३५०	३५०	३८५	३८५	
	कुबुरे जाली	के.जी.	१९०	१९०	२०९	२०९	
	चालुवा चाल्ने जाली	व.मी	१९२	१९२	२११	२११	
	गिठी चाल्ने जाली	व.मी	१९५	१९५	२१५	२१५	
	जाली (एक्सपेण्डेड मेटल)	व.मी	२२५	२२५	२४८	२४८	
१८	नट बोल्ट, हुक, वासर, किला						
	८-१२ एम.एम.नट बोल्ट	के.जी.	१९०	२००	२२०	२२०	
	८ एम.एम.साइजको जे वा एल हुक	के.जी.	१५०	१६०	१७६	१७६	
	विटुमिन वासर	गोटा	१	१	१	१	
	पेसे वासर	के.जी.	१३०	१३०	१४३	१४३	
	कर्कटपाता ठोक्ने काटी	के.जी.	१४०	१४०	१५४	१५४	
	विभिन्न साइजको फलामे कीला	के.जी.	१००	११०	१२१	१२१	
१९	डोर स्प्रीड, क्लोजर, कब्जा, छेस्कीनी, हेण्डल						
	डोर स्प्रीड साधारण	गोटा	१५०	१५०	१६५	१६५	
	क्लोजर	गोटा	२२१	२२१	२४३	२४३	
	क्लोजर (hydraulic)	गोटा	८१४	८१४	८९६	८९६	
	३" कब्जा	गोटा	१७	१७	१९	१९	
	४" कब्जा	गोटा	२५	२५	२८	२८	
	५" कब्जा	गोटा	४०	४०	४४	४४	
	४" छेस्कीनी	गोटा	३०	३०	३३	३३	
	६" छेस्कीनी	गोटा	१७	१७	१९	१९	
	१२" छेस्कीनी	गोटा	१७	१७	१९	१९	
	४" छेस्कीनी (स्टिल)	गोटा	१३०	१३०	१४३	१४३	
	६" छेस्कीनी (स्टिल)	गोटा	१६५	१६५	१८२	१८२	
	१२" छेस्कीनी (स्टिल)	गोटा	२२०	२२०	२४२	२४२	
	६" फलामे हेण्डल (साधारण)	गोटा	३२	३२	३५	३५	
	६" फलामे हेण्डल (स्पेशल)	गोटा	८०	८०	८८	८८	
	६" आल्युमिनियम हेण्डल (साधारण)	गोटा	४०	४०	४४	४४	
	६" आल्युमिनियम हेण्डल (डेकोरेटेड स्पेशल)	गोटा	७०	७०	७७	७७	
	६" पित्तल हेण्डल (साधारण)	गोटा	१५०	१५०	१६५	१६५	
	६" पित्तल हेण्डल (डेकोरेटेड स्पेशल)	गोटा	४१५	४१५	४५७	४५७	
	१२" लामो लकीड सेट (एलडुप)	गोटा	२१०	२१०	२३१	२३१	
	१२" लामो लकीड सेट (मटिस)	गोटा	६६०	६६०	७२६	७२६	
	१" पेचकिला(स्क), १ प्याकेटमा १०० गोटा	प्याकेट	१००	१००	११०	११०	
	१.२५"-२" पेचकिला(स्क), १ प्याकेटमा ५० गोटा	प्याकेट	१००	१००	११०	११०	
२०	काठको लिस्टी						
	०.५"-१" कुकाठ काठको	र.मी.	२०	२०	२०	२०	
	१"-१.५" कुकाठ काठको	र.मी.	२४	२४	२४	२४	
	खान्सी	मी.	७५	७५	७५	७५	
	तारब्रस	गोटा	५४	५४	५४	५४	
२१	प्टीड						
	छानाको प्वाल टाल्ने	के.जी.	१३०	१३०	१३०	१३०	
	छानाको प्वाल टाल्ने(टेप)	र.मी.	१०६	१०६	१०६	१०६	
	विटुमिन फ्ल्यास टेप (२ इन्च चौडाइ भएको)	र.मी.	९२	९२	९२	९२	
	ग्लासफिक्स गर्ने (सिलिकोन) (450gm)	दुबुव	२७८	२७८	२७८	२७८	
२२	वाटर प्रुफिड एजेन्ट						
	वाटर प्रुफिड कम्पाउण्ड	के.जी.	१२०	१२०	१२०	१३२	
	सेफ कीट	लि.	२००	२००	२००	२२०	
	Concrete Admixture Plasticizer	लिटर	११०	११०	११०	१२१	

20/11/21

गोपाल

कृष्ण

बन्धु प्रसाद वास्तोला  
 प्रमुख सिल्ला उपकारि

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्विकृत दर रेट	कैफियत
२३	फलामको (ग्रील,ट्रेस,सटर,एङ्गल,स्वायर पाइप)						
	एम.एस.ग्रील (भयाल-डोकामा लगाउने समेत)	के.जी.	१२६	१२६	१३८	१५२	
	कोल्याम्बेवल गेट (च्यानल) फिटिङ सहित	के.जी.	१३८	१३८	१५२	१६७	
	फलामे गेट फिटिङ सहित	के.जी.	१३६	१३६	१४९	१६४	
	फलामे ट्रेस फिटिङ सहित	के.जी.	१३७	१३७	१५०	१६५	
	रोलिङ सटर फिटिङ सहित	के.जी.	१३८	१३८	१५२	१६७	
	होल्ड फास्ट	के.जी.	८८	८८	९७	१०७	
	फलामे एङ्गल	के.जी.			९५	१०५	
	एम.एस.ब्लयाक पाइप (Circular or Square) (विभिन्न साइजको)	के.जी.			९९	१०९	
	एम.एस.सीट(ब्लयाक)	के.जी.	८०	८०	८९	९७	
	गोलो भरेङ्ग फिटिङ सहित	के.जी.				१५२	
	ट्रेस छाएको (जस्ता पाता, एच स्पान जस्ता कीला सहित)	व.फु.			३०	३३	
	Alluminium Sheet with Retroreflective sheeting including lamination & lettering	व.मी.	८०००	८०००	८०००	८०००	
२४	गेवियन तार						
	हेभी कोटेड	के.जी.	१००	१००	११०	१२०	
	मेडियम कोटेड	के.जी.	९६	९६	१०५	११६	
	कमर्सियल	के.जी.	९१	९१	१००	११०	
२५	Machine made and mechanically selvaged double twist hexagonal mesh products (MBG/10*12/3.0/3.9/2.4/ZN) with partation						
	Box size- 1.5*1*1	गोटा	२१५०	१४५०	२३८४	२३८४	
	2*1*1	गोटा	२९००	२४५०	३३५१	३३५१	
	3*1*1	गोटा	४०००	३६००	४७५२	४७५२	
	2*1*.5	गोटा	२०००	२४००	२३५८	२३५८	
	3*1*0.5	गोटा			३३६८	३३६८	
	3*1.5*1/2	गोटा			४९४२	४९४२	
	3*1.5*1	गोटा			६९६२	६९६२	
२६	Machine made and mechanically selvaged double twist hexagonal mesh products (MBG/10*12/2.7/3.4/2.2/ZN)						
	Box size- 1.5*1*1	गोटा	१९४४	१२००	१३२०	१४५२	
	2*1*1/1	गोटा	२५३४	२३५०	२५८५	२५८५	
	3*1*1/2	गोटा	३४८६	३३००	३६३०	३६३०	
	2*1*.5	गोटा	१८५३	१६५०	१८१५	१८१५	
२७	Heavy Coated Gabion Wire Chain Link (Fencing)With						
	Mesh Size 1" X 1" 12 Gauge	व.मी				६१८	
	Mesh Size 2" X 2" 10 Gauge	व.मी				४६३	
	Mesh Size 3" X 3" 10 Gauge	व.मी				३७४	
२८	काँडे तार (वारवेड वायर)						
	१२-१४ गेजसम्म	के.जी.	१००	१००	११०	११०	
	यु हुक	के.जी.	१५०	१५०	१६५	१६५	
२९	पेन्टीड सामाग्री:						
	ह्वाइट वास गर्ने चुना	के.जी.	१९	१९	१९	१९	
	आयल वाउण्ड डिस्टेम्पर	के.जी.	१७६	१७६	१७६	१७६	
	स्नो सेम	के.जी.	५५	५५	५५	५५	
	चप्रा	के.जी.	१३५०	१३५०	१३५०	१३५०	
	प्राइमर (फलाम)	लि.	३१०	३१०	३१०	३१०	
	प्राइमर (काठ)	लि.	३३०	३३०	३३०	३३०	
	प्राइमर (भिती)	लि.	३१०	३१०	३१०	३१०	
	प्राइमर (बीहरी)	लि.	४१५	४१५	४१५	४१५	

कम्यु प्रसाद वास्तोला  
जिल्ला आधिकारी

२०८०/८१  
Bhattarai

२०८०/८१

२०८०/८१

२०८०/८१



क्र.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्विकृत दर रेट	कैफियत
	ईनामेल पेन्ट	लि.	५००	५००	५००	५००	
	इमल्सन इन्टेरियल	लि.	४२२	४२२	४२२	४२२	
	इमल्सन एक्स्टेरियर (water proof paint)	लि.	६००	६००	६००	६००	
	गुंद / फेविकोल	के.जी.	१४०	१४०	१४०	१४०	
	आल्मुनियम पेन्ट	लि.	५२५	५२५	५२५	५२५	
	डि.वी. लिन्सिड आयल	लि.	१०५	१०५	१०५	१०५	
	वार्नेस	लि.	१८०	१८०	१८०	१८०	
	स्पीट	लि.	१३१	१३१	१३१	१३१	
	टरपेन्टाइन आयल	लि.	१४०	१४०	१४०	१४०	
	रेड अक्साइड	लि.	३००	३००	३००	३००	
	Anti striping agent	के.जी.	३२६.०	३८०.००	३८०	३८०	
	Geotextile cloth ( 200 gm / sq. m )/Geotextile Polypropylene Nonwoven (TS-30 equivalent)	व.मी	८६.०	८६	८६	९२	
	Cats Eye	गोटा	५५०.०	५५०	५५०	५५०	
	Thermoplastic paint	के.जी.	२५०.०	२५०	२५०	२७५	
	Glass Beads	के.जी.	२४३.०	२४३	२४३	२४३	
३०	स्यानिटरी सामग्रीहरु:						
	२२" x १६" वास बेसिन	गोटा	१३००.०	१५००.००	१५००	१६५०	
	१८" x १२" वास बेसिन	गोटा	१०००.०	११५०.००	११५०	१२६५	
	१.२५" व्यास सि.पी.वास कप्पीन चैन र रबर प्लग सहित	गोटा	२२२.०	२५५	२५५	२८१	
	१.२५" व्यास सि.पी.एल टैप प्लग सहित	गोटा	२८५.०	३२५	३२५	३५८	
	१/२" व्यास सि.पी.पिलर कौक	गोटा	६३०.०	७२५	७२५	७९८	
	०.५" x १८" पि.मि.सी पाइप कनेक्टर	गोटा	१३०.०	१५०	१५०	१६५	
	वास बेसिन चाइनिज बले	गोटा	११४०.०	१३११	१३११	१४४२	
	ऐना वाथरुमको लागि (२०" x १६")	गोटा	४८०.०	५५२	५५२	६०७	
	०.५" x १८" टाबेल रड	गोटा	४२३.५	४८७	४८७	५३६	
	फाइबर सोप डिस लामो	गोटा	१९५.०	२२४	२२४	२४६	
	स्टिल सोप डिस लामो	गोटा	२५०.०	२८७	२८७	३१६	
	६" x ६" पोरसिलिन सोप ट्रे	गोटा	२४०.०	२७६	२७६	३०४	
	२" वेष्ट पाइप	गोटा	११५.०	१३२	१३२	१४५	
	३६" x १८" x ८" स्टील किचेन सिंक	गोटा	२४००.०	२७६०	२७६०	३०३६	
	२७" x १८" स्टील किचेन सिंक	गोटा	१८५०.०	२१२७	२१२७	२३४०	
	१६" x १८" स्टील किचेन सिंक	गोटा	१३६०.०	१५६४	१५६४	१७२०	
	१८" डब्लु सी उडीसा प्यान ( ट्रे टाइप )	गोटा	९६८.०	१११३	१११३	१२२४	
	१८" डब्लु सी प्यान ( लोकल )	गोटा	७२६.०	८३४	८३४	९१७	
	Commode Sprayer	गोटा				९२५	
	कमोड प्यान सेट Cistern, Pan समेत	गोटा	४११४.०	४७३०	४७३०	५२०३	
	Consolation Model Porcelaine Sunction Commod set	गोटा	१२५००.०	१४३७५	१४३७५	१५८१३	
	युरिनल सेट जेन्स ९"	गोटा	११४९.५	१३२१	१३२१	१४५३	
	युरिनल सेट लेडिज ९"	गोटा	१०८६.०	१२४८	१२४८	१३७३	
	१३ लिटर क्षमताको हाईलेभल फ्लसिड सिस्टर्न (प्लास्टिक)	गोटा	१८१५.०	२०८७	२०८७	२२९६	
	१३ लिटर क्षमताको लोलेभल फ्लसिड सिस्टर्न(पोरसिलिन)	गोटा	४२३५.०	४७७०	४७७०	५२४७	
	१३ लिटर क्षमताको हेभी टाइप फ्लसिड सिस्टर्न	गोटा	२२९९.०	२६४३	२६४३	२९०७	
	४" डायमिटर सावर रोज रिमोलविड टाइप	गोटा	८४७.०	९७४	९७४	१०७१	
	३" डायमिटर फ्रिटिड	गोटा	१०५.०	१२०	१२०	१३२	
	६" x ३" टम्बलर एण्ड टयुब्रस होल्डर	गोटा	२६५.०	३०४	३०४	३३४	
	४" डायमिटर एच.डि.पी.काजल	गोटा	८५.०	९७	९७	१०७	
	पानी टंकी एच.डि.पी.सिन्टेक्स वा सो सरह	लिट्र	८.०	८	८	९	
	पानी टंकी एच.डि.पी. हेवी (५०० लि, ७५० लि, १००० लि)	लिट्र			९	१०	
	पानी टंकी एच.डि.पी. हेवी एक्स्ट्रा (५०० लि, ७५० लि, १००० लि, १५०० लि, २००० लि, ३००० लि, ५००० लि)	लिट्र			१०	११	

बन्धु प्रसाद वास्नोला  
प्रमुख जिल्ला अधिकारी

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्विकृत दर रेट	कैफियत
	पानी टंकी एच.डि.पी. डिलक्स दुइ लेएर (५०० लि, ७५० लि, १००० लि, १५०० लि, २००० लि, ३००० लि, ५००० लि)	लिट्र			१०	११	
	पानी टंकी एच.डि.पी.एक्स्ट्रा हेवी तीन लेएर (५०० लि, ७५० लि, १००० लि, १५०० लि, २००० लि, ३००० लि, ५००० लि)	लिट्र			११	१२	
	पानी टंकी एच.डि.पी. डिलक्स तीन लेएर (२०० लि, ३०० लि, ५०० लि, ७५० लि, १००० लि, १५०० लि, २००० लि, ३००० लि, ५००० लि)	लिट्र			११	१२	
	पानी टंकी एच.डि.पी. स्टोइज (२०० लि, ३०० लि, ५०० लि, ७५० लि, १००० लि, १५०० लि, २००० लि, ३००० लि, ५००० लि)	लिट्र			११	१२	
	स्टील वाटर टैकी स्टेण्ड सहित २००० लि.	गोटा		३००८८	३३०९७	३६४०७	
	स्टील वाटर टैकी स्टेण्ड सहित १००० लि.	गोटा		१९०२७	२०९२९	२३०२२	
	सोलार वाटर हिटर २०० लि. टैक १६ टयुब भएको	गोटा		३६८१४	३८६५५	३८६५५	
	सोलार वाटर हिटर २५० लि. टैक २० टयुब भएको	गोटा		४६०१८	४८३१९	४८३१९	
	सोलार वाटर हिटर ३०० लि. टैक २४ टयुब भएको	गोटा		५४८६७	५७६११	५७६११	
	सोलार वाटर हिटर ३५५ लि. टैक ३० टयुब भएको	गोटा		६९०२७	७२४७८	७२४७८	
	2000 V.A Pure Shine Wave UPS	सेट		३०५३१	३०५३१	३०५३१	
	900 V.A Pure Shine Wave UPS	सेट		९७३५	९७३५	९७३५	
	Tubular Battery 150AH	गोटा		२३४५१	२३४५१	२३४५१	
३१	खानेपानी सम्बन्धी:						
	पि.भी.सी पाइप $\times$ Kg/cm <sup>2</sup> :						
	१.५"(४५ मी.मी.) व्यास	र.मी.	१९५	१९५	२०५	२०५	
	२"(६३ मी.मी.) व्यास	र.मी.	१९५	१९५	२०५	२०५	
	२.५"(७५ मी.मी.) व्यास	र.मी.	१९५	१९५	२०५	२०५	
	३"(९० मी.मी.) व्यास	र.मी.	१९५	१९५	२०५	२०५	
	४"(११० मी.मी.) व्यास	र.मी.	१९५	१९५	२०५	२०५	
	४.५"(१२५ मी.मी.) व्यास	र.मी.	१९५	१९५	२०५	२०५	
	५"(१४० मी.मी.) व्यास	र.मी.	१९५	१९५	२०५	२०५	
	६"(१६० मी.मी.) व्यास	र.मी.	१९५	१९५	२०५	२०५	
३२	खानेपानी तथा स्यानिटरी विविध सामाग्रीहरु:						
	धारा: Galvanized With Steel						
	१/२" ब्रासधारा ३५० ग्राम						
	Angle Cock	गोटा	५००.००	५००	५२५	५७८	
	Bib Cock	गोटा	५००.००	५००	५२५	५७८	
	Long Body	गोटा	६००.००	६००	६३०	६९३	
	Pillar Cock	गोटा	६००.००	६००	६३०	६९३	
	Mixture	गोटा	१२००.००	१२००	१२६०	१३८६	
	१/२" ब्रासधारा ४५० ग्राम						
	Angle Cock	गोटा	६००.००	६००	६३०	६९३	
	Bib Cock	गोटा	६००.००	६००	६३०	६९३	
	Long Body	गोटा	७००.००	७००	७३५	८०९	
	Pillar Cock	गोटा	७००.००	७००	७३५	८०९	
	Mixture	गोटा	१३००.००	१३००	१३६५	१५०२	
	1/2" ब्रासधारा ग्राम ५५०						
	Angle Cock	गोटा	६२५.००	६२५	६५६	७२२	
	Bib Cock	गोटा	६२५.००	६२५	६५६	७२२	
	Long Body	गोटा	७२५.००	७२५	७६१	८३७	
	Pillar Cock	गोटा	७२५.००	७२५	७६१	८३७	
	Mixture	गोटा	१३२५.००	१३२५	१३९१	१५३०	
३३	टायल तथा मार्बल						
	बाल ग्लेज टायल	व.मी	६७०	६७०	६७०	७३७	
	ग्लेज फ्लोर टायल	व.मी	७५०	७५०	७५०	८२५	
	Verified फ्लोर डायल	व.मी				१४२०	

वल्लभ प्रसाद वास्तोला
   
 प्रमुख जिल्ला अधिकारी

क.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्विकृत दर रेट	कैफियत
	Parking/Roofing टायल	व.मी				९९५	
	मार्बल साधारण (१३ देखि १५ एम.एम. मोटाई)	व.मी	१५४५	१५४५	१५४५	१७००	
	अक्जालीक एसिड (एच सि.एल लीक्वड)	लिट्र	८२	८२	८२	९१	
	मैन पोलिस	के.जी.	३०९	३०९	३०९	३४०	
	कावरेण्डम ढुंगा विभिन्न नम्बरको	गोटा	१३६	१३६	१३६	१५०	
	मार्बल चिप्स	के.जी.	१४	१४	१४	१६	
	४" x २.५" पि.भि.सी.गल्ली ट्रेप	गोटा	३९१	३९१	३९१	४३१	
	Granite	व.मी			२२३८	२४६१	
३४	छापने ढुङ्गा (Flag Stone)						
	१" सम्म बाक्लो सर्फेस ड्रेस गरेको छापने ढुङ्गा	व.फि.	८७	८७	९५	१०५	
	१.५" सम्म बाक्लो सर्फेस ड्रेस गरेको छापने ढुङ्गा	व.फि.	१००	१००	११०	१२१	
	२" सम्म बाक्लो सर्फेस ड्रेस गरेको छापने ढुङ्गा	व.फि.	११७	११७	१२९	१४२	
	२.५" सम्म बाक्लो सर्फेस ड्रेस गरेको छापने ढुङ्गा	व.फि.	१२७	१२७	१३९	१५३	
	२.५"-३" सम्म बाक्लो सर्फेस ड्रेस गरेको छापने ढुङ्गा	व.फि.	१६०	१६०	१७६	१९४	
३५	ह्युम पाइप						
	एन.पी.३ क्लास हेभी ड्युटी						
	15 से.मी व्यास	र.मी.	२४०५	२२८५	२२८५	२२८५	
	20 से.मी व्यास	र.मी.	२९७२	२८२४	२८२४	२८२४	
	25 से.मी व्यास	र.मी.	३६०८	३४२७	३४२७	३४२७	
	30 से.मी व्यास	र.मी.	४१०४	३८९९	३८९९	३८९९	
	35 से.मी व्यास	र.मी.	४५९९	४३६९	४३६९	४३६९	
	40 से.मी व्यास	र.मी.	५२३६	४९७४	४९७४	४९७४	
	45 से.मी व्यास	र.मी.	६०१४	५७१३	५७१३	५७१३	
	50 से.मी व्यास	र.मी.	६७२१	६३८५	६३८५	६३८५	
	60 से.मी व्यास	र.मी.	८०६६	७६६३	७६६३	७६६३	
	70 से.मी व्यास	र.मी.	१०१८७	९६७८	९६७८	९६७८	
	75 से.मी व्यास	र.मी.	११६०२	११०२२	११०२२	११०२२	
	80 से.मी व्यास	र.मी.	१३०१८	१२३६७	१२३६७	१२३६७	
	90 से.मी व्यास	र.मी.	१४७८६	१४०४७	१४०४७	१४०४७	
	100 से.मी व्यास	र.मी.	१६४१३	१५५९३	१५५९३	१५५९३	
	120 से.मी व्यास	र.मी.	१९२४३	१८२८१	१८२८१	१८२८१	
	150 से.मी व्यास	र.मी.	२८२९८	२६८८४	२६८८४	२६८८४	
	एन. पी. २ क्लास लाइट ड्युटी						
	15 से.मी व्यास	र.मी.	८८५	८४१	८४१	८४१	
	20 से.मी व्यास	र.मी.	१०६१	१००८	१००८	१००८	
	25 से.मी व्यास	र.मी.	१२०३	११४३	११४३	११४३	
	30 से.मी व्यास	र.मी.	१४०४	१३३३	१३३३	१३३३	
	40 से.मी व्यास	र.मी.	२३३४	२२१८	२२१८	२२१८	
	45 से.मी व्यास	र.मी.	२७५९	२६२१	२६२१	२६२१	
	50 से.मी व्यास	र.मी.	२९०१	२७५६	२७५६	२७५६	
	60 से.मी व्यास	र.मी.	४६७०	४४३७	४४३७	४४३७	
	70 से.मी व्यास	र.मी.	४९५३	४७०५	४७०५	४७०५	
	75 से.मी व्यास	र.मी.	५५१८	५२४२	५२४२	५२४२	
	80 से.मी व्यास	र.मी.	६०८५	५७८१	५७८१	५७८१	
	90 से.मी व्यास	र.मी.	६०७१	५७६८	५७६८	५७६८	
	100 से.मी व्यास	र.मी.	८६३१	८२००	८२००	८२००	
	120 से.मी व्यास	र.मी.	९७६४	९२७६	९२७६	९२७६	
	150 से.मी व्यास	र.मी.	१६१३०	१५३२४	१५३२४	१५३२४	
३६	Tools and Occupational Health and						

बन्धु प्रसाद वास्तोला  
जिल्ला अधिकाारी

...



...

...


...

...

क.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्विकृत दर रेट	कैफियत
	<b>Simple Hand Tools</b>						
	Pickaxe 2.5 Kg	No	४०१	४०१	४०१	४०१	
	Shovel	No	५८९	५८९	५८९	५८९	
	Watering Can plastic 5 ltr.	No	५०३	५०३	५०३	५०३	
	Chisel 35mmx225mm (1.5 kg)	No	४५५	४५५	४५५	४५५	
	Wheel Barrow	No	९५२३	९५२३	९५२३	९५२३	
	Crowbar (25-32mm. Dia) 7 kgs	No	१६८५	१६८५	१६८५	१६८५	
	Sledge Hammer (4kgs)	No	१०९१	१०९१	१०९१	१०९१	
	Measuring Tape(5m)	No	१६१	१६१	१६१	१६१	
	Foot Pump	No	१५९४	१५९४	१५९४	१५९४	
	Mason Hammer	No	२५७	२५७	२५७	२५७	
	Rake (12 teeth, 1.2 m length handle)	No	७८१	७८१	७८१	७८१	
	Curved knife (Hasiya) (400 gms )	No	३६४	३६४	३६४	३६४	
	Kodalo	No	५४६	५४६	५४६	५४६	
	Faruwa (1.8 kg)	No	९५२	९५२	९५२	९५२	
	Trowel	No	१५०	१५०	१५०	१५०	
	Pulling Rope(Nilon)	No	१३९	१३९	१३९	१३९	
	<b>Personal Protective Safety Equipments (OSH)</b>						
	Safety Helmate	No	३१०	३१०	३१०	३१०	
	Self illumination Jacket With Print	No	६४२	६४२	६४२	६४२	
	GumBoots	pair	७३८	७३८	७३८	७३८	
	GumBoots (with steel toe)	pair	१३००	१३००	१३००	१३००	
	Shoes	pair	५८९	५८९	५८९	५८९	
	Set of Flag ( 2 )	pair	२१४	२१४	२१४	२१४	
	Mask	No	३४	३४	३४	३४	
	Hand hard Glove	pair	२१४	२१४	२१४	२१४	
	Goggles (Sun Protective)	No	३२१	३२१	३२१	३२१	
	Raincoat (Simple)	No	११५०	११५०	११५०	११५०	
	Traffic Cone	No	१०५९	१०५९	१०५९	१०५९	
	Cap	No	३५३	३५३	३५३	३५३	
३७	<b>खानेपानी सम्बन्धी: Tools ( ISI or NS standard )</b>						
	Heating Plate 3"	no	६००	६००	६००	६००	
	Heating Plate 4"	no	६५०	६५०	६५०	६५०	
	Heating Plate 5"	no	८००	८००	८००	८००	
	Heating Plate 6"	no	९००	९००	९००	९००	
	Heating Plate 8"	no	१६५०	१६५०	१६५०	१६५०	
	Heating Plate 10"	no	२२००	२२००	२२००	२२००	
	Heating Plate 12"	no	२६००	२६००	२६००	२६००	
	Pipe Wrench 10"	no	३००	३००	३००	३००	
	Pipe Wrench 12"	no	३५०	३५०	३५०	३५०	
	Pipe Wrench 14"	no	४००	४००	४००	४००	
	Pipe Wrench 18"	no	७००	७००	७००	७००	
	Pipe Wrench 24"	no	१२००	१२००	१२००	१२००	
	Pipe Wrench 36"	no	२६००	२६००	२६००	२६००	
	Pipe Wrench 48"	no	३५००	३५००	३५००	३५००	
	Chain Wrench 3 No.	no	२०००	२०००	२०००	२०००	
	Chain Wrench 4 No.	no	२५००	२५००	२५००	२५००	
	Chain Wrench 6 No.	no	३५००	३५००	३५००	३५००	
	Rechet Threader 1/2"-1"	Set	३४००	३४००	३४००	३४००	
	Rechet Threader 1 1/4"-2"	Set	७०००	७०००	७०००	७०००	
	Rechet Threader 2 1/2"-3"	Set	८०००	८०००	८०००	८०००	









वन्धु प्रसाद  
 प्रमूख जिला  
 वास्तोला  
 अधिकारी

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्विकृत दर रेट	कैफियत
	Adjustable Wrench10"	No	२५०	२५०	२५०	२५०	
	Adjustable Wrench12"	No	३००	३००	३००	३००	
	Adjustable Wrench15"	No	५००	५००	५००	५००	
	Pipe Vice 2 No.	No	१५००	१५००	१५००	१५००	
	Pipe Vice 3 No.	No	२००	२००	२००	२००	
	Pipe Vice 4 No.	No	२५००	२५००	२५००	२५००	
	Pipe Cutter 2 No.	No	१५००	१५००	१५००	१५००	
	Pipe Cutter 3 No.	No	२५००	२५००	२५००	२५००	
	Pipe Cutter 4 No.	No	४०००	४०००	४०००	४०००	
	Tool Box with Key	No	१३००	१३००	१३००	१३००	
	Teflon Cover	mtr	२५००	२५००	२५००	२५००	
	Thermochrome Chalk (German)	No	३००	३००	३००	३००	
	Thermochrome Chalk (Indian)	No	३००	३००	३००	३००	
	Hack Saw frame	No	१००	१००	१००	१००	
	Hack Saw blade	No	२०	२०	२०	२०	
	Oil Cane	No	५००	५००	५००	५००	
	Rubber Gas Kit	No	२००	२००	२००	२००	
	Teflon Tape	No	२०	२०	२०	२०	
	Blow lamp	No	१५००	१५००	१५००	१५००	
	Sledge hammer 10 lbs	No	१०००	१०००	१०००	१०००	
	Stone Chisel 1"x6"	No	२५०	२५०	२५०	२५०	
	Stone Chisel 1"x12"	No	३५०	३५०	३५०	३५०	
	Spirit Level	No	२००	२००	२००	२००	
	Mason Square 12"	No	२४०	२४०	२४०	२४०	
	Mason Square 18"	No	३६०	३६०	३६०	३६०	
	Steel Brush	No	३०	३०	३०	३०	
	Steel Pan	No	२००	२००	२००	२००	
	Measuring Tape 3m	No	५०	५०	५०	५०	
	Measuring Tape 5m	No	७५	७५	७५	७५	
	Measuring Tape 30m	No	३००	३००	३००	३००	
	Measuring Tape 50m	No	४००	४००	४००	४००	
	Measuring Tape 100m	No	५००	५००	५००	५००	
	Stone cutting hammer	No	२३०	२३०	२३०	२३०	
	Half round file 10"	No	२००	२००	२००	२००	
	Half round file 12"	No	३००	३००	३००	३००	
	Nail Hammer	No	२५०	२५०	२५०	२५०	
	Die Teeth 1/2"	Set	७००	७००	७००	७००	
	Die Teeth 3/4"	Set	७००	७००	७००	७००	
	Die Teeth 1"	Set	७००	७००	७००	७००	
	Die Teeth 1 1/4"	Set	१५००	१५००	१५००	१५००	
	Die Teeth 1 1/2"	Set	१५००	१५००	१५००	१५००	
	Die Teeth 2"	Set	१५००	१५००	१५००	१५००	
	Die Teeth 2 1/2"	Set	१७००	१७००	१७००	१७००	
	Die Teeth 3"	Set	१९००	१९००	१९००	१९००	
	Die Teeth 4"	Set	२५००	२५००	२५००	२५००	
	Shovel	No	४३५	४३५	४३५	४३५	
	Pick Axe	No	४७०	४७०	४७०	४७०	
	Crow bar	No	१५००	१५००	१५००	१५००	
३८	Standard quality Tools (ISI or NS standard)						
	Pipe wrench 12"	Pc	५८०	५८०	५८०	५८०	
	Pipe wrench 14"	Pc	६८०	६८०	६८०	६८०	





वरिष्ठ प्रशासक  
 निर्माण सामाग्री

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्विकृत दर रेट	कैफियत
	Pipe wrench 18"	Pc	१२६०	१२६०	१२६०	१२६०	
	Pipe wrench 24"	Pc	२१००	२१००	२१००	२१००	
	Adjustable wrench 12"	Pc	१०००	१०००	१०००	१०००	
	Heating plate 4"	Pc	१२८०	१२८०	१२८०	१२८०	
	Heatingplate 6"	Pc	१९२०	१९२०	१९२०	१९२०	
३९	विजुली वायरिङ सम्बन्धी सामानहरु						
	एस.एस.कम्पाइन्ड सकेट	गोटा	१९२	१९२	१९२	२११	
	५ पिन सकेट	गोटा	४३	४३	४३	४८	
	१० एम्पियर फ्युज	गोटा	४३	४३	४३	४८	
	इन्डिकेटर	गोटा	४३	४३	४३	४८	
	स्वीच	गोटा	२८	२८	२८	३०	
	होल्डर	गोटा	३४	३४	३४	३८	
	घण्टी स्वीच	गोटा	३८	३८	३८	४२	
	लिप्टी ३/४ इन्च (प्लाष्टिक) लम्बाई ६ फीट	गोटा	४३	४३	४३	४८	
	लिप्टी १/२ इन्च (प्लाष्टिक) लम्बाई ६ फीट	गोटा	३२	३२	३२	३६	
	सिलिङ रोज	गोटा	३२	३२	३२	३६	
	४" x ४" पि.भि.सी.बक्स र प्लेट	गोटा	२४	२४	२४	२६	
	६" x ८" पि.भि.सी.बक्स र प्लेट	गोटा	५४	५४	५४	५९	
	८" x १०" पि.भि.सी.बक्स र प्लेट	गोटा	६९	६९	६९	७६	
	४" x ४" पि.भि.सी. प्लेट	गोटा	८	८	८	९	
	६" x ८" पि.भि.सी. प्लेट	गोटा	२२	२२	२२	२४	
	७" x ४" पि.भि.सी. प्लेट	गोटा	१५	१५	१५	१६	
	८" x १०" पि.भि.सी. प्लेट	गोटा	३८	३८	३८	४२	
	एस.एस.कम्पाइन्ड बक्स (सानो)	गोटा	२७	२७	२७	२९	
	१६ एम्पियर किटकट	गोटा	३४	३४	३४	३८	
	३/२० पि.भि.सी तार	क्वायल	१५६८	१५६८	१५६८	१७२५	
	३/२२ पि.भि.सी तार	क्वायल	१०२७	१०२७	१०२७	११३०	
	७/२२ पि.भि.सी तार	क्वायल	२३७९	२३७९	२३७९	२६१७	
	<b>Multi Standard Flexible Copper Wire</b>						
	0.50MM	क्वायल		७१७	७१७	७८९	
	0.75MM	क्वायल		१००५	१००५	११०६	
	1.0MM	क्वायल		१३१४	१३१४	१४४५	
	1.5MM	क्वायल		१९६५	१९६५	२१६२	
	2.5MM	क्वायल		३२२२	३२२२	३५४४	
	4.0MM	क्वायल		४९२६	४९२६	५४१९	
	6.0MM	क्वायल		७२७५	७२७५	८००३	
	10.0MM	क्वायल		१२४७७	१२४७७	१३७२५	
	16.0MM	क्वायल		२३५८०	२३५८०	२५९३८	
	2/20MM	क्वायल		१७५५	१७५५	१९३१	
	2/22MM	क्वायल		१२९६	१२९६	१४२६	
	<b>SOCKET, SWITCH, JUNCTION BOX</b>						
	Accessories: metal box, screw, grips, pvc tape, etc all complete						
	16/6 Amps combined S/ socket flush type	set				२५१	
	1 gang 1,2 way switch philips or eqvt	set				२०२	
	2 gang 1,2 way switch philips or eqvt	set				२१३	
	3 gang 1,2 way switch philips or eqvt	set				४९१	
	4 gang 1,2 way switch philips or eqvt	set				५२३	
	5 gang 1,2 way switch philips or eqvt	set				६८२	
	6 gang 1,2 way switch philips or eqvt	set				७०९	
	1 gang one bell push Philips or eqvt.	set				२३४	

बन्धु प्रसाद वास्तोला  
प्रमुख जिल्ला अधिकारी

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्विकृत दर रेट	कैफियत
	Junction box made of metal with cover size 6"*4" etc all complete	set				११४	
	<b>CONCENTRIC CABLE</b>						
	10 SQ.MM	प्रति मि.		६०	६०	६६	
	25 SQ.MM	प्रति मि.		१३०	१३०	१४३	
	बल्ब	गोटा	२०	२०	२०	२२	
	LED Bulb 5 watt Warrenty	गोटा	१८६	१८६	१८६	२०४	
	LED Bulb 7 watt Warrenty	गोटा	२३२	२३२	२३२	२५५	
	LED Bulb 9 watt Warrenty	गोटा	२७९	२७९	२७९	३०७	
	LED Bulb 5 watt Local	गोटा	६५	६५	६५	७२	
	LED Bulb 7 watt Local	गोटा	९३	९३	९३	१०३	
	LED Bulb 9 watt Local	गोटा	१४०	१४०	१४०	१५४	
	CFL Bulb 2U 5 w	गोटा	१६८	१६८	१६८	१८५	
	CFL Bulb 2U 22 w	गोटा	१८६	१८६	१८६	२०४	
	CFL Bulb Spirrel 25 w	गोटा	२७९	२७९	२७९	३०७	
	सब मिटर(चाइनिज)	गोटा	३४८	३४८	३४८	३८३	
	टेप	गोटा	११	११	११	१२	
	मेन स्वीच	गोटा	१६२	१६२	१६२	१७८	
	वेड स्वीच	गोटा	११	११	११	१२	
	दुपीन सकेट	गोटा	३२	३२	३२	३६	
	घण्टी (साधारण)	गोटा	११७	११७	११७	१२९	
	घण्टी (मेडियम)	गोटा	२१६	२१६	२१६	२३८	
	क्लिप ३७ - ४३ मी.मी.	गोटा	९	९	९	१०	
	क्लिप ५० - ६२ मी.मी.	गोटा	११	११	११	१२	
	दयुव लाईट बत्ती २ फीट/४फीट	गोटा	८२	८२	८२	९०	
	चोक २०/४० वाट	गोटा	१४७	१४७	१४७	१६२	
	स्टार्टर होल्डर	गोटा	१०	१०	१०	११	
	स्टार्टर	गोटा	१०	१०	१०	११	
	४ फीट दयुव लाईट सेट (एन.एस.मार्क)	सेट	३४४	३४४	३४४	३७९	
	दयुव लाईट २०-४० वाट	गोटा	८०	८०	८०	८८	
	६ मी.मी. पि.भी.सी. तार	र.मी.	२४	२४	२४	२६	
	फिटकट ३२ एम्पियर	गोटा	८०	८०	८०	८८	
	६"-८" डायमिटर डोम लाईट	गोटा	२४६	२४६	२४६	२७०	
	एम.सी.बी.	गोटा	१८०	१८०	१८०	१९८	
	वेदर प्रूफ ब्रैकेट लेम्प	सेट	२९५	२९५	२९५	३२४	
	50 Watt LED Focous Light	गोटा			२२१२	२४३४	
	१/२" डायमिटर पि.भी.सी. पाइप लम्बाई ९ फीट	गोटा	२५	२५	२५	२७	
	१" डायमिटर पि.भी.सी. पाइप लम्बाई ९ फीट	गोटा	४६	४६	४६	५१	
	१/२" क्लैम्प	गोटा	३	३	३	३	
	१" क्लैम्प	गोटा	७	७	७	८	
	१/२" एल्बो	गोटा	३	३	३	३	
	१" एल्बो	गोटा	६	६	६	७	
	१/२" टी	गोटा	३	३	३	३	
	१" टी	गोटा	६	६	६	७	
	१/२" जक्सन	गोटा	६	६	६	७	
	१" जक्सन	गोटा	१२	१२	१२	१३	
	१/२" वेण्ड	गोटा	६	६	६	७	
	१" वेण्ड	गोटा	१२	१२	१२	१३	
	१" लामो ग्रीप्स	गोटा	१	१	१	१	

Bhattarai

A. Bhattarai

2.12.21

गोटा

गोटा

वन्धु प्रसाद वास्तोला  
प्रमुख जिल्ला अधिकारी

क.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्विकृत दर रेट	कीफियत
	पानी तान्ने मेसीन (आई.एस.आई.)						
	०.५ हर्षपावर (सिंगल फेज) भारतीय	प्रति गोटा				५६२७	
	१.० हर्षपावर (सिंगल फेज) भारतीय	प्रति गोटा				९८१७	
	०.५ हर्षपावर (सिंगल फेज) चाईनीज	प्रति गोटा				२४४१	
	१.० हर्षपावर (सिंगल फेज) चाईनीज	प्रति गोटा				३६८८	
	१.५ हर्षपावर (सिंगल फेज) सवमर्सिबल चाईनीज	प्रति गोटा				११८८०	
	१.५ हर्षपावर (सिंगल फेज) सवमर्सिबल भारतीय	प्रति गोटा				२९६३५	
४०	सामान बाहेक कन्सल वायरिंग गर्ने कार्यको ज्याला	प्वाइन्ट	५९	५९	५९	६५	
४१	सामान बाहेक सफेस वायरिंग गर्ने कार्यको ज्याला	प्वाइन्ट	४८	४८	४८	५२	
४२	सामान सहित कन्सल वायरिंग गर्ने कार्यको ज्याला	प्वाइन्ट	५३२	५३२	५३२	५८६	
४३	सामान सहित सफेस वायरिंग गर्ने कार्यको ज्याला	प्वाइन्ट	४५४	४५४	४५४	४९९	
४४	सिलिङ्ग फ्यान(४८")/उषा,बजाज वा सो सरह	गोटा	२१००	२१००	२१००	२३१०	
४५	Wall Fan	गोटा				३३००	
४६	इन्जहाउस्ट फ्यान मिडियम	गोटा	१९००	१९००	१९००	२०९०	
४७	मिरर लाइट	गोटा	४००	४००	४००	४४०	
४८	टेलिफोन सकेट	गोटा	७०	७०	७०	७७	
४९	टेलिफोन जक्सन बक्स(४-५ टे.लाइन)	गोटा	४५	४५	४५	५०	
५०	एम.सी.बी.डिस्ट्रिब्युसन बक्स (पि.भि. सि.)						
		४ वे गोटा	४५	४५	४५	५०	
		६ वे गोटा	३५०	३५०	३५०	३८५	
		८ वे गोटा	४५०	४५०	४५०	४९५	
		१० वे गोटा	६५०	६५०	६५०	७१५	
		१२ वे गोटा	८५०	८५०	८५०	९३५	
	एम.सी.बी.डिस्ट्रिब्युसन बक्स (मेटल) १४वे	गोटा	१०५०	१०५०	१०५०	११५५	
	4 TPN Metal २० वे	गोटा	१९८०	१९८०	१९८०	२१७८	
५१	3 phase मिटर बक्स (मेटल)	गोटा	१५८४	१५८४	१५८४	१७४२	
५२	मिटर बक्स (प्लाष्टिक)	गोटा	२०९	२०९	२०९	२३०	
५३	तार (Conductor)						
	0.03 Sq. inch Weasel ACSR Conductor	र.मी.	३८	४०	४४	४४	
	0.05 Sq. inch Rabbit ACSR Conductor	र.मी.	५८	६१	६७	६७	
	0.1 Sq. inch Dog ACSR Conductor	र.मी.	११०	११५	१२७	१२७	
५४	स्टे आईटम						
	स्टे सेट (५ फीट)	सेट	१२१०	१३३१	१३३१	१४६४	
	1.8 M dia. 16mm Stay Set (Rod , Plate, Eye ball, Turn Buckle )	सेट	१३८०	१६०७	१७६८	१९४४	
	2.44 M dia. 19mm Stay Set(Rod , Plate, Eye Ball, Turn Buckle )	सेट	२२५०	३१६४	३४८०	३८२८	
	Stay wire 7/12 SWG	के.जी.	१३०	१३७	१५१	१६६	
	Stay wire 7/8 SWG	के.जी.			१७०	१८७	
	Stay insulator LT	गोटा	८०	८८	९७	१०६	
	Stay insulator HT	गोटा	९०	१७६	१९४	२१३	
	स्टेप फ्ल्याट (LT)	गोटा	५८	५८	६४	७०	
५५	Earthing						
	Earthing Rod 6 Ft. (Copper Coated)	गोटा	११५५	१२७०	१३९७	१५३७	
	Earthing Wire (Copper)	के.जी.	११५५	१२७०	१३९७	१५३७	
	Earthing Plate 600x600x6 mm (Copper Coated)	गोटा		२१८९	२४०८	२६४९	
५६	High Tension Cable						
	33 kV Insulated Cable, 1-core, 100 sq. mm	मिटर		७५८	८३४	८३४	
	33 kV ABC Cable, 100 sq. mm each	मिटर		२४२५	२६६८	२६६८	

कर्म प्रसाद वासोला  
प्रमुख जिल्ला अधिकारी



क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्वीकृत दर रेट	कैफियत
	11 kV Insulated Cable, 1-core, 100 sq. mm	मिटर		६६२	७२८	७२८	
	11 kV ABC Cable, 100 sq. mm each	मिटर		२३५०	२५८५	२५८५	
	11 KV XLPE Covered Conductor, 1 Core, 50 sq mm	मिटर			२९५	२९५	
	11 kV DO Fuse Set three nos.	सेट	५९९८	५७९७	६२८९	६९९८	
	9 kV Lightning Arrestor Set three nos.	सेट	६३००	६९३०	७६२३	८३८५	
	33 kV DO Fuse Set three nos.	सेट		९७५९	९८८६६	२०७५३	
	27 kV Lightning Arrestor Set three nos.	सेट		८४९६	९३४६	९०२८०	
५७	<b>Cut Out Fuse</b>						
	200 A Cut Out Fuse 3 Nos.	सेट	९६००	९७६०	९९३६	२९३०	
	300 A Cut Out Fuse 3 Nos.	सेट	९८००	९९८०	२९७८	२३९६	
	400 A Cut Out Fuse 3 Nos.	सेट	२०००	२२००	२४२०	२६६२	
	500 A Cut Out Fuse 3 Nos.	सेट		२४२०	२६६२	२९२८	
५८	<b>ABC Cable</b>						
	25 mm <sup>2</sup> ABC Cable	मिटर	९७३	९९०	२०९	२३०	
	50 mm <sup>2</sup> ABC Cable	मिटर	२८९	३९८	३५०	३८५	
	70 mm <sup>2</sup> ABC Cable	मिटर		५०८	५५९	६९५	
	95 mm <sup>2</sup> ABC Cable	मिटर	५५०	६०५	६६६	७३२	
	120 mm <sup>2</sup> ABC Cable	मिटर		८४०	९२४	९०९६	
५९	<b>Cable Lock</b>						
	35 mm <sup>2</sup> Cable Lock	गोटा		९५	९०५	९९५	
	50 mm <sup>2</sup> Cable Lock	गोटा		९३०	९४३	९५७	
	70 mm <sup>2</sup> Cable Lock	गोटा		९५०	९६५	९८२	
	90 mm <sup>2</sup> Cable Lock	गोटा		९९०	२०९	२३०	
	120 mm <sup>2</sup> Cable Lock	गोटा		२९०	२३९	२५४	
६०	D Iron with Shackle Insulator and Nut Bolt	सेट	९४४	९५०	९६५	९८२	
६१	11 kV Disk Insulator	गोटा	८६६	९४५	९०४०	९९४३	
६२	11 kV Tension Clamp	सेट	६३५	६५५	७२९	७९३	
६३	33 kV Tension Clamp	सेट		७३०	८०३	८८३	
६४	11 kV Pin Insulator with Spindle	सेट	४६२	५००	५५०	६०५	
६५	33 kV Pin Insulator with Spindle	सेट	९३८६	९४२५	९५६८	९७२४	
६६	6 mm <sup>2</sup> Concentric Cable	मिटर	२५	२७.०	३०	३३	
६७	16 mm <sup>2</sup> Concentric Cable	मिटर		५५	६९	६७	
६८	<b>Full Galvanised Iron</b>						
	Iron channel	के.जी.	९५६	९६०	९७६	९९४	
	Full Galvanised Iron Channel	के.जी.	९७०	९७५	९९३	२९२	
	Full Galvanised Pole Camp	के.जी.	९६२	९७५	९९३	२९२	
	Full Galvanised Steel Tubular Pole	के.जी.	९३५	९४८	९६३	९७९	
	Full Galvanised Steel Telescopic Pole	के.जि.			२९०	२३९	
	Full Galvanised Nut Bolt	के.जी.		२०३	२२३	२४६	
६९	<b>4-Core Cable</b>						
	25 sq. mm 4-Core Cable (Almunium Unarmoured)	र.मी.		३६८	४०५	४४५	
	50 sq. mm 4-Core Cable (Almunium Unarmoured)	र.मी.	४८९	५९०	५६९	६९७	
	70 sq. mm 4-Core Cable (Almunium Unarmoured)	र.मी.	५५४	५७५	६३३	६९६	
	पोल सम्बन्धी						
७०	<b>PSC POLE</b> पी.एस.सी.पोल						
	८ मीटर लामो psc pole	गोटा	७०३४	७०३४	७७३७	८५९९	
	९ मीटर लामो psc pole	गोटा	७३९२	७३९२	८९३९	८९४४	
	११ मीटर लामो psc pole	गोटा	९४६६९	९४६६९	९६९३६	९७७४९	
७१	<b>10 Core Control Cable</b>	मिटर		९२९९	९३३२	९४६५	
७२	<b>Transformer</b>						
	25 kVA, 11/0.4 kV Transformer (Copper Wire)	गोटा	२३००००	२५२०००	३०००००	३०००००	



वर्धु प्रसाद  
प्रमुख जिल्ला  
अधिकारी


क.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्विकृत दर रेट	कीफयत
	50 kVA, 11/0.4 kV Transformer(Copper Wire)	गोटा	३६५०००	३६५०००	४२५०००	४२५०००	
	100 kVA, 11/0.4 kV Transformer(Copper Wire)	गोटा	५७५०००	५७५०००	६५००००	६५००००	
	150 kVA, 11/0.4 kV Transformer(Copper Wire)	गोटा		७२००००	९४००००	९४००००	
	200 kVA, 11/0.4 kV Transformer(Copper Wire)	गोटा		९२९५९०	९९७००००	९९७००००	
	250 kVA, 11/0.4 kV Transformer	गोटा			९२७५०००	९२७५०००	
	25 kVA, 33/0.4 kV Transformer(Copper Wire)	गोटा		३३९४७०	४०००००	४०००००	
	50 kVA, 33/0.4 kV Transformer(Copper Wire)	गोटा		४६२२४०	६०००००	६०००००	
	100 kVA, 33/0.4 kV Transformer(Copper Wire)	गोटा		६४४४००	७८५०००	७८५०००	
	150 kVA, 33/0.4 kV Transformer(Copper Wire)	गोटा		८५५०००	९०४५०००	९०४५०००	
	200 kVA, 33/0.4 kV Transformer(Copper Wire)	गोटा		९०६२०००	९२९००००	९२९००००	
	250 kVA, 33/0.4 kV Transformer	गोटा			९३९००००	९३९००००	
७३	Line seperator 2 wire	गोटा		२००	२२०	२२०	
७४	Line seperator 3 wire	गोटा		३००	३३०	३३०	
७५	Line seperator 4 wire	गोटा		४००	४४०	४४०	
७६	PG Clamp for Weasel conductor	गोटा		४००	४४०	४४०	
७७	PG Clamp for Rabbit conductor	गोटा		६२५	६८८	६८८	
७८	PG Clamp for Dog conductor	गोटा		८४०	९२४	९२४	
७९	Suspension Clamp	गोटा		९५०	९०४५	९०४५	
८०	Anchor Clamp 95 mm 4-core	गोटा		९००	९९०	९९०	
८१	Anchor Clamp 70 mm 4-core	गोटा			६९६	६९६	
८२	Anchor Clamp 50 mm 4-core	गोटा			५७४	५७४	
८३	Anchor Clamp 25 mm 4-core	गोटा			३४९	३४९	
८४	Anchor Clamp 120 mm 4-core	गोटा			९९२	९९२	
८५	Connector 6-25 mm	गोटा		९९०	२०९	२०९	
८६	Tester	गोटा		९५०	९६५	९६५	
८७	6 A MCB	गोटा		३३०	३६३	३६३	
८८	Nose Pliers	गोटा		८२५	९०८	९०८	
८९	Combination Pliers	गोटा		९९००	९२९०	९२९०	
९०	Screw Driver Set	सेट		९८५५	२०४९	२०४९	
९१	TOD Meter Box Two Door	गोटा		९००००	९९०००	९९०००	
९२	TOD Meter Box Single Door	गोटा			९००००	९००००	
९३	Safety Belt	गोटा		७७५३	८५२८	८५२८	
९४	Safety Helmet	गोटा		९९०	९००९	९००९	
९५	Conductor Strenging Vice Two Ton	सेट		९०६०२	९९६६२	९९६६२	
९६	11 kV Disconnecting Switch three nos.	सेट		२२०००	२४२००	२४२००	
९७	33 kV Disconnecting Switch three nos.	सेट		५९५७२	६५५२९	६५५२९	
९८	Cutting 2 m on both sides of the Lines for 1 km (4000 sq m), HT Bush Cutting	कि.मी.		९९०८	९००९९	९००९९	
९९	Cutting 1 m on both sides of the Lines for 1 km (2000 sq m), LT Bush Cutting	कि.मी.		३०३६	३३४०	३३४०	
१००	<b>High Tension Cable Assessoris</b>						
	Heat shrinkable end Cap	गोटा			२९३	२३४	
	Alignment Tie Pit end Cap	गोटा			४०४	४४४	
	Junction Sleeves MJPT 54-93 for XLPE	गोटा			९,७२७	९,९००	
	TNDC Insulated Connector	गोटा			९,२९५	९,४२४	
	TTDC Insulated Connector	गोटा			९,९३६	९,२४९	
	NTDC Insulated Connector	गोटा			९,०९४	९,९९५	
	Dead End Clamp for 100 sq mm, 11 kV XLPE	गोटा			९,९९९	९,२२२	
	Dead End Clamp for 50 sq mm, 11 kV XLPE	गोटा			९,०६२	९,९६८	
१०१	<b>कृषि संग सम्बन्धीत</b>						
	न्युटन वि. दुनीको २ तले मौरी घर (२० फेमको सेट)	गोटा	४२००	५०००	४५००	४५००	
	न्युटन वि. दुनीको २ तले मौरी घर (१६ फेमको सेट)	गोटा			३६००	३६००	


बासोसा  
अधिकारी


Handwritten signatures and names at the bottom of the page, including "Bhatnagar" and "Prasad".

क.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्विकृत दर रेट	कैफियत
	न्युटन वि. उत्तिस वा अन्यको २ तले मौरी घर (२० फेमको सेट)	गोटा	३४००	३५००	३५००	३५००	
	दुनीको फेममा आंफ को न्युटन वी दूई तले घर (२० फेमको सेटको )	गोटा	३४५०	३५५०	३५५०	३५५०	
	५ फ्रेम मौरी गोला रानी सहित	गोटा	३६००	३७००	३५००	३५००	
	आधार चाका १ केजीको	गोटा	१३००	१३००	१२००	१२००	
	विभेल (टोपी) ठुलो साइज	गोटा	६००	६००	६००	६००	
	विभेल (टोपी) सानो साइज	गोटा	५५०	५५०	५५०	५५०	
	पंजा कपडाको	एक जोडी	५००	५००	५००	५००	
	पंजा प्लास्टिकको बाक्लो	एक जोडी	३५०	३५०	३५०	३५०	
	पंजा प्लास्टिकको पातलो	गोटा	२००	२००	२००	२००	
	मौरी स्टेण्ड ५ केजीको	गोटा	५००	५००	५५०	५५०	
	मौरी स्टेण्ड ३ केजीको	गोटा	३५०	३५०	३८५	३८५	
	हाइप टुल	गोटा	१५०	१५०	१६५	१६५	
	मौरी उठाउने/ छोप्ने भोला (स्वाम वेग)	गोटा	६००	६००	६००	६००	
	महदानी (सेराना ) ठुलो (स्टिलको)	गोटा	१००००	१००००	११०००	११०००	
	महदानी (सेराना ) सानो (टिनको)	गोटा	७५००	७५००	७५००	७५००	
	महदानी (जस्तापाताको)	गोटा	९०००	९०००	९०००	९०००	
	सेराना आधार चाका प्रेस	गोटा	८०००	८०००	८०००	८०००	
	सेराना आधार चाका रोलर मेशिन	गोटा	९००००	९००००	९९०००	९९०००	
	धुवादानी (स्टील)	गोटा	२०००	२०००	२०००	२०००	
	धुवादानी (टीन)	गोटा	१०००	१०००	१०००	१०००	
	मौरीको स्टिकर (लेखाई)	गोटा	३०	३०	३०	३०	
	मौरी खाली घर ढुवानी (कच्ची सडक)	प्रति कि.मी.	७	७	७	७	
	मौरी खाली घर ढुवानी (पक्की सडक)	प्रति कि.मी.	६	६	६	६	
	मौरी गोला सहित घर पेकिड.	गोटा	१००	१००	१००	१००	
	आधार चाका बनाउने सिमेन्ट साचो	गोटा	६०००	६०००	६६००	६६००	
	स्वीन गेट	गोटा	१००	१००	१००	१००	
	स्वीन केज	गोटा	१००	१००	१००	१००	
	स्वीन एक्सलेडर	गोटा	१०००	१०००	१०००	१०००	
	हाइभ टुल	गोटा	५००	५००	५००	५००	
१०२	पशु सेवा						
	मठ (सि.ओ धी र फोर)	गाना	२/-	३	२	२	
	जै बिज	के.जी	६०/-	८०	९०	९०	
	वार्षिक बिज	के.जी	३००/-	३००	३३०	३३०	
	भेंच	के.जी	१२०/-	१२०	१५०	१५०	
	बाजरा /सुडान	के.जी	१३०/-	१३०	१५०	१५०	
	टियोसेन्टी	के.जी	१३०/-	१३०	१३०	१३०	
	पाल्पा स्टार्डलो	के.जी	१२००	१२००	१३२०	१३२०	
	मोलासेस	के.जी	३००/-	३००	३००	३००	
	डालेघांसका विरुवाहरु	गोटा	१०/-	१०	१०	१०	
	भटे	के.जी	३००/-	३००	३००	३००	
	ग्लाईसीन	के.जी	२००/-	२००	२००	२००	
	वटरफ्लाई पि	के.जी	२००/-	२००	२००	२००	
	ईपिल ईपिल	के.जी	२००/-	२००	२००	२००	
	डिस्मोडियम	के.जी	२००/-	२००	२००	२००	
	मोलाटो ,पास्पालम	स्लिप	१/-	१	१	१	
	सम्बासेटारिया	स्लिप	१/-	१	१	१	
	किम्बु पोलीपट	गोटा	१०/-	१०	१०	१०	
	किम्बु कटीङ्ग	गोटा			७	७	
	राई खानियोको बिरुवा	गोटा	७/-	२०	२०	२०	
	सि ओ ५१	गोटा	५/-	५	५	५	








बन्धु प्रसाद बास्तोला  
 प्रमुख जिल्ला अधिकारी

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्वीकृत दर रेट	कैफियत
१०३	बन						
	रुख कटान गर्ने						
	समथर जमिनमा	घ.फि.	१३.२	१४.५	१४.५	१५.९५	
	सामान्य भिरालो जमिनमा	घ.फि.	१९.८	२२	२२	२४.२	
	भिरालोमा	घ.फि.	२४.२	२६.५	२६.५	२९.१५	
	सेक्सनिङ गर्ने	घ.फि.	८.८	९.५	९.५	१०.४५	
	बोक्रा हटाउने	घ.फि.	५.५	६	६	६.६	
	रिङ्ग काट्ने	घ.फि.				१२.५	
	नापी तथा नम्बरिङ गर्ने	घ.फि.	३.३	३.५	३.५	३.८५	
	जङ्गल पार्किङ गर्ने	घ.फि.				५०	
	गोलिया काठ लोडिङ गर्ने	घ.फि.	१९.८	२१.५	२१.५	२३.६५	
	गोलिया काठ अनलोडिङ गर्ने	घ.फि.	१३.२	१४.५	१४.५	१५.९५	
	पाईलिङ गर्ने	घ.फि.	११	१२	१२	१३.२	
	दुबानी ५ कि.मी. सम्म	घ.फि.	३३	३६	३६	३९.६	
	दुबानी ५ किमी भन्दा बढी	घ.फि.			४	४.४	
	दाउरा कटान मुछान गर्ने	चट्टा	२७५०	३०२५	३०२५	३३२७.५	
	यार्डिङ गर्ने (20x5x5 फिट साईज)	चट्टा	१६५०	१८१५	१८१५	१९९६.५	
	लोडिङ गर्ने	चट्टा	१६५०	१८१५	१८१५	१९९६.५	
	अनलोडिङ गर्ने	चट्टा	९९०	१०८९	१०८९	११९७.९	
	दुबानी ३ कि.मि. सम्म	चट्टा		२६६२	२६६२	६०००	
	दुबानी ३ कि.मि. भन्दा बढी ५ कि.मि सम्म	चट्टा			०	९०००	
	घाटगद्दी गर्ने	चट्टा	३९	४२.९	०	०	
	चट्टा निर्माण	चट्टा	११००	१२१०	१२१०	१३३१	
	जडिबुटी तथा गैरकाष्ठ बन पैदावारको संकलन खर्च						
	तेजपात संकलन	के.जी.		२५	२५	२७.५	
	दालचिनी बोक्रा संकलन	के.जी.		३५	३५	३८.५	
	गिठी तथा काउलो बोक्रा संकलन	के.जी.		३०	३०	३३	
	चुत्रो बोक्रा संकलन	के.जी.		३०	३०	३३	
१०४	विरुवा						
	बोधिचित्त अगरउड समेतका बहुमुल्य प्रजातीका बहुवर्षी विरुवा	गोटा		५००	५००	५००	
	रुद्राक्ष तथा श्रीखण्ड विरुवा	गोटा		२५०	२५०	२५०	
	कुरीलो विरुवा	गोटा		२५	२५	२५	
	गुर्जो विरुवा	गोटा		१५	१५	१५	
	किम्बु विरुवा पोलिथिन	गोटा		१५	१५	१५	
	टिमुर विरुवा थैला	गोटा	४५	५०	५०	५५	
	तेजपात विरुवा थैला बहुवर्षी	गोटा	१७	२५	२५	३०	
	किवी विरुवा, ग्राफ्टेड, बहुवर्षीय	गोटा				३५०	
	एभोकाडो विरुवा कलमी, बहुवर्षीय	गोटा				५००	
	अलैची विरुवा, बहुवर्षीय	गोटा				२०	
	लिबाँस विरुवा राईजोम	गोटा				१५०	
	दूलो निगालो विरुवा राईजोम	गोटा				१००	
	विरुवा दुबानी	गोटा				५	
	सुरक्षित साथ जिल्लाभित्र पोलिव्यागको विरुवा दुबानी	गोटा				५	
	सुरक्षित साथ जिल्ला बाहिरबाट पोलिव्याग विरुवा/बाँस विरुवा दुबानी	गोटा/प्रति कि.मी				०.०५	


 वास्तुशास्त्र विभाग, काठमाडौं

क.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्विकृत दर रेट	कैफियत
	सुरक्षित साथ जिल्ला बाहिरवाट विरुवा ढुवानी (भ्याउ सहित जुटको बोरोमा प्याकेजिङ्ग भएको कलमी)	गोटा/प्रति कि.मी				०.०१	
	विरुवा प्याकेजिङ्ग (भ्याउ सहित जुटको बोरोमा प्याकेजिङ्ग)	गोटा				मुल्यको १० प्रतिशत	
	थैलाको विरुवा गाडीमा लोडिङ्ग	गोटा				१	
	थैलाको विरुवा अनलोडिङ्ग	गोटा				१	
	गोठेमल	के.जी.		५	५	५	
	अधिसो (जरा समेत)	गोटा	७	७	७	७	
	नेपियर सेट	गोटा	३	३	३	३	
	बाँस राइजोम सहित	गोटा	१३८	२५०	३००	३००	
	बासको कलमी विरुवा एक वर्ष भन्दा माथि	गोटा			२००	२५०	
	पोलियिन टयुब (२०० गेज)	के.जी.	३००	३००	३५०	३५०	
	वैस	गोटा			५०	५०	
	एभाकाडो	गोटा			२००	२००	
१०५	<b>Fruit Seedling</b>						
	अमरपाली २ वर्षे कलमी	गोटा			२००	२००	
	अन्य औप	गोटा			१५०	१५०	
	कागती २ वर्षे कलमी	गोटा			११५	११५	
	लिचि २ वर्षे कलमी	गोटा			१०५	१०५	
	अम्बा २ वर्षे	गोटा			१००	१००	
	कटहर २ वर्षे	गोटा			१००	१००	
१०६	<b>बासको विजु विरुवा</b>						
	एक वर्षे	गोटा			२१	२१	
	दुई वर्षे	गोटा			४१	४१	
	निगालो (जरा सहित)	गोटा	१०	१०	१०	१०	
	बाँस	गोटा	१२५	१७५	१७५	१७५	
	तेजपात विरुवा (पोलियिन)	गोटा	१७	२५	२५	२५	
	टिमुर विरुवा (थैली)	गोटा	४५	४५	०	०	
	चिउरी लगायत जडिबुटी विरुवा	गोटा	२५	२५	२५	२५	
	बाँसको कटिड विरुवा	गोटा	१२५	१२५	१२५	१२५	
	लौठ सल्ला विरुवा	गोटा	३५	३५	३५	३५	
	ओखर विरुवा	गोटा	१२५	१२५	१२५	१२५	
	कपुर विरुवा	गोटा	२०	२५	२५	२५	
	लप्पी विरुवा	गोटा	२५	२५	२५	२५	
	चिराइतो विरुवा	गोटा	६	६	६	६	
	धुपी विरुवा	गोटा	१७	१७	१७	१७	
	खर	मूठा	११	११	११	११	
	कफी	गोटा	१५	१५	१५	१५	
	लहरे पिपल	गोटा	१५	१५	१५	१५	
	बहुवर्षिय विरुवा खरिद सौन्दर्य प्रजाति (निजी नर्सरी बाट)	गोटा	५००	५००	५००	५००	
१०७	<b>विविध</b>						
	डोरी नरिवल	के.जी.	१५०	१५०	१५०	१५०	
	दाउरा	के.जी.	१०	१०	१०	१०	
	खाली जुट बोरा: नयाँ ठूलो	गोटा	११	११	११	११	
	खाली जुट बोरा: पुरानो	गोटा	२५	२५	२५	२५	
	सिमेटको खाली बोरा	गोटा	१०	१०	१०	१०	

Bhattarai

Sharma

21/7/21

Sharma

Sharma

पाल्पा जिल्ला अर्थिक

क.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्विकृत दर रेट	कैफियत
	१२' x १२' प्लाष्टिक त्रिपाल	गोटा	६४०	६४०	६४०	६४०	
	पोलिथिन सीट (५००गेज)	र.मी.	१३	१३	१३	१३	
१०७	ट्रान्सप्यारेन्ट सीट						
	०.६ मी.मी मोटाई	व.मी	६३५	६३५	६३५	६३५	
	०.८ मी.मी मोटाई	व.मी	७८५	७८५	७८५	७८५	
	१.२ मी.मी मोटाई	व.मी	१००१	१००१	१००१	१००१	
	१.२ मी.मी मोटाई	गोटा	१५७०	१५७०	१५७०	१५७०	
१०८	६' x ३' बाँसको मान्द्रो	गोटा	४२५	४२५	४२५	४२५	
१०९	नाइलनको डोरी	के.जी.	१२०	१२०	१२०	१२०	
११०	६० से.मी. म्यानहोल कभर	गोटा	२०००	२०००	२०००	२०००	
१११	पर्दा सम्बन्धी						
	पर्दाको पाइप(आल्मुनियम)	र.मी	८४	८४	८४	८४	
	पर्दाको पाइप(स्पेशल प्लाष्टिक कोटेड)	र.मी	११५	११५	११५	११५	
	इन्ड क्याप(आल्मुनियम)	गोटा	२१	२१	२१	२१	
	इन्डक्याप(स्पेशल प्लाष्टिक कोटेड)	गोटा	२९	२९	२९	२९	
	हुक(१०० पिसको प्याकेट)	प्याकेट	१८५	१८५	१८५	१८५	
११२	प्लाष्टिक पोखरीको लागि						
	४५ जी.एस.एम.	व.मी.	५०	५०	५०	५०	
	७० जी.एस.एम.	व.मी.	६०	६०	६०	६०	
	९० जी.एस.एम.	व.मी.	६८	६८	६८	६८	
	१२० जी.एस.एम.	व.मी.	८९	८९	८९	८९	
	१५० जी.एस.एम.	व.मी.	१३६	१३६	१३६	१३६	
	२०० जी.एस.एम.	व.मी.	१८८	१८८	१८८	१८८	
११३	३ मी.मी. बाक्लो UPVC सिटले छाना छाउने						
	३ मी.मी. बाक्लो UPVC सिट( छाना छाउने )	व.मी.	१४२८	१४२८	१४२८	१४२८	
	३ मी.मी. बाक्लो UPVC सिट(धुटी छाउने ) 2' x 3' 5"	र.मी.	१३८०	१३८०	१३८०	१३८०	
११४	जे हुक	गोटा	८	८	८	८	
११५	क्लीप	गोटा	९	९	९	९	
	३ " किल्ला	गोटा	१३	१३	१३	१३	
	२.५ " किल्ला	गोटा	१२	१२	१२	१२	
	२.० " किल्ला	गोटा	१४	१४	१४	१४	
	१.५ " किल्ला	गोटा	१४	१४	१४	१४	
	१.० " किल्ला	गोटा	१२	१२	१२	१२	
११६	UPVC Door/Windows						
	Upvc sliding windows having frame (80/50mm), window sash (38/62mm), 2.5mm wall thk inside 1.5mm galvanized reinforcement with 5mm clear normal glass and using EPDM rubber gasket including the cost of materials,labour and fitting all complete.	Sq.Ft	६५०	५८५	५८५	५८५	
	Upvc sliding windows having frame (60/58mm), window sash 104/60mm door panel 20x200mm inside 1.5mm galvanized reinforcement including the cost of materials, labour and fitting all complete.	Sq.Ft	७५०	६७५	६७५	६७५	
	Upvc sliding windows having frame (88/25mm), window sash (42/62mm), 2.5mm wall thk inside 1.5mm galvanized reinforcement with 5mm clear normal glass and using EPDM rubber gasket including the cost of materials,labour and fitting all complete.	Sq.Ft	६७५	६०८	६०८	६०८	

*Blattara*

*AKS*

*2/11/21*



*शान्ति*

बन्धु प्रजाद बास्कोला  
मुख जिल्ला अधिकारी

क.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्विकृत दर रेट	कैफियत
	UPVC sliding windows having frame (88/52mm), window sash (42/67mm), 2.5mm wall thickness inside 1.5 mm galvanized reinforcement with 5mm clear normal glass and using EPDM rubber gasket including the cost of material , labor and fitting all complete.	Sq.Ft				५८४	
	UPVC sliding windows having frame (80/50mm), window sash (38/57mm), inside 1.5 mm galvanized reinforcement with 5mm clear normal glass including the cost of material , labor and fitting all complete.	Sq.Ft				५८४	
	UPVC fix having frame (69/58mm)inside 1.5mm galvanized reinforcement with 5mm clear normal glass including cost of material,labor&fitting all complete.	Sq.Ft				५४९	
	UPVC door having frame (60/58), door sash 104/60 mm door panel 20*150 mm, inside 1.5mm galvanized reinforcement including the cost of material labor & fittings all complete	Sq.Ft				८१४	
११७	रेडिमेड भ्याल, ढोका र पार्टिसन, सिनीङ तथा छानाहरु						
	<b>IRON DOOR/WINDOWS/VENTILATION</b>						
	Powder Coated Iron Door/Window/Ventilation Frame of Size 100mmX50mm with 1.6mm thick moulded Iron Sheet Incuding Holdfast,hing etc.	R.ft		२७०	२७०	२७०	
	Powder Coated Iron Door/Window/Ventilation Glaze Shutter of Size 70mmX25mm with 1mm thick moulded Iron Sheet Incuding 4mm plain glass and accessories and fitting all complete .	Sq.Ft		६१०	६१०	६१०	
	Powder Coated Iron Door/Window/Ventilation Glaze Shutter of Size 70mmX25mm with 1mm thick moulded Iron Sheet Incuding 4mm plain glass and accessories and fitting all complete (Single batten added)	Sq.Ft		६५०	६५०	६५०	
	Powder Coated Almunium Window/Ventilation Frame of Size 38mmX20mm and fitting all complete	Sq.Ft		४२५	४२५	४२५	
११८	<b>Readymade Fiber Door</b>						
	Fiber Singel Simple panel	Sq.Ft		७०८	७०८	७०८	
	Fiber dauble simply designed panel	Sq.Ft		७९६	७९६	७९६	
	Fiber dauble designed panel	Sq.Ft		११९५	११९५	११९५	
	28mm fiber lamination board	Sq.Ft		३१०	३१०	३१०	
११९	<b>Puff Panel (Roofing Panel)</b>						
	38mm thick panel	Sq.Ft		१९९	१९९	१९९	
	40mm thick panel	Sq.Ft		२१७	२१७	२१७	
	75mm thick panel	Sq.Ft		२७०	२७०	२७०	
१२०	<b>Puff Panel (Wall Panel)</b>						
	30mm thick panel	Sq.Ft		१६८	१६८	१६८	
	40mm thick panel	Sq.Ft		१९०	१९०	१९०	
	50mm thick panel	Sq.Ft		२०८	२०८	२०८	
	65mm thick panel	Sq.Ft		२३५	२३५	२३५	
	75mm thick panel	Sq.Ft		२५२	२५२	२५२	
१२१	<b>Readymade RCC door, Window &amp; arc frames</b>						







  
 बन्धु प्रसिद्ध बास्तोला  
 सख जिल्ला अधिकारी

क.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्वीकृत दर रेट	आ.व. ०७८/७९ को स्वीकृत दर रेट	आ.व. ०७९/८० को स्वीकृत दर रेट	आ.व. २०८०/८१ को स्वीकृत दर रेट	कैफियत
	Readymade RCC door, Window & frames of section 4"x2.75x with concrete mix desigine of 1:1:1 proportion and 2 Nos of 7mm diameter rebar incuding arrangement of necessary holes and safety plates all complete	R.ft		२३६	२३६	२३६	
	Readymade RCC Ventilation of section 4"x2.75x with concrete mix desigine of 1:1:1 proportion and 2 Nos of 7mm diameter rebar incuding arrangement of necessary holes and safety plates all complete	R.ft		२३६	२३६	२३६	
	Readymade RCC Doors & Window Arc Frame (Semi Circular) of section 4"x2.75x with concrete mix desigine of 1:1:1 proportion and 2 Nos of 7mm diameter rebar incuding arrangement of necessary holes and safety plates all complete	R.ft		४७५	४७५	४७५	
१२२	<b>Ceilings Works</b>						
	Providing and fixing of PVC ceiling/wall with 8mm thick panels including all necessary support fixtures.	Sq.Ft				२२५	
	Providing and fixing Gypsum Board including all necessary support fixtures.	Sq.Ft				१३५	
१२३	<b>Roofing Works</b>						
	Corrugated/Plain Fiber Glass Sheet						
	0.8mm thick plain	प्रति.व.फि.		११५	११५	११५	
	0.8mm thick corrugated	प्रति.व.फि.		१२७	१२७	१२७	
१२४	<b>स्टेनलेस स्टील रेलीड.</b>						
	४ लाईन ( २ इन्च माथिल्लो र १ इन्च तल्लो पाईप )	र.मी.	३२८०	३२८०	३६०८	३६०८	
	३ लाईन ( २ इन्च माथिल्लो र १ इन्च तल्लो पाईप )	र.मी.	२९५२	२९५२	३२४७	३२४७	
	३ लाईन ( १.५ इन्च माथिल्लो र १ इन्च तल्लो पाईप )	र.मी.	२७८८	२७८८	३०६७	३०६७	
	स्टेनलेस स्टील पाईप (२ इन्च)	र.मी.	४५०	४५०	४९५	४९५	
	स्टेनलेस स्टील पाईप (१.५ इन्च)	र.मी.	३५०	३५०	३८५	३८५	
	स्टेनलेस स्टील पाईप (१ इन्च)	र.मी.	२५०	२५०	२७५	२७५	
१२५	<b>कम्पोजीट प्यानल</b>						
	४ मी.मी. कम्पोजीट प्यानल	व. मी.	१६२८	१६२८	१६२८	१६२८	
	३ मी.मी. कम्पोजीट प्यानल	व. मी.	१२५०	१२५०	१२५०	१२५०	
	२.५ मी.मी. कम्पोजीट प्यानल	व. मी.	१०४०	१०४०	१०४०	१०४०	
१२६	<b>Water proofing Treatment</b>						
	Zentrifix-elastic of MC-Bauchemie or equivalent or superior	के.जी.	७३५	७३५	७३५	७३५	
	Dichtament DS mixed with Nafufill BB2 or Nafufill SBR of MC-Bauchemie or equivalent or superior	के.जी.	६३०	६३०	६३०	६३०	
	Dichtament DS2 of MC-Bauchemie or equivalent or superior	के.जी.	६३०	६३०	६३०	६३०	
	Roofex 200 the product of MC-bauchemie or equivalent or superior	के.जी.	११५५	११५५	११५५	११५५	
	MC-special DM of MC -Bauchemie or equivalent or superior	के.जी.	५३	५३	५३	५३	
१२७	<b>Water Repellent Coating</b>						
१२८	Nisiwa-SH or MC-bauchemie or equivalent or superior	के.जी.	३१५	३१५	३१५	३१५	
१२९	<b>Structural Strengthening and retrofitting Works</b>						

सु. ०१/११/२०

*Shafiq*

*27/12*

*27/12*

बन्नु प्रसाद वास्तोला  
पाख जिल्ला अधिकारी



क.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्विकृत दर रेट	कैफियत
	FYFE wrap carbon fiber	व.फी.	१७३३	१७३३	१७३३	१७३३	
१३०	<b>Cementious Injection</b>						
	MC-Bauchemie Centricrete or equivalent or superior	के.जी.	३००	३००	३००	३००	
१३१	<b>Epoxy Injection</b>						
	MC Bauchemie or equivalent or superior	के.जी.	८४५३	८४५३	८४५३	८४५३	
१३२	<b>PU Injection</b>						
	MC Bauchemie MC Injekt 2300 NV or equivalent or superior	के.जी.	११९४९	११९४९	११९४९	११९४९	
	MC Bauchemie MC Injekt 2700 NV or equivalent or superior	के.जी.	११९४९	११९४९	११९४९	११९४९	
	MC Bauchemie MC Injekt 2300 plus (Resin+Hardneer or equivalent or superior)	के.जी.	११९४९	११९४९	११९४९	११९४९	
१३३	<b>Concrete Admixture</b>						
	MC Zentrment F BV -high early strength super	के.जी.	१२०	१२०	१२०	१२०	
	MC Zentrment Super BV -Super plasticizer ar	के.जी.	१२०	१२०	१२०	१२०	
	MC Powerflow 2239-high range water reducer	के.जी.	३८०	३८०	३८०	३८०	
१३४	<b>Water Proofing Membrane</b>						
	Hi-Tuff TPO Membrane (1.5 mm thickness) of L	के.जी.	८८०	८८०	८८०	८८०	
१३५	<b>CPVC Pipe and fittings PLUMBING SYSTEM</b>						
	CPVC PIPE SDR -11						
	15mm dia	र.मी.	१३१	१३५	१३५	१४९	
	20mm dia	र.मी.	२०४	२१०	२१०	२३१	
	25mm dia	र.मी.	२९९	३१०	३१०	३४१	
	32mm dia	र.मी.	४४४	४५०	४५०	४९५	
	40mm dia	र.मी.	६३१	६३५	६३५	६९९	
	50mm dia	र.मी.	१०६४	१०७५	१०७५	११८३	
	Ball Valve(normal)						
	15mm dia	गोटा	२२१	२३०	२३०	२३०	
	20mm dia	गोटा	३४१	३५०	३५०	३५०	
	25mm dia	गोटा	५६०	५८०	५८०	५८०	
	32mm dia	गोटा	९९४	१०००	१०००	१०००	
	40mm dia	गोटा	१६६०	१६७५	१६७५	१६७५	
	50mm dia	गोटा	२४६०	२४७०	२४७०	२४७०	
	step over bend						
	15mm dia	गोटा	१०४	११०	११०	११०	
	20mm dia	गोटा	१५०	१६०	१६०	१६०	
	25mm dia	गोटा	२९४	३००	३००	३००	
	Elbow 90°						
	15mm dia	गोटा	१७	१८	१८	१८	
	20mm dia	गोटा	३१	३५	३५	३५	
	25mm dia	गोटा	५८	६०	६०	६०	
	32mm dia	गोटा	११७	१२०	१२०	१२०	
	40mm dia	गोटा	१६९	१७५	१७५	१७५	
	50mm dia	गोटा	३७२	३८०	३८०	३८०	
	Elbow 45°						
	15mm dia	गोटा	२२	२३	२३	२३	
	20mm dia	गोटा	३२	३४	३४	३४	
	25mm dia	गोटा	५१	५५	५५	५५	
	32mm dia	गोटा	८९	९५	९५	९५	
	40mm dia	गोटा	२०८	२१०	२१०	२१०	
	50mm dia	गोटा	४७९	४८५	४८५	४८५	

सुभा शर्मा

Bhattarai

AMS

27/7

31/10/20

प्रसाद बास्कोसा  
जिल्ला अधिकारी

क.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्विकृत दर रेट	कीफियत
	coupler (socket)						
	15mm dia	गोटा	१३	१३	१३	१३	
	20mm dia	गोटा	२२	२२	२२	२२	
	25mm dia	गोटा	३८	३८	३८	३८	
	32mm dia	गोटा	७६	७६	७६	७६	
	40mm dia	गोटा	१२३	१२३	१२३	१२३	
	50mm dia	गोटा	२६०	२६०	२६०	२६०	
	Equal Tee						
	15mm dia	गोटा	२१	२१	२१	२१	
	20mm dia	गोटा	४३	४३	४३	४३	
	25mm dia	गोटा	७४	७४	७४	७४	
	32mm dia	गोटा	१५५	१५५	१५५	१५५	
	40mm dia	गोटा	२३३	२३३	२३३	२३३	
	50mm dia	गोटा	५०४	५०४	५०४	५०४	
	Cross Tee						
	15mm dia	गोटा	५४	५४	५४	५४	
	20mm dia	गोटा	१०२	१०२	१०२	१०२	
	25mm dia	गोटा	१९६	१९६	१९६	१९६	
	Union						
	15mm dia	गोटा	१३३	१३३	१३३	१३३	
	20mm dia	गोटा	२०९	२०९	२०९	२०९	
	25mm dia	गोटा	२४८	२४८	२४८	२४८	
	32mm dia	गोटा	३६४	३६४	३६४	३६४	
	40mm dia	गोटा	५२०	५२०	५२०	५२०	
	50mm dia	गोटा	८५३	८५३	८५३	८५३	
	End cap						
	15mm dia	गोटा	१३	१३	१३	१३	
	20mm dia	गोटा	२०	२०	२०	२०	
	25mm dia	गोटा	३०	३०	३०	३०	
	32mm dia	गोटा	५१	५१	५१	५१	
	40mm dia	गोटा	८३	८३	८३	८३	
	50mm dia	गोटा	१५०	१५०	१५०	१५०	
	SINGLE UNION COMPACT BALL VALVE						
	15mm dia	गोटा	२१७	२१७	२१७	२१७	
	20mm dia	गोटा	३६६	३६६	३६६	३६६	
	25mm dia	गोटा	६१८	६१८	६१८	६१८	
	32mm dia	गोटा	१०५२	१०५२	१०५२	१०५२	
	40mm dia	गोटा	१७७१	१७७१	१७७१	१७७१	
	50mm dia	गोटा	२६२४	२६२४	२६२४	२६२४	
	MALE THREADED ADAPTER BRASS						
	15mm dia	गोटा	२०१	२०१	२०१	२०१	
	20mm dia	गोटा	२७७	२७७	२७७	२७७	
	25mm dia	गोटा	४८३	४८३	४८३	४८३	
	32mm dia	गोटा	१०६६	१०६६	१०६६	१०६६	
	40mm dia	गोटा	१३१०	१३१०	१३१०	१३१०	
	50mm dia	गोटा	२३४६	२३४६	२३४६	२३४६	
	FEMALE THREADED ADAPTER BRASS						
	15mm dia	गोटा	२०८	२०८	२०८	२०८	
	20mm dia	गोटा	२७८	२७८	२७८	२७८	
	25mm dia	गोटा	५०७	५०७	५०७	५०७	
	32mm dia	गोटा	९७०	९७०	९७०	९७०	

बन्धु प्रसाद बास्तोला


Bhattacharya


20/11/20

20/11/20

बन्धु प्रसाद बास्तोला  
जिल्ला अधिकारी

क.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्विकृत दर रेट	कैफियत
	40mm dia	गोटा	१२०७	१२०७	१२०७	१२०७	
	50mm dia	गोटा	१९६४	१९६४	१९६४	१९६४	
	FEMALE THREADED ELBOW BRASS						
	1/2*1/2	गोटा	१०३	१०३	१०३	१०३	
	3/4*3/4	गोटा	१५०	१५०	१५०	१५०	
	3/4*1/2	गोटा	१०६	१०६	१०६	१०६	
	1*1/2	गोटा	१६९	१६९	१६९	१६९	
	MALE THREADED ELBOW						
	20mm dia x 1/2	गोटा	१७५	१७५	१७५	१७५	
	25mm dia X 1/2	गोटा	१८६	१८६	१८६	१८६	
	25mm dia X 3/4	गोटा	२१८	२१८	२१८	२१८	
	32mm dia X 1/2	गोटा	३५२	३५२	३५२	३५२	
	32mm dia X 3/4	गोटा	२७०	२७०	२७०	२७०	
	32mm dia X 1	गोटा	४९४	४९४	४९४	४९४	
	FEMALE THREADED TEE						
	20mm dia x 1/2	गोटा	१३४	१३४	१३४	१३४	
	25mm dia X 1/2	गोटा	१५६	१५६	१५६	१५६	
	25mm dia X 3/4	गोटा	१९९	१९९	१९९	१९९	
	32mm dia X 1/2	गोटा	२३०	२३०	२३०	२३०	
	32mm dia X 3/4	गोटा	२५३	२५३	२५३	२५३	
	32mm dia X 1	गोटा	४०२	४०२	४०२	४०२	
	MALE THREADED TEE						
	20mm dia x 1/2	गोटा	१८१	१८१	१८१	१८१	
	25mm dia X 1/2	गोटा	१८१	१८१	१८१	१८१	
	25mm dia X 3/4	गोटा	२२२	२२२	२२२	२२२	
	32mm dia X 1/2	गोटा	२७७	२७७	२७७	२७७	
	32mm dia X 3/4	गोटा	२८४	२८४	२८४	२८४	
	32mm dia X 1	गोटा	५०८	५०८	५०८	५०८	
	FEMALE THREADED,ELBOW,WITHDISK						
	20mm dia x 1/2	गोटा	१८६	१८६	१८६	१८६	
	25mm dia X 1/2	गोटा	२३८	२३८	२३८	२३८	
	25mm dia X 3/4	गोटा	२७४	२७४	२७४	२७४	
	MALE THREADED,ELBOW,WITHDISK						
	20mm dia x 1/2	गोटा	१४९	१४९	१४९	१४९	
	25mm dia X 1/2	गोटा	२५०	२५०	२५०	२५०	
	25mm dia X 3/4	गोटा	३०५	३०५	३०५	३०५	
	MALE UNION						
	20mm dia x 1/2	गोटा	३०६	३०६	३०६	३०६	
	25mm dia X 1/2	गोटा	४४३	४४३	४४३	४४३	
	REDUCTION coupler						
	3/4*1/2	गोटा	२५	२५	२५	२५	
	1*1/2	गोटा	३५	३५	३५	३५	
	1*3/4	गोटा	३६	३६	३६	३६	
	1-1/4*1/2	गोटा	९६	९६	९६	९६	
	1-1/4*3/4	गोटा	९८	९८	९८	९८	
	1-1/4*1	गोटा	१०३	१०३	१०३	१०३	
	1-1/2*1/2	गोटा	११९	११९	११९	११९	
	1-1/2*3/4	गोटा	१३७	१३७	१३७	१३७	
	1-1*1/2	गोटा	१४३	१४३	१४३	१४३	
	1-1/2*1-1/4	गोटा	१५०	१५०	१५०	१५०	


  
 Bhattarai


  
 Basnet

बासनेत  
 जिल्ला अधिकारी

क.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्विकृत दर रेट	कैफियत
	2*3/4	गोटा	२६०	२६०	२६०	२६०	
	2*1	गोटा	२०८	२०८	२०८	२०८	
	2*1-1/4	गोटा	२३३	२३३	२३३	२३३	
	2*1-1/2	गोटा	२२९	२२९	२२९	२२९	
	REDUCTION TEE						
	3/4*1/2	गोटा	४५	४५	४५	४५	
	1*1/2	गोटा	६७	६७	६७	६७	
	1*3/4	गोटा	७३	७३	७३	७३	
	1-1/4*1/2	गोटा	१९२	१९२	१९२	१९२	
	1-1/4*3/4	गोटा	२०५	२०५	२०५	२०५	
	1-1/4*1	गोटा	१२१	१२१	१२१	१२१	
	1-1/2*1/2	गोटा	२९५	२९५	२९५	२९५	
	1-1/2*3/4	गोटा	३१४	३१४	३१४	३१४	
	1-1*1/2	गोटा	२११	२११	२११	२११	
	1-1/2*1-1/4	गोटा	२७०	२७०	२७०	२७०	
	2*3/4	गोटा	४१९	४१९	४१९	४१९	
	2*1	गोटा	४२४	४२४	४२४	४२४	
	2*1-1/4	गोटा	४५२	४५२	४५२	४५२	
	2*1-1/2	गोटा	४६२	४६२	४६२	४६२	
	REDUCING ELBOW						
	3/4*1/2	गोटा	४५	४५	४५	४५	
१३६	ITPF PPR 3 LAYER PLUMBING SYSTEM						
	PIPE ( PN 4/SDR 26 ) - 3 LAYER						
	40mm dia	र.मी.	९५	९५	१०५	११५	
	50mm dia	र.मी.	१३६	१३६	१५०	१६५	
	63mm dia	र.मी.	२१५	२१५	२३७	२६०	
	PIPE ( PN 6/SDR 17.6 ) - 3 LAYER						
	32mm dia	र.मी.	८२	८२	९०	९९	
	40mm dia	र.मी.	१२७	१२७	१४०	१५४	
	50mm dia	र.मी.	१९८	१९८	२१८	२४०	
	63mm dia	र.मी.	३०८	३०८	३३९	३७३	
	PIPE ( PN 10/SDR 11 ) - 3 LAYER						
	20mm dia	र.मी.	४८	४८	५३	५८	
	25mm dia	र.मी.	७४	७४	८१	९०	
	32mm dia	र.मी.	११८	११८	१३०	१४३	
	40mm dia	र.मी.	१८६	१८६	२०५	२२५	
	50mm dia	र.मी.	२८९	२८९	३१८	३५०	
	63mm dia	र.मी.	४८०	४८०	५२८	५८१	
	PIPE ( PN 16/SDR 7.4 ) - 3 LAYER						
	16mm dia	र.मी.	४४	४४	४८	५३	
	20mm dia	र.मी.	६६	६६	७३	८०	
	25mm dia	र.मी.	१०८	१०८	११९	१३१	
	32mm dia	र.मी.	१७३	१७३	१९०	२०९	
	40mm dia	र.मी.	२६९	२६९	२९६	३२५	
	50mm dia	र.मी.	४१९	४१९	४६१	५०७	
	63mm dia	र.मी.	६६०	६६०	७२६	७९९	
	PIPE ( PN 20/SDR 6 ) - 3 LAYER						
	16mm dia	र.मी.	४७	४७	५२	५७	
	20mm dia	र.मी.	८०	८०	८८	९७	
	25mm dia	र.मी.	१२५	१२५	१३८	१५१	
	32mm dia	र.मी.	२०३	२०३	२२३	२४६	

Sw. Bhattarai

2.7.17

9/11/17


प्रमुख प्रशासकीय अधिकारी  
जिल्ला बास्तोला

क.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्विकृत दर रेट	कैफियत
	40mm dia	र.मी.	३१४	३१४	३४५	३८०	
	50mm dia	र.मी.	४८७	४८७	५३६	५८९	
	63mm dia	र.मी.	७७३	७७३	८५०	९३५	
	Palstic Ball Valve						
	20mm dia	गोटा	१२१	१२१	१३३	१३३	
	25mm dia	गोटा	१७३	१७३	१९०	१९०	
	32mm dia	गोटा	२७५	२७५	३०३	३०३	
	40mm dia	गोटा	६६५	६६५	७३२	७३२	
	50mm dia	गोटा	८८९	८८९	९७८	९७८	
	63mm dia	गोटा	८४६	८४६	९३१	९३१	
	Stop Valve						
	20mm dia	गोटा	३१८	३१८	३५०	३५०	
	25mm dia	गोटा	४२२	४२२	४६४	४६४	
	32mm dia	गोटा	५०९	५०९	५६०	५६०	
	40mm dia	गोटा	८३६	८३६	९२०	९२०	
	50mm dia	गोटा	१२१७	१२१७	१३३९	१३३९	
	63mm dia	गोटा	१६२२	१६२२	१७८४	१७८४	
	Concealead Stop Valve						
	20mm dia	गोटा	८२२	८२२	९०४	९०४	
	25mm dia	गोटा	९१३	९१३	१००४	१००४	
	32mm dia	गोटा	१०६६	१०६६	११७३	११७३	
	Elbow 90°						
	20mm dia	गोटा	१४	१४	१५	१५	
	25mm dia	गोटा	२५	२५	२८	२८	
	32mm dia	गोटा	४४	४४	४८	४८	
	40mm dia	गोटा	९१	९१	१००	१००	
	50mm dia	गोटा	१५५	१५५	१७१	१७१	
	63mm dia	गोटा	३००	३००	३३०	३३०	
	Elbow 45°						
	20mm dia	गोटा	१७	१७	१९	१९	
	25mm dia	गोटा	२९	२९	३२	३२	
	32mm dia	गोटा	४२	४२	४६	४६	
	40mm dia	गोटा	८३	८३	९१	९१	
	50mm dia	गोटा	१४६	१४६	१६१	१६१	
	63mm dia	गोटा	२३६	२३६	२६०	२६०	
	Socket						
	20mm dia	गोटा	११	११	१२	१२	
	25mm dia	गोटा	१७	१७	१९	१९	
	32mm dia	गोटा	२६	२६	२९	२९	
	40mm dia	गोटा	५०	५०	५५	५५	
	50mm dia	गोटा	७९	७९	८७	८७	
	63mm dia	गोटा	१५०	१५०	१६५	१६५	
	Tee						
	20mm dia	गोटा	१७	१७	१९	१९	
	25mm dia	गोटा	३०	३०	३३	३३	
	32mm dia	गोटा	५३	५३	५८	५८	
	40mm dia	गोटा	१०८	१०८	११९	११९	
	50mm dia	गोटा	१७८	१७८	१९६	१९६	
	63mm dia	गोटा	३५०	३५०	३८५	३८५	
	Cross Tee						
	20mm dia	गोटा	३१	३१	३४	३४	

बन्धु प्रसाद मास्तीला  
प्रमुख अधिकारी

क.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्विकृत दर रेट	कैफियत
	25mm dia	गोटा	४३	४३	४७	४७	
	32mm dia	गोटा	७९	७९	८७	८७	
	Crossover						
	20mm dia	गोटा	९०	९०	९९	९९	
	25mm dia	गोटा	१२५	१२५	१३८	१३८	
	32mm dia	गोटा	१८४	१८४	२०२	२०२	
	Wall clamp						
	20mm dia	गोटा	१२	१२	१३	१३	
	25mm dia	गोटा	१४	१४	१५	१५	
	32mm dia	गोटा	१७	१७	१९	१९	
	40mm dia	गोटा	२३	२३	२५	२५	
	50mm dia	गोटा	३५	३५	३९	३९	
	63mm dia	गोटा	४४	४४	४८	४८	
	Union						
	20mm dia	गोटा	६२	६२	६८	६८	
	25mm dia	गोटा	११२	११२	१२३	१२३	
	32mm dia	गोटा	१७९	१७९	१९७	१९७	
	40mm dia	गोटा	३०७	३०७	३३८	३३८	
	50mm dia	गोटा	५०८	५०८	५५९	५५९	
	63mm dia	गोटा	६६४	६६४	७३०	७३०	
	Flange						
	40mm dia	गोटा	३२८	३२८	३६१	३६१	
	Shot Plug						
	20mm dia	गोटा	१०	१०	११	११	
	25mm dia	गोटा	१२	१२	१३	१३	
	32mm dia	गोटा	३२	३२	३५	३५	
	Long Plug						
	20mm dia	गोटा	१७	१७	१९	१९	
	Tank Nipple						
	20mm dia	गोटा	६६	६६	७३	७३	
	25mm dia	गोटा	१०६	१०६	११७	११७	
	32mm dia	गोटा	१२१	१२१	१३३	१३३	
	Rubber seal						
	6" width	र.मि.	१०००	१०००	११००	११००	
	9" width	र.मि.	८००	८००	८८०	८८०	
	FEMALE THREADED SOCKET						
	20mm dia x 1/2	गोटा	१२७	१२७	१४०	१४०	
	25mm dia X 1/2	गोटा	१४४	१४४	१५८	१५८	
	25mm dia X 3/4	गोटा	१६०	१६०	१७६	१७६	
	32mm dia X 1/2	गोटा	१५२	१५२	१६७	१६७	
	32mm dia X 3/4	गोटा	१६४	१६४	१८०	१८०	
	32mm dia X 1	गोटा	३५९	३५९	३९५	३९५	
	40mm dia X 1.25	गोटा	६१७	६१७	६७९	६७९	
	50mm dia X 3/4	गोटा	७९२	७९२	८७१	८७१	
	63mm dia X 2	गोटा	११७०	११७०	१२८७	१२८७	
	75mm dia X 2.5	गोटा	२३६८	२३६८	२६०५	२६०५	
	MALE THREADED SOCKET						
	20mm dia x 1/2	गोटा	१७०	१७०	१८७	१८७	
	25mm dia X 1/2	गोटा	१६४	१६४	१८०	१८०	
	25mm dia X 3/4	गोटा	२०६	२०६	२२७	२२७	
	32mm dia X 1/2	गोटा	२३४	२३४	२५७	२५७	


  
 Bhatnagar





बास्तीला  
 प्रमुख  
 जिल्ला  
 अधिकारी

क.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्विकृत दर रेट	कैफियत
	32mm dia X 3/4	गोटा	२४२	२४२	२६६	२६६	
	32mm dia X 1	गोटा	४६२	४६२	५०८	५०८	
	40mm dia X 1.25	गोटा	६९५	६९५	७६५	७६५	
	50mm dia X 3/4	गोटा	१०४५	१०४५	११५०	११५०	
	63mm dia X 2	गोटा	१५१३	१५१३	१६६४	१६६४	
	75mm dia X 2.5	गोटा	३६२८	३६२८	३९९१	३९९१	
	FEMALE THREADED ELBOW						
	20mm dia x 1/2	गोटा	१३१	१३१	१४४	१४४	
	25mm dia X 1/2	गोटा	१८६	१८६	२०५	२०५	
	25mm dia X 3/4	गोटा	१९४	१९४	२१३	२१३	
	32mm dia X 1/2	गोटा	२५४	२५४	२७९	२७९	
	32mm dia X 3/4	गोटा	२८७	२८७	३१६	३१६	
	32mm dia X 1	गोटा	३५८	३५८	३९४	३९४	
	MALE THREADED ELBOW						
	20mm dia x 1/2	गोटा	१७५	१७५	१९३	१९३	
	25mm dia X 1/2	गोटा	१८६	१८६	२०५	२०५	
	25mm dia X 3/4	गोटा	२१८	२१८	२४०	२४०	
	32mm dia X 1/2	गोटा	३५२	३५२	३८७	३८७	
	32mm dia X 3/4	गोटा	२७०	२७०	२९७	२९७	
	32mm dia X 1	गोटा	४९४	४९४	५४३	५४३	
	FEMALE THREADED TEE						
	20mm dia x 1/2	गोटा	१३४	१३४	१४७	१४७	
	25mm dia X 1/2	गोटा	१५६	१५६	१७२	१७२	
	25mm dia X 3/4	गोटा	१९९	१९९	२१९	२१९	
	32mm dia X 1/2	गोटा	२३०	२३०	२५३	२५३	
	32mm dia X 3/4	गोटा	२५३	२५३	२७८	२७८	
	32mm dia X 1	गोटा	४०२	४०२	४४२	४४२	
	MALE THREADED TEE						
	20mm dia x 1/2	गोटा	१८१	१८१	१९९	१९९	
	25mm dia X 1/2	गोटा	१८१	१८१	१९९	१९९	
	25mm dia X 3/4	गोटा	२२२	२२२	२४४	२४४	
	32mm dia X 1/2	गोटा	२७७	२७७	३०५	३०५	
	32mm dia X 3/4	गोटा	२८४	२८४	३१२	३१२	
	32mm dia X 1	गोटा	५०८	५०८	५५९	५५९	
	FEMALE THREADED, ELBOW, WITH DISK						
	20mm dia x 1/2	गोटा	१८६	१८६	२०५	२०५	
	25mm dia X 1/2	गोटा	२३८	२३८	२६२	२६२	
	25mm dia X 3/4	गोटा	२७४	२७४	३०१	३०१	
	MALE THREADED, ELBOW, WITH DISK						
	20mm dia x 1/2	गोटा	१४९	१४९	१६४	१६४	
	25mm dia X 1/2	गोटा	२५०	२५०	२७५	२७५	
	25mm dia X 3/4	गोटा	३०५	३०५	३३६	३३६	
	MALE UNION						
	20mm dia x 1/2	गोटा	३०६	३०६	३३७	३३७	
	25mm dia X 1/2	गोटा	४४३	४४३	४८७	४८७	
	REDUCTION SOCKET						
	25-20	गोटा	१९	१९	२१	२१	
	32-20	गोटा	२६	२६	२९	२९	
	32-25	गोटा	२८	२८	३१	३१	
	40-20	गोटा	४०	४०	४४	४४	
	40-25	गोटा	४४	४४	४८	४८	








  
 वन्दु प्रसाद बास्तीला
   
 मुख जिल्ला अधिकारी

क.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्विकृत दर रेट	कैफियत
	40-32	गोटा	५५	५५	६१	६१	
	50-20	गोटा	७१	७१	७८	७८	
	50-25	गोटा	७८	७८	८६	८६	
	50-32	गोटा	८२	८२	९०	९०	
	50-40	गोटा	९७	९७	१०७	१०७	
	63-25	गोटा	१४४	१४४	१५८	१५८	
	63-32	गोटा	१४९	१४९	१६४	१६४	
	63-40	गोटा	१५०	१५०	१६५	१६५	
	63-50	गोटा	१५४	१५४	१६९	१६९	
	REDUCTION TEE						
	25*20*25	गोटा	३४	३४	३७	३७	
	32*20*32	गोटा	५३	५३	५८	५८	
	32*25*32	गोटा	५९	५९	६५	६५	
	40*20*40	गोटा	८३	८३	९१	९१	
	40*25*40	गोटा	९०	९०	९९	९९	
	40*32*40	गोटा	९५	९५	१०५	१०५	
	50*20*50	गोटा					
	50*25*50	गोटा	१८८	१८८	२०७	२०७	
	50*32*50	गोटा	१९३	१९३	२१२	२१२	
	50*40*50	गोटा	२०५	२०५	२२६	२२६	
	63*25*63	गोटा	२४६	२४६	२७१	२७१	
	63*32*63	गोटा	२४७	२४७	२७२	२७२	
	63*40*63	गोटा	२५०	२५०	२७५	२७५	
	63*50*63	गोटा	२७४	२७४	३०१	३०१	
	REDUCING ELBOW						
	25-20	गोटा	२६	२६	२९	२९	
	32-20	गोटा	४०	४०	४४	४४	
	32-25	गोटा	५०	५०	५५	५५	
	40-32	गोटा	१२६	१२६	१३९	१३९	
	50-40	गोटा	१४०	१४०	१५४	१५४	
१३७	<b>Aluminum</b> ढोका तथा भ्याल						
	<b>Aluminium Sliding Window without ventilation</b> with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass and steel net including materials and labour and fixing and fitting all complete (Size >30 Sq. ft)	व.मी	5800	५८००	६३८०	७०१८	
	<b>Aluminium Sliding Window with fixed ventilation</b> with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass and steel net including materials and labour and fixing and fitting all complete (Size >30 Sq. ft)	व.मी	6100	६१००	६७१०	७३८१	
	<b>Aluminium Sliding Window with sliding ventilation</b> with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass and steel net including materials and labour and fixing and fitting all complete (Size >30 Sq. ft)	व.मी	6500	६५००	७१५०	७८६५	
	<b>Aluminium Sliding Window without ventilation</b> with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass and steel net including materials and labour and fixing and fitting all complete (Size 20-30 Sq. ft)	व.मी	6100	६१००	६७१०	७३८१	

बन्दि प्रसाद वास्तोला  
सुख जिल्ला अधिकारी



क.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्वीकृत दर रेट	कीफयत
	<b>Aluminium Sliding Window with fixed ventilation</b> with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass and steel net including materials and labour and fixing and fitting all complete (Size 20-30 Sq. ft)	व.मी	6780	६७८०	७४५८	८२०४	
	<b>Aluminium Sliding Window with sliding ventilation</b> with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass and steel net including materials and labour and fixing and fitting all complete (Size 20-30 Sq. ft)	व.मी	7865	७८६५	८६५२	९५१७	
	<b>Aluminium Swing Door</b> with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass including materials and labour and fixing and fitting all complete (Size > 21Sq. ft)	व.मी	6780	६७८०	७४५८	८२०४	
	<b>Aluminium Ventilation Louver</b> with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass including materials and labour and fixing and fitting all complete	व.मी	7460	७४६०	८२०६	९०२७	
	<b>Aluminium Partition</b> with naturally anodized aluminium (section 62mm*38mm*1.5mm) with 5mm th. clear glass including materials and labour and fixing and fitting all complete	व.मी	4070	४०७०	४४७७	४९२५	
	<b>Glass Partition</b> with naturally anodized aluminium (section 62mm*38mm*1.5mm) with 5mm th. clear glass including materials and labour and fixing and fitting all complete						
	8mm	व.मी	५७१५	५७१५	६२८७	६९१५	
	10mm	व.मी	७६००	७६००	८३६०	९१९६	
	12mm	व.मी	९५००	९५००	१०४५०	११४९५	
१३८	<b>Aluminum</b> ढोका तथा फ्याल						
	<b>Aluminium Sliding Window with sliding ventilation</b> with naturally anodized aluminium (section 101mm*45mm*1.1 mm) with 5mm th. clear glass and steel net including materials and labour and fixing and fitting all complete (Size >30 Sq. ft)	व.मी	५५२२	५५२२	६०७४	६६८२	
	<b>Aluminium Swing Door</b> with naturally anodized aluminium (section 101mm*45mm*1.1 mm) with 5mm th. clear glass including materials and labour and fixing and fitting all complete (Size > 21Sq. ft)	व.मी	५५२२	५५२२	६०७४	६६८२	
	<b>Aluminium Partition</b> with naturally anodized aluminium (section 62mm*38mm*1.1 mm) with 5mm th. clear glass including materials and labour and fixing and fitting all complete	व.मी	३८०८	३८०८	४१८९	४६०८	
	<b>Aluminium Partition</b> with naturally anodized aluminium (section 101.6mm*44mm*1.1 mm) with 5mm th. clear glass including materials and labour and fixing and fitting all complete	व.मी		४३०४	४७३४	५२०८	
	<b>90 Series</b>						


*Bhattarai*  
*Amber*

*...*

*...*


*...*  
 बन्धु प्रसाद वास्तोला  
 प्रमुख जिल्ला अधिकारी

क.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	आ.व. २०८०/८१ को स्विकृत दर रेट	कैफियत
	Providing and fixing Single Panel Casement (Hinged) Door of aluminium section in natural or color anodized/powder coated color Section size (87x56x1.2 mm) fit with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer)	sq.ft			६००	६६०	
	Providing and fixing Double Panel Casement (Hinged) Door of aluminium section in natural or color anodized/powder coated color Section size (87x56x1.2 mm) fit with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer)	sq.ft			७२०	७९२	
	Providing and fixing 2 or 3 Panel Sliding Window of aluminium section naturally anodized or black anodized/powder coated color, Section size (87x56x1.2 mm) fit with 5 mm clear glass without fly mesh shutter. (window size 6'x5' or average area 30sq feet per window)	sq.ft			४२०	४६२	
	Providing and fixing 2 or 3 panel sliding window with top fix glass of aluminium section in naturally anodized or black anodized/powder coated color, Section size (87x65x1.2 mm) fit with 5 mm clear glass without fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window)	sq.ft			४५०	४९५	
	Providing and fixing Fixed window of aluminium section in naturally anodized or black anodized/powder coated color, section size (87x56x1.2 mm) fit with 8 mm clear glass without fly mesh shutter (average area 5 sq. feet per panel)	sq.ft			३२०	३५२	
	Providing and fixing Fly Mesh Shutter with aluminium fly mesh in 87x56x1.2 mm series sliding window (section thickness 1 mm)	sq.ft			१८८	२०७	
	(Fix partition with aluminium composite panel) Aluminium fix partition section size 87x56x1.2 mm net aluminium frame with 4mm thick aluminium composite panel with all necessary fittings.	sq.ft			६००	६६०	
	(Fix partition with aluminium composite panel) Aluminium fix partition section size 65x38x1.2 mm net aluminium frame with 4mm thick aluminium composite panel with all necessary fittings.	sq.ft			५६०	६१६	
	Providing and fixing Single Panel Casement (Hinged) Door / Windows of aluminium section without frame in natural or color anodized/powder coated color Section size (55x32x1.1 mm) fit with 5 mm clear glass or 9 mm both side laminated board	sq.ft				५२५	
१३९	<b>POWDER-COATED Winow &amp; Doors (Acon powder coated MS frame -Produce by 10-tank chemical treatment, powder coated door and window frames)</b>						
	Door Profile size 100x50	र.फु			३००	३३०	
	Window profile Size 100x50	र.फु			३१५	३४७	
	Window profile Size 90x64	र.फु			३३५	३६९	
	Acon Powder coated MS glass window shutter	व.फु			६९०	७५९	
	Acon Powder coated MS grill	के.जी			२८०	३०८	
	Acon Powder coated Doors Shutter Palla	के.जी			८३५	९१९	
१४०	<b>X-Ray lead Sheet</b>						
	1 mm thick	व.मी	८०४०	८०४०	८८४४	९७२८	
	1.5 mm thick	व.मी	११२५६	११२५६	१२३८२	१३६२०	


 Bhattarai  
 प्रमुख जिल्ला बास्तोला अधिकारी

१४१ यू.पी.भी सी पाइप

क्र.सं.	पाइप साइज		इकाई	स्विकृत जिल्ला दर रेट ०८०/०८१				कैफियत
	मी.मी.	इन्च		2.5 kg/cm <sup>2</sup>	4 kg/cm <sup>2</sup>	6 kg/cm <sup>2</sup>	10 kg/cm <sup>2</sup>	
१	२०	१/२"	प्रति र.मी.	-	-	-	३३.००	
२	२५	३/४"	प्रति र.मी.	-	-	-	५२.००	
३	३२	१"	प्रति र.मी.	-	-	-	८४.००	
४	४०	१.२५"	प्रति र.मी.	-	-	८६.००	१३२.००	
५	५०	१.५"	प्रति र.मी.	-	-	१२८.००	२०८.००	
६	६३	२"	प्रति र.मी.	-	१४४.००	२१९.००	३३१.००	
७	७५	२.५"	प्रति र.मी.	-	२०५.००	३०८.००	४६७.००	
८	९०	३"	प्रति र.मी.	१९१.००	२९९.००	४३६.००	६८०.००	
९	११०	४"	प्रति र.मी.	२६८.००	४०९.००	६३२.००	१००६.००	
१०	१२५	४.५"	प्रति र.मी.	३६२.००	५६६.००	८३९.००	१२९५.००	
११	१४०	५"	प्रति र.मी.	४४७.००	७१९.००	१०४३.००	१६३२.००	
१२	१६०	६"	प्रति र.मी.	५७४.००	८८६.००	१३२४.००	२११९.००	
१३	१८०	७"	प्रति र.मी.	७४९.००	११९५.००	१७०६.००	२६७५.००	
१४	२००	८"	प्रति र.मी.	९१४.००	१४१८.००	२१८६.००	४०८२.००	


१  


Bhatnagar  


१  






१  


१  


१  
  
 बन्धु प्रसाद वास्तोला  
 प्रमुख जिल्ला अधिकारी

## १४२ यू.पी.भी सी पाइप फिटिङ्स

क्र.सं.	आइटम	इकाई	स्विकृत फिटिङ्सको दर रेट ०८०/०८१				कैफियत इन्च मी.मी.
			२"	३"	४"	६"	
			५०	७५	११०	१६०	
१	Coupler	प्रति गोटा	३६	८२	१४७	३६२	
२	Bend 87.5 <sup>0</sup>	प्रति गोटा	४७	११५	२०८	५७३	
३	Bend 45 <sup>0</sup>	प्रति गोटा	४६	९६	१७०	६००	
४	Single Tee	प्रति गोटा	७०	१५८	२९२	७४१	
५	Pipe Clip	प्रति गोटा	२२	३२	४०	१३०	
६	Bend 87.5 <sup>0</sup> with door	प्रति गोटा		१४६	२८७	८२६	
७	Single Tee with door	प्रति गोटा		२०९	३८६	१०२४	
८	Double Tee	प्रति गोटा		३३६	५३५		
९	Double Tee with door	प्रति गोटा		५६०	७८१		
१०	vent cowl	प्रति गोटा		६२	१०४		
११	Socket plug	प्रति गोटा		८८	१४३		
१२	Single Y	प्रति गोटा		२२७	४३५		
१३	Single Y with door	प्रति गोटा		२३९	४५७		
१४	Double Y	प्रति गोटा		३४५	६३८		
१५	Double Y with door	प्रति गोटा		४६४	६७८		
१६	Cleaning Pipe	प्रति गोटा		१५३	२९६		
१७	Nahani Trap 110x75	प्रति गोटा			२९२		
१८	W.C. connector( bent type)	प्रति गोटा			२१७		
१९	Square tile with jali	प्रति गोटा			११३		
२०	Round jali	प्रति गोटा			३९		
२१	End cap 50 mm	प्रति गोटा	२५		०		

बन्धु प्रसाद बास्तोला  
 प्रमुख जिल्ला अधिकारी

## १४४ पाइप तथा फिटिङ्स

जी.आइ.फिटिङ्स

क.सं.	आइटम	इकाई	स्विकृत फिटिङ्सको दर रेट ०८०/०८१										कैफियत इन्च मी.मी.
			१/२"	३/४"	१"	१.२५"	१.५"	२"	२.५"	३"	४"		
१	एल्वो	प्रति गोटा	१५	२०	२५	३२	४०	५०	६५	८०	१००		
२	टी	प्रति गोटा	४७	७५	११९	१८५	२५४	३८६	५०२	६५९	८२९		
३	सकेट	प्रति गोटा	७५	११७	१५६	२५३	३०९	४८३	६३०	८२९			
४	युनियन	प्रति गोटा	४३	६७	८६	१३५	१८२	२५९	३६१	४९६			
५	कस	प्रति गोटा	१३०	१८२	२४२	३६१	४७८	६६५	९०५	११६५			
६	हेक्स निप्ल	प्रति गोटा	१११	१५०	२३९	३९९	५५०	८२३	११६५	१५६५			
७	रि. एल्वो	प्रति गोटा	४९	७०	१०४	१६४	२०९	२९८	४१८	५६५			
८	रि. टी	प्रति गोटा	-	८१	१२६	२०९	२७०	३९५	५६५	८२९			
९	रि. सकेट	प्रति गोटा	-	६७	९९	१४९	२१०	३०५	४१८	५६५			
१०	सि.आई क्याप	प्रति गोटा	१८	३२	४९	६९	९६	१३५	१८२	२५९			
११	सि.आई टैंक निप्ल	प्रति गोटा	१२९	१९५	२७९	३६९	५०५	६९५	९०५	११६५			
१२	चेक नट	प्रति गोटा	२८	४५	६०	८९	१२५	१६९	२२९	३०५			
१३	ब्रास युनियन (लोकल टाईप)	प्रति गोटा	१८०	३५८	४४८	६२६	८९६	१२३२	१६६५	२२३२			
१४	ब्रास युनियन (यूएनएफ टाईप)	प्रति गोटा	३५३	५३०	७९५	१०७३	१५७८	२२०६	३०५	४१८			
१५	गोट भल्म	प्रति गोटा	७४	९९२	१५१५	२२७८	३०९८	४७८५	६६५	८२९			
१६	ग्लोब भल्म	प्रति गोटा	६४५	१०९७	१५३०	२०९५	३९३०	५४७५	७९६५	११६५			

श्री. अ. म. शर्मा  
Bhatnagar

श्री. अ. म. शर्मा  
Bhatnagar

श्री. अ. म. शर्मा  
Bhatnagar

श्री. अ. म. शर्मा  
Bhatnagar

१४४ पाइप तथा फिटिङ्स  
जी.आई.फिटिङ्स

३४

क.सं.	आइटम	इकाई	स्विकृत फिटिङ्सको दर रेट ०८०२ ०८१										कैफियत	
			१/२"	३/४"	१"	१.२५"	१.५"	२"	२.५"	३"	४"	इन्च	मी.मी.	
१७	जी.आई.+जी.आई फ्लेन्ज सेट	प्रति गोटा	१५	२०	२५	३२	४०	५०	६५	८०	१००	१००		
१८	जी.आई.+एच.डी.पी. फ्लेन्ज सेट	प्रति गोटा	-	-	-	-	१३३२	१५५९	२०६५	२४७०	३५९१			
१९	एच.डी.पी.+एच.डी.पी. फ्लेन्ज सेट	प्रति गोटा	५२०	६८३	८१३	१००२	१३१३	१८८०	-	-	-			
२०	जी.आई बेन्ड	प्रति गोटा	१२६	२०२	३०५	४९५	७२१	९३२५	-	-	-			
२१	फ्लो रेगुलेटिङ भल्भ	प्रति गोटा	१००५	-	-	-	-	-	-	-	-			
२२	रेगुलेटिङ टि	प्रति गोटा	१०५९	-	-	-	-	-	-	-	-			
२३	रेगुलेटिङ कि	प्रति गोटा	३१०	-	-	-	-	-	-	-	-			
२४	फ्लोट भल्भ	प्रति गोटा	६६४	८६८	१५९०	२४४७	४१२१	५५०२	-	-	-			
२५	फ्लोट भल्भ (बी.पी.टी.टाइप)	प्रति गोटा	२९६१	३५२२	४६२२	९८१०	१३४५१	१६८७४	-	-	-			
२६	चेक भल्भ	प्रति गोटा	४२७	६५५	१४७५	२४७८	३७०१	५४९८	-	-	-			
२७	फेरुल कक	प्रति गोटा	७३०	१३०२	२२४७	३८३३	५९०३	९९६४	७३९२	-	-			
२८	ब्रास सेडल	प्रति गोटा	-	-	-	-	-	८९६	१४२१	१७३६	१७९०			
२९	स्लस भल्भ	प्रति गोटा	-	-	-	-	६३००	८४००	१०५००	१२६००	१६८००			
३०	सी.आई.एयर भल्भ	प्रति गोटा	३२४५	४१०६	४८०९	६४७६	९१०४	१११८३	-	-	-			

*Bhatnagar*  
S. P. Bhatnagar

*S. P. Bhatnagar*

*S. P. Bhatnagar*

*S. P. Bhatnagar*

महोदय  
प्रासाद  
बासोला  
छतिशगढ़

१४५.० जी.आई.निपलहरु

क.सं.	आइटम	इकाई	स्विकृत निपलको विवरण र दर रेट ०८०/०८१										कैफियत			
			१/२"	३/४"	१"	१.२५"	१.५"	२"	२.५"	३"	४"	इन्च	मी.मी.			
१	२"लामो	प्रति गोटा	१५	२०	२५	३२	४०	५०	६५	८०	१००	१२५	१५०	१७५	१९०	२०५
२	३"लामो	प्रति गोटा	२६	३६	४०	६४	८०	१०१	१४१	१६५	२०५	२४५	२८५	३२५	३६५	४०५
३	४"लामो	प्रति गोटा	३९	५३	७५	९६	१२०	१५२	२११	२४५	३०५	३६५	४२५	४८५	५४५	६०५
४	५"लामो	प्रति गोटा	५१	७१	१००	१२८	१६०	२०२	२८१	३२०	३९०	४६०	५३०	६००	६७०	७४०
५	६"लामो	प्रति गोटा	६४	८९	१२५	१६०	२००	२५३	३५२	४१३	४९६	५९५	६९५	७९५	८९५	९९५
६	७"लामो	प्रति गोटा	७७	१०७	१५०	१९२	२४०	३०३	४२२	४९६	६१५	७१५	८१५	९१५	१०१५	१११५
७	८"लामो	प्रति गोटा	१०३	१४२	२००	२५६	३२०	४०५	५६२	६६२	८२२	९२२	१०२२	११२२	१२२२	१३२२
८	९"लामो	प्रति गोटा	११६	१६०	२२४	२८८	३६०	४५५	६३३	७४३	८५३	९६३	१०७३	११७३	१२७३	१३७३
९	१०"लामो	प्रति गोटा	१२८	१७८	२४९	३२०	४००	५०६	७०३	८२६	९९१	११९१	१३९१	१५९१	१७९१	१९९१
१०	१२"लामो	प्रति गोटा	२३१	३२०	४४९	५७६	७२०	९१०	१२६५	१४८९	१८५९	२२३९	२६१९	२९९९	३३७९	३७५९
११	जि.आई. पाईपको चुरी काट्ने काम	प्रति चुरी	४०	४०	६०	८०	१००	१२०	२५०	३५०	४५०	५५०	६५०	७५०	८५०	९५०

Swastika R. Bhattarai

Swastika R. Bhattarai

Swastika R. Bhattarai

Swastika R. Bhattarai

स्विकृत निपलको विवरण र दर रेट ०८०/०८१

१४६ खानेपानी सम्बन्धी: स्विकृत दर रेट ०८०/०८१

जि.आई. पाइप:

क्र.सं.	पाइप साइज/श्रेणी	इकाई	स्विकृत जिल्ला दररेट २०८०/८१			कैफियत
			हलुङ्गो	मध्यम	गह्रौ	
१	१/२" साइज (१५ मि.मि.)	र. मी.	१९२	२२२	२४९	
२	३/४" साइज (२० मि.मि.)	र. मी.	२६१	२८२	३३३	
३	१" साइज (२५ मि.मि.)	र. मी.	३६३	४२३	५००	
४	१ १/४" साइज (३२ मि.मि.)	र. मी.	४६६	५५७	६४०	
५	१ १/२" साइज (४० मि.मि.)	र. मी.		६४०	७४४	
६	२" साइज (५० मि.मि.)	र. मी.	७२४	८८५	१०८९	
७	२ १/२" साइज (६५ मि.मि.)	र. मी.	९९८	१११९	१३६३	
८	३" साइज (८० मि.मि.)	र. मी.	११७२	१४२६	१६९८	
९	४" साइज (१०० मि.मि.)	र. मी.	१६३१	२०७३	२४७०	
१०	५" साइज (१२५ मि.मि.)	र. मी.		२६४२	३२४३	
११	६" साइज (१५० मि.मि.)	र. मी.		३४८१	३६६९	

PE-१०० Grade HDPE पाइप:		२७९.१५				
क्र.सं.	पाइप साइज	इकाई	प्रेसर रेटिङ			
			PN6	PN10	PN12.5	PN16
१	एच.डि.पी.ई. पाइप २० मी.मी.	र. मी.				३७
२	एच.डि.पी.ई. पाइप २५ मी.मी.	र. मी.			४८	५७
३	एच.डि.पी.ई. पाइप ३२ मी.मी.	र. मी.		६४	७५	९३
४	एच.डि.पी.ई. पाइप ४० मी.मी.	र. मी.		९९	११९	१४४
५	एच.डि.पी.ई. पाइप ५० मी.मी.	र. मी.	१००	१५३	१८५	२२२
६	एच.डि.पी.ई. पाइप ६३ मी.मी.	र. मी.	१५६	२४३	२८८	३२१
७	एच.डि.पी.ई. पाइप ७५ मी.मी.	र. मी.	२२४	३४३	४०७	४९५
८	एच.डि.पी.ई. पाइप ९० मी.मी.	र. मी.	३१६	४९१	५९०	७१३
९	एच.डि.पी.ई. पाइप ११० मी.मी.	र. मी.	४६४	७२७	८७४	१०५६
१०	एच.डि.पी.ई. पाइप १२५ मी.मी.	र. मी.	६०१	९३६	११२४	१३६५
११	एच.डि.पी.ई. पाइप १४० मी.मी.	र. मी.	७५६	११७२	१४११	१७०७
१२	एच.डि.पी.ई. पाइप १६० मी.मी.	र. मी.	९८४	१५२९	१८४१	२२३७
१३	एच.डि.पी.ई. पाइप १८० मी.मी.	र. मी.	१२४२	१९४०	२३२८	२८२०
१४	एच.डि.पी.ई. पाइप २०० मी.मी.	र. मी.	१५३०	२३९२	२८७१	३४८३

नेपाल  
गुणस्तरले  
कायम  
गरेको नयाँ  
मापदण्डको  
आधारमा  
रु.  
२७९.१५  
प्रति के जि  
नै कायम  
गरि तयार  
गरिएको

१. उपरोक्त जि आइ र एच.डि पी दररेटहरूमा ढुवानी र VAT समावेश गरिएको छैन ।

२. माथि उल्लेख गरिएका बाहेकका विभिन्न व्यास र प्रेसर रेटिङका पाइपहरूको हकमा HDPE पदार्थको रु. २७९.१५ प्रति के.जि. Ex-Factory दर मा ढुवानी जोडि पाइपको न्यूनतम Wall Thickness का आधारमा प्रति मिटरको दररेट निकाल्नु पर्नेछ ।

Bhattarai

६/१/२०२१

गणेश

बन्धु प्रसाद वास्तोला  
प्रमुख जिल्ला अधिकारी



३७

## १४७ UPVC Pipes स्विकृत दर रेट ०८०/०८१

UPVC Pipes as per NS		Rate per meter (with out VAT)				PVC Screen pipe and Accessories :	
OD in mm	Size in Inch	2.5kgf/cm <sup>2</sup>	4 kgf/cm <sup>2</sup>	6 kgf/cm <sup>2</sup>	10 kgf/cm	Descriptions	Rate per Mtr .
76	1 1/2"	-	-	-	36	-	-
77	3/4"	-	-	-	57	-	-
32	1"	-	-	-	93	-	-
40	1 1/4"	-	-	94	141	-	-
50	1 1/2"	-	-	142	221	-	-
63	2"	-	159	226	351	-	-
75	2 1/2"	-	220	317	502	48mm pvc ribbed screen	427
90	3"	201	313	457	715	48mpvc robo screen	537
110	4"	298	430	660	1060	48mm pvc sand trap	265
125	4 1/2"	380	593	880	1358	48mm m/f adapter	160
140	5"	469	753	1095	1712	48mm pvc st.coupler	160
160	6"	613	975	1403	2204	60mm pvc ribbed screen	538
180	7"	785	1253	1788	2809	114mm pvc ribbed screen	1448
200	8"	958	1519	2191	3473	6" pvc casing pipe	2158

Signature  
Bhatnagar

Signature

Signature

Signature

Signature

UPVC Pipe Rate Sheet  
Palpa District  
2080/2081

## १४८ PITOM PVC-O Fittings स्विक्ट दर रेट ०८०/ ०८१

S.N	Particulars	PN class	Size(mm)	Rate
1	Elbow 11.25°	PN 16	110	7375
2	Elbow 11.25°	PN 16	160	16022
3	Elbow 11.25°	PN 16	200	29428
4	Elbow 11.25°	PN 16	250	44811
5	Elbow 11.25°	PN 16	315	85895
6	Elbow 11.25°	PN 16	400	160333
7	Elbow 22.5°	PN 16	110	7670
8	Elbow 22.5°	PN 16	160	16912
9	Elbow 22.5°	PN 16	200	30605
10	Elbow 22.5°	PN 16	250	46603
11	Elbow 22.5°	PN 16	315	89330
12	Elbow 22.5°	PN 16	400	166746
13	Elbow 45°	PN 16	110	8485
14	Elbow 45°	PN 16	160	18570
15	Elbow 45°	PN 16	200	33657
16	Elbow 45°	PN 16	250	55203
17	Elbow 45°	PN 16	315	97950
18	Elbow 45°	PN 16	400	189743
19	Elbow 90°	PN 16	110	12049
20	Elbow 90°	PN 16	160	24142
21	Elbow 90°	PN 16	200	43412
22	Elbow 90°	PN 16	250	72317
23	Elbow 90°	PN 16	315	112639
24	Elbow 90°	PN 16	400	225797
25	Coupler	PN 16	110	7359
26	Coupler	PN 16	160	13122
27	Coupler	PN 16	200	18968
28	Coupler	PN 16	250	35502
29	Coupler	PN 16	315	67296
30	Coupler	PN 16	400	149158

S.N	Particulars	PN class	Size(mm)	Rate
31	Coupler	PN 16	110 to 90	9194
32	Coupler	PN 16	160 to 110	15092
33	Coupler	PN 16	200 to 160	15135
34	Coupler	PN 16	250 to 200	26106
35	Coupler	PN 16	315 to 250	58313
36	Coupler	PN 16	400 to 315	121043

## Class 500 PVC-O Pipes दर रेट ०८० / ०८१

S.N	Diameter	PN 12.5	PN 16	PN 25
1	90mm	730	854	1700
2	110mm	1150	1260	2500
3	125mm	1450	1550	2700
4	140mm	1750	1950	3100
5	160mm	2200	2600	3800
6	200mm	3500	4000	5500
7	225mm	4400	4950	6700
8	250mm	5200	6300	8500
9	315mm	8500	9600	13000
10	355mm	10800	12700	16000
11	400mm	14000	16000	20500
12	450mm	19000	22500	30000
13	500mm	22700	27500	38000
14	630mm	36000	46500	57000
15	800mm	58000	75000	
16	1000mm	110000	120000	
17	1200mm	150000	175000	

## Double Wall Corrugated (SN8) pipes for Sewage and Rain Water Non-Pressure Pipes

दर रेट ०८०/०८१

S.N	Size in ID	MRP
		SN 8
1	100mm (4inch)	650
2	150mm (6inch)	1350
3	200mm (8inch)	2000
4	250mm (10inch)	2600
5	300mm (12inch)	3650
6	400mm (16inch)	5100
7	500mm (20inch)	7000
8	600mm (24inch)	11000

Bhattarai




A.P.S.



S.N.


S.N.

बन्धु प्रसाद बास्तोला  
प्रमुख जिल्ला अधिकारी

१४९ Interlock Paver/Interlock Precast Block स्विकृत दर रेट ०८०/ ०८१			
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per Cubic Meter (Ex VAT)
1	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	21.50	12,140.04
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	23.50	13,269.35
2	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	19.50	14,013.66
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	21.00	15,091.63
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
3	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	140.00	1,889.30
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	165.00	2,226.68
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
4	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	115.00	1,551.93
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	130.00	1,754.35
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
5	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	98.00	1,322.51
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	111.00	1,497.95
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
6	Hexagon Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	36.00	1,069.11
	Hexagon Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	43.00	1,277.00
	Hexagon Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	46.00	1,366.09
7	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	42.00	1,247.30
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	49.00	1,455.18
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	52.00	1,544.28


  
 वसु प्रसाद वास्तोला
   
 प्रमुख जिल्ला अधिकारी

१४९ Interlock Paver/Interlock Precast Block स्विकृत दर रेट ०८०/ ०८१			
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per Cubic Meter (Ex VAT)
8	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	51.00	1,514.58
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	58.00	1,722.46
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	61.00	1,811.55
9	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	61.00	1,811.55
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	68.00	2,019.44
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	71.00	2,108.53
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
10	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	36.00	1,801.22
	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	43.00	2,151.46
	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	46.00	2,301.56
11	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	77.00	3,852.62
	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	85.00	4,252.89
	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	88.00	4,402.99
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
12	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	41.00	1,509.21
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	48.00	1,766.88
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	51.00	1,877.31
13	Behaton Interlock I Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	58.00	2,134.98
	Behaton Interlock I Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	66.00	2,429.46
	Behaton Interlock I Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	69.00	2,539.89
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
14	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	43.00	1,489.83
	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	50.00	1,732.36
	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	53.00	1,836.30

श्री श्री श्री  
Bhattarai

श्री श्री

श्री श्री

श्री श्री

श्री श्री

बन्धु प्रसाद बास्तोला  
प्रमुख जिल्ला अधिकारी

## १४९ Interlock Paver/Interlock Precast Block स्विकृत दर रेट ०८०/ ०८१



S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per Cubic Meter (Ex VAT)
15	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	61.00	2,409.50
	Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	68.00	2,686.00
	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	71.00	2,804.50
16	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	96.00	3,792.00
	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	105.00	4,147.50
	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	109.00	4,305.50
17	Zigzag Interlock Pavers Grey Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)	116.00	4,582.00
	Zigzag Interlock Pavers Single Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)	128.00	5,055.99
	Zigzag Interlock Pavers Blended Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)	133.00	5,253.49
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
18	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173*60 (NS Standard)	56.00	1,652.82
	Romba 3D interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173*60 (NS Standard)	63.00	1,859.42
	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173*60 (NS Standard)	67.00	1,977.48
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
19	Square Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	66.00	1,864.16
	Square Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	76.00	2,146.61
	Square Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	80.00	2,259.59
20	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	72.00	1,799.67
	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	82.00	2,049.63
	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	86.00	2,149.61
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
21	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	18.00	1,800.06
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	21.00	2,100.07
	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	24.00	2,400.08
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
22	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	71.00	1,893.09
	Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	78.00	2,079.74







बन्धु प्रसाद वास्तोला  
 स्व जिल्ला अधिकारी

१४९ Interlock Paver/Interlock Precast Block स्विकृत दर रेट ०८०/ ०८१			
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per Cubic Meter (Ex VAT)
	Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	80.00	2,133.06
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
23	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	73.00	1,824.67
	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	82.00	2,049.63
	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	86.00	2,149.61
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
24	Mtrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	250.00	1,562.89
	Mtrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	295.00	1,844.21
	Mtrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	330.00	2,063.01
25	Mtrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	375.00	2,344.34
	Mtrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	435.00	2,719.43
	Mtrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	485.00	3,032.01
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
26	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	1,750.00	1,826.51
	Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	2,100.00	2,191.81
	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	2,390.00	2,494.49
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
	Nostalgic Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	2,875.00	2,753.22

50/17

9/1/20


  
 बन्धु प्रसाद वास्तोला
   
 प्रमुख जिल्ला अधिकारी

## १४९ Interlock Paver/Interlock Precast Block स्विकृत दर रेट ०८०/ ०८१

S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per Cubic Meter (Ex VAT)
27	Nostalgic Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	3,162.50	3,028.54
	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	3,450.00	3,303.86
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
28	Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:400x600x80mm (NS Standard)	460.00	1,915.50
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per RM (Ex VAT)
29	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	365.00	1,215.45
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	395.00	1,315.35
30	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH) (NS Standard)	330.00	1,098.90
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH) (NS Standard)	350.00	1,165.50
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per RM (Ex VAT)
31	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	365.00	1,460.00
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	395.00	1,580.00
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per RM (Ex VAT)
32	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	430.00	1,431.90
	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	455.00	1,515.15
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per RM (Ex VAT)
33	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	650.00	2,164.50

Note:

- 1 Above quoted price is only for product.
- 2 Above price is inclusive of transportation inside district.

*Bhattar*

*AS*

*9/17*

*बन्धु प्रसाद वास्तोला*  
प्रमुख जिल्ला अधिकारी

१५० विविध

AAC Block

PER CUM

S.N	Description of Goods	Rate Per CBM	Rate per pcs
		Rates	Exclusive 13% VAT
1.0	600X200X200 (0.024 CBM/block)	12025	288
2.0	600X200X150 (0.018 CBM/block)	12025	216
3.0	600X200X100 (0.018 CBM/block)	12025	144

नोट :-

- १) माथि उल्लेखित दर रेटमा मूल्य अभिवृद्धि कर (भ्याट) समावेश गरिएको छैन ।
- २) माथि उल्लेखित आइटम बाहेक अन्य आइटमको दररेट छिमेकी तथा अन्य जिल्लाको दररेट कायम गरीने छ ।
- ३) निर्माण गर्दा पानीको आवश्यकता पर्ने काममा कार्य क्षेत्रको वरिपरि एक (१) कि.मी भित्र पानी उपलब्ध हुन नसक्ने भएमा पानीको मूल्य प्रती लिटर चवालिस (४४) पैसा हुनेछ ।
- ४) ढुवानी भाडा हिसाव गर्दा सामग्री खरिद हुने स्थान देखी निर्माण/आपूर्ति स्थल सम्मको दुरी अनुसार हिसाव हुने ।
- ५) बोट बिरुवा तथा कृषी, पशु जन्य सामग्रीको हकमा सम्बन्धीत तालुक निकाएको दररेट भए सोही दररेट लागु हुनेछ ।
- ६) डिजेल, पेट्रोल, मट्टीतेल, एल.पी. ग्यास लगायत अन्य इन्धनहरुको हकमा नेपाल आयल निगमले निर्धारण गरेको दररेट बमोजिम हुनेछ ।
- ७) सबै खाले विटामिन तथा ईमल्सन को मूल्य नेपाल विटामिन तथा ब्यारेल उद्योग ले निर्धारण गरे बमोजिम कायम गरे बमोजिम हुनेछ ।
- ८) यस आ.व. मा समावेश भएका नया दररेट छिमेकी जिल्ला को दररेट तथा सम्बन्धित कम्पनि लाई आधार मानि लिइएको ।

*(Handwritten signatures and initials)*  
 Blattarai  
 AS

*(Handwritten signature)*  
 बन्धु प्रसाद वास्तोला  
 प्रमुख जिल्ला अधिकारी