




जिल्ला दररेट



पर्सा



2080/081



आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा									
क.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत	
खण्ड (क) ज्याला तथा गाडी भाडाको दररेट									
1	अदक्ष ज्यामी(भरिया,स्वीपर,माली,चेनमेन,वाटरमेन, चौकीदार,रोड लेन्य बर्कर,लेबर आदि )	प्र. दिन	580	600	630	693	750		
2	जुनियर मिस्त्री (सिकर्मी, डकर्मी, बज्रकर्मी, नकर्मी, प्लम्बर, पेण्टर, ब्लाष्टर, हेल्पर, स्प्रेमैन, जेनेरेटर अपरेटर आदि)	प्र. दिन	650	665	690	759	800		
3	सिपालु ज्यामी(सकर्मी, डकर्मी, बज्रकर्मी, पेन्टर, प्लम्बर,ब्लाष्टर,पम्प अपरेटर,वेल्डर,उडकटर,डिलर, ईलेक्टिसियन आदि )	प्र. दिन	800	815	850	935	1,000		
4	सिनियर सुपरभाइजर (प्राविधिक)	प्र. दिन	600	625	700	770	900		
5	जुनियर सुपरभाइजर	प्र. दिन	575	575	600	660	750		
6	दैनिक ज्यालादारी (इन्जिनियर,सब इन्जिनियर,असिस्टेन्ट सब इन्जिनियर,पियन, पाले, ड्राइभर, ल्याब टेक्निसियन, मेकानिक्स, कम्प्युटर अपरेटर, आदि)	प्र. दिन	नेपाल सरकारको प्रचलित स्केल अनुसार						
7	सिमेन्टको कामको कर्मिङ्ग गर्ने, नक्सा, बुटा बनाउने कालीगढ दक्ष	प्र. दिन	1050	1065	1,100	1,210	1,500		
8	ह्याण्ड पाईप (१.५ इन्च सम्म) गाड्ने कार्य ० देखि १०० फिट सम्म	प्र. फुट	44	44	46	51	55	कडा माटोमा उल्लिखित रेटमा २५% ले बृद्धि हुनेछ ।	
9	ह्याण्ड पाईप (१.५ इन्च सम्म) गाड्ने कार्य १०० फिट देखि माथि	प्र. फुट	50	50	53	58	60		
10	टयुवेल गडाई 1.5"-4" सम्म) गाड्ने कार्य ० देखि १०० फिट सम्म	प्र. फुट	165	165	173	190	200		
11	टयुवेल गडाई (1.5"-4 सम्म) गाड्ने कार्य १०० फिट देखि माथि	प्र. फुट	170	170	178	196	205		
12	टयुवेल गडाई 4"/6" गाड्ने कार्य ० देखि १०० फिट सम्म	प्र. फुट	1100	1100	1155.00	1270.50	1,330		
13	टयुवेल गडाई (4"/6") गाड्ने कार्य १०० फिट देखि माथि	प्र. फुट	1600	1600	1680.00	1848.00	1,940		
14	टयुवेल उखाल्ने	प्र. फुट	29	29	30	33	35		
15	असजिलो निर्माण सामग्रीहरु (फलामे डण्डी, जी.आई. तार...) लोडरअनलोड	प्रति क्विन्टल	30	30	30	33	35		
16	सजिलो निर्माण सामग्रीहरु (सिमेन्ट,बोरामा पैकिना गरिएका सामग्रीहरु आदी) लोड र अनलोड	प्रति बोरा	5	5	5	6	6		
17	पर्सा जिल्ला जंगल क्षेत्रबाट काठ दाउरा संकलन गर्दा गरिने कार्यहरु (छपान, कटान, मूछान, जंगल पाकिङ्ग, ढुवानी, घाटगद्दीसम्म लैजाने पाइलिङ्ग गर्ने) जिल्ला वन								
	(क) रुख छपान	प्र.रुख	24	24	26	28	30		
	(ख) गोलिया कटान मूछान	प्र.घ.फी.	23	23	25	27	29		
	(ग) बोका फिक्ने, रिङ्ग काटने	" "	10	10	12	14	15		
	(घ) लोडिङ्ग अनलोडिङ्ग	" "	24	24	26	28	30		
	(ङ) जंगल यार्डिङ्ग	" "	15	15	17	19	21		
	(च) पाइलिङ्ग	" "	14	14	16	18	19		
18	गोलिया ढुवानी तर्फ								
	(क) ५ कि.मि. मुनि सम्म	प्र.घ.फी.	26	26	28	30	32		
	(ख) ५ कि.मि. देखि माथि प्रति कि.मि.	प्र.घ.फी.	5	5	5	6	6		
19	दाउरा कटान मूछान तर्फ तथा घाटगद्दी बाट समेत								
	(क) कटान मूछान (२०x५x५ फिट)	प्रति चट्टा	3750	3800	3,850	3,900	4,212		
	(ख) लोडिङ्ग	"	1500	1525	1,550	1,600	1,728		
	(ग) अनलोडिङ्ग	"	880	880	800	825	891		
	(घ) चट्टा निर्माण	"	800	800	1,000	1,100	1,188		

आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा								
क.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
20	दाउरा दुबानी तर्फ							
	(क) ५ कि.मि. मुनि सम्म (२०x ५x ५ फिट)	प्रति चट्टा	2300	2300	2,350	2,500	2,700	
	(ख) ५ कि.मि. देखि माथि प्रति कि.मि.	"	400	400	400	450	486	
21	विशेष परिस्थितिमा गर्नु पर्ने कार्यको लागि							
	क) छापामारी बाट बरामद भएका काठहरु दुबानी गर्दा	ट्रयाक्टर	3500	3550	3,550	3,700	3,996	
	ख) घाटगद्दीमा रहेको काठ बिक्री भइसके पछि बाँकी रहेको छरिएको काठलाई पुनः पाईलिंग गर्दा	घ.फि.	21	21	21	22	24	
	ग) छापामारी हुदा लोडिंग/ अनलोडिंग कार्य छिटो छरितो गर्नु पर्ने भएमा	घ.फि.	15	15	15	16	17	
22	गोलिया काठलाई चिरान मिलमा ल्याई गोलिया चिरान गरिने कार्यको लागि							
	(क) चिरान उत्पादन बाकल, कटपिस भुस फाल्ने	घ.फि.	58	58	58	60	65	
	(ख) अनसाइज उत्पादन	क्विन्टल						
	(ग) चिरान लोड	घ.फि.	17	17	17	18	19	
	(घ) चिरान अनलोड	"	8	8	8	9	10	
	(ङ) बाकल लोड	क्विन्टल	27	27	27	29	31	
	(च) बाकल अनलोड	"	7	7	7	8	9	
	(छ) चिरान पाइलिंग	घ.फि.	8	8	8	9	10	
	(ज) १०० मिटर भन्दा टाढा बाट गोलिया मिलछेउ सम्म पुऱ्याएको	"	8	8	8	9	10	
	(झ) गोलिया दुबानी गरि मिलसम्म बारा जिल्लाबाट ल्याउदा	"	42	42	42	45	49	
23	(ञ) रौतहट र पर्सा जिल्ला घाटगद्दी बाट मिलसम्म दुबानी गर्दा	"	47	47	47	49	53	
	(ट) मिल सिपमेन्टको लागि गोलिया लोडिङ	"	30	30	30	32	35	
	(ठ) मिल सिपमेन्टको लागि गोलिया अनलोडिङ	"	8	8	8	9	10	
	(ड) गोलिया टेक्टरबाट फिकाउने	"	11.00	11.00	11	12	13	
	<b>मेसिनरी सामानहरुको भाडा</b>							
24	६ मे.ट को ट्रकबाट मालसामान दुबानी गर्दा लाग्ने भाडा (इन्धन समेत)	प्र.घन्टा	1150	1150	1,150	1,265	1,300	
25	१० मे.ट को ट्रकबाट मालसामान दुबानी गर्दा लाग्ने भाडा (इन्धन समेत)	प्र.घन्टा	1500	1500	1,500	1,650	1,700	
26	स्टील रोलर ८-१० टन इन्धन समेत	प्र.घन्टा	1270	1370	1,370	1,507	1,600	
27	भाइब्रेटर रोलर ८-१० टन इन्धन समेत	प्र.घन्टा	3810	3910	3,910	4,301	4,500	
28	पानी छर्ने ट्याङ्की ट्रकमा इन्धन समेत	प्र.घन्टा	1100	1100	1,100	1,210	1,270	
29	पानी छर्ने ट्याङ्की ट्रक्टरमा इन्धन समेत	प्र.घन्टा	550	550	550	605	635	
30	ब्यायलर स्प्रेयर इन्धन समेत	प्र.घन्टा	2800	2900	2,900	3,190	3,350	
31	गेडर १३५ HP सम्म इन्धन समेत	प्र.घन्टा	3900	4000	4,000	4,400	4,600	
32	गेडर १३५ HP भन्दा माथि इन्धन समेत	प्र.घन्टा	4300	4500	4,500	4,950	5,200	
32	एक्सकाभेटर (T220 भन्दा कम) इन्धन समेत	प्र.घन्टा	3500	3500	3,500	3,850	4,000	
33	एक्सकाभेटर T220 इन्धन समेत	प्र.घन्टा	4300	4300	4,300	4,730	5,000	
34	लोडर इन्धन समेत	प्र.घन्टा	3400	3400	3,400	3,740	3,900	
35	भाइब्रेटर इन्धन समेत	प्र.घन्टा	110	110	110	121	127	
36	मिक्सचर मेसिन इन्धन समेत	प्र.घन्टा	440	440	440	484	500	
37	ट्रकबाट मालसामान दुबानी इन्धन बाहेक	प्रति दिन	9000	9000	9,000	9,900	10,395	
38	ट्रक्टरबाट मालसामान दुबानी इन्धन बाहेक	प्रति दिन	2000	2000	2,000	2,200	2,300	
29	हार्डटप जिप स्कोरपियो स्तरको इन्धन बाहेक	प्रति दिन	4500	4500	4,500	4,950	5,200	
30	बोलेरो, भिक्टा, सुमो, स्तरको इन्धन बाहेक	प्रति दिन	3500	3500	3,500	3,850	4,000	
31	पिकअप भ्यान इन्धन बाहेक	प्रति दिन	4000	4000	4,000	4,400	4,600	

अपरेटरको भत्ता बाहेक

आ.व. ०८०/८१ को जिल्ला दररेट, पर्सा								
क.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
खण्ड (ख) निर्माण सामग्रीहरूको दर रेट								
<b>ईटा जन्य सामग्रीहरू</b>								
32	प्रथम श्रेणी ईटा	हजार	12000	12000	12,000	14,000	14,000	
33	दोश्रो श्रेणी ईटा	हजार	7800	7800	7,800	8,000	8,000	
34	राठ ईटा	हजार	4300	4300	4,300	4,500	4,500	
35	ईटाको कङ्कर	घ.मी.	2300	2300	2,300	2,350	2,350	
36	ईटाको टुक्रा	घ.मी.	1600	1600	1,600	1,760	1,760	
37	सुर्खा	घ.मी.	1600	1600	1,600	1,760	1,760	
38	राबीस माटो	घ.मी.	475	475	475	500	500	
39	गाढो लगाउने चाप्रो माटो	घ.मी.	300	300	300	330	330	
40	पर्सा जिल्ला भरीको लागी बाहिरबाट माटो ल्याई पुर्याउने र खन्याउने ३ कि. मि.सम्मको ढुवानी समेत	घ.मी.	280	300	315	350	400	वीरगंज महानगर पालिका को शहरी क्षेत्रमा २५ प्रतिशत बढाउन सकिने
41	वीरगंज वडा नं. १ देखि वडा नं. १६ सम्म बाहिरबाट माटो ल्याई शहरी क्षेत्र भित्र पुर्याउने र खन्याउने ३ कि. मि.सम्मको ढुवानी समेत	घ.मी.					600	
<b>ढुङ्गा जन्य सामग्रीहरू</b>								
43	ब्लक स्टोन	घ.मी.	2500	2500	2,500	2,700	2,700	
44	बण्ड स्टोन	घ.मी.	2500	2500	2,500	2,700	2,700	
45	कुदेको ढुङ्गा	घ.मी.	2500	2500	2,500	2,800	2,800	
46	१५० मिमि - २२५ मिमिको खोलाको ढुङ्गा	घ.मी.	2205	2315	2,315	2,600	2,600	
47	बोल्डर (२२५ मिमि - २५० मिमि)	घ.मी.	2258	2370	2,370	2,600	2,600	
48	फोरबा ढुङ्गा	घ.मी.	2310	2426	2,426	2,800	2,800	
49	Concrete Product ( NS Standard or equivalent )							
50	Machine made Precast Concrete Brick 230*110*70							
51	Grey colour	गोटा		१७१००	१९	२१	२३	
52	single Colour	गोटा		१८१००	२०	२२	२४	
53	Machine made Precast Concrete Brick 230*110*55							
54	Grey colour	गोटा		१४१००	१६	१७	१८	
55	single Colour	गोटा		१५१००	१७	१८	२०	
23	Hexagon Interlock Pavers 226*200*50mm3,M30 or above	गोटा						
24	Single colour	गोटा		३५	३५	३७	४०	
25	Blended Colour	गोटा		३८	३८	४०	४५	






आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा								
क्र.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
26	Hexagon Interlock Pavers 226*200*60mm3,M35 or above	गोटा						
27	Single colour	गोटा		४०	४०	४२	४७	
28	Blended Colour	गोटा		४३	४३	४५	५०	
29	Hexagon Interlock Pavers 226*200*70mm3,M35 or above	गोटा						
30	Single colour	गोटा		४७	४७	४९	५५	
31	Blended Colour	गोटा		५०	५०	५३	६०	
32	Rectangular Interlock Pavers 200*100*60mm3,M35 or above	गोटा						
33	Single colour	गोटा		३९	३८	४०	४५	
34	Blended Colour	गोटा		३३/६	४९	४३	४८	
35	Interlock I Pavers 200*165*80mm3,M40 or above	गोटा						
36	Single colour	गोटा		५२	५२	५५	६०	
37	Blended Colour	गोटा		५४/०	५८	६९	६५	
38	3D Interlock Pavers 200*173*60mm3,M35 or above	गोटा						
39	Single colour	गोटा		४९/५	५५	५८	६०	
40	Blended Colour	गोटा		५२/०	५८	६९	६५	
41	Grass Interlock Pavers 400*600*80mm3,M35 or above	गोटा						
42	Grey colour	गोटा		३६/२६	४०/७	४२/७	४५/०	
43	Half battered Kerb Stone 200*350*300mm3,Grey Colour	गोटा						
44	M15	गोटा		३०९/००	३२/७	३४/३	३५/०	
45	M20	गोटा		३२३/००	३४/३	३६/०	३७/५	
46	M25	गोटा		३५४/००	३७/६	३९/५	४२/५	
47	Half battered Kerb Stone 165*325*300mm3,Grey Colour	गोटा						
48	M15	गोटा		२४७/००	२६/२	२७/५	३०/०	
49	M20	गोटा		२६५/००	२८/९	२९/५	३२/५	
50	M25	गोटा		२९२/००	३०/८	३२/३	३५/०	
51	Half battered Kerb Stone 380*200*250mm3,Grey Colour	गोटा						
52	M15	गोटा		३०५/००	३२/९	३३/७	३५/०	
53	M20	गोटा		३९८/००	३३/८	३५/५	३७/५	
54	M25	गोटा		३५४/००	३७/९	३९/०	४२/०	
55	Bullnose Kerb Stone 200*350*300mm3,Grey Colour	गोटा						
56	M15	गोटा		३५४/००	३७/५	३९/४	४२/५	
57	M20	गोटा		३८०/००	४०/३	४२/३	४५/०	
58	M25	गोटा		३९८/००	४२/९	४४/२	४६/५	
59	V Shape drain Male & Female set with compressive strength M35 . Thickness 70mm,Dimension 300x75x499.5	गोटा			४६/२	४६/२	५०/०	
60	फोरुवा गिटी (५ मिमि - २० मिमि)	घ.मी.	2350	2468	2,468	2,641	2,900	
61	फोरुवा गिटी (२० मिमि - ५० मिमि)	घ.मी.	2250	2363	2,363	2,528	2,650	
62	फोरुवा गिटी (५० मिमि - ७५ मिमि)	घ.मी.	2000	2100	2,100	2,247	2,400	
63	रिभर बेड गिटी (५ मिमि - ७० मिमि)	घ.मी.	1750	1838	1,838	1,967	2,100	
64	रिभर बेड गिटी (५० मिमि - ७५ मिमि)	घ.मी.	1500	1575	1,575	1,685	1,800	
65	ग्रामेल	घ.मी.	1500	1575	1,575	1,685	1,800	
66	बालुवा	घ.मी.	1700	1785	1,785	1,910	2,100	







आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा								
क्र.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
	<b>फ्लोरिङको काम</b>							
67	मार्बल सादा १२ देखी १४ एम. एम.	ब.मी.	1900	1950	1,950	2,145	2,300	
68	मार्बल रंगीन १२ देखी १४ एम. एम.	ब.मी.	2000	2050	2,050	2,255	2,400	
69	ग्रेनाईट रातो १२ देखी १४ एम. एम.	ब.मी.	2200	2250	2,250	2,475	2,600	
70	ग्रेनाईट विभिन्न कलरको १२ देखी १४ एम. एम.	ब.मी.	2500	2550	2,550	2,805	3,000	
71	मार्बल टायल 1"-0"x0'-6"	ब.मी.	1600	1650	1,650	1,815	2,000	
72	मोज्याक टायल 10" x 10"	ब.मी.	560	588	588	647	680	
73	मैन पालिस	गोटा	470	494	494	543	570	
74	अकजालिक एसिड पाउडर	के.जी.	145	152	152	167	175	
75	फ्लोर टायल (२ फी x २ फी)	ब.मी.	1600	1650	1,650	1,815	2,000	
75	स्पोर्ट्स टायल सादा १x१	ब.मी.	65	68	68	75	80	
76	मार्बल चिप्स	के.जी.	12	13	13	14	20	
77	मार्बल पाउडर	के.जी.	13	14	14	15	17	
78	कार्बोरेण्डम डुग्गा (२" X २" X ४")	थान	200	210	210	231	250	
79	पोर्सिलिन ग्लेज्ड/ननग्लेज्ड टायल	ब.मी.	765	803	803	883	925	
80	टेराजो टायल	थान	62	65	65	72	80	
81	Porcelain Glazed Tiles							
	24"x24" GVT	ब. फी.			165	180	200	
	24"x24" Vitrified	ब. फी.			110	125	130	
	Floor Tiles							
	24"x24" Digital	ब. फी.			129	175	190	
	12"x24" walls	ब. फी.			134	175	190	
	12"x18" walls	ब. फी.			103	125	130	
82	Plastic carpet							
	(a) PVC	र.मी.	190	190	190	225	248	
	(b) M calio	र.मी.	450	450	450	550	605	
	(a) Curavan	र.मी.	350	350	350	450	495	
	(a) Calio	र.मी.	750	750	750	850	935	
83	Yeti carpet							
	(a) Full Rib	र.मी.	650	650	650	700	770	
	(b) Sajawat	र.मी.	575	575	575	650	715	
	(a) Gri Laxmi	र.मी.	550	550	550	600	660	
	(a) Mehfil	र.मी.	450	450	450	500	550	
	सिमेन्ट जन्य सामग्रीहरू							
84	पी.पी.सि.सिमेन्ट	बोरा	605	605	605	605	620	
85	पी.एस.सि.सिमेन्ट	बोरा	605	605	605	605	620	
86	ब्रो.पी.सि.सिमेन्ट	बोरा	740	740	740	740	750	
87	सेतो सिमेन्ट	बोरा	1150	1150	1,150	1,150	1,200	
88	वाटर पुफिड कम्पाउण्ड	के.जी.	92	92	92	92	100	
89	कन्क्रीट एडमिक्चर (' सुपर प्लास्टिसाइजर)	लिटर	350	350	350	350	250	
90	फलाम जन्य सामग्रीहरू							
91	फलामे डण्डी विभिन्न साइजको	के.जी.	87	87	87	97	105	
92	एनिल्ड वायर	के.जि.	95	95	95	100	120	
93	पेच किला २५ मिमि (२०० पिस)	बट्टा	110	110	110	115	125	
94	साधारण किला विभिन्न साइजको	के.जी.	89	89	89	90	120	
95	एम.एस. ब्लाक पाइप विभिन्न साइज	के.जि.	76	76	76	80	130	
96	सामान सहित फलामे ग्रील जडान गर्ने कार्य	के.जि.	115	125	125	130	170	
97	डण्डी बाध्ने कालो तार	के.जी.	105	105	110	116	130	
98	डण्डी बाध्ने ग्याल्भनाइज्ड तार	के.जी.	105	105	105	110	115	
99	ऐंगल फलाम	के.जी.	83	83	85	89	130	
100	ग्रील पाता	के.जी.	83	83	85	89	130	
101	सोलिड स्क्वायर रड	के.जी.	83	83	85	89	130	
102	फलामे कोलेन्बेवल गेट जडान सहित	के.जी.	150	160	170	179	185	
103	१८ गेज रोलिङ सटर जडान सहित	के.जि.	150	160	170	179	185	

आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा								
क.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
104	फलामे एङ्गलमा गील तथा गेट जडान सहित	के.जी.	140	140	150	158	185	
105	चिकन बायर मेस(३ फिट चौडाई भएको)	र.मी.	46	46	46	48	55	
106	विभिन्न साइजको नट बोल्ट	के.जी.	110	110	110	116	130	
107	सुलिस पाता	के.जी.	83	83	83	87	100	
108	सिट पाइल (३ मिमि - १० मिमि) (with driving), २ मी गहिराइ सम्म	के.जी.	225	225	225	230	250	
109	सिट पाइल (१२ मिमि - ३० मिमि)(with driving) २ मी गहिराइसम्म	के.जी.	225	225	225	230	250	
110	हेड वर्क, हेड रेगुलेटरको गियर सिस्टम गेट	के.जि.	300	300	300	330	350	
111	हेड रेगुलेटर, क्रस रेगुलेटरको लागि साधारण फलामे गेट गियर बाहेक	के.जि.	250	250	250	263	270	
112	रबर सिल	प्रति मी	1260	1260	1,260	1,260	1,386	
113	Thusrst bearing per cm 51114	Nos	3950	3950	3,950	3,950	4,345	
114	Thusrst bearing per cm 51115	Nos	4450	4450	4,450	4,450	4,895	
115	Thusrst bearing per cm 51116	Nos	4750	4750	4,750	4,750	5,225	
116	Bearing	Nos	2625	2625	2,625	2,625	2,888	
117	Dis nut bolt	Nos	130	130	130	130	143	
118	Handle caller	Nos	1550	1550	1,550	1,550	1,705	
119	Rubber seal 6", 9", 12"	Rmt	1260	1260	1,260	1,260	1,386	
120	Bore ( Bearing size )	Nos	2600	2600	2,600	2,600	2,860	
121	Crown set	set	15500	15500	15,500	15,500	17,050	
122	Penion set	set	10500	10500	10,500	10,500	11,550	
123	Brass bush	set	1500	1500	1,500	1,500	1,650	
124	Handle bush	set	5200	5200	5,200	5,200	5,720	
125	Handle bush threading	set	3900	3900	3,900	3,900	4,290	
126	Handle bearing size bore	set	1300	1300	1,300	1,300	1,430	
127	Lifting device	set	17000	17000	17,000	17,000	18,700	
128	Threading spindle	cm	50	50	50	50	55	
129	एम एस च्यानल (३ x ५ x ६)	के.जि.	86	86	86	95	130	
130	स्पाईरल सिडी (४" मिडियम पोस्ट, ३ * २० मि.मी. पाता, ३२ मि.मी. डाय ह्याण्डरेल समेतको तयारी) जडान सहित	के.जी.	155	155	160	168	175	
131	रेलिङ्ग तथा सिडीको लागि ९० सेमि. उचाईको, मिडियम १.५ ईन्चको कालो पाईप हेन्डरेल र १ ईन्च स्ववायर पाईपको ६ ईन्चको फरकमा ठाडो पोस्ट राखि तयार तथा जडान गर्ने काम ( कालो पाइप) जडान सहित	के.जी.	155	155	160	168	175	
132	ट्युबलर टुस परलिन, फ्रेम आदिको जडान (फेब्रिकेसन गरी तयारी समेत )	के.जी.	115	115	120	132	185	
133	टुस, परलिन, फ्रेम आदिको जडान चार्ज	के.जी.	35	35	35	39	50	
134	Stainless steel pipe 1/2" dia.	के.जी.	265	265	265	292	350	
135	Stainless steel pipe 3/4" dia.	के.जी.	215	215	215	237	350	
136	Stainless steel pipe 1" dia.	के.जी.	200	200	200	220	350	
137	Stainless steel pipe 1.25" dia.	के.जी.	200	200	200	220	350	
138	Stainless steel pipe 1.50" dia.	के.जी.	200	200	200	220	350	
139	Stainless steel pipe 2.50" dia.	के.जी.	200	200	200	220	350	
140	विभिन्न साइज व्यासको स्टेनलेस स्टिल को गिल, गेट, रेलिङ्ग, फ्याल ढोका बनाई जडान गर्ने काम आवश्यक फेन्सी सामान समेत	के.जी.					625	
	स्टेनलेस स्टिलको पाईप रेलिङ्ग							
141	भर्रागको लागि ५० मिमिको हेन्डरेल पाईप, विचमा २० मिमि व्यासको स्टेनलेस स्टिल पाईपको तिन लाईन, ४० मिमिको ठाडो पोस्ट र ७५ मिमिको बोलुष्टर पाईपको रेलिङ्ग बनाई जडान गर्ने काम उचाई ९० से.मि. आवश्यक फेन्सी सामान समेत	फिट	1200	1200	1,200	1,320	1,500	
142	वरण्डाको लागि ५० मिमिको हेन्डरेल पाईप, विचमा २० मिमि व्यासको स्टेनलेस स्टिल पाईपको तिन लाईन, ४० मिमिको ठाडो पोस्टको रेलिङ्ग बनाई जडान गर्ने काम उचाई ९० से.मि. आवश्यक फेन्सी सामान समेत	फिट	1100	1100	1,100	1,210	1,400	



आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा								
क्र.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
143	बरण्डाको लागि ५० मिमिको हेन्डरेल पाईप, विचमा २० मिमि व्यासको स्टेनलेस स्टिल पाईपको तिन लाईन, ४० मिमिको ठाडो पोष्टको रेसिङ्गमा बुझा लगाई जडान गर्ने काम उचाई ७५ से.मि. आवश्यक फेन्सी सामान समेत	फिट	1100	1100	1,100	1,210	1,300	
144	Welding charge							
	a) Arc welding	र.मी.	42	42	42	46	50	
	b) Gas welding	र.मी.	83	83	83	91	100	
	ग्यावियन तार सम्बन्धी कार्यहरु							
145	जि. आई. तार लाइट ह्युटी(कमर्सियल)	के.जी.	85	89	89	93	98	
146	जि. आई. तार मेडियम ह्युटी	के.जी.	95	100	100	105	110	
147	जि. आई. तार हेभी ह्युटी	के.जी.	100	105	105	110	115	
148	जि.आई. बारबेड तार	के.जी.	90	95	95	100	105	
	काम गर्ने औजारहरु							
149	फलामको तगारी	थान	76	76	76	84	88	
150	फलामको बाल्टी	थान	315	315	315	347	364	
151	फलामे कोदालो (टाटा वा सो सरह)	थान	265	265	265	292	306	
152	सानेल (टाटा वा सो सरह)	थान	365	365	365	402	422	
153	पिक (गैति) (टाटा वा सो सरह)	थान	359	359	359	395	415	
154	घन	थान	504	504	504	554	582	
155	ओपेन स्पानर (तपडिया) १७ नं.	गोटा	239	239	239	263	276	
156	क्लोज स्पानर (तपडिया) १७ नं.	गोटा	265	265	265	292	306	
157	क्लोज स्पानर (तपडिया) १४ नं.	गोटा	233	233	233	256	269	
158	स्टेनलेस क्रोमोप्लेटेड हिटिङ प्लेट (१०० मिमि व्यास तथा १५ मिमि मोटाईको)	थान	1701	1701	1,701	1,871	1,965	
159	स्टेनलेस क्रोमोप्लेटेड हिटिङ प्लेट (१५० मिमि व्यास तथा १५ मिमि मोटाईको)	थान	1890	1890	1,890	2,079	2,183	
160	स्टेनलेस क्रोमोप्लेटेड हिटिङ प्लेट (२०० मिमि व्यास तथा १५ मिमि मोटाईको)	थान	3150	3150	3,150	3,465	3,638	
161	स्टेनलेस क्रोमोप्लेटेड हिटिङ प्लेट (२५० मिमि व्यास तथा १५ मिमि मोटाईको)	थान	3276	3276	3,276	3,604	3,784	
162	माइल्ड स्टील क्रोमोप्लेटेड हिटिङ प्लेट(१०० मिमि व्यास तथा १५ मिमि मोटाईको)	थान	1575	1575	1,575	1,733	1,819	
163	माइल्ड स्टील क्रोमोप्लेटेड हिटिङ प्लेट (१५० मिमि व्यास तथा १५ मिमि मोटाईको)	थान	1827	1827	1,827	2,010	2,110	
164	चेन पाइप रेन्च हेभी ह्युटी ५० मिमि	थान	1512	1512	1,512	1,663	1,746	
165	चेन पाइप रेन्च हेभी ह्युटी ८० मिमि	थान	1764	1764	1,764	1,940	2,037	
166	चेन पाइप रेन्च हेभी ह्युटी १०० मिमि	थान	2022	2022	2,022	2,224	2,335	
167	चेन पाइप रेन्च हेभी ह्युटी १५० मिमि	थान	2463	2463	2,463	2,709	2,845	
168	पाइप रेन्च ३० से.मि.	थान	321	321	321	353	371	
169	पाइप रेन्च ३५ से.मि.	थान	359	359	359	395	415	
170	पाइप रेन्च ४५ से.मि.	थान	725	725	725	798	837	
171	पाइप रेन्च ६० से.मि.	थान	1134	1134	1,134	1,247	1,310	
172	पाइप रेन्च ९० से.मि.	थान	2117	2117	2,117	2,329	2,445	
173	मेन्टिनेन्स टुल बक्स २२ गेजको २००X२००X४२५ मिमि	थान	1890	1890	1,890	2,079	2,183	
174	टेफलन क्लय	ब.मी.	3906	3906	3,906	4,297	4,511	
175	थर्मोक्रोम चक (जर्मनी)	थान	882	882	882	970	1,019	
176	फोब्रिक ग्लास मेजरिङ टेप ३० मीटर	थान	945	945	945	1,040	1,091	
177	फोब्रिक ग्लास मेजरिङ टेप ५० मीटर	थान	1260	1260	1,260	1,386	1,455	
178	फोब्रिक ग्लास मेजरिङ टेप ५ मीटर	थान	126	126	126	139	146	
179	पाइप भाइस सेल्प लकिङ १२ मिमि ह ५० मिमि	थान	1600	1600	1,600	1,760	1,848	
180	पाइप भाइस सेल्प लकिङ १२ मिमि ह ८० मिमि	थान	2898	2898	2,898	3,188	3,347	
181	पाइप भाइस सेल्प लकिङ १२ मिमि ह १०० मिमि	थान	4977	4977	4,977	5,475	5,748	
182	अटोमेटिक पाइप डाइ सेट( राचेट टाइप थ्रेडर) १२ मिमि ह २५ मिमि	थान	4473	4473	4,473	4,920	5,166	
183	अटोमेटिक पाइप डाइ सेट ३२ मिमि ह ५० मिमि	थान	7547	7547	7,547	8,302	8,717	
184	अटोमेटिक पाइप डाइ सेट ६३ मिमि ह ८० मिमि	थान	13230	13230	13,230	14,553	15,281	
185	हेण्डल डाई हेड १५ - २५ मिमि	थान	1657	1657	1,657	1,823	1,914	
186	हेण्डल डाई हेड ३२ - ५० मिमि	थान	2766	2766	2,766	3,043	3,195	

आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा								
क.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
187	हेण्डल डार्ड हेड ६३ - ८० मिमि	थान	3777	3777	3,777	4,155	4,362	
188	स्लाइड रेन्च २०० मिमि हेभी ह्युटी	थान	353	353	353	388	408	
189	स्लाइड रेन्च २५० मिमि हेभी ह्युटी	थान	498	498	498	548	575	
190	स्लाइड रेन्च ३०० मिमि हेभी ह्युटी	थान	577	577	577	635	666	
191	स्लाइड रेन्च ३७० मिमि हेभी ह्युटी	थान	1386	1386	1,386	1,525	1,601	
192	स्लाइड रेन्च ४५० मिमि हेभी ह्युटी	थान	1758	1758	1,758	1,934	2,030	
193	पाइप कटर हेभी ह्युटी २५ मिमि ब्यासको	थान	1449	1449	1,449	1,594	1,674	
194	पाइप कटर हेभी ह्युटी ५० मिमि ब्यासको	थान	2378	2378	2,378	2,616	2,747	
195	पाइप कटर हेभी ह्युटी ८० मिमि ब्यासको	थान	4232	4232	4,232	4,655	4,888	
196	पाइप कटर हेभी ह्युटी १०० मिमि ब्यासको	थान	4788	4788	4,788	5,267	5,530	
197	पाइप कटर हेभी ह्युटी १५० मिमि ब्यासको	थान	8694	8694	8,694	9,563	10,042	
198	पीक एक्स (टाटा वा सो सरह)	थान	359	359	359	395	415	
199	३०० मिमि राउण्ड फायल टेस्टेड २५० मिमि	थान	484	484	484	532	559	
200	१२ मिमि फ्लोट फायल टेस्टेड २५० मिमि	थान	238	238	238	262	275	
201	डोको	थान	126	126	126	139	146	
202	इवील बैरो	थान	4032	4032	4,032	4,435	4,657	
203	गल (५ केजिको)	थान	410	410	410	451	474	
204	दाँते गैती	थान	189	189	189	208	218	
	<b>छानाका सामग्रीहरु</b>							
	ट्रान्स्पारेन्ट फाईबर ग्लास सिट							
205	०.८० मि.मि.को साघा	ब.फिट	55	55	55	60	63	
206	०.८० मि.मि.को कोरुगेटेड	ब.फिट	180	180	180	200	210	
207	१.२ मि.मि.को साघा फाईबर	ब.फिट	110	110	110	130	137	
208	१.२ मि.मि.को कोरुगेटेड फाईबर	ब.फिट	110	110	110	130	137	
209	2.0 मि.मि.को कोरुगेटेड फाईबर	ब.फिट	160	160	160	180	189	
210	एक्वेस्टस सिमेण्ट सिट	ब.मि.	425	425	425	500	525	
211	Glass block (7.5"x7.5')	गोटा	235	235	235	300	315	
212	UPVC Sheet 3mm	ब.फिट				175	184	
213	UPVC Ridge Cover (3'-7" x 2')	गोटा	873	873	873	1,000	1,800	
214	एसबेसटस क्यारुगेटेड सीट	ब. मी.	347	347	347	400	420	
215	एसबेसटस प्लेन रीज सीट	र.मी.	380	380	380	400	420	
216	स्काई लाइट क्यारुगेटेड सीट	ब.मी.	243	243	243	300	315	
217	जि. बाई. प्लेन सिट २२ गेजको	बण्डल	10288	10288	10,288	10,288	10,802	
218	जि. बाई. प्लेन सिट २४ गेजको	बण्डल	8903	8903	8,903	8,903	9,348	
219	जि. बाई. प्लेन सिट २६ गेजको	बण्डल	6188	6188	6,188	6,188	6,497	
220	जि. बाई. प्लेन सिट २८ गेजको	बण्डल	5553	5553	5,553	5,553	5,831	
221	बिटुमिन वासर	गोटा	4	4	4	5	5	
222	जे वा एल हुक	के.जी.	103	103	103	103	108	
223	नट बोल्ट (८ मिमि)	गोटा	11	11	11	11	12	
224	कन्ट्री टायल	हजार	2082	2082	2,082	2,082	2,186	
225	कन्ट्री टायल घुरी	हजार	4161	4161	4,161	4,161	4,369	
226	छाना छाउने सिमेण्टको टायल	गोटा	17	17	17	20	21	
227	सिमेन्ट टायल ३'x२'x०.२५"	गोटा	113	113	113	113	119	
228	घुरीमा लगाउने सिमेण्टको टायल	गोटा	20	20	20	20	21	
229	मिक्स चर	बोभा	114	114	114	114	120	
230	चटाई	ब.मी.	114	114	114	114	120	
231	बाँस	गोटा	150	150	200	250	263	
232	टार फेन्ट सिट (१ मी. x २० मी.)	रोल	1331	1331	1,331	1,331	1,398	
233	सि. जि. बाई. सिट २२ गेज हेभी ह्युटी	बण्डल	12130	12130	12,130	13,343	14,010	
234	सि. जि. बाई. सिट २२ गेज लाइट ह्युटी	बण्डल	10800	10800	10,800	11,880	12,474	
235	सि. जि. बाई. सिट २४ गेज हेभी ह्युटी	बण्डल	10260	10260	10,260	11,286	11,850	
236	सि. जि. बाई. सिट २४ गेज मिडियम ह्युटी	बण्डल	9910	9910	9,910	10,901	11,446	
237	सि. जि. बाई. सिट २४ गेज लाइट ह्युटी	बण्डल	9010	9010	9,010	9,911	10,407	
238	सि. जि. बाई. सिट २६ गेज हेभी ह्युटी	बण्डल	8300	8300	8,300	9,130	9,587	
239	सि. जि. बाई. सिट २६ गेज मिडियम ह्युटी	बण्डल	7570	7570	7,570	8,327	8,743	
240	सि. जि. बाई. सिट २६ गेज लाइट ह्युटी	बण्डल	7220	7220	7,220	7,942	8,339	
241	सि. जि. बाई. सिट २८ गेज हेभी ह्युटी	बण्डल	6500	6500	6,500	7,150	7,508	
242	सि. जि. बाई. सिट २८ गेज मिडियम ह्युटी	बण्डल	5950	5950	5,950	6,545	6,872	
243	सि. जि. बाई. सिट २८ गेज लाइट ह्युटी	बण्डल	5580	5580	5,580	6,138	6,445	

आ.व. ०८०/८१ को जिल्ला दररेट, पर्सा								
क्र.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
244	सि. जि. आई. सिट (कलर कोट) २२ गेज हेभी ह्युटी	बण्डल	14120	14120	14,120	15,532	16,309	
245	सि. जि. आई. सिट (कलर कोट) २२ गेज लाइट ह्युटी	बण्डल	12890	12890	12,890	14,179	14,888	
246	सि. जि. आई. सिट (कलर कोट) २४ गेज हेभी ह्युटी	बण्डल	12330	12330	12,330	13,563	14,241	
247	सि. जि. आई. सिट (कलर कोट) २४ गेज मिडियम ह्युटी	बण्डल	11930	11930	11,930	13,123	13,779	
248	सि. जि. आई. सिट (कलर कोट) २४ गेज लाइट ह्युटी	बण्डल	10960	10960	10,960	12,056	12,659	
249	सि. जि. आई. सिट (कलर कोट) २६ गेज हेभी ह्युटी	बण्डल	10240	10240	10,240	11,264	11,827	
250	सि. जि. आई. सिट (कलर कोट) २६ गेज मिडियम ह्युटी	बण्डल	9460	9460	9,460	10,406	10,926	
251	सि. जि. आई. सिट (कलर कोट) २६ गेज लाइट ह्युटी	बण्डल	9010	9010	9,010	9,911	10,407	
252	सि. जि. आई. सिट (कलर कोट) २८ गेज हेभी ह्युटी	बण्डल	8160	8160	8,160	8,976	9,425	
253	सि. जि. आई. सिट (कलर कोट) २८ गेज मिडियम ह्युटी	बण्डल	7590	7590	7,590	8,349	8,766	
254	सि. जि. आई. सिट (कलर कोट) २८ गेज लाइट ह्युटी	बण्डल	7180	7180	7,180	7,898	8,293	
255	जि.आई. रिज सिट २६ गेज हेभी ह्युटी	बण्डल	2813	2813	2,813	3,094	3,249	
256	जि.आई. रिज सिट २६ गेज मिडियम ह्युटी	बण्डल	2570	2570	2,570	2,827	2,968	
257	जि.आई. रिज सिट २६ गेज लाइट ह्युटी	बण्डल	2453	2453	2,453	2,698	2,833	
258	जि.आई. रिज सिट २८ गेज हेभी ह्युटी	बण्डल	2213	2213	2,213	2,434	2,556	
259	जि.आई. रिज सिट २८ गेज मिडियम ह्युटी	बण्डल	2030	2030	2,030	2,233	2,345	
260	जि.आई. रिज सिट २८ गेज लाइट ह्युटी	बण्डल	1907	1907	1,907	2,098	2,203	
261	सि. जि. आई. सिट रइजिन टायल प्रोफायल १०१५ X ०.४९मि.मि.	बण्डल		19615	19,615	21,577	22,655	
262	सि. जि. आई. सिट रइजिन हेरिटेज प्रोफायल ८६० X ०.४९मि.मि.	बण्डल		14160	14,160	15,576	16,355	
काठ जन्य निर्माण सामग्रीहरु								
262	अग्राख काठ (चिरान गरिएको)	क्यु.फि.	4500	4500	4,600	5,060	6,000	
263	सिसम काठ (जङ्गली सिसौ चिरान समेत)	क्यु.फि.	2700	2700	2,800	3,080	4,000	
264	देहाती सिसौ (चिरान समेत)	क्यु.फि.	2100	2100	2,200	2,420	2,600	
265	आसन, कर्मा, जामुन (चिरान समेत)	क्यु.फि.	1600	1600	1,650	1,815	2,000	
266	कुकाठ (चिरान समेत)	क्यु.फि.	1250	1250	1,300	1,430	1,600	
267	कु काठ गोशिया	क्यु.फि.	810	810	900	990	1,000	
268	दाउरा	के.जि.	9.10	9.10	10	12		
267	वाटर पुफ प्लाई बोर्ड १२ मीमी मोटाई	ब.फी.			104	120	125	
268	वाटर पुफ प्लाई बोर्ड १९ मीमी मोटाई	ब.फी.			135	155	170	
269	वाटर पुफ प्लाई बोर्ड ३२ मीमी मोटाई	ब.फी.	173	173	180	250	350	
270	भारतीय प्लाइउड ३ मिमि	ब.फी.	18	18	18		60	
271	भारतीय प्लाइउड ४ मिमि	ब.फी.	18	18	18		65	
272	भारतीय प्लाइउड ६ मिमि	ब.फी.	22	22	22		70	
273	कमर्सियल प्लाइउड ४ मिमि	ब.फी.	17	17	17	20	21	
274	कमर्सियल प्लाइउड ६ मिमि	ब.फी.	32	32	32	40	42	
275	कमर्सियल प्लाइउड १० मिमि	ब.फी.	42	42	42	45	47	
276	कमर्सियल प्लाइउड १२ मिमि	ब.फी.	48	48	48	55	58	
277	टिक प्लाइउड ३ मिमि	ब.फी.	47	47	47	55	58	
278	टिक प्लाइउड ४ मिमि	ब.फी.	53	53	53	60	63	
279	टिक प्लाइउड ६ मिमि	ब.फी.	63	63	63	70	74	
280	टिक प्लाइउड १२ मिमि	ब.फी.	104	104	104	114	120	
281	सनमाइका १२ गेज (४' X ८')	थान	730	730	730	650	683	
282	फोरमाइका (४' X ८')	थान	950	950	950	1,045	1,097	
283	प्लाई बोर्ड १९ मिमि	ब.फी.	72	72	72	75	120	
भवन सम्बन्धी सामानहरु								
284	ऐना साधारण ३ मिमि मोटाईको	ब.मी.	945	945	945	1,040	1,091	
285	ऐना साधारण ४ मिमि मोटाईको	ब.मी.	1071	1071	1,071	1,178	1,237	
286	ऐना साधारण ५ मिमि मोटाईको	ब.मी.	1084	1084	1,084	1,192	1,252	

आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा								
क.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
287	ऐना साधारण ५.५ मिमि मोटाईको	ब.मी.	1134	1134	1,134	1,247	1,310	
288	ऐना साधारण ६ मिमि मोटाईको	ब.मी.	1268	1268	1,268	1,395	1,465	
289	ऐना बुढावाला ३ मिमि	ब.मी.	814	814	814	895	940	
290	ऐना बुढावाला ४ मिमि	ब.मी.	960	960	960	1,056	1,109	
291	प्लेन पार्टिकल बोर्ड (इन्टरियर ग्रेड) ६ मिमि मोटाईको	ब.मी.	254	254	254	279	293	
292	प्लेन पार्टिकल बोर्ड (इन्टरियर ग्रेड) ९ मिमि मोटाईको	ब.मी.	292	292	292	321	337	
293	प्लेन पार्टिकल बोर्ड (इन्टरियर ग्रेड) १२ मिमि मोटाईको	ब.मी.	330	330	330	363	381	
294	प्लेन पार्टिकल बोर्ड (इन्टरियर ग्रेड) १८ मिमि मोटाईको	ब.मी.	489	489	489	538	565	
295	प्लेन पार्टिकल बोर्ड (इन्टरियर ग्रेड) २५ मिमि मोटाईको	ब.मी.	635	635	635	699	733	
296	होल्ड फास्ट हेमि ड्युटी	के.जी.	62	62	62	68	72	
297	Brass Tower bolt 3"	Nos	79	79	79	87	91	
298	Brass Tower bolt 4"	Nos	89	89	89	98	103	
299	Brass Tower bolt 6"	Nos	105	105	105	116	121	
300	Handle ( Muthiya ) 3"	Nos	79	79	79	87	91	
301	Handle ( Muthiya ) 4"	Nos	105	105	105	116	121	
302	Handle ( Muthiya ) 6"	Nos	173	173	173	190	200	
303	L- Drop ( Handle ) - 8"	Nos	656	656	656	722	758	
304	L- Drop ( Handle ) - 10"	Nos	866	866	866	953	1,000	
305	L- Drop ( Handle ) - 12"	Nos	998	998	998	1,098	1,153	
306	Brass Mortice lock	Nos	1470	1470	1,470	1,617	1,698	
307	Door closer	Nos	2100	2100	2,100	2,310	2,426	
308	कब्जा ७५ मिमि हेमि ड्युटी	गोटा	17	17	17	19	20	
309	कब्जा १०० मिमि हेमि ड्युटी	गोटा	24	24	24	26	28	
310	कब्जा १५० मिमि हेमि ड्युटी	गोटा	45	45	45	50	52	
311	छेस्कनी ७५ मिमि एल्मुनियम	गोटा	32	32	32	35	37	
312	छेस्कनी १०० मिमि एल्मुनियम	गोटा	37	37	37	41	43	
313	छेस्कनी १५० मिमि एल्मुनियम	गोटा	47	47	47	52	54	
314	छेस्कनी २०० मिमि एल्मुनियम	गोटा	64	64	64	70	74	
315	छेस्कनी २५० मिमि एल्मुनियम	गोटा	74	74	74	81	85	
316	मोर्टिस लक १५० मिमि	गोटा	604	604	604	664	698	
317	लकिक्र सेट २५० मिमि	गोटा	294	294	294	323	340	
318	ह्याण्डल साधारण	गोटा	63	63	63	69	73	
319	ह्याण्डल स्टील	गोटा	74	74	74	81	85	
320	ह्याण्डल ब्रास	गोटा	368	368	368	405	425	
321	जि. आई. मस्क्युटो प्रुफ वायर मेस २४ गेज	ब.मि.	254	254	254	279	293	
322	डोर स्पिड साधारण	गोटा	210	210	210	231	243	
323	डोर स्पिड राम्रो	गोटा	236	236	236	260	273	
324	हाइड्रोलिक डोर स्पिड Amar	गोटा	900	900	900	990	1,040	
325	हाइड्रोलिक डोर स्पिड Godrej	गोटा	1900	1900	1,900	2,090	2,195	
326	हाइड्रोलिक डोर स्पिड GP	गोटा	1450	1450	1,450	1,595	1,675	
327	मोर्टिस लक (पित्तल)	गोटा	1250	1250	1,250	1,375	1,444	
328	मोर्टिस लक (स्टील नेकल)	गोटा	500	500	500	550	578	
329	अल्डाफ सेट	सेट	147	147	147	162	170	
330	काठको लिस्टी	मिटर	7	7	7	8	8	
	वाटर प्रुफिड सम्बन्धि सामग्रीहरु							
331	Water proofing treatment by Injection and Pressure Grouting System using perma Grout 500 with mixing fresh gray cement slurry all complete. (slope roof, sunk slab, hasement)	ब.मि.	545	545	545	575	604	
332	Providing and applying Dustban/Permise chemicals for Anti Termite Treatment all complete.	ब.मि.	460	460	460	475	499	
333	Dr. FIXIT liquid	लिट्र	280	280	280	280	294	
334	Dr. FIXIT Powder	के.जी.	140	140	140	140	147	
335	Cement Admixture (Mix 5% by weight of cement)	के.जी.	289	289	289	289	303	
336	ड्रेम्प प्रुफ तथा हाईनिड कम्पाउण्ड सेफ माईट	लिट्र	228	228	228	228	239	
337	सेफक्रिट	लिट्र	217	217	217	217	228	
338	पि.मि.सी. ढोका 3' x 6'-6" तयारी	धान	4950	4950	4,950	5,200	5,460	
339	False ceiling by Gypsum, Gypsum Board : 12mm thick	ब.मि.	1072	1072	1,072	1,072	1,200	
340	जिप्सम बोर्ड साधारण	ब.मि.	910	910	910	910	1,001	

आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा								
क.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
341	जिप्सम बोर्ड डिजाइन	व.मि.	1275	1275	1,275	1,275	1,403	
342	जिप्सम बोर्ड बाल प्यानलिङ	व.मि.	1000	1000	1,000	1,000	1,100	
343	जिप्सम बोर्डबाट बाल पार्टिशन	व.मि.	1950	1950	1,950	1,950	2,145	
<b>Door &amp; Window Frames(Chaukath)</b>								
344	Readymade RCC door frame of section 5"x3" with concrete mix 1:1:1 with rebar including arrangement of necessary holes and safety plates all complete							
a	Door size 3'-0"x7'-0"	प्रति गोटा	2500	2500	2,500	2,750	2,888	
b	Door size 2'-6"x7'-0"	प्रति गोटा	2200	2200	2,200	2,420	2,541	
c	Door size 3'-0"x6'-6"	प्रति गोटा	2500	2500	2,500	2,750	2,888	
d	Door size 2'-6"x6'-6"	प्रति गोटा	2200	2200	2,200	2,420	2,541	
345	Readymade RCC window frame of section 4"x3" with concrete mix 1:1:1 with rebar including arrangement of necessary holes and safety plates all complete							
a	Window size 3'-0"x3'-0"	प्रति गोटा	2200	2200	2,200	2,420	2,541	
b	Window size 3'-0"x4'-0"	प्रति गोटा	3100	3100	3,100	3,410	3,581	
c	Window size 4'-0"x4'-0"	प्रति गोटा	4600	4600	4,600	5,060	5,313	
d	Window size 4'-0"x5'-0"	प्रति गोटा	5200	5200	5,200	5,720	6,006	
346	Readymade wooden moulded door shutter including painting all complete works	प्रति वर्ग फिट	420	420	420	462	485	
347	Readymade wooden membrance door shutter including painting all complete works	प्रति वर्ग फिट	500	500	500	550	578	
348	Readymade wooden Nepali door shutter including painting all complete works	प्रति वर्ग फिट	215	215	215	237	248	
306	Readymade Steel Door 900*2100mm2	सेट	15274	15274	15,274	16,038	16,840	
307	Readymade Steel Door 1000*2100mm2	सेट	16159	16159	16,159	16,967	17,815	
307	Readymade ABS door 900*2100mm2	सेट	13504	13504	13,504	14,179	14,888	
308	Readymade Sy Sandwich/Eps Panel door 900*2100mm2	सेट	11734	11734	11,734	12,321	12,937	
308	Readymade Sy Sandwich/Eps Panel Window 115mm	सेट	765	765	765	803	843	
<b>रंग रोगन सम्बन्धी सामग्रीहरु</b>								
309	बाटर् प्रुफ सिमेन्ट पेण्ट (स्नोसेम)	के.जी.	76	76	80	88	92	
310	डिस्टेम्पर ड्वाई पाउडर	के.जी.	144	144	150	165	173	
311	वासेबल डिस्टेम्पर (फोल)	लीटर	139	139	145	160	167	
312	प्लास्टिक इमल्सन पेण्ट ( Exterior )	लीटर	462	462	600	660	700	
313	रेडिमेड इनामेल पेण्ट	लीटर	385	385	110	110	500	
314	प्राइमर पेण्ट (काठको लागि)	लीटर	319	319	350	385	400	
315	प्राइमर पेण्ट (फलामको लागि)	लीटर	319	319	350	385	400	
316	तारपिन तेल	लीटर	139	139	150	165	173	
317	स्पीट	लीटर	105	105	125	138	144	
318	लिनसिड आयल	लीटर	110	110	110	121	127	
319	चप्रा	के.जी.	636	636	650	715	751	
320	वार्निश	लीटर	144	144	150	165	173	
321	आलुमिनियम पेन्ट	लीटर	484	484	500	550	578	
322	तयारी गेरु रंग (फोल)	के.जी.	45	45	50	55	58	
323	खाली चुना (१ नं.)	के.जी.	21	21	25	28	29	
324	खाली चुना (२ नं.)	के.जी.	15	15	20	22	23	
325	खाली चुना (३ नं.)	के.जी.	13	13	15	17	17	
326	गुंद	के.जी.	153	153	155	171	179	
327	सरेस चपरा	के.जी.	116	116	120	132	139	
328	राम तिलक	के.जी.	13	13	15	17	17	
329	गेरु माटो	के.जी.	15	15	15	17	17	
330	उड पिजरभेटिभ	लीटर	382	382	400	440	462	
331	सफेदा विभिन्न कलरको	के.जी.	352	352	352	387	407	
332	छागसी	ताउ	7	7	10	11	12	
333	रोड मार्किङ पेण्ट	लीटर	699	699	800	880	924	
334	बलकना पेण्ट	लीटर	116	116	150	165	173	
335	मैन पालिस	के.जी.	433	433	450	495	520	
336	ब्लैक जापान पेण्ट	लीटर	121	121	150	165	173	
337	फेविकल	लिटर	347	347	350	385	404	
338	रवर सिल कम्पाउण्ड	लिटर	81	81	90	99	104	
339	Super coat paint	kg	462	462	600	660	700	
340	Apex paint	kg	462	462	600	660	700	
341	किरमिची रंग	के.जी.	200	200	200	220	231	
342	स्टेनर रंग	१००ग्राम	155	155	160	176	185	

आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा								
क्र.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
343	फ्रेन्च पाउडर	के.जी.	161	161	165	182	191	
344	नीर (हंक्वा)	के.जी.	258	258	258	284	298	
345	चूना (टीनको)	के.जी.	29	29	29	32	33	
346	वाल पुट्टी (Wall Putty)	के.जी.	35	35	40	44	46	
347	मेटल खान्सी	पिस	15	15	15	17	17	
348	काठको पुटिङ	के.जी.	67	67	67	74	77	
349	1" चौडा पेन्ट ब्रस	गोटा	55	55	60	66	69	
350	2" चौडा पेन्ट ब्रस	गोटा	110	110	115	127	133	
351	3" चौडा पेन्ट ब्रस	गोटा	150	150	160	176	185	
352	4" चौडा पेन्ट ब्रस	गोटा	220	220	225	248	260	
353	तारको मेटल ब्रस	गोटा	40	40	50	55	58	
354	रंग लगाउने रोलर	गोटा	350	350	350	385	404	
355	जुत्ता ब्रस	गोटा	30	30	30	33	35	
Aluminium material (For Door and Windows )								
356	Alluminium	Kg	3958	3958	3,958	4,156	4,364	
357	PVC Plug	No	10	10	10	11	11	
358	Alluminium screw	No	2	2	2	2	2	
359	Rubber bidding	M	80	80	80	84	88	
360	Wheel Runner	No	50	50	50	53	55	
361	Handle with luck	No	600	600	600	630	662	
362	Friction stay	No	200	200	200	210	221	
363	4" Alluminium Hinge	No	65	65	65	68	72	
364	Pre laminated board	sqm	807	807	807	847	890	
365	Automatic closer	No	800	800	800	840	882	
एल्युमिनियममा सादा सिसा जडान सहितको भ्यालको कार्य								
366	५ मिमिको सादा सिसा जडान गरिएको ढवल मेशको स्लाईडिङ्ग भ्याल	ब. फी.	578	578	578	607	668	
367	५ मिमिको सादा सिसा जडान गरिएको मेश नभएको स्लाईडिङ्ग भ्याल	ब. फी.	525	525	525	551	606	
एल्युमिनियममा सादा सिसा जडान सहितको ढोकाको कार्य								
368	५ मिमिको सादा सिसा जडान गरिएको कच्चावाला एक साइड खुल्ने स्विङ्ग ढोका	ब. फी.	630	630	630	662	728	
369	५ मिमिको सादा सिसा जडान गरिएको कच्चावाला दुई साइड खुल्ने स्विङ्ग ढोका	ब. फी.	630	630	630	662	728	
370	५ मिमिको सादा सिसा जडान गरिएको स्लाईडिङ्ग ढोका	ब. फी.	683	683	683	717	789	
एल्युमिनियममा सादा सिसा जडान सहितको पार्टिसन बालको कार्य								
371	१.५फि. X १.५फि. X १.८ मिमिको फ्रेममा ५ मिमिको सादा सिसा जडान गरिएको पार्टिसन बाल	ब. फी.	420	420	420	441	485	
ट्रिप्ल्याङ्गिकेटेड पार्टिसन बाल प्यानल (सप्लार्ई र इरेक्सन सहित)								
372	१२'-०" X १०'-०", ९'-०", ८'-०" साइज तथा ५० मिमि मोटाई भएको	ब. फी.	263	263	263	276	304	
373	१२'-०" X ७'-०" साइज तथा ५० मिमि मोटाई भएको	ब. फी.	315	315	315	331	364	
374	१२'-०" X ६'-०" साइज तथा ५० मिमि मोटाई भएको	ब. फी.	315	315	315	331	364	
375	१२'-०" X ५'-०" साइज तथा ५० मिमि मोटाई भएको	ब. फी.	263	263	263	276	304	
376	१२'-०" X १०'-०", ९'-०", ८'-०" साइज तथा ५० मिमि मोटाई भएको	ब. फी.	236	236	236	248	273	
377	१२'-०" X ७'-०" साइज तथा ५० मिमि मोटाई भएको	ब. फी.	252	252	252	265	291	
378	१२'-०" X ६'-०" साइज तथा ५० मिमि मोटाई भएको	ब. फी.	289	289	289	303	334	
379	१२'-०" X ५'-०" साइज तथा ५० मिमि मोटाई भएको	ब. फी.	236	236	236	248	273	
380	१२'-०" X १०'-०", ९'-०", ८'-०" साइज तथा ७५ मिमि मोटाई भएको	ब. फी.	315	315	315	331	364	
381	१२'-०" X ७'-०" साइज तथा ७५ मिमि मोटाई भएको	ब. फी.	341	341	341	358	394	

## आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा

क्र.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
382	१२'-०" X ६'-०" साइज तथा ७५ मिमि मोटाई भएको	ब. फी.	394	394	394	414	455	
383	१२'-०" X ५'-०" साइज तथा ७५ मिमि मोटाई भएको	ब. फी.	315	315	315	331	364	
384								
385	तारवार गर्नको लागि ५'X३"X४" साइजको कंक्रीटको पोल	गोटा	289	289	289	303	334	
386	तारवार गर्नको लागि ६'X३"X४" साइजको कंक्रीटको पोल	गोटा	289	289	289	303	334	
387	तारवार गर्नको लागि ६'६"X३"X४" साइजको कंक्रीटको पोल	गोटा	318	318	318	334	367	
388	तारवार गर्नको लागि ७'X३"X४" साइजको कंक्रीटको पोल	गोटा	347	347	347	364	401	
389	तारवार गर्नको लागि ८'X३"X४" साइजको कंक्रीटको पोल	गोटा	375	375	375	394	433	
390	१.५" मोटाई, ३' गोलाई र १' उचाइको सिमेण्ट कंक्रीट रिङ्ग	गोटा	491	491	491	516	567	
391	१.५" मोटाई, ३' गोलाई को सिमेण्ट कंक्रीट रिङ्ग कभर	गोटा	491	491	491	516	567	
392	सिमेण्ट कंक्रीट प्यान	गोटा	549	549	549	576	634	
393	फल्स सिन्डको लागि १२२०X६१०X६ मिमिको १००% वाटर प्रुफ सिमेण्ट बोर्ड (फ्रेमिङ र फिटिङ चार्ज बाहेक)	ब.फी.	53	53	53	56	125	
394	Cement concrete railing post 2'	गोटा	60	60	60	63	66	
395	Cement concrete railing post 2.5'	गोटा	150	150	150	158	165	
396	Cement concrete ventilation (1'x1')	गोटा	45	45	45	47	50	
397	Cement concrete ventilation (1'x1.5')	गोटा	60	60	60	63	66	
398	Cement concrete ventilation (1.5'x2')	गोटा	105	105	105	110	116	
399	Cement concrete ventilation (2'x2')	गोटा	155	155	155	163	171	
	<b>खानेपानी सम्बन्धी सामग्री</b>							
	बि.बाई/सि.बाई. सम्बन्धी							
401	०.५" ब्यासको जी.बाई. पाइप हेभि क्लास	र.मि.	164	164	172	198	218	
402	०.५" ब्यासको जी.बाई. पाइप मिडियम क्लास	र.मि.	137	137	144	165	182	
403	०.५" ब्यासको जी.बाई. पाइप लाइट क्लास	र.मि.	116	116	122	140	154	
404	०.७५" ब्यासको जी.बाई. पाइप हेभि क्लास	र.मि.	203	203	213	245	270	
405	०.७५" ब्यासको जी.बाई. पाइप मिडियम क्लास	र.मि.	173	173	182	209	230	
406	०.७५" ब्यासको जी.बाई. पाइप लाइट क्लास	र.मि.	157	157	165	190	209	
407	१" ब्यासको जी.बाई. पाइप हेभि क्लास	र.मि.	308	308	323	372	409	
408	१" ब्यासको जी.बाई. पाइप मिडियम क्लास	र.मि.	263	263	276	318	349	
409	१" ब्यासको जी.बाई. पाइप लाइट क्लास	र.मि.	223	223	234	269	296	
410	१.२५" ब्यासको जी.बाई. पाइप हेभि क्लास	र.मि.	394	394	414	476	523	
411	१.२५" ब्यासको जी.बाई. पाइप मिडियम क्लास	र.मि.	343	343	360	414	456	
412	१.२५" ब्यासको जी.बाई. पाइप लाइट क्लास	र.मि.	286	286	300	345	380	
413	१.५" ब्यासको जी.बाई. पाइप हेभि क्लास	र.मि.	455	455	478	549	604	
414	१.५" ब्यासको जी.बाई. पाइप मिडियम क्लास	र.मि.	394	394	414	476	523	
415	१.५" ब्यासको जी.बाई. पाइप लाइट क्लास	र.मि.	354	354	372	427	470	
416	२" ब्यासको जी.बाई. पाइप हेभि क्लास	र.मि.	669	669	702	808	889	
417	२" ब्यासको जी.बाई. पाइप मिडियम क्लास	र.मि.	541	541	568	653	719	
418	२" ब्यासको जी.बाई. पाइप लाइट क्लास	र.मि.	448	448	470	541	595	
419	३" ब्यासको जी.बाई. पाइप हेभि क्लास	र.मि.	986	986	1035	1191	1,310	
420	३" ब्यासको जी.बाई. पाइप मिडियम क्लास	र.मि.	860	860	903	1038	1,142	
421	३" ब्यासको जी.बाई. पाइप लाइट क्लास	र.मि.	726	726	762	877	964	
422	४" ब्यासको जी.बाई. पाइप हेभि क्लास	र.मि.	1515	1515	1591	1829	2,012	
423	४" ब्यासको जी.बाई. पाइप मिडियम क्लास	र.मि.	1287	1287	1351	1554	1,709	
424	४" ब्यासको जी.बाई. पाइप लाइट क्लास	र.मि.	1044	1044	1096	1261	1,387	
425	६" ब्यासको जी.बाई. पाइप मिडियम क्लास	र.मि.					3,541	
426	६" ब्यासको जी.बाई. पाइप हेभि क्लास	र.मि.					4,010	
427	८" ब्यासको जी.बाई. पाइप मिडियम क्लास	र.मि.					5,906	
428	८" ब्यासको जी.बाई. पाइप हेभि क्लास	र.मि.					6,261	
429	१/२" साइजको मिडियम क्लास ब्रास गेट भल्भ	गोटा	296	296	311	311	342	
430	१/२" ब्यासको जी.बाई. सकेट	थान	30	30	32	32	35	
431	३/४" ब्यासको जी.बाई. सकेट	थान	46	46	48	48	53	
432	१" ब्यासको जी.बाई. सकेट	थान	62	62	65	66	73	
433	१.२५" ब्यासको जी.बाई. सकेट	थान	94	94	99	98	108	

Handwritten signatures and initials at the bottom left of the page.

Handwritten signature or initials in the middle of the page.

Handwritten signature or initials on the right side of the page.

Handwritten signature or initials at the bottom right of the page.

आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा								
क.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
434	१.५" ब्यासको जी.आई. सकेट	घान	118	118	124	123	135	
435	२" ब्यासको जी.आई. सकेट	घान	198	198	207	207	228	
436	२.५" ब्यासको जी.आई. सकेट	घान	324	324	341	341	375	
437	३" ब्यासको जी.आई. सकेट	घान	488	488	512	512	563	
438	४" ब्यासको जी.आई. सकेट	घान	791	791	831	831	914	
439	मिडियम क्लास जि.आई. एल्वो १/२" ब्यास भएको	घान	31	31	33	33	36	
440	मिडियम क्लास जि.आई. एल्वो ३/४" ब्यास भएको	घान	51	51	54	54	59	
441	मिडियम क्लास जि.आई. एल्वो १" ब्यास भएको	घान	82	82	86	86	95	
442	मिडियम क्लास जि.आई. एल्वो १.२५" ब्यास भएको	घान	126	126	132	132	145	
443	मिडियम क्लास जि.आई. एल्वो १.५" ब्यास भएको	घान	175	175	183	183	201	
444	मिडियम क्लास जि.आई. एल्वो २" ब्यास भएको	घान	274	274	287	287	316	
445	मिडियम क्लास जि.आई. एल्वो २.५" ब्यास भएको	घान	519	519	545	545	600	
446	मिडियम क्लास जि.आई. एल्वो ३" ब्यास भएको	घान	699	699	734	734	807	
447	मिडियम क्लास जि.आई. एल्वो ४" ब्यास भएको	घान	1256	1256	1319	1319	1,451	
448	मिडियम क्लास जि.आई. टी १/२" ब्यास भएको	घान	55	55	58	58	64	
449	मिडियम क्लास जि.आई. टी ३/४" ब्यास भएको	घान	82	82	86	86	95	
450	मिडियम क्लास जि.आई. टि १" ब्यास भएको	घान	111	111	117	117	129	
451	मिडियम क्लास जि.आई. टि १.२५" ब्यास भएको	घान	171	171	179	179	197	
452	मिडियम क्लास जि.आई. टि १.५" ब्यास भएको	घान	222	222	233	233	256	
453	मिडियम क्लास जि.आई. टि २" ब्यास भएको	घान	355	355	372	372	409	
454	मिडियम क्लास जि.आई. टी २.५" ब्यास भएको	घान	657	657	690	690	759	
455	मिडियम क्लास जि.आई. टी ३" ब्यास भएको	घान	942	942	989	989	1,088	
456	मिडियम क्लास जि.आई. टी ४" ब्यास भएको	घान	1544	1544	1622	1622	1,784	
457	मिडियम क्लास जि.आई. युनियन १/२" ब्यास भएको	घान	93	93	97	97	107	
458	मिडियम क्लास जि.आई. युनियन ३/४" ब्यास भएको	घान	126	126	132	132	145	
459	मिडियम क्लास जि.आई. युनियन १" ब्यास भएको	घान	175	175	183	183	201	
460	मिडियम क्लास जि.आई. युनियन १.२५" ब्यास भएको	घान	274	274	287	287	316	
461	मिडियम क्लास जि.आई. युनियन १.५" ब्यास भएको	घान	331	331	347	347	382	
462	मिडियम क्लास जि.आई. युनियन २" ब्यास भएको	घान	508	508	533	533	586	
463	मिडियम क्लास जि.आई. युनियन २.५" ब्यास भएको	घान	953	953	1000	1000	1,100	
464	मिडियम क्लास जि.आई. युनियन ३" ब्यास भएको	घान	1325	1325	1391	1391	1,530	
465	मिडियम क्लास जि.आई. युनियन ४" ब्यास भएको	घान	1819	1819	1910	1910	2,101	
466	मिडियम क्लास जि.आई. रेड्युसर सकेट १/२" X ३/४"	घान	49	49	51	51	56	
467	मिडियम क्लास जि.आई. रेड्युसर सकेट १" X ३/४"	घान	66	66	69	69	76	
468	मिडियम क्लास जि.आई. रेड्युसर सकेट १" X १.२५"	घान	100	100	105	105	116	
469	मिडियम क्लास जि.आई. रेड्युसर सकेट १.५" X १.२५"	घान	126	126	132	132	145	
470	मिडियम क्लास जि.आई. रेड्युसर सकेट १.५" X २"	घान	210	210	221	221	243	
471	मिडियम क्लास जि.आई. रेड्युसर सकेट २.५" X २"	घान	342	342	359	359	395	
472	मिडियम क्लास जि.आई. रेड्युसर सकेट २.५" X ३"	घान	514	514	539	539	593	
473	मिडियम क्लास जि.आई. रेड्युसर सकेट ३" X ४"	घान	833	833	875	875	963	
474	मिडियम क्लास सि.आई. प्लग १/२" ब्यास भएको	घान	9	9	10	10	11	



## आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा

क.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
475	मिडियम क्लास सि.आई. प्लग ३/४" ब्यास भएको	घान	18	18	19	19	21	
476	मिडियम क्लास सि.आई. प्लग १" ब्यास भएको	घान	27	27	28	28	31	
477	मिडियम क्लास सि.आई. प्लग १.२५" ब्यास भएको	घान	48	48	50	50	55	
478	मिडियम क्लास सि.आई. प्लग १.५" ब्यास भएको	घान	58	58	61	61	67	
479	मिडियम क्लास सि.आई. प्लग २" ब्यास भएको	घान	87	87	92	92	101	
480	मिडियम क्लास सि.आई. प्लग २.५" ब्यास भएको	घान	123	123	129	129	142	
481	मिडियम क्लास सि.आई. प्लग ३" ब्यास भएको	घान	174	174	182	182	200	
482	मिडियम क्लास सि.आई. प्लग ४" ब्यास भएको	घान	297	297	312	312	343	
483	मिडियम क्लास जि.आई. रिड्युस टी ३/४" ब्यास भएको	घान	89	89	94	94	103	
484	मिडियम क्लास जि.आई. रिड्युस टी १" ब्यास भएको	घान	124	124	130	130	143	
485	मिडियम क्लास जि.आई. रिड्युस टी १.२५" ब्यास भएको	घान	188	188	198	198	218	
486	मिडियम क्लास जि.आई. रिड्युस टी १.५" ब्यास भएको	घान	245	245	258	258	284	
487	मिडियम क्लास जि.आई. रिड्युस टी २" ब्यास भएको	घान	389	389	408	408	449	
488	मिडियम क्लास जि.आई. रिड्युस टी २.५" ब्यास भएको	घान	723	723	759	759	835	
489	मिडियम क्लास जि.आई. रिड्युस टी ३" ब्यास भएको	घान	1038	1038	1090	1090	1,199	
490	मिडियम क्लास जि.आई. रिड्युस टी ४" ब्यास भएको	घान	1698	1698	1783	1783	1,961	
491	मिडियम क्लास जि.आई. इण्डक्याप १/२" ब्यास भएको	घान	19	19	20	20	22	
492	मिडियम क्लास सि.आई. इण्डक्याप ३/४" ब्यास भएको	घान	33	33	35	35	39	
493	मिडियम क्लास सि.आई. इण्डक्याप १" ब्यास भएको	घान	42	42	44	44	48	
494	मिडियम क्लास सि.आई. इण्डक्याप १.२५" ब्यास भएको	घान	75	75	79	79	87	
495	मिडियम क्लास सि.आई. इण्डक्याप १.५" ब्यास भएको	घान	88	88	93	93	102	
496	मिडियम क्लास सि.आई. इण्डक्याप २" ब्यास भएको	घान	109	109	115	115	127	
497	मिडियम क्लास सि.आई. इण्डक्याप २.५" ब्यास भएको	घान	205	205	215	215	237	
498	मिडियम क्लास सि.आई. इण्डक्याप ३" ब्यास भएको	घान	280	280	294	294	323	
499	मिडियम क्लास सि.आई. इण्डक्याप ४" ब्यास भएको	घान	426	426	447	448	492	
500	मिडियम क्लास जि.आई. रेड्युस एल्वो १/२" X ३/४"	घान	57	57	60	60	66	
501	मिडियम क्लास जि.आई. रेड्युस एल्वो १" X ३/४"	घान	89	89	94	94	103	
502	मिडियम क्लास जि.आई. रेड्युस एल्वो १" x १.२५"	घान	138	138	145	145	160	
503	मिडियम क्लास जि.आई. रेड्युस एल्वो १.५" x १.२५"	घान	191	191	201	201	221	
504	मिडियम क्लास जि.आई. रेड्युस एल्वो १.५" X २"	घान	301	301	316	316	348	
505	मिडियम क्लास जि.आई. रेड्युस एल्वो २.५" X २"	घान	570	570	599	598	658	
506	मिडियम क्लास जि.आई. रेड्युस एल्वो २.५" X ३"	घान	768	768	806	806	887	
507	मिडियम क्लास जि.आई. रेड्युस एल्वो ३" X ४"	घान	1381	1381	1450	1450	1,595	
508	१/२" ब्यासको जी.आई. क्रस	घान	82	82	86	86	95	
509	३/४" ब्यासको जी.आई. क्रस	घान	119	119	124	124	136	

आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा								
क्र.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
510	१" ब्यासको जी.आई. क्रस	बान	188	188	198	198	218	
511	१.२५" ब्यासको जी.आई. क्रस	बान	314	314	330	330	363	
512	१.५" ब्यासको जी.आई. क्रस	बान	427	427	449	449	494	
513	२" ब्यासको जी.आई. क्रस	बान	542	542	569	569	626	
514	१/२" ब्यासको जी.आई. हेक्स निप्ल	बान	34	34	36	36	40	
515	३/४" ब्यासको जी.आई. हेक्स निप्ल	बान	53	53	56	56	62	
516	१" ब्यासको जी.आई. हेक्स निप्ल	बान	79	79	83	83	91	
517	१.२५" ब्यासको जी.आई. हेक्स निप्ल	बान	128	128	134	134	147	
518	१.५" ब्यासको जी.आई. हेक्स निप्ल	बान	158	158	166	166	183	
519	२" ब्यासको जी.आई. हेक्स निप्ल	बान	239	239	251	251	276	
520	१/२" ब्यासको सि.आई. ट्याङ्ग निप्ल	बान	37	37	39	39	43	
521	३/४" ब्यासको सी.आई. ट्याङ्ग निप्ल	बान	86	86	90	91	100	
522	१" ब्यासको सी.आई. ट्याङ्ग निप्ल	बान	107	107	112	112	123	
523	१/२" ब्यासको जी.आई. चेक नट	बान	25	25	26	26	29	
524	३/४" ब्यासको जी.आई. चेक नट	बान	42	42	44	44	48	
525	१" ब्यासको जी.आई. चेक नट	बान	53	53	56	56	62	
526	१.२५" ब्यासको जी.आई. चेक नट	बान	63	63	66	67	74	
527	१.५" ब्यासको जी.आई. चेक नट	बान	113	113	119	119	131	
528	२" ब्यासको जी.आई. चेक नट	बान	146	146	153	153	168	
529	मिडियम क्लास जि.आई. फ्लेन्जसेट २" ब्यास भएको	बान	820	820	860	860	946	
530	मिडियम क्लास जि.आई. फ्लेन्जसेट २.५" ब्यास भएको	बान	1042	1042	1094	1094	1,203	
531	मिडियम क्लास जि.आई. फ्लेन्जसेट ३" ब्यास भएको	बान	1376	1376	1445	1445	1,590	
532	मिडियम क्लास जि.आई. फ्लेन्जसेट ४" ब्यास भएको	बान	1704	1704	1789	1789	1,968	
533	हेभि ह्यूटी जि.आई. निपल १/२" ब्यास भएको र २" लामो	बान	15	15	15	15	17	
534	हेभि ह्यूटी जि.आई. निपल ३/४" ब्यास भएको र २" लामो	बान	21	21	22	22	24	
535	हेभि ह्यूटी जि.आई. निपल १" ब्यास भएको र २" लामो	बान	28	28	29	29	32	
536	हेभि ह्यूटी जि.आई. निपल १/२" ब्यास भएको र ३" लामो	बान	22	22	23	23	25	
537	हेभि ह्यूटी जि.आई. निपल ३/४" ब्यास भएको र ३" लामो	बान	30	30	32	32	35	
538	हेभि ह्यूटी जि.आई. निपल १" ब्यास भएको र ३" लामो	बान	43	43	45	45	50	
539	हेभि ह्यूटी जि.आई. निपल १/२" ब्यास भएको र ४" लामो	बान	29	29	31	31	34	
540	हेभि ह्यूटी जि.आई. निपल ३/४" ब्यास भएको र ४" लामो	बान	41	41	43	43	47	
541	हेभि ह्यूटी जि.आई. निपल १" ब्यास भएको र ४" लामो	बान	57	57	60	60	66	
542	जि.आई. स्टेनर १/२" ब्यास भएको	बान	393	393	224	224	246	
543	जि.आई. स्टेनर ३/४" ब्यास भएको	बान	524	524	454	454	499	
544	जि.आई. स्टेनर १" ब्यास भएको	बान	655	655	593	593	652	
545	जि.आई. स्टेनर १.२५" ब्यास भएको	बान	786	786	980	980	1,078	
546	जि.आई. स्टेनर १.५" ब्यास भएको	बान	917	917	1,143	1,143	1,257	
547	जि.आई. स्टेनर २" ब्यास भएको	बान	1114	1114	1,549	1,549	1,704	
548	जि.आई. स्टेनर २.५" ब्यास भएको	बान	1376	1376	1,797	1,797	1,977	
549	जि.आई. स्टेनर ३" ब्यास भएको	बान	1638	1638	2,602	2,602	2,862	
550	जि.आई. स्टेनर ४" ब्यास भएको	बान	1966	1966	5,354	5,354	5,889	
551	जि.आई. स्टेनर ५" ब्यास भएको	बान			6,122	6,122	6,734	
552	गन मेटल गेट भल्भ १/२" ब्यास भएको (प्रिति वा सो सरह)	बान	972	972	1,035	1,035	1,139	
553	गन मेटल गेट भल्भ ३/४" ब्यास भएको (प्रिति वा सो सरह)	बान	1397	1397	1,400	1,400	1,540	
554	गनमेटल गेट भल्भ १" ब्यास भएको, ०.६५ के.जि./पिस तौल भएको	बान	2121	2121	2,140	2,140	2,354	
555	गन मेटल गेट भल्भ १.२५" ब्यास भएको, तौल = १.२५ के.जि./पिस	बान	3166	3166	3,190	3,190	3,509	

आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा								
क.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
556	गन मेटल गेट भल्म १.५" ब्यास भएको (प्रिति वा सो सरह)	घान	4050	4050	4,080	4,080	4,488	
557	गनमेटल गेट भल्म २" ब्यास भएको (प्रिति वा सो सरह)	घान	6670	6670	6,710	6,710	7,381	
558	गन मेटल गेट भल्म २.५" ब्यास भएको (प्रिति वा सो सरह)	घान	13099	13099	12,300	12,300	13,530	
559	गनमेटल गेट भल्म ३" ब्यास भएको (प्रिति वा सो सरह)	घान	19946	19946	15,300	15,300	16,830	
560	गनमेटल गेट भल्म ४" ब्यास भएको (प्रिति वा सो सरह)	घान	20500	20500	25,000	25,000	27,500	
561	गन मेटल चेक भल्म १/२" ब्यास भएको (प्रिति वा सो सरह)(horizontal heavy)	घान	531	531	558	558	614	
562	गन मेटल चेक भल्म ३/४" ब्यास भएको (प्रिति वा सो सरह)(horizontal heavy)	घान	825	825	866	866	953	
563	गनमेटल चेक भल्म १" ब्यास भएको (प्रिति वा सो सरह) (horizontal heavy)	घान	1806	1806	1,897	1,897	2,087	
564	गन मेटल चेक भल्म १.२५" ब्यास भएको (प्रिति वा सो सरह) (horizontal heavy)	घान	3049	3049	3,202	3,202	3,522	
565	गन मेटल चेक भल्म १.५" ब्यास भएको (प्रिति वा सो सरह) (horizontal heavy)	घान	4573	4573	4,802	4,802	5,282	
566	गनमेटल चेक भल्म २" ब्यास भएको (प्रिति वा सो सरह) (horizontal heavy)	घान	6861	6861	7,204	7,204	7,924	
567	गन मेटल चेक भल्म २.५" ब्यास भएको (प्रिति वा सो सरह) (horizontal heavy)	घान	11943	11943	12,541	12,541	13,795	
568	गनमेटल चेक भल्म ३" ब्यास भएको (प्रिति वा सो सरह) (horizontal heavy)	घान	16380	16380	17,199	17,199	18,919	
569	गनमेटल चेक भल्म ४" ब्यास भएको (प्रिति वा सो सरह) (horizontal heavy)	घान	20311	20311	21,327	21,327	23,460	
570	गन मेटल ग्लोभ भल्म १/२" ब्यास भएको (प्रिति वा सो सरह)	घान	869	869	913	913	1,004	
571	गन मेटल ग्लोभ भल्म ३/४" ब्यास भएको (प्रिति वा सो सरह)	घान	1397	1397	1,467	1,467	1,614	
572	गनमेटल ग्लोभ भल्म १" ब्यास भएको (प्रिति वा सो सरह)	घान	2097	2097	2,201	2,201	2,421	
573	गन मेटल ग्लोभ भल्म १.२५" ब्यास भएको (प्रिति वा सो सरह)	घान	4065	4065	4,269	4,269	4,696	
574	गन मेटल ग्लोभ भल्म १.५" ब्यास भएको (प्रिति वा सो सरह)	घान	5209	5209	5,469	5,470	6,017	
575	गनमेटल ग्लोभ भल्म २" ब्यास भएको (प्रिति वा सो सरह)	घान	7368	7368	7,736	7,737	8,511	
576	गन मेटल ग्लोभ भल्म २.५" ब्यास भएको (प्रिति वा सो सरह)	घान	14887	14887	15,631	15,631	17,194	
577	गनमेटल ग्लोभ भल्म ३" ब्यास भएको (प्रिति वा सो सरह)	घान	20246	20246	21,258	21,258	23,384	
578	गनमेटल ग्लोभ भल्म ४" ब्यास भएको (प्रिति वा सो सरह)	घान	36025	36025	37,826	37,826	41,609	
579	गन मेटल फ्लोट भल्म १/२" ब्यास भएको (प्रिति वा सो सरह)	घान	2964	2964	3,112	3,112	3,423	
580	गन मेटल फ्लोट भल्म ३/४" ब्यास भएको (प्रिति वा सो सरह)	घान	3599	3599	3,779	3,779	4,157	
581	गनमेटल फ्लोट भल्म १" ब्यास भएको (प्रिति वा सो सरह)	घान	4764	4764	5,002	5,002	5,502	
582	गन मेटल फ्लोट भल्म १.२५" ब्यास भएको (प्रिति वा सो सरह)	घान	10601	10601	11,131	11,131	12,244	
583	गन मेटल फ्लोट भल्म १.५" ब्यास भएको (प्रिति वा सो सरह)	घान	13625	13625	14,306	14,306	15,737	
584	गनमेटल फ्लोट भल्म २" ब्यास भएको (प्रिति वा सो सरह)	घान	21058	21058	22,111	22,111	24,322	
585	त्रास युनियन एडप्टर सहित १/२" ब्यास भएको ( प्रिति वा सो सरह)	घान	224	224	350	350	385	
586	त्रास युनियन एडप्टर सहित ३/४" ब्यास भएको ( प्रिति वा सो सरह)	घान	447	447	540	540	594	
587	त्रास युनियन एडप्टर सहित १" ब्यास भएको (प्रिति वा सो सरह)	घान	560	560	810	810	891	

आ.व. ०८०/८१ को जिल्ला दररेट, पर्सा								
क.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
588	ब्रास युनियन एडप्टर सहित १.२५" ब्यास भएको (प्रिति वा सो सरह)	धान	781	781	1,090	1,090	1,199	
589	ब्रास युनियन एडप्टर सहित १.५" ब्यास भएको (प्रिति वा सो सरह)	धान	1118	1118	1,600	1,600	1,760	
590	ब्रास युनियन एडप्टर सहित २" ब्यास भएको (प्रिति वा सो सरह)	धान	1788	1788	2,240	2,240	2,464	
591	ब्रास युनियन एडप्टर सहित २.५" ब्यास भएको (प्रिति वा सो सरह)	धान	5930	5930	4,900	4,900	5,390	
592	ब्रास युनियन एडप्टर सहित ३" ब्यास भएको (प्रिति वा सो सरह)	धान	8894	8894	7,400	7,400	8,140	
593	ब्रास युनियन एडप्टर सहित ४" ब्यास भएको (प्रिति वा सो सरह)	धान	13934	13934	13,934	13,934	15,327	
594	ब्रास ट्याप १२ मिमि ब्यास (४०० ग्राम)	धान	615	615	615	615	676	
595	गन मेटल फेरुल कक १/२" ब्यास भएको (प्रिति वा सो सरह)	धान	1194	1194	740	740	814	
596	गन मेटल फेरुल कक ३/४" ब्यास भएको (प्रिति वा सो सरह)	धान	2414	2414	1,550	1,550	1,705	
597	गनमेटल फेरुल कक १" ब्यास भएको (प्रिति वा सो सरह)	धान	4319	4319	2,350	2,350	2,585	
598	०.५" ब्यास भएको सि.आई. एयर भल्भ	धान	780	780	3,570	3,570	3,927	
599	०.७५" ब्यास भएको सि.आई. एयर भल्भ	धान	1060	1060	4,890	4,890	5,379	
600	१" ब्यास भएको सि.आई. एयर भल्भ	धान	1330	1330	5,730	5,730	6,303	
601	१.५" ब्यास भएको जी. आई. सैडल फेरुल	धान	276	276	990	990	1,089	
602	२" ब्यास भएको जी. आई. सैडल फेरुल	धान	288	288	1,065	1,065	1,172	
603	२.५" ब्यास भएको जी. आई. सैडल फेरुल	धान	314	314	1,150	1,150	1,265	
604	३" ब्यास भएको जी. आई. सैडल फेरुल	धान	341	341	1,215	1,215	1,337	
605	४" ब्यास भएको जी. आई. सैडल फेरुल	धान	387	387	1,500	1,500	1,650	
606	०.५" ब्यास भएको फ्लो रेगुलेटर कि सहित	धान	917	917	985	985	1,084	
607	२" ब्यास भएको स्लुइस भल्भ	धान	4678	4678	4,678	4,678	5,146	
608	२.५" ब्यास भएको स्लुइस भल्भ	धान	5949	5949	5,949	5,949	6,544	
609	३" ब्यास भएको स्लुइस भल्भ	धान	6723	6723	6,723	6,723	7,395	
610	४" ब्यास भएको स्लुइस भल्भ	धान	7851	7851	7,851	7,851	8,636	
611	४" ब्यास भएको जि.आई. वैण्ड	धान	721	721	721	721	793	
612	४" ब्यास भएको जि.आई. डक फुट वैण्ड	धान	734	734	734	734	808	
613	४" ब्यास भएको वेल माउथ	धान	714	714	714	714	786	
614	४" ब्यास भएको सी.आई. चेक भल्भ	धान	7325	7325	7,325	7,325	8,057	
615	१०० मिमि वाई १०० मिमिको सि.आई फ्लेन्ज सेट	धान	8595	8595	8,595	8,595	9,454	
616	सि.आई. ९० डिग्री वैण्ड विथ फ्लेन्ज १०० मिमि ब्यास	धान	9435	9435	9,435	9,435	10,379	
617	सि.आई. पाइप ८० मिमि ब्यास	र.मि.	488	488	488	488	537	
618	सि.आई. पाइप १०० मिमि ब्यास	र.मि.	590	590	590	590	649	
619	सि.आई. पाइप १५० मिमि ब्यास	र.मि.	881	881	881	881	969	
620	सि.आई. एल्बो ८० मिमि ब्यास	धान	393	393	393	393	432	
621	सि.आई. एल्बो १०० मिमि ब्यास	धान	341	341	341	341	375	
622	सि.आई. एल्बो १५० मिमि ब्यास	धान	629	629	629	629	692	
623	७५ मिमि X ७५ मिमि सी.आई. क्रस टी	धान	472	472	472	472	519	
624	८० मिमि X ८० मिमि सी.आई. क्रस टी	धान	393	393	393	393	432	
625	१५० मिमि X १५० मिमि सी.आई. क्रस टी	धान	629	629	629	629	692	
	<b>एच.डि.पी.ई. सम्बन्धी</b>							
626	एच.डि.पी. पाइप	के.जि.	115	115	115	115	121	
627	एच.डि.पी. पाइप लोकल मध्यम वर्ग	के.जि.	215	215	215	215	226	
628	एच.डि.पी. पाइप एन.एस. ४० मार्क	के.जि.	260	260	265	280	290	
629	एच.डि.पी. ट्याङ्क	लीटर	9	9	10	11	12	
630	११० मिमि X ११० मिमि एच.डि.पी. टी	धान	80	80	80	80	88	
631	१२५ मिमि X १२५ मिमि एच.डि.पी. टी	धान	86	86	86	86	95	
632	१४० मिमि X १४० मिमि एच.डि.पी. टी	धान	92	92	92	92	102	
633	१६० मिमि X १६० मिमि एच.डि.पी. टी	धान	100	100	100	100	110	
634	२०० मिमि X २०० मिमि एच.डि.पी. टी	धान	106	106	106	106	117	
635	२०० मिमि X १८० मिमि एच.डि.पी. रेड्यूसर	धान	106	106	106	106	117	
636	१८० मिमि X १६० मिमि एच.डि.पी. रेड्यूसर	धान	100	100	100	100	110	
637	१६० मिमि X १४० मिमि एच.डि.पी. रेड्यूसर	धान	92	92	92	92	102	
638	१४० मिमि X १२५ मिमि एच.डि.पी. रेड्यूसर	धान	86	86	86	86	95	

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

## आ.व. ०८०/८१ को जिल्ला दररेट, पर्सा

क्र.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
639	१२५ मिमि X ११० मिमि एच.डि.पी. रेड्यूसर	बान	80	80	80	80	88	
640	११० मिमि X ९० मिमि एच.डि.पी. रेड्यूसर	बान	72	72	72	72	80	
641	९० मिमि X ७५ मिमि एच.डि.पी. रेड्यूसर	बान	60	60	60	60	66	
642	७५ मिमि X ६३ मिमि एच.डि.पी. रेड्यूसर	बान	53	53	53	53	58	
643	६३ मिमि X ५० मिमि एच.डि.पी. रेड्यूसर	बान	46	46	46	46	51	
644	५० मिमि X ४० मिमि एच.डि.पी. रेड्यूसर	बान	40	40	40	40	44	
645	४० मिमि X ३२ मिमि एच.डि.पी. रेड्यूसर	बान	34	34	34	34	37	
646	३२ मिमि X २५ मिमि एच.डि.पी. रेड्यूसर	बान	26	26	26	26	29	
647	२० मिमि X २५ मिमि एच.डि.पी. रेड्यूसर	बान	20	20	20	20	22	
648	२०० मिमि X १८० मिमि एच.डि.पी. अनइक्वायल टी	बान	119	119	119	119	131	
649	२०० मिमि X १८० मिमि एच.डि.पी. अनइक्वायल टी	बान	112	112	112	112	123	
650	१८० मिमि X १६० मिमि एच.डि.पी. अनइक्वायल टी	बान	106	106	106	106	117	
651	१६० मिमि X १४० मिमि एच.डि.पी. अनइक्वायल टी	बान	100	100	100	100	110	
652	१४० मिमि X १२५ मिमि एच.डि.पी. अनइक्वायल टी	बान	92	92	92	92	102	
653	१२५ मिमि X ११० मिमि एच.डि.पी. अनइक्वायल टी	बान	86	86	86	86	95	
654	११० मिमि X १०० मिमि एच.डि.पी. अनइक्वायल टी	बान	80	80	80	80	88	
655	१०० मिमि X ९० मिमि एच.डि.पी. अनइक्वायल टी	बान	72	72	72	72	80	
656	९० मिमि X ७५ मिमि एच.डि.पी. अनइक्वायल टी	बान	60	60	60	60	66	
657	७५ मिमि X ६३ मिमि एच.डि.पी. अनइक्वायल टी	बान	53	53	53	53	58	
658	६३ मिमि X ५० मिमि एच.डि.पी. अनइक्वायल टी	बान	40	40	40	40	44	
659	५० मिमि X ४० मिमि एच.डि.पी. अनइक्वायल टी	बान	26	26	26	26	29	
660	४० मिमि X ३२ मिमि एच.डि.पी. अनइक्वायल टी	बान	26	26	26	26	29	
661	३२ मिमि X २५ मिमि एच.डि.पी. अनइक्वायल टी	बान	20	20	20	20	22	
662	२० मिमि X २५ मिमि एच.डि.पी. अनइक्वायल टी	बान	20	20	20	20	22	
663	२० मिमि ब्यासको एच.डि.पि. वेण्ड	बान	14	14	14	14	15	
664	२५ मिमि ब्यासको एच.डि.पि. वेण्ड	बान	14	14	14	14	15	
665	३२ मिमि ब्यासको एच.डि.पि. वेण्ड	बान	20	20	20	20	22	
666	४० मिमि ब्यासको एच.डि.पि. वेण्ड	बान	20	20	20	20	22	
667	५० मिमि ब्यासको एच.डि.पि. वेण्ड	बान	26	26	26	26	29	
668	६३ मिमि ब्यासको एच.डि.पि. वेण्ड	बान	34	34	34	34	37	
669	७५ मिमि ब्यासको एच.डि.पि. वेण्ड	बान	40	40	40	40	44	
646	९० मिमि ब्यासको एच.डि.पि. वेण्ड	बान	46	46	46	46	51	
647	१०० मिमि ब्यासको एच.डि.पि. वेण्ड	बान	53	53	53	53	58	
648	११० मिमि ब्यासको एच.डि.पि. वेण्ड	बान	66	66	66	66	73	
649	१२५ मिमि ब्यासको एच.डि.पि. वेण्ड	बान	86	86	86	86	95	
650	१५० मिमि ब्यासको एच.डि.पि. वेण्ड	बान	100	100	100	100	110	
651	१८० मिमि ब्यासको एच.डि.पि. वेण्ड	बान	112	112	112	112	123	
652	२०० मिमि ब्यासको एच.डि.पि. वेण्ड	बान	132	132	132	132	145	
653	४० मिमि ब्यासको एच.डि.पी. फ्लेन्ज सेट	बान	512	512	512	512	564	
654	५० मिमि ब्यासको एच.डि.पी. फ्लेन्ज सेट	बान	690	690	690	690	759	
655	६३ मिमि ब्यासको एच.डि.पी. फ्लेन्ज सेट	बान	890	890	890	890	979	
656	८० मिमि ब्यासको एच.डि.पी. फ्लेन्ज सेट	बान	1061	1061	1,061	1,061	1,167	
657	१०० मिमि ब्यासको एच.डि.पी. फ्लेन्ज सेट	बान	1511	1511	1,511	1,511	1,662	
658	HDP/HDP Tee (mmxmmxmm)							
659	280x250x250	no			4,456	4,456	4,902	
660	250x225x225	no			3,573	3,573	3,930	
661	225x200x200	no			3,336	3,336	3,670	
662	160x160x160	no			1,480	1,480	1,628	
663	140x140x140	no			1,050	1,050	1,155	

आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा								
क.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
664	125x125x125	no			787	787	866	
665	110x110x110	no			560	560	616	
666	90x90x90	no			350	350	385	
667	75x75x75	no			220	220	242	
668	HDPE Reducer (mmxmm)	no					-	
669	300x250	no			1,060	1,060	1,166	
670	250x200	no			850	850	935	
671	180x160	no			760	760	836	
672	160x140	no			670	670	737	
673	140x125	no			450	450	495	
674	125x110	no			350	350	385	
675	110x90	no			303	303	333	
676	90x75	no			204	204	224	
677	75x63	no			150	150	165	
678	63x50	no			97	97	107	
679	HDP Bends mm	no					-	
680	250	no			1,680	1,680	1,848	
681	225	no			1,550	1,550	1,705	
682	200	no			1,060	1,060	1,166	
683	160	no			990	990	1,089	
684	140	no			700	700	770	
685	125	no			550	550	605	
686	110	no			385	385	424	
687	HDP/HDP Flange set (mm)	set					-	
688	40	set			1,464	1,464	1,610	
689	50	set			2,239	2,239	2,463	
690	63	set			2,539	2,539	2,793	
691	75	set			2,864	2,864	3,150	
692	90	set			3,693	3,693	4,062	
693	110	set			7,861	7,861	8,647	
694	125	set			9,390	9,390	10,329	
695	GI/HDP Flange set (mm)	set					-	
696	40	set			1,317	1,317	1,449	
697	50	set			1,500	1,500	1,650	
698	65	set			1,700	1,700	1,870	
699	80	set			1,925	1,925	2,118	
700	100	set			2,375	2,375	2,613	
701	125	set			3,500	3,500	3,850	
702	150	set			4,025	4,025	4,428	
703	200	set			4,690	4,690	5,159	
704	Water Metre Heavy Quality	no			2,000	2,000	2,200	
705	Brass Tap 450 Gram	no			516	516	568	
706	C.I Sluice Valve						-	
707	2"	Nos.			9,132	9,132	10,045	
708	3"	Nos.			11,979	11,979	13,177	
709	4"	Nos.			15,968	15,968	17,565	
710	5"	Nos.			24,270	24,270	26,697	
711	6"	Nos.			29,127	29,127	32,040	
712	8"	Nos.			40,778	40,778	44,856	
713	10"	Nos.			85,000	85,000	93,500	
714	CI Non Return Valve						-	
715	50 (2")	no			3,160	3,160	3,476	
716	65 (2.5")	no			3,800	3,800	4,180	
717	80 (3")	no			4,560	4,560	5,016	
718	100 (4")	no			19,500	19,500	21,450	
719	125 (5")	no			25,000	25,000	27,500	
720	150 (6")	no			29,000	29,000	31,900	
721	200	no			31,000	31,000	34,100	
722	250	no			36,300	36,300	39,930	
723	300	no			45,500	45,500	50,050	
724	Joshan Radial screen	mtrs			25,000	25,000	27,500	
725	CI Flange Tee	No					-	
726	80	No			2,871	2,871	3,158	
727	100	No			3,555	3,555	3,911	
728	125	No			4,922	4,922	5,414	
729	150	No			6,427	6,427	7,070	
730	200	No			10,118	10,118	11,130	
731	250	No			14,904	14,904	16,394	
732	300	No			20,647	20,647	22,712	
733	CI Flange Bell mouth	No					-	
734	80	No			2,625	2,625	2,888	
735	100	No			3,250	3,250	3,575	
736	125	No			4,901	4,901	5,391	
737	150	No			5,607	5,607	6,168	

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा								
क.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
738	200	No			6,305	6,305	6,936	
739	250	No			9,807	9,807	10,788	
740	300	No			11,900	11,900	13,090	
741	CI Bend 90°	No						
742	80	No			1,926	1,926	2,119	
743	100	No			2,410	2,410	2,651	
744	125	No			3,364	3,364	3,700	
745	150	No			4,361	4,361	4,797	
746	200	No			6,985	6,985	7,684	
747	250	No			10,587	10,587	11,646	
748	300	No			14,284	14,284	15,712	
749	CI Pipe							
750	150	rm			6,500	6,500	7,150	
751	200	rm			7,500	7,500	8,250	
752	MS Pipe 7mm thick	R.mtrs						
753	150	R.mtrs			4,020	4,020	4,422	
754	200	R.mtrs			4,500	4,500	4,950	
755	250	R.mtrs			6,000	6,000	6,600	
756	300	R.mtrs			7,000	7,000	7,700	
757	MS Falenge set OD							
758	80	no			2,500	2,500	2,750	
759	100	no			3,200	3,200	3,520	
760	125	no			5,500	5,500	6,050	
761	150	no			7,500	7,500	8,250	
762	200	no			9,500	9,500	10,450	
763	250	no			11,000	11,000	12,100	
764	Bulk Water Metre							
765	50	no			18,900	18,900	20,790	
766	65	no			22,500	22,500	24,750	
767	80	no			28,500	28,500	31,350	
768	100	no			36,000	36,000	39,600	
769	125	no			40,200	40,200	44,220	
770	150	no			48,000	48,000	52,800	
771	200	no			103,000	103,000	113,300	
772	250	no			150,000	150,000	165,000	
773	Rubber Gasket	mtrs			3,520	3,520	3,872	
774	HDPE Double Wall Corrugated pipes	rm						
775	100				500	500	550	
776	150				1,000	1,000	1,100	
777	200				1,500	1,500	1,650	
778	250				1,900	1,900	2,090	
779	300				3,160	3,160	3,476	
780	400				4,070	4,070	4,477	
781	500				4,860	4,860	5,346	
782	600				8,370	8,370	9,207	
783	800				13,875	13,875	15,263	
784	1000				20,900	20,900	22,990	
785	ट्यूबवेल सम्बन्धी							
786	ट्यूबवेल हेड (हेभी इयुटी) (HLC २० -२२ किलो वजन)	थान	4079	4079	4,079	4,487	4,936	
787	ट्यूबवेल हेड (मिडियम इयुटी)	थान	3694	3694	3,694	3,879	4,266	
788	ट्यूबवेल हेड (हेभी इयुटी) (KC२० किलो वजन)	थान	4800	4800	4,800	5,040	5,544	
789	ट्यूबवेल हेड (मिडियम इयुटी) (KC२५ किलो वजन)	थान	3900	3900	3,900	4,095	4,505	
790	५० मिमि ब्यासको ट्यूबवेल ब्रास फिल्टर	थान	1819	1819	1,819	1,910	2,101	
791	५० मिमि ब्यासको पी.भी.सी. फिल्टर (२ मि. लामो)	थान	630	630	630	662	728	
792	ह्याण्ड पाइप लेदर वासर ६ नं.	थान	90	90	90	90	99	
793	ह्याण्ड पाइप लेदर वासर ४ नं.	थान	90	90	90	90	99	
	पि.भि.सि. पाइप							
794	P.V.C. Pipe (NS 206/046) 2.5 kg/cm <sup>2</sup> , 90 mm dia.	र.भि.	175	175	184	193	212	
795	P.V.C. Pipe (NS 206/046) 2.5 kg/cm <sup>2</sup> , 110 mm dia.	र.भि.	260	260	260	273	300	
796	P.V.C. Pipe (NS 206/046) 2.5 kg/cm <sup>2</sup> , 125 mm dia.	र.भि.	331	331	331	348	383	
797	P.V.C. Pipe (NS 206/046) 2.5 kg/cm <sup>2</sup> , 140 mm dia.	र.भि.	410	410	410	431	474	
798	P.V.C. Pipe (NS 206/046) 2.5 kg/cm <sup>2</sup> , 160 mm dia.	र.भि.	536	536	536	563	620	

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा								
क्र.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
799	P.V.C. Pipe (NS 206/046) 2.5 kg/cm <sup>2</sup> , 180 mm dia.	र.मि.	688	688	688	722	794	
800	P.V.C. Pipe (NS 206/046) 2.5 kg/cm <sup>2</sup> , 200 mm dia.	र.मि.	839	839	839	881	969	
801	P.V.C. Pipe (NS 206/046) 4 kg/cm <sup>2</sup> , 63 mm dia.	र.मि.	139	139	139	146	161	
802	P.V.C. Pipe (NS 206/046) 4 kg/cm <sup>2</sup> , 75 mm dia.	र.मि.	197	197	197	207	228	
803	P.V.C. Pipe (NS 206/046) 4 kg/cm <sup>2</sup> , 90 mm dia.	र.मि.	274	274	274	288	316	
804	P.V.C. Pipe (NS 206/046) 4 kg/cm <sup>2</sup> , 110 mm dia.	र.मि.	396	396	396	416	457	
805	P.V.C. Pipe (NS 206/046) 4 kg/cm <sup>2</sup> , 125 mm dia.	र.मि.	520	520	520	546	600	
806	P.V.C. Pipe (NS 206/046) 4 kg/cm <sup>2</sup> , 140 mm dia.	र.मि.	659	659	659	692	761	
807	P.V.C. Pipe (NS 206/046) 4 kg/cm <sup>2</sup> , 160 mm dia.	र.मि.	853	853	853	896	985	
808	P.V.C. Pipe (NS 206/046) 4 kg/cm <sup>2</sup> , 180 mm dia.	र.मि.	1097	1097	1,097	1,152	1,267	
809	P.V.C. Pipe (NS 206/046) 4 kg/cm <sup>2</sup> , 200 mm dia.	र.मि.	1331	1331	1,331	1,397	1,537	
810	P.V.C. Pipe (NS 206/046) 6 kg/cm <sup>2</sup> , 40 mm dia.	र.मि.	82	82	82	86	95	
811	P.V.C. Pipe (NS 206/046) 6 kg/cm <sup>2</sup> , 50 mm dia.	र.मि.	122	122	122	128	141	
812	P.V.C. Pipe (NS 206/046) 6 kg/cm <sup>2</sup> , 63 mm dia.	र.मि.	198	198	198	208	229	
813	P.V.C. Pipe (NS 206/046) 6 kg/cm <sup>2</sup> , 75 mm dia.	र.मि.	276	276	276	290	319	
814	P.V.C. Pipe (NS 206/046) 6 kg/cm <sup>2</sup> , 90 mm dia.	र.मि.	400	400	400	420	462	
815	P.V.C. Pipe (NS 206/046) 6 kg/cm <sup>2</sup> , 110 mm dia.	र.मि.	580	580	580	609	669	
816	P.V.C. Pipe (NS 206/046) 6 kg/cm <sup>2</sup> , 125 mm dia.	र.मि.	770	770	770	809	890	
817	P.V.C. Pipe (NS 206/046) 6 kg/cm <sup>2</sup> , 140 mm dia.	र.मि.	959	959	959	1,007	1,107	
818	P.V.C. Pipe (NS 206/046) 6 kg/cm <sup>2</sup> , 160 mm dia.	र.मि.	1228	1228	1,228	1,289	1,418	
819	P.V.C. Pipe (NS 206/046) 6 kg/cm <sup>2</sup> , 180 mm dia.	र.मि.	1566	1566	1,566	1,644	1,809	
820	P.V.C. Pipe (NS 206/046) 6 kg/cm <sup>2</sup> , 200 mm dia.	र.मि.	1919	1919	1,919	2,015	2,216	
821	P.V.C. Pipe (NS 206/046) 10 kg/cm <sup>2</sup> , 20 mm dia.	र.मि.	31	31	31	33	36	
822	P.V.C. Pipe (NS 206/046) 10 kg/cm <sup>2</sup> , 25 mm dia.	र.मि.	49	49	49	51	57	
823	P.V.C. Pipe (NS 206/046) 10 kg/cm <sup>2</sup> , 32 mm dia.	र.मि.	80	80	80	84	92	
824	P.V.C. Pipe (NS 206/046) 10 kg/cm <sup>2</sup> , 40 mm dia.	र.मि.	122	122	122	128	141	
825	P.V.C. Pipe (NS 206/046) 10 kg/cm <sup>2</sup> , 50 mm dia.	र.मि.	193	193	193	203	223	
826	P.V.C. Pipe (NS 206/046) 10 kg/cm <sup>2</sup> , 63 mm dia.	र.मि.	307	307	307	323	355	
827	P.V.C. Pipe (NS 206/046) 10 kg/cm <sup>2</sup> , 75 mm dia.	र.मि.	439	439	439	461	507	
828	P.V.C. Pipe (NS 206/046) 10 kg/cm <sup>2</sup> , 90 mm dia.	र.मि.	626	626	626	658	723	
829	P.V.C. Pipe (NS 206/046) 10 kg/cm <sup>2</sup> , 110 mm dia.	र.मि.	928	928	928	974	1,072	
830	P.V.C. Pipe (NS 206/046) 10 kg/cm <sup>2</sup> , 125 mm dia.	र.मि.	1188	1188	1,188	1,247	1,372	
831	P.V.C. Pipe (NS 206/046) 10 kg/cm <sup>2</sup> , 140 mm dia.	र.मि.	1500	1500	1,500	1,575	1,733	
832	P.V.C. Pipe (NS 206/046) 10 kg/cm <sup>2</sup> , 160 mm dia.	र.मि.	1930	1930	1,930	2,026	2,229	
833	P.V.C. Pipe (NS 206/046) 10 kg/cm <sup>2</sup> , 180 mm dia.	र.मि.	2460	2460	2,460	2,583	2,841	
834	P.V.C. Pipe (NS 206/046) 10 kg/cm <sup>2</sup> , 200 mm dia.	र.मि.	3041	3041	3,041	3,193	3,512	
835	P.V.C. Pipe (BS 3505) Class C, 60 mm dia.	र.मि.	229	229	229	241	265	
836	P.V.C. Pipe (BS 3505) Class C, 89 mm dia.	र.मि.	464	464	464	488	536	
837	P.V.C. Pipe (BS 3505) Class C, 114 mm dia.	र.मि.	758	758	758	796	876	
838	P.V.C. Pipe (BS 3505) Class C, 140 mm dia.	र.मि.	1128	1128	1,128	1,184	1,303	



आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा								
क्र.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
839	P.V.C. Pipe (BS 3606) Class C, 168 mm dia.	र.मि.	1612	1612	1,612	1,692	1,861	
840	P.V.C. Pipe (BS 3606) Class C, 219 mm dia.	र.मि.	2473	2473	2,473	2,597	2,856	
841	P.V.C. Pipe (BS 3606) Class D, 42 mm dia.	र.मि.	142	142	142	149	164	
842	P.V.C. Pipe (BS 3606) Class D, 48 mm dia.	र.मि.	181	181	181	190	209	
843	P.V.C. Pipe (BS 3606) Class D, 60 mm dia.	र.मि.	280	280	280	294	323	
844	P.V.C. Pipe (BS 3606) Class D, 89 mm dia.	र.मि.	592	592	592	621	683	
845	P.V.C. Pipe (BS 3606) Class D, 114 mm dia.	र.मि.	977	977	977	1,026	1,128	
846	P.V.C. Pipe (BS 3606) Class D, 140 mm dia.	र.मि.	1464	1464	1,464	1,537	1,691	
847	P.V.C. Pipe (BS 3606) Class D, 168 mm dia.	र.मि.	2095	2095	2,095	2,200	2,420	
848	P.V.C. Pipe (BS 3606) Class D, 219 mm dia.	र.मि.	3217	3217	3,217	3,378	3,716	
849	P.V.C. Pipe (BS 3606) Class E, 21 mm dia.	र.मि.	54	54	54	57	62	
850	P.V.C. Pipe (BS 3606) Class E, 26 mm dia.	र.मि.	80	80	80	84	92	
851	P.V.C. Pipe (BS 3606) Class E, 33 mm dia.	र.मि.	110	110	110	116	127	
852	P.V.C. Pipe (BS 3606) Class E, 40 mm dia.	र.मि.	167	167	167	175	193	
853	P.V.C. Pipe (BS 3606) Class E, 48 mm dia.	र.मि.	220	220	220	231	254	
854	P.V.C. Pipe (BS 3606) Class E, 60 mm dia.	र.मि.	336	336	336	353	388	
855	P.V.C. Pipe (BS 3606) Class E, 89 mm dia.	र.मि.	716	716	716	752	827	
856	P.V.C. Pipe (BS 3606) Class E, 114 mm dia.	र.मि.	1176	1176	1,176	1,235	1,358	
857	P.V.C. Pipe (BS 3606) Class E, 140 mm dia.	र.मि.	1758	1758	1,758	1,846	2,030	
858	P.V.C. Pipe (BS 3606) Class E, 168 mm dia.	र.मि.	2526	2526	2,526	2,652	2,918	
859	P.V.C. Pipe (BS 3606) Class E, 219 mm dia.	र.मि.	3864	3864	3,864	4,057	4,463	
	<b>UPVC सम्बन्धी</b>							
860	Supplying and fixing of (80*50mm ) white colour casement windows (double glazing glass )etc all complete	Sqm	11970	11970	11,970	12,569	13,825	
861	UPVC (60*60mm)size white colour swing door with 5mm glass pannel fixing all complete	Sqm	10332	10332	10,332	10,849	11,933	
862	Providing and fixing in position UPVC 60*60mmThickness white with 5mm glass pannel all complete	Sqm	9450	9450	9,450	9,923	10,915	
863	Providing and fixing in position UPVC100*60mmThickness white with 9mm glass white colour door with 5mm pannel all complete	Sqm	9450	9450	9,450	9,923	10,915	
864	Providing and fixing in position UPVC80*50mmThickness white colour sliding windows with 5mm glass panel all complete	Sqm	8820	8820	8,820	9,261	10,187	
	50T UPVC wall panel	Sqm				3,500	3,850	
	3mm. UPVC sheet	Sqm				1,880	2,068	
	<b>PPR Pipes &amp; Fitting works</b>							
	<b>PPR Pipes PN 2.0</b>							
865	20mm outer Dia ,2.8mm Thickness	Rm	118	118	118	123	130	
866	25mm outer Dia ,3.5mm Thickness	Rm	181	181	181	190	200	
867	32mm outer Dia ,4.4mm Thickness	Rm	418	418	418	439	461	
868	40mm outer Dia ,5.5mm Thickness	Rm	458	458	458	481	505	
869	50mm outer Dia ,6.9mm Thickness	Rm	714	714	714	750	787	
870	63mm outer Dia ,8.6mm Thickness	Rm	1103	1103	1,103	1,158	1,216	
	<b>PPR Pipes PN 2.5</b>							
871	20mm outer Dia ,3.4mm Thickness	Rm	139	139	139	146	153	
872	25mm outer Dia ,4.2mm Thickness	Rm	215	215	215	226	237	
873	32mm outer Dia ,5.4mm Thickness	Rm	344	344	344	362	380	
874	40mm outer Dia ,6.7mm Thickness	Rm	529	529	529	555	583	
875	50mm outer Dia ,8.3mm Thickness	Rm	821	821	821	862	905	
876	63mm outer Dia ,10.5mm Thickness	Rm	1279	1279	1,279	1,343	1,410	
	<b>सेनेटरी फिटिङका सामग्रीहरु</b>							
877	500 mm Porcelain clay white glaze Orissa Pan (Hindustan, Parryware, Classica, cera or equivalent )	सेट	1369	1500	1,500	1,605	1,685	
878	530 mm Porcelain clay white glaze Orissa Pan (Hindustan, Parryware, Classica,cera or equivalent )	सेट	1434	1650	1,650	1,766	1,854	
879	580 mm Porcelain clay white glaze Orissa Pan (Hindustan, Parryware, Classica, cera or equivalent )	सेट	1600	1800	1,800	1,926	2,022	
746	कमोड युरोपियन टाइप सिस्टर्न सहित सम्पूर्ण सेटको	घान	15500	16500	16,500	17,655	18,538	
747	कमोड कभर	घान	1394	1394	1,394	1,492	1,566	
748	कमोड एस ट्राप विच बैचड	घान	1452	1452	1,452	1,554	1,631	
749	४१० X ३०० मिमि वास बेसिन	घान	812	812	812	869	912	

आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा								
क्र.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
839	P.V.C. Pipe (BS 3606) Class C, 168 mm dia.	र.मि.	1612	1612	1,612	1,692	1,861	
840	P.V.C. Pipe (BS 3606) Class C, 219 mm dia.	र.मि.	2473	2473	2,473	2,597	2,856	
841	P.V.C. Pipe (BS 3606) Class D, 42 mm dia.	र.मि.	142	142	142	149	164	
842	P.V.C. Pipe (BS 3606) Class D, 48 mm dia.	र.मि.	181	181	181	190	209	
843	P.V.C. Pipe (BS 3606) Class D, 60 mm dia.	र.मि.	280	280	280	294	323	
844	P.V.C. Pipe (BS 3606) Class D, 89 mm dia.	र.मि.	592	592	592	621	683	
845	P.V.C. Pipe (BS 3606) Class D, 114 mm dia.	र.मि.	977	977	977	1,026	1,128	
846	P.V.C. Pipe (BS 3606) Class D, 140 mm dia.	र.मि.	1464	1464	1,464	1,537	1,691	
847	P.V.C. Pipe (BS 3606) Class D, 168 mm dia.	र.मि.	2095	2095	2,095	2,200	2,420	
848	P.V.C. Pipe (BS 3606) Class D, 219 mm dia.	र.मि.	3217	3217	3,217	3,378	3,716	
849	P.V.C. Pipe (BS 3606) Class E, 21 mm dia.	र.मि.	54	54	54	57	62	
850	P.V.C. Pipe (BS 3606) Class E, 26 mm dia.	र.मि.	80	80	80	84	92	
851	P.V.C. Pipe (BS 3606) Class E, 33 mm dia.	र.मि.	110	110	110	116	127	
852	P.V.C. Pipe (BS 3606) Class E, 40 mm dia.	र.मि.	167	167	167	175	193	
853	P.V.C. Pipe (BS 3606) Class E, 48 mm dia.	र.मि.	220	220	220	231	254	
854	P.V.C. Pipe (BS 3606) Class E, 60 mm dia.	र.मि.	336	336	336	353	388	
855	P.V.C. Pipe (BS 3606) Class E, 89 mm dia.	र.मि.	716	716	716	752	827	
856	P.V.C. Pipe (BS 3606) Class E, 114 mm dia.	र.मि.	1176	1176	1,176	1,235	1,358	
857	P.V.C. Pipe (BS 3606) Class E, 140 mm dia.	र.मि.	1758	1758	1,758	1,846	2,030	
858	P.V.C. Pipe (BS 3606) Class E, 168 mm dia.	र.मि.	2526	2526	2,526	2,652	2,918	
859	P.V.C. Pipe (BS 3606) Class E, 219 mm dia.	र.मि.	3864	3864	3,864	4,057	4,463	
	<b>UPVC सम्बन्धी</b>							
860	Supplying and fixing of (80*50mm ) white colour casement windows (double glazing glass )etc all complete	Sqm	11970	11970	11,970	12,569	13,825	
861	UPVC (60*60mm)size white colour swing door with 5mm glass pannel fixing all complete	Sqm	10332	10332	10,332	10,849	11,933	
862	Providing and fixing in position UPVC 60*60mmThickness white with 5mm glass pannel all complete	Sqm	9450	9450	9,450	9,923	10,915	
863	Providing and fixing in position UPVC100*60mmThickness white with 9mm glass white colour door with 5mm pannel all complete	Sqm	9450	9450	9,450	9,923	10,915	
864	Providing and fixing in position UPVC80*50mmThickness white colour sliding windows with 5mm glass panel all complete	Sqm	8820	8820	8,820	9,261	10,187	
	50T UPVC wall panel	Sqm				3,500	3,850	
	3mm. UPVC sheet	Sqm				1,880	2,068	
	<b>PPR Pipes &amp; Fitting works</b>							
	<b>PPR Pipes PN 2.0</b>							
865	20mm outer Dia ,2.8mm Thickness	Rm	118	118	118	123	130	
866	25mm outer Dia ,3.5mm Thickness	Rm	181	181	181	190	200	
867	32mm outer Dia ,4.4mm Thickness	Rm	418	418	418	439	461	
868	40mm outer Dia ,5.5mm Thickness	Rm	458	458	458	481	505	
869	50mm outer Dia ,6.9mm Thickness	Rm	714	714	714	750	787	
870	63mm outer Dia ,8.6mm Thickness	Rm	1103	1103	1,103	1,158	1,216	
	<b>PPR Pipes PN 2.5</b>							
871	20mm outer Dia ,3.4mm Thickness	Rm	139	139	139	146	153	
872	25mm outer Dia ,4.2mm Thickness	Rm	215	215	215	226	237	
873	32mm outer Dia ,5.4mm Thickness	Rm	344	344	344	362	380	
874	40mm outer Dia ,6.7mm Thickness	Rm	529	529	529	555	583	
875	50mm outer Dia ,8.3mm Thickness	Rm	821	821	821	862	905	
876	63mm outer Dia ,10.5mm Thickness	Rm	1279	1279	1,279	1,343	1,410	
	<b>सेनेटरी फिटिङका सामग्रीहरु</b>							
877	500 mm Porcelain clay white glaze Orissa Pan (Hindustan, Parryware, Classica, cera or equivalent )	सेट	1369	1500	1,500	1,605	1,685	
878	530 mm Porcelain clay white glaze Orissa Pan (Hindustan, Parryware, Classica,cera or equivalent )	सेट	1434	1650	1,650	1,766	1,854	
879	580 mm Porcelain clay white glaze Orissa Pan (Hindustan, Parryware, Classica, cera or equivalent )	सेट	1600	1800	1,800	1,926	2,022	
746	कमोड युरोपियन टाइप सिस्टर्न सहित सम्पूर्ण सेटको	घान	15500	16500	16,500	17,655	18,538	
747	कमोड कभर	घान	1394	1394	1,394	1,492	1,566	
748	कमोड एस टाइप विच बैण्ड	घान	1452	1452	1,452	1,554	1,631	
749	४१० X ३०० मिमि बास बेसिन	घान	812	812	812	869	912	

आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा								
क्र.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
750	40x40cm Porcelain clay white glaze Corner Wash basin (Hindustan, Parryware, Classica, cera or equivalent )		879	879	879	941	988	
751	५०० X ४०० मिमि बास बेसिन	बान	884	884	884	946	993	
752	55x40cm Porcelain clay white glaze Wash basin (Hindustan, Parryware, Classica, cera or equivalent ) regular		1500	1500	1,500	1,605	1,685	
753	किचन सिङ्ग स्टील (६००X४५०X२५० मिमि)	बान	1906	1906	1,906	2,039	2,141	
754	किचन सिङ्ग स्टील (६००X४५०X२०० मिमि)	बान	1890	1890	1,890	2,022	2,123	
755	45x30x15 Cm (18"x12"x6") White glaze sink with C I bracket (Hindustan, Parryware, Classica, cera or equivalent)		1455	1455	1,455	1,557	1,635	
756	पेडेस्टल	बान	1258	1258	1,258	1,346	1,413	
757	23"x14" White glaze squatting plate urinal (Hindustan or equivalent)	बान	1001	1001	1,001	1,071	1,125	
758	61x41x38 cm Large Flat back White glazed urinal with bracket (Hindustan, Parryware, Classica, cera or equivalent.)		2989	2989	2,989	3,198	3,358	
759	46.5x35.5x26.5 cm White glaze flat back Urinal (Hindustan, Parryware, Classica, cera or equivalent )	बान	718	718	718	768	807	
760	हाइ लेभल सिस्टर्न (सि. आई)	सेट	3465	3465	3,465	3,708	3,893	
761	लो लेभल सिस्टर्न (पोर्सिलिन)	सेट	3465	3465	3,465	3,708	3,893	
762	लो लेभल सिस्टर्न (पि.मि.सी.)	सेट	529	529	529	566	594	
763	सि.पी. टाबेल रड	बान	312	312	312	334	351	
764	सि.पी. सोप डिस्		173	173	173	185	194	
765	१२"x१८" साइजको बाथ रुम एना	गोटा	578	578	578	618	649	
766	२४"x १८" साइजको बाथ रुम एना	गोटा	900	900	900	963	1,011	
767	सि.पी गार्डरेल विथ ग्लास		289	289	289	309	325	
768	११/४" सि.पि. ब्रास पाइप विथ कपसिङ्ग	गोटा	445	445	445	476	500	
769	११/४" सि.पि. ब्रास पि अथवा एस टाइप ट्याप	गोटा	578	578	578	618	649	
770	१/२" फोन्सि पिल्ट कक	गोटा	520	520	520	556	584	
771	१/२"x३०" पाइप कनेक्टर	गोटा	92	92	92	98	103	
772	११/२" वासर कन्सिङ्ग	गोटा	92	92	92	98	103	
773	३० से.मि.को सि.पि. रड भएको फोन्सि टाइपको ७.५ से.मि. व्यासको सावर रोज	गोटा	462	462	462	494	519	
774	५ देखि १० से.मि. लम्वाईको साधारण खालको सावर रोज	गोटा	462	462	462	494	519	
775	१०० मिमि ग्रीटिङ स्टील	बान	69	69	69	74	78	
776	१२० मिमि ग्रीटिङ स्टील	बान	76	76	76	81	85	
777	कन्सिङ्ग विथ चेन	बान	531	531	531	568	597	
778	सि.पि. कन्सिङ्ग चेन	बान	404	404	404	432	454	
779	ब्राकेट आइरन (वेसिनको लागि)	बान	104	104	104	111	117	
780	सि.पि.फ्लस पाइप (७.५ सेमि)	बान	450	450	450	482	506	
781	कन्सिङ्ग फ्लस पाइप	बान	116	116	116	124	130	
782	पी.मि.सी. पाइप कनेक्टर	बान	145	145	145	155	163	
783	सि. पी. पीसर कक	बान	554	554	554	593	622	
784	सि.पी. ट्वाइलेट पेपर होल्डर	बान	531	531	531	568	597	
785	१२ मिमि सिपि कन्सिल स्टप कक (हैभी ह्यूटी)	बान	1100	1100	1,100	1,177	1,236	
786	१२ मिमि सिपि कन्सिल स्टप कक (मिडियम ह्यूटी)	बान	985	985	985	1,054	1,107	
787	१२ मिमि सिपि कन्सिल स्टप कक (लाइट ह्यूटी)	बान	612	612	612	655	688	
788	१२ मिमि सिपि कन्सिल विव कक (हैभी ह्यूटी)	बान	827	827	827	885	929	
789	१२ मिमि सिपि कन्सिल विव कक (मिडियम ह्यूटी)	बान	804	804	804	860	903	
790	१२ मिमि सिपि कन्सिल विव कक (लाइट ह्यूटी)	बान	497	497	497	532	558	
791	सि.पि. एञ्जल कक (मोडेल २००१)	बान	747	747	747	799	839	
792	सि.पि. सर्ट वडि (मोडेल २००१)	बान	747	747	747	799	839	
793	सि.पि. लड वडि (मोडेल २००१)	बान	897	897	897	960	1,008	
794	सि.पि. वेसिन मिक्स्चर (मोडेल २००१)	बान	3173	3173	3,173	3,395	3,565	
795	सि.पि. बाल मिक्स्चर (मोडेल २००१)	बान	3173	3173	3,173	3,395	3,565	
796	सि.पि. स्टप कक (मोडेल २००१)	बान	673	673	673	720	756	
797	सि.पि. कन्सिल्ड कक (मोडेल २००१)	बान	1046	1046	1,046	1,119	1,175	
798	सि.पि. सिङ्ग कक (मोडेल २००१)	बान	1718	1718	1,718	1,838	1,930	
799	सि.पि. निपल (सर्ट) (मोडेल २००१)	बान	120	120	120	128	135	
800	सि.पि. निपल (लङ्ग) (मोडेल २००१)	बान	179	179	179	192	201	
801	१२ मिमि ब्रास विव कक साधारण	बान	462	462	462	494	519	
802	१२ मिमि ब्रास स्टप कक साधारण	बान	462	462	462	494	519	

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

आ.व. ०८०/८१ को जिल्ला दररेट, पर्सा								
क.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
803	१० सेमि ब्यासको ब्रास सावर (टिल्टीड टाइप)	बान	450	450	450	482	506	
804	५० मिमि ब्यासको सि.वाई. बेण्ड	बान	289	289	289	309	325	
805	५० मिमि ब्यासको सि.वाई. टी	बान	461	461	461	493	518	
806	५० मिमि ब्यासको सि.वाई. सकेट	बान	216	216	216	231	243	
807	५० मिमि ब्यासको सि.वाई. डोरबैण्ड	बान	416	416	416	445	467	
808	५० मिमि ब्यासको सि.वाई. डोर टी	बान	301	301	301	322	338	
809	७५ मिमि ब्यासको सि.वाई. पाइप (२ मि. लामो)	बान	431	431	431	461	484	
810	१०० मिमि ब्यासको सि.वाई. पाइप (२ मि. लामो)	बान	624	624	624	668	701	
811	१०० मिमि ब्यासको सि.वाई. जङ्गसन बक्स	बान	624	624	624	668	701	
812	१०० मिमि ब्यासको सि.वाई. बेण्ड	बान	312	312	312	334	351	
813	१०० मिमि ब्यासको सि.वाई. टी	बान	416	416	416	445	467	
814	१०० मिमि ब्यासको सि.वाई. कावेल	बान	347	347	347	371	390	
815	२" ब्यासको सि.वाई. कावेल	बान	231	231	231	247	260	
816	२" ब्यासको यच.डि.पि. कावेल	बान	145	145	145	155	163	
817	एस.डब्लु.आर.पी.भी.सि. फिटिङ्स कोप्तर ७५ मिमि ब्यास	बान	35	35	35	37	39	
818	एस.डब्लु.आर.पी.भी.सि. फिटिङ्स बेण्ड ८७.५ डिग्री, ७५ मिमि ब्यास	बान	224	224	224	240	252	
819	एस.डब्लु.आर.पी.भी.सि. फिटिङ्स बेण्ड ४५ डिग्री, ७५ मिमि ब्यास	बान	168	168	168	180	189	
820	एस.डब्लु.आर.पी.भी.सि. फिटिङ्स डोरसहित बेण्ड ८७.५ डिग्री, ७५ मिमि ब्यास	बान	306	306	306	327	344	
821	एस.डब्लु.आर.पी.भी.सि. फिटिङ्स सिङ्गल टी, ७५ मिमि ब्यास	बान	187	187	187	200	210	
822	एस.डब्लु.आर.पी.भी.सि. फिटिङ्स डोरसहित सिङ्गल टी, ७५ मिमि ब्यास	बान	207	207	207	221	233	
823	एस.डब्लु.आर.पी.भी.सि.फिटिङ्स डबल टी, ७५ मिमि ब्यास	बान	522	522	522	559	586	
824	एस.डब्लु.आर.पी.भी.सि. फिटिङ्स डोर सहित डबल टी, ७५ मिमि ब्यास	बान	460	460	460	492	517	
825	एस.डब्लु.आर.पी.भी.सि. फिटिङ्स पाइप क्लीप, ७५ मिमि ब्यास	बान	29	29	29	31	33	
826	एस.डब्लु.आर.पी.भी.सि. फिटिङ्स भेण्ट काजल, ७५ मिमि ब्यास	बान	65	65	65	70	73	
827	एस.डब्लु.आर.पी.भी.सि. फिटिङ्स सकेट प्लग, ७५ मिमि ब्यास	बान	79	79	79	85	89	
828	एस.डब्लु.आर.पी.भी.सि. फिटिङ्स सिङ्गल वाई, ७५ मिमि ब्यास	बान	208	208	208	223	234	
829	एस.डब्लु.आर.पी.भी.सि. फिटिङ्स डोर सहित सिङ्गल वाई, ७५ मिमि ब्यास	बान	208	208	208	223	234	
830	एस.डब्लु.आर.पी.भी.सि.फिटिङ्स डबल वाई, ७५ मिमि ब्यास	बान	239	239	239	256	269	
831	एस.डब्लु.आर.पी.भी.सि.फिटिङ्स डोर सहित डबल वाई, ७५ मिमि ब्यास	बान	344	344	344	368	386	
832	एस.डब्लु.आर.पी.भी.सि. फिटिङ्स क्लीनिङ पाइप, ७५ मिमि ब्यास	बान	162	162	162	173	182	
833	एस.डब्लु.आर.पी.भी.सि.फिटिङ्स पी ट्राप १२५ वाई ११०, ७५ मिमि ब्यास	बान	312	312	312	334	351	
834	एस.डब्लु.आर.पी.भी.सि.फिटिङ्स गन्दी फ्लोर ट्राप ११० वाई ७५, ७५ मिमि ब्यास	बान	342	342	342	366	384	
835	एस.डब्लु.आर.पी.भी.सि. फिटिङ्स नहानी ट्राप ११० वाई ७५, ७५ मिमि ब्यास	बान	312	312	312	334	351	
836	एस.डब्लु.आर.पी.भी.सि. फिटिङ्स स्वभायर टायल जाती समेत, ७५ मिमि ब्यास	बान	41	41	41	44	46	
837	एस.डब्लु.आर.पी.भी.सि.राउण्ड जाती, ७५ मिमि ब्यास	बान	39	39	39	42	44	
838	एस.डब्लु.आर.पी.भी.सि. फिटिङ्स कोप्तर ११० मिमि ब्यास	बान	243	243	243	260	273	
839	एस.डब्लु.आर.पी.भी.सि. फिटिङ्स बेण्ड ८७.५ डिग्री, ११० मिमि ब्यास	बान	185	185	185	198	208	
840	एस.डब्लु.आर.पी.भी.सि. फिटिङ्स बेण्ड ४५ डिग्री, ११० मिमि ब्यास	बान	274	274	274	293	308	
841	एस.डब्लु.आर.पी.भी.सि. फिटिङ्स डोरसहित बेण्ड ८७.५ डिग्री, ११० मिमि ब्यास	बान	306	306	306	327	344	
842	एस.डब्लु.आर.पी.भी.सि. फिटिङ्स सिङ्गल टी, ११० मिमि ब्यास	बान	358	358	358	383	402	
843	एस.डब्लु.आर.पी.भी.सि. फिटिङ्स डोरसहित सिङ्गल टी, ११० मिमि ब्यास	बान	688	688	688	736	773	

## आ.व. ०८०/८१ को जिल्ला दररेट, पर्सा

क्र.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
844	एस.डब्ल्यू.आर.पी.भी.सि. फिटिङ्स डबल टी, ११० मिमि ब्यास	बान	826	826	826	884	928	
845	एस.डब्ल्यू.आर.पी.भी.सि. फिटिङ्स डोर सहित डबल टी, ११० मिमि ब्यास	बान	428	428	428	458	481	
846	एस.डब्ल्यू.आर.पी.भी.सि. फिटिङ्स पाइप स्लीप, ११० मिमि ब्यास	बान	1901	1901	1,901	2,034	2,136	
847	एस.डब्ल्यू.आर.पी.भी.सि. फिटिङ्स भेन्ट काउल, ११० मिमि ब्यास	बान	66	66	66	71	74	
848	एस.डब्ल्यू.आर.पी.भी.सि. फिटिङ्स लक्रेट प्लग, ११० मिमि ब्यास	बान	79	79	79	85	89	
849	एस.डब्ल्यू.आर.पी.भी.सि. फिटिङ्स सिङ्गल बाई, ११० मिमि ब्यास	बान	229	229	229	245	257	
850	एस.डब्ल्यू.आर.पी.भी.सि. फिटिङ्स डोर सहित सिङ्गल बाई, ११० मिमि ब्यास	बान	289	289	289	309	325	
851	एस.डब्ल्यू.आर.पी.भी.सि. फिटिङ्स डबल बाई, ११० मिमि ब्यास	बान	299	299	299	320	336	
852	एस.डब्ल्यू.आर.पी.भी.सि. फिटिङ्स डोर सहित डबल बाई, ११० मिमि ब्यास	बान	368	368	368	394	413	
853	एस.डब्ल्यू.आर.पी.भी.सि. फिटिङ्स स्लीमिङ पाइप, ११० मिमि ब्यास	बान	186	186	186	199	209	
854	एस.डब्ल्यू.आर.पी.भी.सि. फिटिङ्स रिड्युसर ११० बाई ७५, ११० मिमि ब्यास	बान	98	98	98	105	110	
855	एस.डब्ल्यू.आर.पी.भी.सि. फिटिङ्स पी ट्राप १२५ बाई ११०, ११० मिमि ब्यास	बान	378	378	378	404	425	
856	एस.डब्ल्यू.आर.पी.भी.सि. फिटिङ्स मन्डी फ्लोर ट्राप ११० बाई ७५, ११० मिमि ब्यास	बान	210	210	210	225	236	
857	एस.डब्ल्यू.आर.पी.भी.सि. फिटिङ्स तहानी ट्राप ११० बाई ७५, ११० मिमि ब्यास	बान	189	189	189	202	212	
858	एस.डब्ल्यू.आर.पी.भी.सि. फिटिङ्स डब्ल्यू.सी. कनेक्टर (वेन्ड टाइप), ११० मिमि ब्यास	बान	193	193	193	207	217	
859	एस.डब्ल्यू.आर.पी.भी.सि. फिटिङ्स स्क्वायर टायल जाली समेत, ११० मिमि ब्यास	बान	63	63	63	67	71	
860	एस.डब्ल्यू.आर.पी.भी.सि. राजण्ड जाली, ११० मिमि ब्यास	बान	28	28	28	30	31	
861	Plastic Toilet pan with paddle	set	355	355	355	380	399	
862	Plastic Toilet pan	set	320	320	320	342	360	
863	रिङ्ग ३'x१'x२"	गोटा	325	325	325	348	365	
	बिजली सम्बन्धी सामग्री							
864	ऐंगल होल्डर	बान	40	40	40	42	44	
865	बैपड	बान	2	2	2	2	2	
866	कम्पटन मरकरी (१.२५ मिटर)	बान	184	184	184	193	203	
867	फिलिप्स मरकरी (१.२५ मिटर)	बान	184	184	184	193	203	
868	२० सेमि डोम लाइट	बान	450	450	450	473	496	
869	वेदरपुफ लाइट	बान	278	278	278	292	306	
870	मिडियम क्लास डेकोरेटिभ वाल ल्याम्प	बान	315	315	315	30	32	
871	स्वीच प्लग	बान	30	30	30	200	209	
872	पावर प्लग स्वीच सहित	बान	190	190	190	200	209	
873	सिलिङ्ग रोज	बान	35	35	35	37	39	
874	पी.भि.सी. एडप्टर	बान	131	131	131	138	144	
875	काठे जंक्सन बोर्ड (७५x ७५)	बान	58	58	58	61	64	
876	काठे जंक्सन बोर्ड (१००x १००)	बान	74	74	74	78	82	
877	काठे जंक्सन बोर्ड (१००x १५०)	बान	95	95	95	100	105	
878	काठे जंक्सन बोर्ड (१५०x २००)	बान	116	116	116	122	128	
879	काठे जंक्सन बोर्ड (२००x २५०)	बान	145	145	145	152	160	
880	काठे जंक्सन बोर्ड (२५०x ३००)	बान	183	183	183	192	202	
881	काठे जंक्सन बोर्ड (३००x ३५०)	बान	221	221	221	232	244	
882	काठे जंक्सन बोर्ड (३००x ४००)	बान	252	252	252	265	278	
883	काठे जंक्सन बोर्ड (२००x ३००)	बान	290	290	290	305	320	
884	पी.भि.सी. जंक्सन बोर्ड (७५x ७५)	बान	15	15	15	16	17	
885	पी.भि.सी. जंक्सन बोर्ड (१००x १००)	बान	30	30	30	32	33	
886	पी.भि.सी. जंक्सन बोर्ड (१५०x २००)	बान	65	65	65	68	72	
887	पी.भि.सी. जंक्सन बोर्ड (२००x २५०)	बान	95	95	95	100	105	
888	पी.भि.सी. जंक्सन बोर्ड (२५०x ३००)	बान	70	70	70	74	77	
889	पी.भि.सी. जंक्सन बोर्ड (३००x ३५०)	बान	76	76	76	80	84	
890	पी.भि.सी. जंक्सन बोर्ड (३००x ४००)	बान	80	80	80	84	88	
891	पी.भि.सी. जंक्सन बोर्ड (२००x ३००)	बान	88	88	88	92	97	
892	फ्यूज कट ३० एम्पयर	बान	70	70	70	74	77	
893	वाल ल्याम्प फेन्सी टाइप	बान	232	232	232	244	256	
894	टेबल फ्यान कम्पटन	बान	3800	3800	3,800	3,990	4,190	

आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा								
क.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
895	टेल फ्यान उधा	घान	3800	3800	3,800	3,990	4,190	
896	मेन स्वीच १५ एम्पियर	घान	266	266	266	279	293	
897	मेन स्वीच ३० एम्पियर	घान	735	735	735	772	810	
898	मेन स्वीच ६० एम्पियर	घान	2205	2205	2,205	2,315	2,431	
899	१/१८ कपर वायर	क्वायल	950	950	950	998	1,047	
900	सर्भिस वायर	र.मि.	24	24	24	25	26	
901	५० मिमि बक्स टाइप ट्युब लाइट	सेट	389	389	389	408	429	
902	मरकरी ट्युबलाइट बक्स टाइप (१०० मिमि)	सेट	531	531	531	558	585	
903	चीम साधारण (६० - १०० वाट)	घान	27	27	27	28	30	
904	CFL bulb 5w	घान	190	190	190	200	209	
905	CFL bulb 8w	घान	200	200	200	210	221	
906	CFL bulb11w	घान	210	210	210	221	232	
907	CFL bulb15w	घान	220	220	220	231	243	
908	CFL bulb18w	घान	230	230	230	242	254	
909	CFL bulb20w	घान	240	240	240	252	265	
910	20 Watt FTL rod	घान	90	90	90	95	99	
911	40 Watt FTL rod	घान	90	90	90	95	99	
912	40 Watt FTL ballast(Chowk)	घान	275	275	275	289	303	
913	150 Watt SV bulb	घान	1250	1250	1,250	1,313	1,378	
914	250 Watt SV bulb	घान	1450	1450	1,450	1,523	1,599	
915	40 Watt 220 Volt Starter	घान	18	18	18	19	20	
916	1 Way Switch	घान	70	70	70	74	77	
917	1 Bell Push	घान	92	92	92	97	101	
918	Electric Bell(ding dong)	गोटा	220	220	220	231	243	
919	Electric Bell(BulBul)	गोटा	250	250	250	263	276	
920	Electric Bell(musical)	गोटा	300	300	300	315	331	
921	2 Way Switch one way	घान	79	79	79	83	87	
922	3 Way Switch	घान	105	105	105	110	116	
923	4 Way Switch	घान	121	121	121	127	133	
924	6 Way Switch	घान	200	200	200	210	221	
925	16 Amp Switch Indicator	घान	98	98	98	103	108	
926	6 Amp Uni Socket Switch Combined With S	घान	118	118	118	124	130	
927	Dimmer Single 400 Watt	घान	274	274	274	288	302	
928	Dimmer Single 800 Watt	घान	338	338	338	355	373	
929	16/6 Amp Combined S/Socket With Shutter	घान	142	142	142	149	157	
930	DP Switch 16-32 Amp	घान	164	164	164	172	181	
931	Blanking Plate Single	घान	34	34	34	36	37	
932	Telephone Socket Single	घान	66	66	66	69	73	
933	Angle Holder	घान	34	34	34	36	37	
934	Ceiling Rose	घान	27	27	27	28	30	
935	Bottom Holder	घान	34	34	34	36	37	
936	16 Amp 415 Volt DP Main Switch S	घान	247	247	247	259	272	
937	32 Amp 415 Volt DP Main Switch S	घान	528	528	528	554	582	
938	63 Amp 415 Volt DP Main Switch S	घान	2116	2116	2,116	2,222	2,333	
939	16 Amp 415 Volt TP Main Switch	घान	882	882	882	926	972	
940	32 Amp 415 Volt TP Main Switch	घान	1058	1058	1,058	1,111	1,166	
941	63 Amp 415 Volt TP Main Switch	घान	2527	2527	2,527	2,653	2,786	
942	100 Amp 415 Volt TP Main Switch	घान	3468	3468	3,468	3,641	3,823	
943	200 Amp 415 Volt TP Main Switch	घान	7760	7760	7,760	8,148	8,555	
944	16 Amp 415 Volt Change over Switch 4P	घान	1088	1088	1,088	1,142	1,200	
945	32 Amp 415 Volt Change over Switch 4P	घान	1323	1323	1,323	1,389	1,459	
946	63 Amp 415 Volt Change over Switch 4P	घान	2763	2763	2,763	2,901	3,046	
947	100 Amp 415 Volt Change over Switch 4P	घान	4114	4114	4,114	4,320	4,536	
948	200 Amp 415 Volt Change over Switch 4P	घान	8522	8522	8,522	8,948	9,396	
949	63 Amp Bus Bar Chamber	घान	1645	1645	1,645	1,727	1,814	
950	100 Amp Bus Bar Chamber	घान	2880	2880	2,880	3,024	3,175	
951	200 Amp Bus Bar Chamber	घान	4526	4526	4,526	4,752	4,990	
952	300 Amp Bus Bar Chamber 320 A	घान	5289	5289	5,289	5,553	5,831	
953	6-32 Amp SP MCB	घान	123	123	123	129	136	
954	6-32 Amp DP MCB	घान	412	412	412	433	454	
955	6-32 Amp TP MCB	घान	677	677	677	711	746	
956	6-32 Amp TPN MCB	घान	940	940	940	987	1,036	
957	40-60 Amp SP MCB	घान	284	284	284	298	313	
958	40-60 Amp DP MCB	घान	647	647	647	679	713	
959	40-60 Amp TP MCB	घान	882	882	882	926	972	
960	40-60 Amp TPN MCB	घान	1118	1118	1,118	1,174	1,233	
961	4 Way SPN DB Double Cover	घान	588	588	588	617	648	
962	6 Way SPN DB Double Cover	घान	709	709	709	744	782	
963	8 Way SPN DB Double Cover	घान	824	824	824	865	908	
964	12 Way SPN DB Double Cover	घान	998	998	998	1,048	1,100	

आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा								
क.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
965	16 Way SPN DB Double Cover	घान	1234	1234	1,234	1,296	1,360	
966	3 Way TPN DB Double Cover	घान	1234	1234	1,234	1,296	1,360	
967	4 Way TPN DB Double Cover	घान	1412	1412	1,412	1,483	1,557	
968	6 Way TPN DB Double Cover	घान	1735	1735	1,735	1,822	1,913	
969	8 Way TPN DB Double Cover	घान	2116	2116	2,116	2,222	2,333	
970	2 Pole PVC MCB Box	घान	29	29	29	30	32	
971	4 Pole PVC MCB Box	घान	54	54	54	57	60	
972	36" Ceiling Fan Almonard, Bajaj or equivalent	घान	3150	3150	3,150	3,308	3,473	
973	42" Ceiling Fan Almonard, Bajaj or equivalent	घान	3990	3990	3,990	4,190	4,399	
974	48" Ceiling Fan Almonard, Bajaj or equivalent	घान	4200	4200	4,200	4,410	4,631	
975	56" Ceiling Fan Almonard, Bajaj or equivalent	घान	4200	4200	4,200	4,410	4,631	
976	16" Wall Fan Almonard, Bajaj or equivalent	घान	2625	2625	2,625	2,756	2,894	
977	9" Exhaust Fan Almonard, Bajaj or equivalent	घान	1733	1733	1,733	1,820	1,911	
978	12" Exhaust Fan Almonard, Bajaj or equivalent	घान	1785	1785	1,785	1,874	1,968	
979	1/18 PVC Copper Wire Nepal, Prakash Cable, Nepal Cable or NS	स्वायल	950	950	1,170	1,229	1,290	
980	3/22 PVC Copper Wire Nepal, Prakash Cable, Nepal Cable or NS	स्वायल	1230	1230	1,410	1,481	1,555	
981	3/20 PVC Copper Wire Nepal, Prakash Cable, Nepal Cable or NS	स्वायल	1960	1960	2,250	2,363	2,481	
982	7/22 PVC Copper Wire Nepal, Prakash Cable, Nepal Cable or NS	स्वायल	2750	2750	3,150	3,308	3,473	
983	7/20 PVC Copper Wire Nepal, Prakash Cable, Nepal Cable or NS	स्वायल	4400	4400	5,150	5,408	5,678	
984	7/18 PVC Copper Wire Nepal, Prakash Cable, Nepal Cable or NS	स्वायल	7000	7000	7,800	8,190	8,600	
985	7/16 PVC Copper Wire Nepal, Prakash Cable, Nepal Cable or NS	स्वायल	14500	14500	16,500	17,325	18,191	
	Multi stand flexible wire							
986	2.55 sq mm	coil	2700	2700	3,120	3,276	3,440	
987	4.00 sq mm	coil	4200	4200	4,900	5,145	5,402	
988	6.00 sq mm	coil	6500	6500	7,400	7,770	8,159	
989	10.00 sq mm	coil	11000	11000	12,500	13,125	13,781	
990	16.00Sq mm	coil			20,000	21,000	22,050	
991	16 sq mm Cable Shoe Copper	घान	16	16	16	17	18	
992	25 sq mm Cable Shoe Copper	घान	24	24	24	25	26	
993	35 sq mm Cable Shoe Copper	घान	27	27	27	28	30	
994	50 Sq mm Cable Shoe Copper	घान	34	34	34	36	37	
995	1x20 FTL Patti	घान	317	317	317	333	349	
996	1x40 FTL Patti	घान	329	329	329	345	363	
997	1x40 FTL Box Fitting TMC 501/136 HPF	घान	1163	1163	1,163	1,221	1,282	
998	2x40 FTL Box Fitting TMC 501/236 HPF	घान	1675	1675	1,675	1,759	1,847	
999	1x40 FTL Industrial Channel With Stove EnammelledTKC202/136 HPF	सेट	2069	2069	2,069	2,172	2,281	
1000	2x40 FTL Industrial Channel With Stove Enammelled TKC202/236	सेट	3996	3996	3,996	4,196	4,406	
1001	1x40 FTL Opalite With Opal Acrylic Diffuser TCS19/136	सेट	1655	1655	1,655	1,738	1,825	
1002	2x40 FTL Opalite With Opal Acrylic Diffuser TCS19/236	सेट	2801	2801	2,801	2,941	3,088	
1003	300/500 Halogen Light Set	सेट	383	383	383	402	422	
1004	1000 Halogen Light Set	सेट	1000	1000	1,000	1,050	1,103	
1005	150 Watt HPSV Lamp	सेट	1234	1234	1,234	1,296	1,360	
1006	250 Watt HPSV Lamp	सेट	1410	1410	1,410	1,481	1,555	
1007	2/20 Tel wire	स्वायल	1313	1313	1,313	1,379	1,448	
1008	2/22 Tel wire	स्वायल	872	872	872	916	961	
1009	2 Pair Tel (2x2x0.45) mm	मिटर	8	8	8	8	9	
1010	3 Pair Tel (3x2x0.45) mm	मिटर	13	13	13	14	14	
1011	5 Pair Tel (5x2x0.45) mm	मिटर	41	41	41	43	45	
1012	10 Pair Tel (10x2x0.45) mm	मिटर	82	82	82	86	90	
1013	15 Pair Tel (15x2x0.45) mm	मिटर	124	124	124	130	137	
1014	प्लास्टिक मीटर बक्स	गोटा	345	345	345	362	380	
1015	काठको मीटर बक्स	गोटा	158	158	158	166	174	
	Power Cable Copper Conductor Unarmored							
	Nepal Cable, Prakash Cable Or N.S							
1016	4 mm <sup>2</sup> 4 core Nepal ,Prakash Or NS	मिटर	300	300	300	315	331	
1017	6 mm <sup>2</sup> 4 core Nepal ,Prakash Or NS	मिटर	435	435	435	457	480	
1018	10 mm <sup>2</sup> 4 core Nepal ,Prakash Or NS	मिटर	700	700	700	735	772	
1019	16 mm <sup>2</sup> 4 core Nepal ,Prakash Or NS	मिटर	1090	1090	1,090	1,145	1,202	
1020	25 mm <sup>2</sup> 4 core Nepal ,Prakash Or NS	मिटर	1700	1700	1,700	1,785	1,874	

आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा								
क.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
1021	35 mm <sup>2</sup> 4 core Nepal ,Prakash Or NS	मिटर	2350	2350	2,350	2,468	2,591	
1022	4 mm <sup>2</sup> 2 core Nepal ,Prakash Or NS	मिटर	180	180	180	189	198	
1023	6 mm <sup>2</sup> 2 core Nepal ,Prakash Or NS	मिटर	250	250	250	263	276	
1024	10 mm <sup>2</sup> 2 core Nepal ,Prakash Or NS	मिटर	400	400	400	420	441	
	Power cable copper conductor Armored Nepal, Prakash							
1025	4mm <sup>2</sup> 4 core Nepal ,Prakash Or NS	मिटर	375	375	375	394	413	
1026	6mm <sup>2</sup> 4 core Nepal ,Prakash Or NS	मिटर	490	490	490	515	540	
1027	10mm <sup>2</sup> 4 core Nepal ,Prakash Or NS	मिटर	750	750	750	788	827	
1028	16mm <sup>2</sup> 4 core Nepal ,Prakash Or NS	मिटर	1120	1120	1,120	1,176	1,235	
1029	25mm <sup>2</sup> 4 core Nepal ,Prakash Or NS	मिटर	1750	1750	1,750	1,838	1,929	
1030	35mm <sup>2</sup> 4 core Nepal ,Prakash Or NS	मिटर	2375	2375	2,375	2,494	2,618	
1031	मिडियम इयुटी प्लाष्टिक वायर	स्वायल	600	600	600	630	662	
1032	फ्लेक्सिबल प्लाष्टिक वायर	स्वायल	860	860	860	903	948	
1033	०.५ ह.पा.को इलेक्ट्रिक वाटर पम्प	सेट	1890	1890	1,890	1,985	2,084	
1034	१.० ह.पा.को इलेक्ट्रिक वाटर पम्प	सेट	11550	11550	11,550	12,128	12,734	
1035	१.० ह.पा.को इलेक्ट्रिक वाटर पम्प चाइनिज	सेट	3675	3675	3,675	3,859	4,052	
1036	१.५ ह.पा.को इलेक्ट्रिक वाटर पम्प	सेट	15750	15750	15,750	16,538	17,364	
1037	१.५ ह.पा.को इलेक्ट्रिक वाटर पम्प चाइनिज	सेट	4725	4725	4,725	4,961	5,209	
1038	२.० ह.पा.को इलेक्ट्रिक वाटर पम्प	सेट	23100	23100	23,100	24,255	25,468	
1039	२ ह.पा.को इलेक्ट्रिक वाटर पम्प	सेट	5775	5775	5,775	6,064	6,367	
1040	११ के. मि. डि. ओ. फ्युज	सेट	15000	15000	15,000	15,750	16,538	
1041	११ के. मि. लाइटनिङ एरेस्टर	सेट	9000	9000	9,000	9,450	9,923	
1042	११ के. मि. डिस्क इन्सुलेरेटर विथ अल एक्सेसरिज	सेट	1700	1700	1,700	1,785	1,874	
1043	११ के. मि. पिन इन्सुलेरेटर विथ अल एक्सेसरिज	सेट	500	500	500	525	551	
1044	ए.सि.एस.आर. कण्डक्टर ०.०३ ब.मि.	कि.मि.	29000	29000	29,000	30,450	31,973	
1045	ए.सि.एस.आर. कण्डक्टर ०.०५ ब.मि.	कि.मि.	48000	48000	48,000	50,400	52,920	
1046	५०० भोल्ट स्थाकल इन्सुलेरेटर विथ डि आयरन	थान	310	310	310	326	342	
1047	डि आयरन	थान	190	190	190	200	209	
1048	स्टे वायर	के.जि.	150	150	150	158	165	
1049	च्यानल फर एच पोल (२.७५ मि. लामो)	थान	1300	1300	1,300	1,365	1,433	
1050	५० के.मि.ए. ११/०.४ के.मि. ३ फेज ट्रांसफर्मर	थान	169597	169597	169,597			
1051	अर्थिङ सेट (अर्थिङ पाइप, रड कपर कोटेड)	सेट	2600	2600	2,600	2,730	2,867	
1052	नट बोल्ट	के.जि.	115	115	115	121	127	
1053	पोल क्लैम्प	गोटा	109	109	109	114	120	
1054	होल	गोटा	16	16	16	17	18	
1055	थ्री फेज मिटर एम.सि.बी. आवश्यक मेटल आदि (१० एम्पियर)	सेट	1197	1197	1,197	1,257	1,320	
1056	१.५ मिटर लामो च्यानल	गोटा	357	357	357	375	394	
1057	सट डाउन चार्ज (एल.टी. लाइन)	घण्टा	666	666	666	699	734	
1058	सट डाउन चार्ज (११ के. मि. लाइन)	घण्टा	1157	1157	1,157	1,215	1,276	
1059	प्यानल बोर्ड (१५ ह.पा.को मोटरको लागि) आवश्यक केबल तथा अन्य सम्बन्धित सामग्री सहित	सेट	39850	39850	39,850	41,843	43,935	
1060	मेकिङ एण्ड फिक्सिङ डिस्चार्ज हेड विथ वेस रिङ्ग प्लेट २० देखि २५ मिमि सम्मको आइरन प्लेट वेल्डेड विथ कलम पाइप एण्ड वेण्ड	सेट	8788	8788	8,788	9,227	9,689	
1061	ट्युबुलर स्टील पोल (११ मि.) बिजुलीको लागि	थान	19000	19000	19,000	19,950	20,948	
1062	पि. एस. पोल ८ मी	थान	6000	6000	6,500	6,825	7,166	
1063	पि. एस. पोल ९ मी	थान	6500	6500	7,000	7,350	7,718	
1064	पि. एस. पोल ११ मी	थान	10500	10500	14,000	14,700	15,435	
1065	पी.भी.सी. टेप	थान	20	20	20	21	22	
1066	पी.भी.सी. क्लिप (१०० पीस)	प्याकेट	70	70	70	74	77	
1067	पी.भी.सी. लिप्टी (१२ मिमि चौडा) २ मि. लामो	थान	30	30	30	32	33	
1068	पी.भी.सी. लिप्टी (१८ मिमि चौडा) २ मि. लामो	थान	40	40	40	42	44	
1069	पी.भी.सी. लिप्टी (२५ मिमि चौडा) २ मि. लामो	थान	50	50	50	53	55	
1070	पी.भी.सी. लिप्टी (४० मिमि चौडा) २ मि. लामो	थान	90	90	90	95	99	
1071	पी.भी.सी. लिप्टी (५० मिमि चौडा) २ मि. लामो	थान	150	150	150	158	165	
1072	0.75 sqm s/c copper wire	coil					1250	
1073	1.00 " "	coil					1650	
1074	1.5 " "	coil					2450	
1075	2.5 " "	coil					4000	
1076	4.00 " "	coil					6200	
1077	6.00 " "	coil					9170	
1078	1 watt watt LED lamp/Bulb	PC					50	




## आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा


क.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
1079	2 watt watt LED lamp/Bulb	PC					70	
1080	5 watt watt LED lamp/Bulb	PC					140	
1081	7 watt watt LED lamp/Bulb	PC					170	
1082	9 watt watt LED lamp/Bulb	PC					190	
1083	11 watt watt LED lamp/Bulb	PC					245	
1084	15 watt watt LED lamp/Bulb	PC					300	
1085	18 watt watt LED lamp/Bulb	PC					330	
1086	20 watt watt LED lamp/Bulb	PC					380	
1087	300 watt watt LED lamp/Bulb	PC					640	
1088	250 Watt sodium vapour lamp	PC					1310	
1089	250 Watt sodium vapour choke	PC					2650	
1090	250 Watt sodium vapour Ignitor	PC					425	
1091	14/60 PVC twin copper wire	coil					710	
1092	23/60 PVC twin copper wire	coil					1050	
1093	1 modular plate	PC					125	
1094	2 modular plate	PC					125	
1095	3 modular plate	PC					150	
1096	4 modular plate	PC					195	
1097	6 modular plate	PC					235	
1098	8 modular plate	PC					370	
1099	12 modular plate	PC					405	
1100	18 modular plate	PC					560	
1101	1 modular box	PC					65	
1102	2 modular box	PC					65	
1103	3 modular box	PC					95	
1104	4 modular box	PC					150	
1105	6 modular box	PC					250	
1106	8 modular box	PC					265	
1107	12 modular box	PC					360	
1108	18 modular box	PC					450	
1109	Strap light standard	mtr					270	
1110	6 AMP modular switch	PC					80	
1111	10 AMP modular switch	PC					90	
1112	20 AMP modular switch	PC					225	
1113	6 AMP modular indicator	PC					75	
1114	6 AMP 5 pin modular socket	PC					225	
1115	16 AMP modular socket	PC					325	
1116	12.5 mtr high mast light pole as per specification	set					260000	
1117	16 mtr high mast light pole as per specification	set					320000	
1118	20 mtr high mast light pole as per specification	set					385000	
1119	Feeder pillar Automatic control box	set					44500	
1120	100 Watt LED flood light	PC					6500	
1121	150 Watt LED flood light	PC					10200	
1122	200 Watt LED flood light	PC					16100	
1123	300 Watt LED flood light	PC					26000	
1124	400 Watt LED flood light	PC					33500	
1125	6 Watt surface pannel light	Pc					525	
1126	12 Watt surface pannel light	Pc					625	
1127	18 Watt surface pannel light	PC					850	
1128	6 Watt cancealed pannel light	PC					450	
1129	12 Watt cancealed pannel light	PC					550	
1130	18 Watt cancealed pannel light	PC					810	
1131	Aviation light	set					3250	
	Transformer NEEK Stardard ( Origin in Nepal)							
1132	11/0.4kv,25 KVA 3 Phase , 50Hz ONAN ,No Load Loss 75, load loss 460 watt	घान	261400	261400	280,000	294,000	300,000	
1133	11/0.4kv.50 KVA 3 Phase , 50Hz ONAN ,No Load Loss 120, load loss 750 watt	घान	373000	373000	400,000	420,000	425,000	
1134	11/0.41s.,100 KVA 3 Phase , 50Hz ONAN ,No Load Loss 220, load loss 1210watt	घान	590600	590600	590,600	620,130	650,000	
1135	11/0.41s.,150 KVA 3 Phase , 50Hz ONAN ,No Load Loss 295 load loss 1675 watt	घान	800000	800000	800,000	840,000	940,000	
1136	11/0.410/200 KVA 3 Phase , 50Hz ONAN ,No Load Loss 365, load loss 2100 watt	घान	1023900	1023900	1,023,900	1,075,095	1,170,000	
	11/0.410/250 KVA 3 Phase , 50Hz ONAN ,No Load Loss 365, load loss 2100 watt						1,275,000	

आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा								
क.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
	11/0.410/300 KVA 3 Phase , 50Hz ONAN ,No Load Loss 365, load loss 2100 watt						1,380,000	
	11/0.410/400 KVA-3 Phase , 50Hz ONAN ,No Load Loss 365, load loss 2100 watt						1,640,000	
	11/0.410/500 KVA 3 Phase , 50Hz ONAN ,No Load Loss 365, load loss 2100 watt						2,000,000	
1137	Supply, installation, testing & Commissioning of PLATE Earthing with copper plate (650x650x3.15 mm) with salt, charcoal dust, as per IS 3043 (Code of practice for earthing) with solid CAD weld (Brazing) where there is joining & watering 25 mm dia PVC pipe & its installation in a pit of 90x90x250 cm with the layers of Earthing materials as per standard, specification, drawing and refilling the ground as per drawing, specification and instruction all complete.	सेट					50000.00	
1138	Supply, Delivery, installation, testing and Commissioning of 16 meter High mast system, Mast shaft shall be hot dip galvanised octagonal base plate and suitable for wind velocity 50 m/s as per IS 875. It shall also include all accessories for flag mast including service door, base plate, lightning protection, arrangement of luminaries, luminaries carriage, head frame, trailing cable, winch with barcket, pulley system, Control gear and 24 hours timer feeder panel, suspension system,, galvanised lantern, mechanism for raising and lowering luminaries as per drawing, specification (Technical data sheet) and instruction all complete	सेट					500000.00	
1139	Supply, Delivery, installation, testing and Commissioning of 12 to 13 meter High mast system, Mast shaft shall be hot dip galvanised octagonal base plate and suitable for wind velocity 50 m/s as per IS 875. It shall also include all accessories for flag mast including service door, base plate, lightning protection, arrangement of luminaries, luminaries carriage, head frame, trailing cable, winch with barcket, pulley system, Control gear and 24 hours timer feeder panel, suspension system,, galvanised lantern, mechanism for raising and lowering luminaries as per drawing, specification (Technical data sheet) and instruction all complete	सेट					350000.00	
1140	Supply, Delivery, Installation, Testing and Commissioning of 13 meter High mast system, Mast shaft shall be hot dip galvanised tubular pole in three sections it shall also include all accessories for lightning arrangement such as control gear and 24 hours timer feeder panel circular galvanised lantern ring of 1 mtr dia as per drawing specification (Technical data sheet) and instruction all complete						105000.00	
1141	Supplying and Fixing of 10 sq.mm 4core armoured Aluminium cable form main panel board /NEA Supply/Municipal Supply through suitable size HDPE polythene pipe/PVC Listy etc it aslo include excavation, joining the cable and back filling properly as per drawing, specification and instruction all complete.	मीटर					420.00	
1142	Supply, Installation, Testing & Commissioning of 400W 44000lm AC 150-280v Pressure Die-cast aluminium with Toughened glass cover LED flood light all complete as per drawing, specification (Technical data sheet) and instruction net.	सेट					46000.00	
	बोरिङ सम्बन्धी सामानहरु							
1143	४" साइजको क्यासीड पाइप (फलामे)	र.मि.	945	945	945	992	1,042	
1144	४" साइजको स्टेनर पाइप (फलामे)	र.मि.	1575	1575	1,575	1,654	1,736	
1145	६" साइजको क्यासीड पाइप (फलामे)	र.मि.	2394	2394	2,394	2,514	2,639	
1146	६" साइजको स्टेनर पाइप (फलामे)	र.मि.	3654	3654	3,654	3,837	4,029	


आ.व. ०८०/८१ को जिल्ला दररेट, पर्सा								
क्र.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
1147	५" X १०' साइजको पि.भि.सी. (६ कि.ग्रा./ब.से.भि.) स्टेनर पाइप	र.भि.	1134	1134	1,134	1,191	1,250	
1148	६" X १०' साइजको पि.भि.सी. (६ कि.ग्रा./ब.से.भि.) स्टेनर पाइप	र.भि.	1814	1814	1,814	1,905	2,000	
1149	५" साइजको प्लाष्टीकको सनसन पाइप	र.फि.	265	265	265	278	292	
1150	५" साइजको प्लाष्टीकको डेलिमरी पाइप	के.जि.	189	189	189	198	208	
1151	१.५" X ५" जि.आई. मिडियम क्लास ६ मुखे कस टी	गोटा	1392	1392	1,392	1,462	1,535	
1152	१०० मिमि ब्यासको सि.आई. भल्भ बेण्ड	सेट	2048	2048	2,048	2,150	2,258	
1153	५" साइजको सि.आई. निपल	गोटा	353	353	353	371	389	
1154	बेण्टोनाइट (४० केजी)	ब्याग	880	880	880	924	970	
1155	१६X१० मिमिको क्याप सहितको फलेन्ज	गोटा	5670	5670	5,670	5,954	6,251	
1156	५" साइजको क्ल्याम्प	गोटा	1071	1071	1,071	1,125	1,181	
1157	५" साइजको क्ल्याम्प	गोटा	1386	1386	1,386	1,455	1,528	
1158	६" साइजको क्ल्याम्प	गोटा	1701	1701	1,701	1,786	1,875	
1159	डिजल पम्प सेट ५ HP	भान			52,000	54,600	57,330	
1160	CI बोटल टी चेक भल्भ सेट भएको	भान			4,200	4,410	4,631	
1161	बोटल टी चेक भल्भ सानो धारा सेट भएको	भान			5,800	6,090	6,395	
1162	GI वैन्ड ३ इनच	भान			1,400	1,470	1,544	
1163	ओभरहेड ट्याङ्का लागि निर्माण सामग्रीहरु							
1164	सोडियम सिलिकेट पेण्ट	सीटर	966	966	1,050	1,124	1,180	
1165	वाटर लेभल इण्डिकेटर कम्पलीट सेट विथ कपर	सेट	12075	12075	12,175	13,027	13,679	
1166	१२ मिमि X १०० मिमि आइरन प्लेट क्ल्याम्प	सेट	909	909	950	1,017	1,067	
1167	स्टेसेट कम्पलीट	सेट	797	797	850	910	955	
1168	ओभरहेड ट्याङ्का माथि चीम राख्ने सप्लाइ तथा जडान सहित र अन्य आवश्यक सामग्री सहित ह्युम पाइप सम्बन्धी	सेट	5878	5878	6,000	6,420	6,741	
1169	१०० मिमि ब्यासको ह्युम पाइप एन.पी. २ क्लास	र.मी.	404	404	440	462	485	
1170	१५० मिमि ब्यासको ह्युम पाइप एन.पी. २ क्लास	र.मी.	544	544	590	620	650	
1171	२०० मिमि ब्यासको ह्युम पाइप एन.पी. २ क्लास	र.मी.	701	701	765	803	843	
1172	२२५ मिमि ब्यासको ह्युम पाइप एन.पी. २ क्लास	र.मी.						
1173	२५० मिमि ब्यासको ह्युम पाइप एन.पी. २ क्लास	र.मी.	879	879	950	998	1,047	
1174	३०० मिमि ब्यासको ह्युम पाइप एन.पी. २ क्लास	र.मी.	1400	1400	1,600	1,680	1,764	
1175	४०० मिमि ब्यासको ह्युम पाइप एन.पी. २ क्लास	र.मी.	1655	1655	1,800	1,890	1,985	
1176	४५० मिमि ब्यासको ह्युम पाइप एन.पी. २ क्लास	र.मी.	1755	1755	1,900	1,995	2,095	
1177	५०० मिमि ब्यासको ह्युम पाइप एन.पी. २ क्लास	र.मी.	1969	1969	2,150	2,258	2,370	
1178	६०० मिमि ब्यासको ह्युम पाइप एन.पी. २ क्लास	र.मी.	3000	3000	3,300	3,465	3,638	
1179	७०० मिमि ब्यासको ह्युम पाइप एन.पी. २ क्लास	र.मी.	3390	3390	3,400	3,570	3,749	
1180	७५० मिमि ब्यासको ह्युम पाइप एन.पी. २ क्लास	र.मी.	3674	3674	4,000	4,200	4,410	
1181	८०० मिमि ब्यासको ह्युम पाइप एन.पी. २ क्लास	र.मी.	4092	4092	4,500	4,725	4,961	
1182	९०० मिमि ब्यासको ह्युम पाइप एन.पी. २ क्लास	र.मी.	6000	6000	6,500	6,825	7,166	
1183	१००० मिमि ब्यासको ह्युम पाइप एन.पी. २ क्लास	र.मी.	6800	6800	7,200	7,560	7,938	
1184	१२०० मिमि ब्यासको ह्युम पाइप एन.पी. २ क्लास	र.मी.	7800	7800	8,500	8,925	9,371	
1185	१५०० मिमि ब्यासको ह्युम पाइप एन.पी. २ क्लास	र.मी.	12600	12600	13,000	13,650	14,333	



आ.व. ०८०/८१ को जिल्ला दररेट, पर्सा								
क्र.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
1186	१५० मिमि ब्यासको ह्युम पाइप एन.पी. ३ क्लास	र.मी.	1155	1213	1,250	1,313	1,378	
1187	२०० मिमि ब्यासको ह्युम पाइप एन.पी. ३ क्लास	र.मी.	1533	1610	1,680	1,764	1,852	
1188	२५० मिमि ब्यासको ह्युम पाइप एन.पी. ३ क्लास	र.मी.	1925	2021	2,050	2,153	2,260	
1189	३०० मिमि ब्यासको ह्युम पाइप एन.पी. ३ क्लास	र.मी.	3000	3150	3,300	3,465	3,638	
1190	३५० मिमि ब्यासको ह्युम पाइप एन.पी. ३ क्लास	र.मी.	3200	3360	3,500	3,675	3,859	
1191	४०० मिमि ब्यासको ह्युम पाइप एन.पी. ३ क्लास	र.मी.	3800	3990	4,100	4,305	4,520	
1192	४५० मिमि ब्यासको ह्युम पाइप एन.पी. ३ क्लास	र.मी.	4600	4830	5,000	5,250	5,513	
1193	५०० मिमि ब्यासको ह्युम पाइप एन.पी. ३ क्लास	र.मी.	4640	4872	5,100	5,355	5,623	
1194	६०० मिमि ब्यासको ह्युम पाइप एन.पी. ३ क्लास	र.मी.	6000	6300	6,500	6,825	7,166	
1195	७०० मिमि ब्यासको ह्युम पाइप एन.पी. ३ क्लास	र.मी.	6604	6934	7,000	7,350	7,718	
1196	७५० मिमि ब्यासको ह्युम पाइप एन.पी. ३ क्लास	र.मी.	7322	7688	8,000	8,400	8,820	
1197	८०० मिमि ब्यासको ह्युम पाइप एन.पी. ३ क्लास	र.मी.	8800	9240	9,500	9,975	10,474	
1198	९०० मिमि ब्यासको ह्युम पाइप एन.पी. ३ क्लास	र.मी.	10280	10794	11,200	11,760	12,348	
1199	१००० मिमि ब्यासको ह्युम पाइप एन.पी. ३ क्लास	र.मी.	11320	11886	12,400	13,020	13,671	
1200	१२०० मिमि ब्यासको ह्युम पाइप एन.पी. ३ क्लास	र.मी.	13800	14490	15,100	15,855	16,648	
1201	१५०० मिमि ब्यासको ह्युम पाइप एन.पी. ३ क्लास	र.मी.	18193	19103	20,000	21,000	22,050	
1202	१०० मिमि ब्यासको ह्युम पाइप कलर एन.पी. २	बान	92	92	100	105	110	
1203	१५० मिमि ब्यासको ह्युम पाइप कलर एन.पी. २	बान	123	123	125	131	138	
1204	२०० मिमि ब्यासको ह्युम पाइप कलर एन.पी. २	बान	159	159	160	168	176	
1205	२२५ मिमि ब्यासको ह्युम पाइप कलर एन.पी. २	बान	179	179	180	189	198	
1206	२५० मिमि ब्यासको ह्युम पाइप कलर एन.पी. २	बान	199	199	200	210	221	
1207	३०० मिमि ब्यासको ह्युम पाइप कलर एन.पी. २	बान	270	270	270	284	298	
1208	३५० मिमि ब्यासको ह्युम पाइप कलर एन.पी. २	बान	323	323	325	341	358	
1209	३७५ मिमि ब्यासको ह्युम पाइप कलर एन.पी. २	बान	349	349	350	368	386	
1210	४०० मिमि ब्यासको ह्युम पाइप कलर एन.पी. २	बान	376	376	380	399	419	
1211	४५० मिमि ब्यासको ह्युम पाइप कलर एन.पी. २	बान	399	399	400	420	441	
1212	५०० मिमि ब्यासको ह्युम पाइप कलर एन.पी. २	बान	447	447	450	473	496	
1213	६०० मिमि ब्यासको ह्युम पाइप कलर एन.पी. २	बान	590	590	600	630	662	
1214	७०० मिमि ब्यासको ह्युम पाइप कलर एन.पी. २	बान	770	770	780	819	860	
1215	७५० मिमि ब्यासको ह्युम पाइप कलर एन.पी. २	बान	832	832	840	882	926	
1216	८०० मिमि ब्यासको ह्युम पाइप कलर एन.पी. २	बान	930	930	950	998	1,047	
1217	९०० मिमि ब्यासको ह्युम पाइप कलर एन.पी. २	बान	1092	1092	1,100	1,155	1,213	
1218	१००० मिमि ब्यासको ह्युम पाइपकलर एन.पी. २	बान	1238	1238	1,250	1,313	1,378	
1219	१२०० मिमि ब्यासको ह्युम पाइप कलर एन.पी. २	बान	1486	1486	1,490	1,565	1,643	
1220	१५०० मिमि ब्यासको ह्युम पाइप कलर एन.पी. २	बान	2382	2382	2,385	2,504	2,629	
1221	१५० मिमि ब्यासको ह्युम पाइपकलर एन.पी. ३	बान	273	273	275	289	303	
1222	२०० मिमि ब्यासको ह्युम पाइप कलर एन.पी. ३	बान	349	349	350	368	386	




आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा								
क.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
1223	२५० मिमि ब्यासको ह्युम पाइप कलर एन.पी. ३	बान	436	436	440	462	485	
1224	३०० मिमि ब्यासको ह्युम पाइप कलर एन.पी. ३	बान	627	627	630	662	695	
1225	३५० मिमि ब्यासको ह्युम पाइप कलर एन.पी. ३	बान	682	682	685	719	755	
1226	४०० मिमि ब्यासको ह्युम पाइप कलर एन.पी. ३	बान	802	802	820	861	904	
1227	४५० मिमि ब्यासको ह्युम पाइप कलर एन.पी. ३	बान	900	900	920	966	1,014	
1228	५०० मिमि ब्यासको ह्युम पाइप कलर एन.पी. ३	बान	1000	1000	1,050	1,103	1,158	
1229	६०० मिमि ब्यासको ह्युम पाइप कलर एन.पी. ३	बान	1181	1181	1,185	1,244	1,306	
1230	७०० मिमि ब्यासको ह्युम पाइप कलर एन.पी. ३	बान	1497	1497	1,500	1,575	1,654	
1231	७५० मिमि ब्यासको ह्युम पाइप कलर एन.पी. ३	बान	1660	1660	1,680	1,764	1,852	
1232	८०० मिमि ब्यासको ह्युम पाइप कलर एन.पी. ३	बान	1877	1877	1,900	1,995	2,095	
1233	९०० मिमि ब्यासको ह्युम पाइप कलर एन.पी. ३	बान	2120	2120	2,150	2,258	2,370	
1234	१००० मिमि ब्यासको ह्युम पाइप कलर एन.पी. ३	बान	2352	2352	2,380	2,499	2,624	
1235	१२०० मिमि ब्यासको ह्युम पाइप कलर एन.पी. ३	बान	2752	2752	2,780	2,919	3,065	
1236	१५०० मिमि ब्यासको ह्युम पाइप कलर एन.पी. ३	बान	3929	3929	4,000	4,200	4,410	
1165	HDPE DOUBLE WALL CORRUGATED PIPES					-	-	
1166	100 mm Dia	rm		500	500	525	551	
1167	150mm Dia	rm		1000	1,000	1,050	1,103	
1166	200 mm Dia	rm		1500	1,500	1,575	1,654	
1167	250 mm Dia	rm		1900	1,900	1,995	2,095	
1168	300 mm Dia	rm		3160	3,160	3,318	3,484	
1167	400 mm Dia	rm		4070	4,070	4,274	4,487	
1168	500 mm Dia	rm		4860	4,860	5,103	5,358	
1169	600 mm Dia	rm		8370	8,370	8,789	9,228	
1168	800 mm Dia	rm		13875	13,875	14,569	15,297	
1169	1000 mm Dia	rm		20900	20,900	21,945	23,042	
1170								
1169	ह्युम पाईप ढुवानी							
1170	०- ५० कि.मी	प्र.श.	10	10	10	11	12	
1171	५०- १०० कि.मी	प्र.श.	15	15	15	17	17	
1172	१००- २०० कि.मी	प्र.श.	20	20	20	22	23	
	सडक निर्माण सम्बन्धी सामानहरु							
1173	बिटुमीन ८० - १०० ग्रेडको	के.जि.						
1174	बिटुमिन ६०/७० ग्रेड	के.जि.						
1175	बिटुमिन ( CRMS- 55)	के.जी.						
1176	बिटुमीन इमल्सन छिटो जम्ने	के.जि.						
1177	बिटुमीन इमल्सन मध्यम जम्ने	के.जि.						
1178	बिटुमीन इमल्सन ढिलो जम्ने	के.जि.						
1179	बिटुमिन इमल्सन -Slury seal 60%	के.जी.						




## आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा

क.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत	
1180	Anistrip	के.जी.	450	450	450	473	496		
1181	लाइन रिट्टुड	र.मि.	9	9	9	9	10		
1182	जियो टेक्स्टाइल	ब.मि.	150	150	150	158	165		
1183	हेसन जुट	ब.मि.	169	169	169	177	186		
1184	टेरेम पेपर	ब.मि.	333	333	333	350	367		
1185	एण्टी स्ट्रीपिड एजेन्ट	के.मि.	483	483	483	507	533		
1186	स्टोन इस्ट	घ.मि.	945	945	945	992	1,042		
1187	रोड मार्किङ पेन्ट (Rubber base)	लिट्र	473	473	473	497	521		
1188	रोड मार्किङ पेन्ट (Plastic base)	लिट्र	1680	1680	1,680	1,764	1,852		
1189	प्याच मास्टर	के.जी	55	55	55	58	61		
1190	Thermo Plastic Paints With all Component	Per Sqm	1900	1900	1,900	1,995	2,095		
1191	Elastomeric (Neoperene) Bearing fixed	Per No	63650	63650	63,650	66,833	70,174		
1192	Elastomeric (Neoperene) Bearing free	Per No	26600	26600	26,600	27,930	29,327		
1193	Elastomeric (Neoperene) Expansion	Meter	32300	32300	32,300	33,915	35,611		
	विविध निर्माण सामग्रीहरु				-		-		
1190	Geo bag made of Heavy quality, Geotextile of 300 GSM (1.0*0.6)m <sup>2</sup>	गोटा	375	375.0	375	394	413		
1191	Geo bag made of Heavy quality, Geotextile of 300 GSM (1.0*1.0)m <sup>2</sup>	गोटा	530	530.0	530	557	584		
1192	Geo bag made of Heavy quality, Geotextile of 130 GSM (1.0*1.0)m <sup>2</sup>	गोटा	72	72.0	72	76	79		
1193	Geo bag made of Heavy quality, Geotextile of 130 GSM (1.0*1.0)m <sup>2</sup>	गोटा	80	80.0	80	84	88		
1194	Rubber Seal 6" black	र.मि.	450	450.0	450	473	496		
1195	Rubber Seal 6" White	र.मि.	475	475.0	475	499	524		
1196	Rubber Seal 9" black	र.मि.	615	615.0	615	646	678		
1197	Rubber Seal 9" White	र.मि.	670	670	670	704	739		
1198	Joint Filler 10mm	ब.मि.	1200	1200	1,200	1,260	1,323		
1199	Joint Filler 20mm	ब.मि.	2000	2000	2,000	2,100	2,205		
1200	लिनोलियम साधारण	र.मि.	242	242	242	254	267		
1201	लिनोलियम स्पेशल	र.मि.	496	496	496	521	547		
1202	डोर म्याट (४५० मिमि X ९०० मिमि)	षान	362	362	362	380	399		
1203	रबर एक्सपान्शन जोइन्ट ३०० मिमि चौडा	ब.मि.	121	121	121	127	133		
1204	बग्जालिक एसिड पाउडर	के.मि.	72	72	72	76	79		
1205	प्लास्टिक सिट	के.मि.	182	182	182	191	201		
1206	फुल भाडु	षान	35	35	60	63	66		
1207	भाडु	षान	25	25	50	53	55		
1208	नायलन डोरी	के.मि.	130	130	130	137	143		
1209	नरिवल डोरी	के.मि.	130	130	130	137	143		
1210	गोबर	के.मि.	2	2	2	2	2		
1211	जुट	के.मि.	65	65	65	68	72		
1212	साबैको डोरी	के.मि.	40	40	50	53	55		
1213	५०० गेजको पोलिथिन सिट	र.मि.	20	20	20	21	22		
1214	पेटोलियम पदार्थ	लिट्र	नेपाल बायल निगमको मुल्य अनुसार						
1215	ट्रकको टायर	गोटा	19924	19924	19,924	20,920	21,966		
1216	जुटको छाली बोरा	गोटा	19	19	19	20	21		
1217	सिमण्टको छाली बोरा पुरानो	गोटा	10	10	10	11	11		
1218	सिमण्टको छाली बोरा नया	गोटा			15	16	17		
1219	१९"X३०" सेतो बाक्लो बोरा	गोटा	12	12	12	13	13		
1220	२४"X३०" सेतो बाक्लो बोरा	गोटा	21	21	21	22	23		
1221	५ ह.पा.को इन्जिन प्रयोग गरी डिवाटरिङ गर्ने कार्य ( फ्युल, लुब्रिकेण्ट, मर्मत आदि समेत)	घण्टा	341	341	341	358	376		







## आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा

क.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
1222	भुसा	के.जि.	4	4	4	4	4	
1223	सुतली	कि.लो.	61	61	61	64	67	
1224	ज्वाइन्ट फिलर	ब.मी.	604	604	604	634	666	
	कृषि सम्बन्धि							
1225	जै घासको बीउ	के.जी.	70	80	80	84	88	
1226	बर्धिस घासको बीउ	के.जी.	300	300	300	315	331	
1227	टिमोटेन्टी घासको बीउ	के.जी.	140	140	140	147	154	
1228	स्टाईलो घासको बीउ	के.जी.	830	830	830	872	915	
1229	मोलासिस घासको बीउ	के.जी.	725	725	725	761	799	
1230	बमीलो गानो	गानो	8	8	8	8	9	
1231	नेपीबर सेट्स साधारण	सेट्स	5	5	5	5	6	
1232	नेपीबर सेट्स सुपर	सेट्स	5	5	5	5	6	
1232	बडहर डाले घासको वेर्ना	वेर्ना	17	17	17	18	19	
1233	बन्धु डाले घासको वेर्ना	वेर्ना	12	12	12	13	13	
1234	हुकेको कुखुराको चल्ला	प्रति चल्ला	170	170	170	179	187	
1235	वोर्यको लागि बोका	जीवित प्रति केजी	900	990	990	1,040	1,091	
1236	पाठी, बढीमा १० केजी को	जीवित प्रति केजी	700	700	700	735	772	
1236	सुडान	गोटा	100	100	100	105	110	
1237	सुडान हाइब्रिड	गोटा	200	200	200	210	221	
1237	ज्वाइन्ट भेच	गोटा	200	200	200	210	221	
1238	भेच	गोटा	200	200	200	210	221	
1238	किम्बु	गोटा	11	11	11	12	12	
1239	पाचपालम	गोटा	3	3	3	3	3	
1239	टांकी	गोटा	5	5	5	5	6	
1240	कोइरालो	गोटा	5	5	5	5	6	
1240	बिरुवा ३ फिट सम्म अग्लो	गोटा	135	135	135	142	149	
1241	बिरुवा ३ फिट भन्दा अग्लो	गोटा	200	200	200	210	221	
	खण्ड (ग) घर मुल्याङ्कन तथा घर भाडाको दररेट							
	स्ट्रक्चरको किसिम	इकाई						
1242	भित्र कांचो बाहिर पाको ईटामा माटोको जोडाई, छाना जस्ता, फिगटी, टायल वा एस्बेस्टस् भएको	बर्ग फिट	700	700	735	772	810	
1243	भित्र बाहिर पाको ईटामा माटोको जोडाई, छाना जस्ता, फिगटी, टायल वा एस्बेस्टस् भएको	बर्ग फिट	900	900	945	992	1,042	
1244	भित्र बाहिर पाको ईटामा माटोको जोडाई, छाना जस्ता, फिगटी, टायल वा एस्बेस्टस् भएको र बाहिर सिमेन्ट प्लाष्टर भएको	बर्ग फिट	1000	1000	1,050	1,103	1,158	
1245	भित्र बाहिर पाको ईटामा माटोको जोडाई, छाना आरासिसी/आराबिसी भएको	बर्ग फिट	1050	1050	1,103	1,158	1,216	
1246	भित्र बाहिर पाको ईटामा बज्रको जोडाईमा, छाना जस्ता, फिगटी, टायल वा एस्बेस्टस् भएको	बर्ग फिट	1020	1020	1,071	1,125	1,181	
1247	भित्र बाहिर पाको ईटामा बज्रको जोडाईमा, छाना जस्ता, फिगटी, टायल वा एस्बेस्टस् भएको र सिमेन्ट प्लाष्टर भएको	बर्ग फिट	1100	1100	1,155	1,213	1,273	
1248	भित्र बाहिर पाको ईटामा बज्रको जोडाईमा, छाना आरासिसी/आराबिसी भएको र सिमेन्ट प्लाष्टर भएको	बर्ग फिट	1150	1150	1,208	1,268	1,332	
1249	सिमेन्ट जोडाई छाना : जस्ता, फिगटी, टायल वा एस्बेस्टस्	बर्ग फिट	1120	1120	1,176	1,235	1,297	
1250	सिमेन्ट जोडाई छाना : आरासिसी/आराबिसी भएको	बर्ग फिट	1180	1180	1,239	1,301	1,366	
1251	आर.सि.सी. फेम स्ट्रक्चर	बर्ग फिट	1250	1250	1,313	1,379	1,448	
1252	आर.सि.सी. फेम स्ट्रक्चर भई लिफ्ट जडान भएको	बर्ग फिट	1200	1200	1,260	1,323	1,389	
1253	काठै काठको घर छाना: जस्ता, टायल, फिगटी वा एस्बेस्टस्	बर्ग फिट	1060	1060	1,113	1,169	1,227	



आ.व. ०८०/८१ को जिल्ला दररेट, पर्सा								
क्र.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
1254	घर भाडा मुल्याङ्कन गर्दा जग्गा समेत भवनको हालको मुल्याङ्कनको ८ देखी १० प्रतिशत सम्म वार्षिक भाडा निर्धारण गर्ने							
1255	डिप्रेसिएसनको लागि देहाय बमोजिम घटाउने							
1256	स्टन्चरको किसिम	प्रति बर्ष घटाउनु पर्ने दर (%)					प्रति बर्ष घटाउनु पर्ने दर (%)	
1257	सबै प्रकारका माटोबाट निर्मित स्टन्चरहरू ( १ देखि ४ सम्मका)	2.00					2.00	
1258	सबै प्रकारका कंक्रीट बाट निर्मित स्टन्चरहरू (५ देखि ७ सम्मका)	1.25					1.25	
1259	सबै प्रकारका सिमेन्ट मसलाबाट निर्मित स्टन्चरहरू (८ देखि १० सम्मका)	0.75					0.75	
1260	सबै प्रकारका फेम स्टन्चरबाट निर्मित स्टन्चरहरू (१० देखि ११ सम्मका)	0.50					0.50	
1261	सबै प्रकारका काठबाट बनेका स्टन्चरहरू ( १२)	2.50					2.50	











आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा								
क.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
1262	Machine made and mechanically selvaged double twisted hexagonal wire mesh.							
1263	मेशिनमेड तार जाली(Mesh type 10cm*12cm,mesh wire 3 mm dia,selvedge wire 3.9 mm dia,Lacing wire 2.4 mm dia,Heavy Zinc Coating) with Transportation.							
1264	Box Gabions							
1265	1.5x1x0.50/0	Nos	1458	1502	1,502	1,577	1,656	
1266	2x1x0.50/1	Nos	1984	2043	2,043	2,145	2,253	
1267	3x1x0.50/2	Nos	2831	2916	2,916	3,062	3,215	
1268	1.5x1x1/0	Nos	2120	2183	2,183	2,292	2,407	
1269	2x1x1/1	Nos	2817	2902	2,902	3,047	3,199	
1270	3x1x1/2	Nos	3997	4117	4,117	4,323	4,539	
1271	3x1.5x0.50/2	Nos	4159	4284	4,284	4,498	4,723	
1272	3x1.5x1/2	Nos	5857	6032	6,032	6,334	6,651	
1273	Concrete Item							
1274	Precast Concrete Bench ( 59.5"x16"x2")	Nos				11,050	11,603	
1275	Boundry Pillar(8' height,6"*6" c/s) 4no. Of 8mm bar with 4.75 mm H shape ring @6")	Nos				2,125	2,231	
1276	Cover block for slab ( 25 mm)	Nos				6	6	
1277	Precast Checkered tiles (1'*1' )Per piece	Nos				77	80	
1278	Cover block for Rcc roads and footing (50mm)	Nos				12	12	
1279	Italian Gamala (16.5"* 20.5" Height	Nos				1,402	1,472	
1280	Italian Gamala (19.5"* 17.5.5" Height	Nos				1,062	1,115	
1281	Gamala 20.5" dai. 19"ht.	Nos				935	982	
1282	Tulsi Matha ( 16"*16"*21.5")	Nos				1,827	1,918	
1283	विभिन्न प्रजातिको आँप ३ फिट अग्लो	गोटा				150	158	
1284	विभिन्न प्रजातिको आँप ३ फिट अग्लो	गोटा				200	210	
1285	विभिन्न प्रजातिको आँप ३ फिट अग्लो	गोटा				150	158	
1286	कागति ३ फीट अग्लो	गोटा				150	158	
1287	कटहर ३ फीट अग्लो	गोटा				100	105	
1288	बग्ना	गोटा				100	105	
1289	बिरुवा उमार्ने पोलिटिडुब	के.भि.				350	368	
1290	अनमिस्टस बिरुवा विभिन्न प्रजातिको	गोटा				400	420	
1291	Hexagon paving block grey 190.5mm*220mm*60mm strength; m-35Grade	व.भि.					1,435.05	
1292	Hexagon paving block coloured(190.5mm*220mm*60mm) Strength ; M-35 Grade	व.भि.					1,658.28	
1293	Milano paver grey 215mm*260mm*60mm Strength ; M-35 grade	व.भि.					1,807.68	
1294	milano paver coloured(215mm*260mm*60mm) Strength ; M-35 grade	व.भि.					1,988.45	
1295	L- shape paver grey (200mm*200mm*60mm) Strength ; M35 Grade	व.भि.					1,875	
1296	L- shape paver coloured(200mm*200mm*60mm)	व.भि.					2,050	
1297	zigzag paver grey (120mm*245mm*60mm) Strength ; M-35 Grade	व.भि.					1,530.45	
1298	zigzag paver coloured (120mm*245mm*60mm) Strength ; M-35 Grade	व.भि.					1,768.52	
1299	square paver grey (200mm*200mm*60mm) Strength ;M35 grade	व.भि.					1,875	
1300	square paver coloured(200mm*200mm*60mm) Strength ;M35 grade	व.भि.					2,050	
1301	Rectangular paver grey 200mm*100*60mm Strenth ; M-35 Grade	व.भि.					2,100	
1302	Rectangular paver coloured 200mm*100mm*60mm Strenth ; M-35 Grade	व.भि.					2,450	
1303	Square paver grey 100mm*100mm*60mm) Strength ;M35 grade	व.भि.					2,100	

आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा								
क्र.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
1304	Square paver coloured 100mm*100*60mm Strength; -35 Grade	व.मि.					2,500	
1305	Nostalgic paver grey 1140mm*960mm*60mm Strength; M-35 Grade	व.मि.					3,150	
1306	Nostalgic paver coloured 1140mm*960mm*60mm Strength; M-35 Grade	व.मि.					3,380	
1307	I-shape paver grey 200mm*165mm*60mm Strength; M-35 Grade	व.मि.					1,606.95	
1308	I-shape paver colored 200mm*165mm*60mm Strength; M-35 Grade	व.मि.					1,856.92	
1309	Zigzag paver grey 245mm*120mm*80mm Strength; M-35 Grade or above	व.मि.					2,380.7	
1310	Zigzag paver coloured 120mm*245mm*60mm Strength; M-35 Grade or above	व.मि.					2618.77	
1311	Checkard Tile coloured 36dost Design (300mm*300mm*25mm) Strength; M-35 Grade	व.मि.					1222.1	
1312	Checkard Tile coloured circle design (300mm*300mm*25mm) Strength; M-35 Grade	व.मि.					1222.1	
1313	Kerbstone (300mm*300mm*150mm) Strength; M- 20/25 grade	व.मि.					1165.5	
1314	Kerbstone (300mm*450mm*150mm) Strength; M- 20/25 grade	व.मि.					1665	
1315	Arch paver grey 140mm*335mm*60mm Strength M-35 Grade	व.मि.					2255.25	
1316	Arch paver coloured 140mm*335mm*60mm Strength M-35 Grade	व.मि.					2465.74	
1317	cover block for footing, Road 55mm*55mm*50mm Strength; M-30 Grade	गोटा					12	
1318	Cover block for slab 45mm*45mm*20mm Strength ; M-30 Grade	गोटा					6	
1319	Gamala 20"*21"(with platic Emulsion paint)	गोटा					2000	
1320	Gamala 16.5"*17" (with plastic Emulsion paint)	गोटा					1000	
1321	Boundary pillar 150mm*150mm*2400mm Strength ; M-25 Grade	गोटा					3200	
1322	Boundary wall slab 45mm*300mm*1800mm Strength ; M-25 Grade	गोटा					1050	
1323	Italian Gamala Big 18.5"*20" (with plastic Emulsion paint)	गोटा					3000	
1324	Italian Gamala Small 21"*16" (with plastic Emulsion paint)	गोटा					2000	
1325	Tulsi Chaura 21.5"*16.5" (with plastic Emulsion paint)	गोटा					3000	
1326	Tulsi Chaura 18"*10" (with plastic Emulsion paint)	गोटा					2500	
1327	Concrete Chair (1;2;2) with Cement ,Sand and chips pebble 60"*35.5"	गोटा					12000	
1328	Concrete Chair (1;2;2) with Cement ,Sand and chips pebble 60"*37.5"	गोटा					12000	
1329	Ready mix concrete							
1330	M10	घ.मी.					10500	
1331	M15	घ.मी.					11000	
1332	M20	घ.मी.					12000	
1333	M25	घ.मी.					13000	
1334	M30	घ.मी.					14000	
1335	M35	घ.मी.					15000	
1336	M40	घ.मी.					17000	
1337	M45	घ.मी.					18000	
1338	Fly ash brick 230*110*65 mm	गोटा					18	
1339	Fly ash brick 230*110*75 mm	गोटा					20	

आ.व. ०८०/८१ को जिल्ला दररेट, पर्सा								
क.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
1340	SDR-11 (3Mtr.Lenth) CPVC SIZE IN MM.							
1341		15	mtr				160	
1342		20	mtr				235	
1343		25	mtr				363	
1344		32	mtr				532	
1345		40	mtr				813	
1346		50	mtr				1,287	
1347							-	
1348	SDR-13.5 (3Mtr.Lenth) CPVC							
1349		15	mtr				157	
1350		20	mtr				220	
1351		25	mtr				326	
1352		32	mtr				474	
1353		40	mtr				727	
1354		50	mtr				1,092	
1355	COUPLER PLAIN CPVC							
1356		15	गोटा				23	
1357		20	गोटा				26	
1358		25	गोटा				48	
1359		32	गोटा				95	
1360		40	गोटा				155	
1361		50	गोटा				325	
1362	BEND 45° PLAIN CPVC							
1363		15	गोटा				48	
1364		20	गोटा				40	
1365		25	गोटा				111	
1366		32	गोटा				266	
1367		40	गोटा				411	
1368		50	गोटा				845	
1369	TEE 90° PLAIN CPVC							
1370		15	गोटा				46	
1371		20	गोटा				59	
1372		25	गोटा				94	
1373		32	गोटा				337	
1374		40	गोटा				340	
1375		50	गोटा				720	
1376	REDUCER TEE 90° PLAIN CPVC							
1377	20*15		गोटा				107	
1378	25*20		गोटा				165	
1379	40*25		गोटा				430	
1380	40*32		गोटा				504	
1381	50*25		गोटा				917	
1382	ELBOW 90° PLAIN CPVC							
1383		15	गोटा				33	
1384		20	गोटा				40	
1385		25	गोटा				72	
1386		32	गोटा				161	
1387		40	गोटा				260	
1388		50	गोटा				605	
1389								
1390	REDUCER BUSH PLAIN CPVC							
1391	20*15		गोटा				25	
1392	25*15		गोटा				59	
1393	25*20		गोटा				46	
1394	32*20		गोटा				91	
1395	32*25		गोटा				76	
1396	40*20		गोटा				140	
1397	40*25		गोटा				166	
1398	40*32		गोटा				108	
1399	50*20		गोटा				299	
1400	50*25		गोटा				321	
1401	50*32		गोटा				248	
1402	50*40		गोटा				139	
1403	FEMALE ADAPTOR PLASTIC THREADED (FAPT) CPVC							
1404		15	गोटा				53	
1405		20	गोटा				58	
1406		25	गोटा				86	
1407		32	गोटा				210	
1408		40	गोटा				260	
1409		50	गोटा				486	
1410								




आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा								
क्र.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
1411	MALE ADAPTOR PLASTIC THREADED (MAPT) CPVC							
1412		15	गोटा				40	
1413		20	गोटा				40	
1414		25	गोटा				63	
1415		32	गोटा				108	
1416		40	गोटा				154	
1417		50	गोटा				323	
1418	END CAP PLAIN CPVC							
1419		15	गोटा				25	
1420		20	गोटा				28	
1421		25	गोटा				45	
1422		32	गोटा				103	
1423		40	गोटा				153	
1424		50	गोटा				334	
1425								
1426	REDUCER CPVC							
1427	20*15		गोटा				54	
1428	25*15		गोटा				67	
1429	25*20		गोटा				76	
1430	32*15		गोटा				215	
1431	32*20		गोटा				158	
1432	32*25		गोटा				162	
1433	40*20		गोटा				268	
1434	40*25		गोटा				230	
1435	40*32		गोटा				234	
1436	50*20		गोटा				549	
1437	50*25		गोटा				330	
1438	50*32		गोटा				468	
1439	50*40		गोटा				490	
1440	THREADED END PLUG CPVC							
1441		15	गोटा				25	
1442		20	गोटा				39	
1443	UNION CPVC							
1444		15	गोटा				179	
1445		20	गोटा				245	
1446		25	गोटा				305	
1447		32	गोटा				430	
1448		40	गोटा				625	
1449		50	गोटा				1202	
1450	CROSS TEE 90° CPVC							
1451		15	गोटा				87	
1452		20	गोटा				128	
1453		25	गोटा				230	
1454	BALL VALVE CPVC							
1455		15	गोटा				273	
1456		20	गोटा				415	
1457		25	गोटा				725	
1458		32	गोटा				1330	
1459		40	गोटा				2125	
1460		50	गोटा				3325	
1461	BALL VALVE HANDLE CPVC							
1462		20	गोटा				67	
1463		25	गोटा				101	
1464		32	गोटा				160	
1465		40	गोटा				192	
1466		50	गोटा				300	
1467	TANK NIPPLE CPVC							
1468		20	गोटा				145	
1469		25	गोटा				210	
1470		32	गोटा				452	
1471		40	गोटा				530	
1472		50	गोटा				840	
1473	MIXER ADAPTOR CPVC							
1474	20*15		गोटा				750	
1475	TEE (BRASS) CPVC							
1476	20*15		गोटा				192	
1477	20*20		गोटा				349	
1478	25*25		गोटा				538	
1479	32*15		गोटा				522	
1480	32*32		गोटा				548	
1481	REDUCER MAT-HEXA NUT CPVC							
1482	20*15		गोटा				265	
1483	25*20		गोटा				400	

## आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा

क.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
1484	REDUCER FAT(BRASS) CPVC							
1485	20*15	गोटा					165	
1486	25*15	गोटा					337	
1487	25*20	गोटा					227	
1488	STEP OVER BEND CPVC							
1489		20 गोटा					230	
1490		25 गोटा					418	
1491	CONCEALED VALVES CPVC							
1492		20 गोटा					2809	
1493		20 गोटा					2809	
1494		20 गोटा					2589	
1495		25 गोटा					3971	
1496	ELBOW 90°(BRASS) CPVC							
1497	20*15	गोटा					138	
1498	20*20	गोटा					185	
1499	25*25	गोटा					727	
1500	32*15	गोटा					463	
1501	32*32	गोटा					988	
1502	POWDER COATED METAL CLAMPS CPVC							
1503		15 गोटा					337	
1504		20 गोटा					418	
1505		25 गोटा					632	
1506		32 गोटा					1587	
1507		40 गोटा					1925	
1508		50 गोटा					3390	
1509								
1510	MALE ADAPTOR BRASS THREDED(MABT) CPVC							
1511		15 गोटा					337	
1512		20 गोटा					418	
1513		25 गोटा					632	
1514		32 गोटा					1587	
1515		40 गोटा					1925	
1516		50 गोटा					3390	
1517								
1518	FEMALE ADAPTOR BRASS THREDED (FABT) CPVC							
1519		15 गोटा					310	
1520		20 गोटा					340	
1521		25 गोटा					750	
1522		32 गोटा					1680	
1523		40 गोटा					1900	
1524		50 गोटा					3000	
1525								
1526	CPVC SOLVENT AND CEMENT							
1527	TIN	गोटा					214	
1528	TIN	गोटा					440	
1529	TIN	गोटा					735	
1530								
1531	PVC SOLVENT CPVC							
1532	TIN	गोटा					142	
1533	TIN	गोटा					232	
1534	RUBBER LUBRICANT						65	
1535								
1536	BEND 45° CPVC							
1537		75 गोटा					204	
1538		110 गोटा					350	
1539								
1540	BEND 87.5° CPVC							
1541		75 गोटा					225	
1542		110 गोटा					400	
1543								
1544	BEND 87.5° WITH DOOR CPVC							
1545		75 गोटा					290	
1546		110 गोटा					490	
1547		160 गोटा					1332	
1548								
1549	COUPLER CPVC							
1550		75 गोटा					168	
1551		110 गोटा					290	
1552								
1553	Eccentric Reducer CPVC							
1554	110*75						283	



## आ.व. ०८०/८१ को जिल्ला दररेट , पर्सा

क. सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
1555								
1556	Single Tee CPVC							
1557		75	गोटा				299	
1558		110	गोटा				569	
1559								
1560	Single Tee with Door CPVC							
1561		75	गोटा				421	
1562		110	गोटा				759	
1563								
1564	Double Tee CPVC							
1565		75	गोटा				651	
1566		110	गोटा				1149	
1567								
1568	Reducing Tee							
1569	110*75		गोटा				595	
1570								
1571	Reducing Tee with Door CPVC		गोटा					
1572	110*75		गोटा				595	
1573	160*75		गोटा				551	
1574	160*110		गोटा				915	
1575	Swept Tee with Door CPVC							
1576		75	गोटा				417	
1577								
1578	Single Y CPVC							
1579		75	गोटा				409	
1580		110	गोटा				769	
1581								
1582	Single Y with Door CPVC							
1583		75	गोटा				479	
1584		110	गोटा				919	
1585								
1586	Double Y CPVC							
1587		75	गोटा				755	
1588		110	गोटा				1489	
1589								
1590	Reducing Y with Door CPVC							
1591	110*75						935	
1592								
1593	Cleaning Pipe CPVC							
1594		110	गोटा				630	
1595								
1596	Double Y with Centre Door CPVC							
1597		75	गोटा				999	
1598		110	गोटा				1455	
1599								
1600	Reducing Y CPVC							
1601	110*75						765	
1602								
1603	Bend 45° CPVC							
1604		75	गोटा				190	
1605		110	गोटा				330	
1606		160	गोटा				1406	
1607								
1608	Bend 87.5° CPVC							
1609		75	गोटा				205	
1610		110	गोटा				380	
1611								
1612	Bend 87.5° with Door CPVC							
1613		75	गोटा				299	
1614		110	गोटा				499	
1615		116	गोटा				1415	
1616	Coupler SWR FITTINGS- SELFIT CPVC							
1617		160	गोटा				705	
1618	Straight Reducer (Concentric) CPVC							
1619	110*75		गोटा				464	
1620	160*110		गोटा				984	
1621								
1622	Height Riser CPVC							
1623	100*50/40		गोटा				864	
1624								
1625	Single Tee CPVC							
1626		75	गोटा				299	
1627		100	गोटा				599	

Handwritten signature and text at the bottom of the page, including the name "श. व. ०८०/८१" and other illegible markings.

आ.व. ०८०/८१ को जिल्ला दररेट, पर्सा								
क.सं.	विवरण	इकाई	०७५/७६	०७७/७८	०७८/७९	०७९/८०	०८०/८१	कैफियत
1628	160	गोटा					1625	
1629		गोटा						
1630	Single Tee with Door CPVC							
1631	75	गोटा					370	
1632	110	गोटा					827	
1633								
1634	Socket Plug CPVC							
1635	75	गोटा					151	
1636	75	गोटा					210	
1637								
1638	Single Y CPVC							
1639	75	गोटा					420	
1640	110	गोटा					739	
1641								
1642	Reducing Tee CPVC							
1643	110*75	गोटा					476	
1644	160*110	गोटा					1478	
1645								
1646	Multi floor Trap with Jali CPVC							
1647	110	गोटा					901	
1648								
1649	Multi floor Trap without Jali CPVC							
1650	110	गोटा					775	
1651								
1652	Nahani Trap with Jali CPVC							
1653	110*75	गोटा					440	
1654								
1655	Round Jali CPVC							
1656	100	गोटा					70	
1657								
1658	Ripe Clip CPVC							
1659	75	गोटा					70	
1660	110	गोटा					79	
1661								
1662	Vent Cowl CPVC							
1663	75	गोटा					79	
1664	110	गोटा					140	
1665								
1666	P Trap							
1667	110*110	गोटा					749	
1668	Solvent cement- HSN CODE;3506 CPVC							
1669	Tin	गोटा					142	
1670	Tin	गोटा					232	
1671								
1672	Rubber Lubricant - HSN CODE; 3403 CPVC							
1673	Box	गोटा					65	
1674	ELBOW 90° PLAIN-06kgf/cm <sup>2</sup> Pressure-ISI Marked CPVC							
1675	50	गोटा					77	
1676								
1677	Reducer - Heavy CPVC							
1678	70*50	गोटा					98	
1679								
1680	Bend 45° -6kgf/cm <sup>2</sup> Pressure-ISI Marked CPVC							
1681	50	गोटा					76	
1682	Tee 90° PALIN-6 kgf/cm <sup>2</sup> Pressure-ISI Marked							
1683	50	गोटा					140	
१. माथि उल्लेखित दररेटमा भ्याट समावेश गरिएको छैन।								